

Cumulative Indexes of Volumes 151–201: Partially Permuted Title Word Index

- (α -p \times n)-Reaction 162:145
(γ -n)-Reaction 186:165
(Mo_6Cl_8) Cl_4 178:437
(n, α)-Radiography 167:475
(n, α)-Reaction 151:357
(n, γ)-Reaction
• Behavior 183:293
• Chemical-Effect 178:437
• Cross-Section 183:293
• Modified-Westcott-Formalism 183:293
• Pure 183:293
• Relation 183:293
(n, γ)-Reaction-Rate 152:435
(n,n') 176:295
(TcNCl_4) 175:113
(UO_2) $_2(\text{OH})_2^{2+}$ 174:299
1.6-GeV 169:13
100-kC/s-Throughput 168:513
14-MeV
• Absolute-Method 189:15
• Alloy 189:15
• Boron 180:277
• Chicken 169:283
• Date 169:283
• Dung 169:283
• Explosive-Material 162:277
• Extraction 172:357
• Fast-Neutron-Activation-Analysis 160:169
• Fertilizer 168:317
• Fluoride-Ion 172:357
• Fluorine 172:357, 180:277
• Instrumental-Neutron-Activation-Analysis 180:277
• Microcomputer 160:169
• Multiple-Interference 180:277
• Multiscaling 160:169
• Neutron 162:277, 167:467, 168:317, 172:357
• Neutron-Activation-Analysis 167:67, 169:283, 172:357, 189:15
• Oxygen 160:169, 167:467, 180:277
• PC 160:169
• Phosphate 168:317
• Potential 167:67
• Reactor 168:317
• Separation 172:357
• Steel 189:15
• Triphenyltin-Chloride 172:357
14.7-MeV 166:493
- 15-Crown-5
• 18-Crown-6 159:353, 196:369
• Americium 159:353
• Benzene 196:369
• Europium 159:353
• Europium(III) 196:369
• Extraction 196:369
• Gadolinium 159:353
• Gadolinium(III) 196:369
• Mixed 159:353
• Nitrate-Medium 196:369
• Perchlorate-Medium 159:353
• Radioisotope 196:369
• Radionuclide 159:353
• Synergic-Extraction 159:353
• Synergistic-Mixture 196:369
• Thenoyltrifluoroacetone 159:353, 196:369
• Trivalent 159:353
15-Crown-5 14-tert-Butylbenzo-» 187:25
18-Crown-6
• 15-Crown-5 159:353, 196:369
• Americium 159:353
• Benzene 196:369
• Dicarbollide 163:81
• Europium 159:353
• Europium(III) 196:369
• Extraction 159:63, 163:81, 189:229, 196:369
• Gadolinium 159:353
• Gadolinium(III) 196:369
• Lanthanide 163:81, 189:229
• Lanthanoid 159:63
• Light 189:229
• Mixed 159:353
• Nitrate-Medium 196:369
• Nitrobenzene-Solution 163:81
• Perchlorate-Medium 159:353
• Perfluorooctanoate 189:229
• Radioisotope 196:369
• Radionuclide 159:353
• Selective 189:229
• Solvent 159:63
• Synergic-Extraction 159:353
• Synergistic-Mixture 196:369
• Thenoyltrifluoroacetone 159:353, 196:369
• Trichloroacetate 159:63
• Trivalent 159:353
18th-Century 196:207
2-MeV 195:133
22-GeV 189:191
27-MeV 187:143
4-MeV 176:285
- 44-GeV 189:191
500-700-keV 200:85
700-2000-keV 199:125
77-K 173:67
80-MeV/Nucleon 186:113
Abbreviated 180:29
Ability
• Cation 164:109
• Cesium 164:241
• Chemical-Treatment 164:241
• Clinoptilolite 164:109, 164:241
• Cobalt 164:241
• Modified 164:109
• Sorption 164:109, 164:241
Ablation 160:153
Abnormal 199:65
Above-ground 160:297
Abscisic-Acid 154:209
Absolute
• Calcium-45 187:367
• Coefficient 169:397
• Computation 169:397
• Correction 169:397
• Integral-Counting-Method 187:367
• Liquid-Scintillation-Counting 187:367
• Modified 187:367
• Radioactivity 169:397
• Source 169:397
• Sulfur-35 187:367
• Voluminous 169:397
Absolute-Method
• 14-MeV 189:15
• Alloy 189:15
• Neutron-Activation-Analysis 189:15
• Prompt-Gamma-Ray-Neutron-Activation-Analysis 151:55
• Steel 189:15
Absorbent 173:323
Absorption
• Activation-Analysis 167:127
• Behavior 188:133
• Bibliography 157:203, 182:477, 185:419, 198:261
• Copper(II)-Ion 188:133
• Cytosine 188:133
• Fluorescence 188:133
• Generating 178:73
• Hydrogen 178:73
• Irradiated 188:133
• Neutral 188:133
• Neutron 178:73
• Neutron-Beam 167:127
• pH 188:133
• Radiation 157:203, 182:477, 185:419, 198:261
• Reversible 178:73
• Scattering 157:203, 167:127, 182:477, 185:419, 198:261
• Tube 178:73
Abundance
• Bismuth-207 153:51
• Carbonaceous-Chondrite 173:229
• Conformity 192:255
• Dating 158:437, 173:229
• Distribution 183:351
• Elemental 192:255
• Fortuity 192:255
• Gamma-Ray 153:51
• Half-Life 153:51
• Human-Brain-Tissue 169:269
• Human-Kidney-Stone 169:269
• Initial 158:437, 173:229
• Instrumental-Neutron-Activation-Analysis 169:269
• Iodine-129 173:229
• Isotopic 201:381
• Liquid-Scintillation-Counting 201:381
• Lithium-6 201:381
• Low-Background 201:381
• Lunar-Sample 158:437
• Material 183:351
• Natural-Law 192:255
• Nature 192:255
• Neutron-Activation-Analysis 201:381
• Pattern 183:351
• Plant 183:351
• Plutonium-244 158:437, 173:229
• Radioisotope 178:291
• Rare-Earth-Element 169:269, 183:351
• Trace-Element 169:269
• Uranium-235 158:437
Abundance-Level 159:305
Accelerator-Mass-Spectrometry
• Dating 160:119
• Radionuclide 160:119
• Trace-Element-Analysis 160:119, 167:423
Accident
• Artificial 188:305
• Behavior 161:121
• Collected 188:305

- Condition 161:121
- Cotton 175:17
- Dose 175:17
- ESR 175:17
- Fabric 175:17
- Following 188:305
- Ibaraki-Japan 188:305
- Iodine 161:121
- Level 188:305
- Nuclear-Reactor 161:121
- Radiochemical 161:121
- Radionuclide 188:305
- Rain 188:305
- Relevant 161:121
- Russia 188:305
- Toms-7 188:305
- Uranium 188:305
- Water 188:305
- Accompanying** 196:161
- Accreditation** 179:141
- Accretion** 151:191
- Accumulation**
 - Active 161:561
 - Animal 187:299
 - Bone 187:299
 - Cell 177:393
 - Concentration 161:561
 - Feature 161:561
 - Fissile 161:561
 - Instrumental-Neutron-Activation-Analysis 177:393
 - Material 161:561
 - Monitoring 161:561
 - Neutron-Counting 161:561
 - Nuclear-Reprocessing 161:561
 - Passive 161:561
 - Saccharomyces-Cerevisiae 177:393
 - Safety 161:561
 - Selenium 177:393
 - Skeleton 187:299
 - Strontium 187:299
 - Uranium 177:393
- Accuracy**
 - Cesium-137 153:365
 - Detectability 160:233
 - Emission-Transmission-Method 158:409
 - Foodstuff 153:365
 - Gamma-Spectroscopy 160:233
 - Instrumental-Neutron-Activation-Analysis 169:435
 - Intermediate 158:409
 - Mössbauer-Effect 169:435
 - Neutron-Activation-Analysis 179:131
 - Particle-Induced-X-Ray-Emission 196:135
 - Precision 153:365, 169:435, 196:135
 - Preparation 179:131
 - Program 160:233
 - Sample 158:409
 - Short-Lived-Nuclide 169:435
 - Standard 179:131, 196:135
 - Thickness 158:409
 - Verification 160:233
 - X-Ray-Fluorescence-Analysis 158:409
- Accurate** 153:151
- Acetamide** 170:389
- Acetate-Buffer-Solution** 157:159
- Acetic-Acid** 160:487
- Acetone** 161:227
- Acetylacetonato)Metal(III)-Complex** Itris» 170:67
- Acetylacetone**
 - 3,5-Dichlorophenol 157:255
 - 8-Hydroxyquinoline 166:531
 - Acetate-Buffer-Solution 157:159
 - Alcohol 157:159
 - Chelate 157:255, 163:59
 - Chloroform 166:531
 - Chromium(III) 166:531
 - Chromium-51 166:531
 - Cobalt(III) 157:159
 - Donor 157:255
 - Enhancement 157:255
 - Equilibrium 163:59
 - Ether 157:159
 - Extractant 163:59
 - Extraction 157:255
 - Hydration 163:59
 - Iron(III) 157:255
 - Ketone 157:159
 - Metal-Ion 163:59
 - Mixed 157:159
 - Mixed-Ligand 166:531
 - Model 163:59
 - Monothioacetylacetone 163:59
 - Partition 163:59
 - Proton 157:255
 - Radiochemical-Solvent-Extraction 166:531
 - Synergistic-Solvent-Extraction 157:159
 - Tracer 166:531
 - Tributyl-Phosphate 157:159
- Achondrite** 157:217
- Acid**
 - Benzene 176:233
 - Characterization 198:375
 - Chromium-51(VI) 195:363
 - Crystalline 198:375
 - Cycle 187:159
 - Dioxouranium(VI) 176:233
 - Distribution 187:159
 - Electrolyte-Solution 178:173
 - Europium 170:207
 - Hafnium(IV) 178:173
 - HDEHP 178:173
 - Ion-Exchange-Behavior 198:375
 - Mixed 178:173
 - Neodymium 170:207
 - Neptunium 187:159
 - Preparation 198:375
 - Product 195:363
 - Purex 187:159
 - Reduction 195:363
 - Solvent-Extraction 170:207, 178:173
 - Speciation 195:363
 - Stability 198:375
 - Synergic-Extraction 176:233
 - Thulium 170:207
 - Triphenylphosphine-Oxide 176:233
 - Uranyl-Ion 198:375
 - Zirconium-Phosphate 198:375
- Acid-Carbon-Tetrachloride-Supported** 157:143
- Acid-Amide** 187:303
- Acid-Dissolved-Sludge-Acidified-Supernate** 194:117
- Acid-Medium**
 - Actinide 157:105, 162:371
 - Dichlorobenzene 157:105
 - Extraction 157:105, 162:371
 - Foam 157:105
 - HDEHP 157:105, 162:371
 - Lanthanide 157:105, 162:371
 - Nitric-Acid-Solution 157:105, 162:371
 - Polyurethane-Foam-Loaded-Acid 157:105, 162:371
 - Synergistic-Extraction 162:371
 - Uranium(VI) 157:105, 162:371
- Acid-Rain** 161:89
- Acid-Solution** 152:381
- Acidic**
 - Actinide 191:291
 - Cesium-137 183:371
 - Chromatographic-Separation 191:291
 - Complex 183:371
 - Extractive 177:327
 - Fission-Product 183:371
 - High-Activity 177:327
 - Inorganic-Exchanger 183:371
 - Minor 191:291
 - Nitrate 191:291
 - Nuclear-Waste 177:327
 - Palladium 177:327
 - Partition 191:291
 - Purex 191:291
 - Reversed-Phase 191:291
 - Separation 183:371
 - Spectrophotometry 177:327
 - Sulfoxide 191:291
 - Waste 183:371, 191:291
- Acidic-Medium** 162:289
- Acidic-Salt** 158:3
- Acidic-Solution**
 - Anomalous-Behavior 200:417
 - Calcium 183:127
 - Crown-Ether 183:127
 - Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 155:195
 - Extraction 155:195
 - Precipitation 183:127
 - Promethium(III) 155:195
 - Radioiodine 200:417
 - Separation 183:127
 - Solvent-Extraction 200:417
 - Strontium 183:127
 - Tungstosilicic-Acid 183:127
- Acidly**
 - Complexing-Agent 152:447
 - Constant-Current 176:205
 - Coulometry 176:205
 - Free 152:447, 176:205
 - Potentiometry 152:447
 - Sulfate 152:447
 - Uranium 152:447, 176:205
 - Uranyl-Nitrate-Solution 152:447
- Acigol** 200:169
- Acknowledgement** 192:7
- Acrylic** 171:277
- Acrylic-Acid** 198:191
- Acrylonitrile-Alkyl-Acrylate-Copolymer** 171:417
- Actinide**
 - 1-Phenyl-3-Methyl-4-Benzoyl-pyrazolone-5 198:367
 - Acid-Medium 157:105, 162:371
- Acidic 191:291
- Adsorption 162:171
- Alkaline-Solution 159:259
- Alkylpyridinium 163:47
- Animal 156:425, 197:309
- Aomori-City-Japan 197:7, 197:9
- Ash 177:5
- Assessing 197:309
- Bearing 191:279
- Behavior 170:359
- Bioassay 156:425, 197:41
- Biokinetic-Model 156:413
- Biological-Sample 156:297, 197:7, 197:9
- Bone 177:5
- Carbamoylmethyl-Sulfoxide 187:91
- Carrier-Mediated-Transport 183:181
- Chelate 198:367
- Chromatographic-Separation 191:279, 191:291
- Chromosorb 162:171
- CMPO 191:279
- Co-precipitation 197:133
- Comparison 182:149, 197:357
- Conference 197:9
- Contaminated 194:107
- Coolant 170:399
- Coral 156:243
- Corrosion 194:95
- Couple 164:153
- Critical-Review 197:41
- Data 156:425, 194:141
- Dichlorobenzene 157:105
- Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 162:171, 183:359, 198:367
- Dosimetry 156:425
- Dust 197:309
- Electrodeposition 180:201
- Electrofission 156:297
- Electronic-Configuration 199:35
- Energy-Dispersive-X-Ray-Fluorescence-Analysis 194:107
- Environmental-Measurement 194:141
- Environmental-Sample 156:297, 197:7, 197:9
- Enzymatic-Degradation 156:21
- Excreta 197:357
- Exposure 156:425
- Extractant 187:91
- Extraction 157:105, 159:259, 162:371, 170:479, 183:359, 191:279, 198:367
- Fallout 151:113
- Fission 182:149
- Fixation 173:331
- Flexcrete-Cement 173:331
- Foam 157:105
- Groundwater 180:201
- HDEHP 157:105, 162:371
- High-Ionic-Strength 194:95
- High-Level 191:279
- Human 156:425
- Human-Tissue-Analysis 156:413
- ICRP 197:41
- Implication 156:413

- Inhaled 197:309
- Intake 197:309
- Inter-Laboratory 197:357
- International-Conference 197:7, 197:9
- Interpret 156:425
- Iodine-129 156:21
- Irradiated 170:359
- Lanthanide 157:105, 162:171, 162:371, 198:367, 199:35
- Large-Sample 156:21, 156:243
- Lead-210 177:5
- Light 197:41
- Liquid-Membrane 183:181
- Long-Lived-Radionuclide 156:243, 197:7, 197:9
- Low-Level 197:133
- Low-Level-Measurement 197:7, 197:9
- Matrix 173:331, 194:41
- Message 197:9
- Micro-Column 194:41
- Minor 191:279, 191:291
- Mixed-Ligand 198:367
- Model 156:425
- Monitor 194:107
- Monitoring 197:41
- Neodymium-Fluoride 197:133
- Neptunium 170:359
- Neutral-Donor 170:479
- Neutron-Activated-Nuclide 151:113
- Neutron-Induced 182:149
- Nitrate 191:291
- Nitric-Acid 162:171
- Nitric-Acid-Solution 157:105, 162:371, 183:359
- Nuclear-Property 182:267
- On-line 194:107
- Oxidation 197:133
- Oxidation-State 159:259
- Oxygen 164:153
- Participant 197:9
- Partition 191:291
- Photofission 156:297
- Photon-Induced 182:149
- Plasticized 183:181
- Pollutant 164:153
- Polonium-210 177:5
- Polyurethane-Foam-Loaded-Acid 157:105, 162:371
- Postmortem 156:413
- Potential 199:35
- Prediction 182:267
- Primary 170:399
- Proceedings 197:7, 197:9
- Purex 191:291
- Quality-Control 194:141
- Radiochemical-Procedure 194:141
- Rare-Earth-Element 183:181, 194:41
- Recommendation 197:41
- Redox 199:35
- Reduction 197:133
- Reversed-Phase 191:291
- Saline 180:201
- Salt 163:47
- Sample 151:113
- SAPO-34 178:273
- Selective 197:133
- Separation 151:113, 159:259, 163:47, 170:359, 197:133
- Separation-Method 194:151
- Simultaneous 156:21
- Soil-Sample 194:151
- Solid-Phase-Extraction 194:41
- Sorption 194:95
- Speciation 194:95
- Standard 177:5
- Stream 194:107
- Strontium 156:21
- Strontium-90 177:5
- Sulfate 191:279
- Sulfoxide 191:291
- Synergistic-Extraction 162:371, 170:479
- Target 170:359
- Tetravalent 183:359
- Tool 156:297
- Tributyl-Phosphate 183:359
- Trivalent 183:359, 198:367
- Tropolone 170:479
- Uncommon 159:259
- Uptake 162:171, 178:273
- Uranium 177:5
- Uranium(VI) 157:105, 162:371, 170:479
- Vegetation 156:21
- Waste 191:279, 191:291, 194:107
- Water 164:153
- WWER-440-Type-Reactor 170:399
- Zeolite 173:331
- Zeolite-L 178:273
- Zeotype 173:331
- Actinium 153:67**
- Actinium-225**
 - Alpha-Decay 153:293
 - Fed 153:293
 - Francium-221 153:293
 - Hydrolysis 164:103
 - Level 153:293
 - Trace-Quantity 164:103
- Actinium-228 175:37**
- Action**
 - Alkali-Metal-Salt 155:65
 - Benzoate-Ion 155:65
 - Benzoic-Acid 155:65
 - IAEA 194:229
 - Iraq 194:229
 - Nuclear-Analytical-Chemistry 194:229
 - Regioselective 155:65
 - Team 194:229
 - Tritiation 155:65
- Activated-Charcoal**
 - Adsorption 157:321, 159:155, 165:243, 172:257, 182:415
 - Alkali-Metal 165:243
 - Alkaline-Earth-Metal 165:243
 - Aqueous-Electrolyte-Solution 172:257
 - Aqueous-Solution 157:321, 159:155, 165:243
 - Cerium 172:257
 - Cerium³⁺-Ion 182:415
 - Electrolyte 157:321, 159:155
 - Europium³⁺-Ion 182:415
 - Gadolinium 159:155
 - Gadolinium³⁺-Ion 182:415
 - Lanthanide 165:243
 - Neutron-Activation-Analysis 166:31
 - Purification 166:31
 - Samarium³⁺-Ion 182:415
 - Selective 157:321, 172:257
- Sorbent 166:31
- Thorium 157:321
- Trace-Element 166:31
- Uranium 165:243
- Volcanic-Exhalation 166:31
- Activated-Sludge 186:441**
- Activation**
 - (n,α)-Reaction 151:357
 - Aquifer 152:237
 - Bibliography 152:299, 178:207, 189:349
 - Bioavailability 151:255
 - Breeder 151:357
 - Bromide- 163:301
 - Candidate 151:357
 - Ceramic-Material 151:357
 - Chemical-Analysis 152:237
 - Corrosion 198:161
 - Disproportionation 191:361
 - Drinking-Water 152:237
 - Ecological-Study 167:391
 - Epithermal-Technique 167:45
 - Evaluation 151:357
 - Fusion-Reactors 151:357
 - Gamma-Spectrometry 151:357
 - Geochemical-Study 168:69
 - Geological-Study 168:69
 - Helium-3+ 175:243
 - Hydrological-Study 163:301
 - Indium-EDTA 163:301
 - Interference 167:45
 - Iodide- 163:301
 - Isotope 151:255
 - Kinetic-Isotope-Effect 191:361
 - Kinetics 191:361
 - Light-Element 175:243
 - Lithium-6 151:357
 - Low-Level-Waste 198:161
 - Metallofullerene 192:81
 - Neutron-Irradiation 151:357
 - Neutron-Produced 167:391
 - Nuclear-Reaction 152:299, 178:207, 189:349
 - Nuclide 151:357
 - Pentavalent 191:361
 - Plutonium 191:361
 - Power 191:361
 - Power-Reactor 198:161
 - Preconcentration 151:121
 - Product 198:161
 - Radiography 168:69
 - Radiotracer 167:391
 - Resolve 167:45
 - Scaling-Factor 198:161
 - Shallow 152:237
 - Short-Term 167:391
 - Stable 167:391
 - Tracer 151:121, 151:255, 163:301, 167:391
 - Tracer-Technique 192:81
 - Tritium 151:357
 - Ultrasound 191:361
 - Yield 151:121
 - Zinc 151:255
- Activation-Analysis**
 - Absorption 167:127
 - Activity 151:7
 - Advanced 167:187
 - Age-Related 168:223
 - Americium-241-Beryllium-Source 181:131
 - Analytical-Efficiency 151:95
 - Analytical-Procedure 169:409
 - Argon 192:97
- Assay 198:385
- B.E.T. 192:139
- Basis 168:15
- Bauxitic-Material 190:71
- Beijing-China 151:5
- Boron-Doped 173:409
- Calcium 159:121
- Cancer-Research 195:91
- Carbon 173:409
- Ceramic-Material 192:139
- Charged-Particle 158:463, 167:81, 168:377
- China 151:7
- Chlorine 159:121
- Clarias-Magur 188:9
- Coal 187:175
- Collected 165:61
- Comparative 159:121
- Converter 179:13
- Correcting 169:409
- Dating 192:97
- Derivative 155:33
- Destructive-Analysis 197:417
- Detector 167:187
- Deuteron 173:409
- Digital 158:139
- Dioxin 192:299
- Element 197:417, 198:385
- Environmental-Research 167:321
- Environmental-Sample 197:417
- Epithermal-Irradiation 190:71
- Excreta 155:427
- Extraction 153:301, 173:125
- Facility 181:131
- Fast-Neutron 167:55, 187:175, 188:9
- Fire 198:385
- Fish 188:9
- Flow-Injection 176:113
- Fluorine-20 169:57
- Freshwater 188:9
- Future-Prospect 169:291
- Gas-Adsorption 192:139
- Glass 155:427
- High-Purity 158:463
- High-Temperature 153:301, 154:255
- Human-Brain-Tumor 166:97
- Imbalance 168:223
- Improved 192:55
- Impurity 158:463
- Infant 169:317
- Integration 158:139
- Interference 198:385
- International-Conference 151:5
- Iridium 153:301, 192:101
- Kalewa-Myanmar 187:175
- KFUPM 181:131
- Light-Element 167:81, 168:377
- Lithium-6-D 179:13
- Macro-Alga-Sample 159:121
- Marine 159:121
- Material 158:463, 169:57
- Mercury 154:255
- Metal 173:125, 192:139
- Metal-Element 165:61
- Mineral-Sample 154:255, 192:97
- Molecular 192:101
- Multielement 159:121
- Multitechnique 168:223
- Myanmar 188:299

- Neurological-Disease 168:223
- Neutron-Beam 167:127
- Neutron-Induced-Nuclear-Reaction 198:385
- Nga-Khu 188:9
- Nickel-Sulfide 198:385
- Non-destructive 159:121
- Non-destructive-Analysis 197:417
- Observation 169:409
- Offer 167:187
- Optimization 169:409
- Organic-Sample 168:15
- Oxide-Film 192:139
- Oxygen 158:463
- PCB 192:299
- Phosphorus 155:33, 159:121
- Photopeak 158:139
- Platinum-Group 198:385
- Postmortem 169:317
- ppb-Level 155:33
- Pre-separation 168:15
- Preconcentration 198:385
- Preface 151:5
- Preliminary-Observation 169:317
- Present 169:291
- Preterm 169:317
- Proceedings 151:5
- Projectile 158:463
- Quality-Control 151:139
- Quartz 155:427
- Radiotracer 168:265
- Reference-Material 159:121
- Routine 168:377
- Scattering 167:127
- Science 160:109
- Seaweed 188:299
- Selenium 195:91
- Selenium-77m 168:15
- Short-Lived-Nuclide 151:95, 192:55
- Short-Lived-Radionuclide 167:55
- Short-Time 160:109, 169:57, 179:13
- Significance 155:427
- Silicon 173:409
- Single-Crystal 173:409
- Standard 159:121, 169:57
- Stromboli-Italy 165:61
- Sub-ppb-Level 167:81
- Subcellular-Distribution 166:97
- Synthetic 159:121
- Thermal-Neutron 181:131, 197:417
- Thickness 192:139
- Thorium 155:427
- Time 169:409
- Tissue 197:417
- Total 192:299
- Trace-Element 166:97, 168:223
- Ultra-Trace 173:409
- Volatile 165:61
- Volatilization 154:255
- Volcanic-Exhalation 165:61
- Volcanic-Rock 153:301
- Vulcano 165:61
- Water-Sample 155:33
- Yield 168:265
- Activation-Energy**
- Cobalt²⁺-Ion 158:171
- Diffusion 158:171, 176:161
- Electrolyte 176:161
- Multielectrolyte 158:171
- Obstruction 158:171
- Salt 176:161
- Tracer 158:171
- Zinc 176:161
- Activation-Method** 189:147
- Activation-Rate** 195:263
- Active**
- Accumulation 161:561
- Aqueous-Solution 186:1
- Barium 186:1
- Commercial 186:1
- Concentration 161:561, 169:483
- Constituent 169:483
- E.-Rostratus-Schlecht 169:483
- Eucalyptus-Camaldulensis-Dehnh 169:483
- Feature 161:561
- Fissile 161:561
- Lead 186:1
- Manganese-Dioxide 186:1
- Material 161:561
- Medicinal 169:483
- Monitoring 161:561
- Neutron-Counting 161:561
- Nuclear-Reprocessing 161:561
- Passive 161:561
- Plant 169:483
- Precipitated 186:1
- Safety 161:561
- Separation 186:1
- Statistical-Analysis 169:483
- Strontium 186:1
- Trace-Element 169:483
- Active-Carbon** 152:381
- Active-Center** 195:355
- Activity**
- Activation-Analysis 151:7
- Aerosol 177:335
- Agricultural-Sample 174:223
- Air 187:131, 194:403
- Alpha-Particle 197:57
- Amount 177:335
- Associated 185:127
- Canadian 185:127
- Chemistry 171:159
- China 151:7
- Cigarette-Smoke 187:131
- Concentration 166:331, 174:223
- Contribution 182:237
- Counter 197:57
- Curriculum 171:159
- Cyclotron 182:237
- Discrimination 194:403
- Distribution 182:237
- Dose-Rate 185:127
- Efficiency 177:335
- Equivalent 187:131
- Filter 194:403
- Fluorine-18 182:237
- Gas 199:9
- Gas-Target 182:237
- Gross-Alpha 194:403
- Gross-Beta 194:403
- Indirect 156:83
- Liquid-Scintillation-Counting 194:403
- Low-Energy-Photon-Spectrometer 156:83
- Low-Level 196:345
- Medium-Level 177:335
- Neon-20-(d.alpha.)-Fluorine-18-Reaction 182:237
- Nuclear-Chemistry 171:159
- Nuclear-Power-Plant 177:335
- Optimization 196:345
- Plutonium-241 156:83
- Portable 197:57
- Present 196:345
- Program 171:159
- Public-Acceptance 197:57
- Pulse-Shape 194:403
- Quantification 182:237
- Radium-226 166:331, 174:223, 185:127
- Radon-222 187:131
- Retention 177:335
- Sample 196:345
- Simultaneous-Determination 194:403
- Socket 199:9
- Soil 156:83, 166:331, 185:127
- Spike 196:345
- Targetry 182:237
- Thorium-232-Series 199:9
- Traditional 171:159
- Undergraduate 171:159
- Uranium-238 166:331, 174:223
- Vitrification 177:335
- Volume 187:131
- Waste 177:335
- Actual** 194:25
- Adapted** 198:179
- Added** 177:365
- Additive**
- Cesium 153:399, 173:37
- Cupric-Ferrocyanide 173:37
- Ferrocyanide 153:399
- Insoluble 153:399
- Nitric-Acid-Medium 153:399, 173:37
- Potassium 173:37
- Separation 153:399
- Sorbent 153:399
- Sorption 173:37
- Strong 173:37
- Adduct**
- 5,5-Dimethylpyrroline-N-Oxide 172:201
- Amide 170:43
- Copper(II)-Ion 172:201
- Formed 172:201
- Hydroxyl-Radical 172:201
- Hydroxylalkyl-Radical 172:201
- Plutonyl-Pyrazolonate 170:43
- Reaction 172:201
- Spin 172:201
- Stability 172:201
- Sulfoxide 170:43
- Ternary 170:43
- Adjuvant** 200:475
- Adogen-464** 162:125
- Adsorption**
- Acetic-Acid 160:487
- Acid-Solution 152:381
- Actinide 162:171
- Activated-Charcoal 157:321, 159:155, 165:243, 172:257, 182:415
- Active-Carbon 152:381
- Alkali 154:81
- Alkali-Metal 165:243
- Alkaline-Earth 154:81
- Alkaline-Earth-Metal 165:243
- Alpha-Zirconium-Phosphate 190:167
- Aluminum-Oxide 190:81
- Aqueous 159:343
- Aqueous-Electrolyte-Solution 172:257
- Aqueous-Solution 157:321, 159:155, 165:243, 170:133, 170:309, 170:321, 170:347, 172:329, 173:141, 174:83, 180:145, 181:117
- Barium(II) 170:133
- Barium(II)-Ion 196:353
- Batch 191:229
- Bifunctional 175:415
- Bismuth-Trioxide 180:145
- Cadmium-109 186:237
- Cadmium-Oxide 174:83
- Carbon-14 160:487
- Cerium 170:309, 172:257, 186:63
- Cerium³⁺-Ion 182:415
- Cesium 170:321, 171:483
- Cesium(I) 190:81
- Charcoal 173:141, 181:291
- Chemical-Pre-treatment 200:351
- Chromatography 175:415
- Chromium(VI) 159:343
- Chromium-51(VI) 180:145
- Chromosorb 162:171
- Clinoptilolite 200:351
- Cobalt 166:41
- Cobalt(II) 172:329, 173:141, 190:81
- Colloid 172:329
- Colloidal-Behavior 170:347
- Complex 175:415
- Container 186:237
- Copper-Nickel 170:321
- CSFR 166:41
- Desorption 152:31, 191:229
- Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 162:171
- Dilute 172:329, 173:141
- Dynamic 158:79, 181:291
- Efficient 170:133
- Electrolyte 157:321, 159:155
- Equilibrium 152:31
- Europium³⁺-Ion 182:415
- Extractant 175:415
- Extracted 175:415
- Extraction 175:415
- f-Element 175:415
- Feasibility 159:343
- Flotation 172:329
- Gadolinium 159:155
- Gadolinium³⁺-Ion 182:415
- Gamma-Zirconium-Phosphate 190:167
- Heterogeneous-Process 160:487
- Hexacyanoferrate(II) 170:321
- Hexavalent 170:347
- Hydrous 162:351, 170:133, 196:353
- Intercalation 190:167
- Interface 174:83
- Iodide 200:351
- Ion-Exchanger 162:299, 196:353
- Iron-Oxide 162:351

- Isotope 181:291
- Isotopic-Exchange 191:229
- Kinetic-IR-Study 180:145
- Krypton 181:291
- Lanthanide 162:171, 165:243
- Lead-Dioxide 170:309, 181:117, 186:63
- Liquid-Scintillation-Counting 186:237
- Low-Level 180:145
- Macroflotation 173:141
- Management 162:299, 196:353
- Manganese-Dioxide 170:157
- Manganese-Oxide 170:133
- Microcalorimetry 190:167
- Migration 171:347
- Mineral 171:347
- Minerals 171:483
- n-Butylamine 190:167
- Natural 166:41, 171:347
- Nitric-Acid 162:171
- Occurring 166:41
- Palladium/Alumina-Catalyst 200:465
- Pertechnetate-Ion 152:381
- Potassium 170:321
- Precipitate 172:329
- Precipitation-Process 174:83
- Property 181:291
- Radiation 160:487
- Radioactive-Waste 162:299, 196:353
- Radiocobalt 181:117
- Radionuclide 152:31, 154:81
- Radiotracer 162:299, 196:353
- Radiotracer-Technique 170:133
- Radium 171:347
- Removal 170:133, 170:157, 173:141
- Review 171:483
- Salt-Solution 152:381
- Samarium³⁺-Ion 182:415
- Sediment/Sea-Water-System 152:31
- Selective 157:321, 172:257
- Separation 172:329
- Silica-Gel 158:79
- Sodium-Montmorillonite 160:487
- Sodium-Sulfate 174:83
- Sodium-Titanate 162:299
- Solvent 175:415
- Sorbent 173:141
- Spiking 186:237
- Strontium(II) 190:81
- Strontium(II)-Ion 196:353
- Strontium-Ion 162:299
- Sulfur-35 200:465
- Surface 200:351
- Tellurium 170:347
- Thermodynamics 186:63
- Thorium 157:321
- Thorium-Oxide 196:353
- Titanium-Dioxide 159:343
- Trace 170:347
- Uptake 162:171
- Uranium 165:243
- Uranium(VI) 158:79
- Uranium-Hydrogen-Carbonate-Solution 170:157
- Water-Solution 154:81
- Xenon 181:291
- Zeolite 154:81, 166:41
- Zinc(II) 162:351
- Zirconium 170:157
- Zirconium(IV) 158:79
- Adsorption-Behavior**
 - Americium 156:215
 - Carbonaceous-Slate 189:269
 - Laboratory 156:215
 - Radium 189:269
- Advance** 160:221
- Advanced**
 - Activation-Analysis 167:187
 - Detector 167:187
 - Facility 167:7
 - Neutron-Activation-Analysis 167:7
 - Neutron-Source 167:7
 - Offer 167:187
 - Status 167:7
- Advantage** 169:443
- Advective** 179:243
- Aerial** 193:89
- Aerosol**
 - Activity 177:335
 - Amount 177:335
 - Ankara-Turkey 181:401
 - Antarctic-Peninsula 159:21
 - Antimony 192:215
 - Area 192:215
 - Arsenic 192:215
 - Atmospheric 167:271, 181:401, 186:245, 189:157, 201:409
 - Atomic-Absorption-Spectrometry 161:101
 - Background-Level 189:157
 - Bearing 192:215
 - Behavior 186:245
 - Cesium 201:409
 - Characterization 167:295
 - Chemical-Fraction 201:409
 - Chernobyl-Accident 201:409
 - Cloud 161:101
 - Coal-Combustion 167:259
 - Composition 181:401
 - Compton 192:195
 - Contribution 167:295
 - Counting 192:195
 - Detection 192:195
 - Device 167:271
 - Efficiency 177:335
 - Emission 172:181
 - Epithermal-Irradiation-Technique 192:195
 - Fallout 186:245
 - Filter 192:195
 - Generation 161:101
 - Growth 192:215
 - Hydride 161:101
 - Instrumental-Neutron-Activation-Analysis 161:101, 167:259, 181:401, 192:215
 - Limit 192:195
 - Lonquimay-Volcano-Chile 172:181
 - Major-Component 172:181
 - Medium-Level 177:335
 - Neutron-Activation-Analysis 159:21
 - Nuclear-Analytical-Technique 167:271
 - Nuclear-Power-Plant 177:335
 - Particle 192:215
 - Prague 186:245, 201:409
 - Radioactive 201:409
 - Radiocesium 186:245
 - Radium-226 189:157
 - Retention 177:335
 - Sampling 167:271
 - Sao-Paulo 167:295
 - Selenium 192:215
 - Size-Fractionated 167:259
 - Size-Fractionating 167:271
 - Size-Spectrum 192:215
 - Source 167:295
 - Southern-Norway 167:271
 - Suppression 192:195
 - Trace-Element 159:21, 161:101, 181:401, 192:195
 - Uranium-238 189:157
 - Vitrification 177:335
 - Washington-DC 192:215
 - Waste 177:335
 - Water 161:101
 - Zinc 192:215
- Aerosol-Particle** 167:247
- Affair** 179:93
- Affected**
 - Area 176:11
 - Byelorussia 176:11
 - Chernobyl-Fallout 176:11
 - Gas 176:243
 - Langmuir-Blodgett 176:243
 - Layer 176:243
 - Liver 176:11
 - Lung 176:11
 - Person 176:11
 - Plutonium 176:11
 - Poly(3-Hexadecylthiophene) 176:243
 - Property 176:243
 - Stearic-Acid 176:243
 - Surface-Treatment 176:243
- Affecting**
 - Chemical-Phenomena 180:45
 - Concentration 159:201
 - Contact-Time 159:201
 - Electrodeposition 160:477
 - Element 180:45
 - Factor 159:201, 160:477
 - Freshwater 159:201
 - Interaction 159:201
 - Leachability 180:45
 - Physical-Phenomena 180:45
 - Radiocesium 159:201
 - Radium-226 160:477
 - Solid 159:201
 - Solid-Waste 180:45
 - Temperature 159:201
- Africa (South-)** 171:57
- Ag** see **Silver**
- Agar-Gel** 173:153
- Age**
 - Americium-Beryllium 181:343
 - Bone-Male 200:205
 - Category 200:205
 - Correlation 195:51
 - Dating 159:281
 - Distance 181:343
 - Human 200:205
 - Human-Fingernail 195:51
 - Human-Rib 182:97
 - Individual 200:205
 - Instrumental-Neutron-Activation-Analysis 200:205
 - Lunar 159:281
 - Mean-Squared 181:343
 - Neutron 181:343
 - Perspex 181:343
 - Plutonium-244 159:281
 - Rock 159:281
 - Section 200:205
 - Sex 195:51
 - Slowing-Down 181:343
 - Sodium/Calcium-Ratio 200:205
 - Thorium 182:97
 - Trace-Element 195:51
 - Undecalcified 200:205
 - Variation 182:97
- Age-Momentum-Correlation** 190:481
- Age-Related**
 - Activation-Analysis 168:223
 - Arsenic 179:331
 - Cadmium 179:331
 - CNS 179:331
 - Copper 179:331
 - Imbalance 168:223
 - Molybdenum 179:331
 - Multitechnique 168:223
 - Neurodegenerative-Disease 179:331
 - Neurological-Disease 168:223
 - Radiochemical-Neutron-Activation-Analysis 179:331
 - Tissue 179:331
 - Trace-Element 168:223
- Agent** 178:359
- Aging** 190:263
- Agricultural-Sample** 174:223
- Agroindustry** 168:41
- Air**
 - Activity 187:131, 194:403
 - Ambient 173:365
 - Atmospheric 174:43, 180:171
 - Cigarette-Smoke 187:131
 - Counting 180:171
 - Daughter 154:5
 - Discrimination 194:403
 - Dust 173:365
 - Elemental-Composition 173:365
 - Elemental-Concentration 179:187
 - Equivalent 187:131
 - Exposure 177:81
 - Filter 180:171, 194:403
 - Fugitive 173:365
 - Gaseous 174:43
 - Gross-Alpha 194:403
 - Gross-Beta 194:403
 - Identification 179:187
 - Instrumental-Neutron-Activation-Analysis 173:365
 - Iodine-129 174:43
 - Isotope 199:27
 - Liquid-Scintillation-Counting 194:403
 - Matter 179:187
 - Monitoring 177:81
 - Neutron-Activation-Analysis 174:43
 - Nigerian 179:187
 - Occupational 177:81
 - Particulate 173:365, 174:43, 179:187
 - Plutonium 199:27
 - Preliminary-Study 179:187
 - Pulse-Shape 194:403
 - Radon-222 187:131

- Simultaneous-Determination 194:403
- Site 179:187, 199:27
- Source 179:187
- Surface 199:27
- Thermal-Power-Station 173:365
- Thorium 177:81
- Vinca-Belgrade 199:27
- Volume 187:131
- Air-Particulate** 196:25
- Air-Pollutant** 167:237
- Air-Pollution**
 - Atomic-Based-Analysis 161:189
 - Bioaccumulator 192:171
 - Elemental 192:171
 - Environmental-Study 192:171
 - Heavy-Metal 151:337
 - History 151:337
 - Monitor 151:337
 - Nigeria 161:189
 - Nuclear-Analysis 161:189
 - Radioanalytical-Technique 192:171
 - Ring 151:337
 - Tree 151:337
- Airborne**
 - Boiling-Water-Reactor 198:203
 - Carbon-14 198:203
 - Chemical-Stabilization 193:319
 - Concentration 186:23
 - Debrecen 186:23
 - Effluent 198:203
 - Feasibility 167:309
 - Lead 186:23
 - Leaf 167:309
 - Light-Water-Reactor 198:203
 - Mill 193:319
 - Monitor 167:309
 - Oak 167:309
 - One-Year 198:203
 - Particle 186:23
 - Pollution 167:309
 - Pressurized-Water-Reactor 198:203
 - Radium-226 193:319
 - Radon-222 193:319
 - Reduction 193:319
 - Seasonal-Variation 186:23
 - Site 186:23
 - Swedish 198:203
 - Tailing 193:319
 - Total 198:203
 - Uranium 193:319
- Airborne-Particulate**
 - Analytical-Sensitivity 167:219
 - Antimony 167:219
 - Arsenic 167:219
 - Cadmium 167:219
 - Elemental-Characterization 167:283
 - Epithermal-Neutron-Activation-Analysis 167:219
 - Harmattan 167:283
 - Improvement 167:219
 - Indium 167:219
 - Iodine 167:219
 - Location 167:283
 - Matter 167:219
 - Molybdenum 167:219
 - Nigerian 167:283
 - Season 167:283
 - Silicon 167:219
 - Uranium 167:219
- Akwana** 168:101
- Alamine-310** 173:161
- Alanine-Polyethylene** 196:97
- Alanine** (Alpha-) 187:73
- Alanine** (D-alpha-) 183:379
- Alanine** (DL-alpha-) 183:379
- Alanine** (L-alpha-) 183:379
- Albanian** 186:303
- Albania** (INP-) 200:109
- Alcohol**
 - Acetate-Buffer-Solution 157:159
 - Acetylacetone 157:159
 - Agroindustry 168:41
 - Cobalt(III) 157:159
 - Ether 157:159
 - Ketone 157:159
 - Mixed 157:159
 - Scandium 168:41
 - Sugar 168:41
 - Synergistic-Solvent-Extraction 157:159
 - Tracer 168:41
 - Tributyl-Phosphate 157:159
- Alcoholic-Solution** 182:401
- Algae** 177:51
- Algal** 187:393
- Aliphatic-Monoamide** 191:323
- Aliquat-336**
 - Acidic-Medium 162:289
 - Americium(III) 201:325
 - Binary-Mixture 201:325
 - Extraction 162:289, 187:385
 - Hafnium 162:289
 - Mixture 162:289, 163:277
 - Neodymium 163:277
 - Niobium 162:289
 - Nitrate-Medium 163:277
 - Nitric-Acid-Medium 201:325
 - Oxalic-Acid-Nitric-Acid-Solution 187:385
 - PC-88A-TOPO 201:325
 - Plutonium(IV) 187:385
 - Praseodymium 163:277
 - Separation 162:289
 - Sulfuric-Acid-Medium 201:325
 - Synergic-Liquid-Liquid-Extraction 163:277
 - Synergistic-Extraction 201:325
 - Thiocyanate 162:289
 - Tri-n-Octylphosphine-Oxide 162:289
 - Tributyl-Phosphate 163:277
 - Uranium(VI) 201:325
 - Zirconium 162:289
- Aliquot** 188:189
- Alkali**
 - Adsorption 154:81
 - Cobalt 164:39
 - Hexacyanoferrate(II) 164:39
 - Potassium 164:39
 - Radionuclide 154:81
 - Selectivity 164:39
 - Water-Solution 154:81
 - Zeolite 154:81
- Alkali-Metal** 165:243
- Alkali-Metal-Hexakis-(Trimethylacetato)-Ferrate(III)-Complex** 155:211
- Alkali-Metal-Chloride** 173:153
- Alkali-Metal-Nitrate** 153:211
- Alkali-Metal-Salt** 155:65
- Alkali-Silicate-Glass** 163:267
- Alkaline**
 - Cobalt(II) 199:183
 - Formulation 199:507
 - Hexacyanoferrate(II) 199:183
 - High-Radiochemical-Yield 199:507
 - Kit 199:507
 - Potassium 199:183
 - Radiocesium 199:183
 - Radwaste 199:183
 - Removal 199:183
 - Salt-Loaded 199:183
 - Simulated 199:183
 - Technetium-99m-MAG₃ 199:507
- Alkaline-Earth** 154:81
- Alkaline-Earth-Metal** 165:243
- Alkaline-Earth-Metal-Ion** 164:39
- Alkaline-Metal-Hydroxide** 166:451
- Alkaline-Solution** 159:259
- Alkane** 198:429
- Alkyl-Radical** 173:67
- Alkylammonium-Cation** 178:27
- Alkylcaprolactam** (n-) 162:207
- Alkylpyridinium** 163:47
- Allium-CEPA** 187:137
- Alloy**
 - 14-MeV 189:15
 - Absolute-Method 189:15
 - Cobalt 192:91
 - Dedicated 192:91
 - Element 192:91
 - Foil 192:91
 - Gold 192:91
 - High-Accuracy 192:91
 - Lutetium 192:91
 - Memory 168:481
 - Monitor 192:91
 - Neutron-Activation 168:481
 - Neutron-Activation-Analysis 189:15, 192:91
 - Neutron-Spectrum 192:91
 - Shape 168:481
 - Steel 189:15
 - Wire 192:91
- Alpha-Activation-Analysis** 153:313
- Alpha-Activity**
 - Alpha-Spectrometry 178:11
 - Calibration 170:423
 - Concentration 170:423
 - Density 170:423
 - Dosimetry 170:423
 - Experimental-Consideration 170:423
 - Factor-K 170:423
 - Gross 178:11
 - Lanthanum-Fluoride 178:11
 - Microprecipitation 178:11
 - Radon 170:423
 - Theoretical-Consideration 170:423
 - Track 170:423
 - Urine 178:11
- Alpha-Beam** 188:453
- Alpha-Beta-Discrimination** 181:97
- Alpha-beta-Separation** 172:341
- Alpha-Coefficient** 182:291
- Alpha-Contamination** 194:185
- Alpha-Counting** 175:393
- Alpha-Decay**
 - Actinium-225 153:293
 - Fed 153:293
 - Following 164:171
 - Francium-221 153:293
 - Gamma-Ray 164:171
 - Level 153:293
 - Uranium-233 164:171
- Alpha-Deuteron-Induced-Reaction** 170:143
- Alpha-Emission**
 - Chernobyl-Accident 201:459
 - Content 201:459
 - Environmental-Sample 194:173
 - Food-Sample 201:459
 - Liquid-Scintillation 194:173
 - Monitoring 194:173
 - Nuclide 194:173
 - Radionuclide 201:459
 - Transuranium 194:173
- Alpha-Induced-Reaction**
 - Copper 152:189
 - Erbium 165:295
 - Natural 165:295
 - Pre-equilibrium-Effect 152:189
- Alpha-Particle**
 - 27-MeV 187:143
 - 700-2000-keV 199:125
 - Activity 197:57
 - Charge-Induced-X-Ray-Spectrometry 199:125
 - Counter 197:57
 - Deuteron 199:125
 - Energy-Range 199:125
 - Natural 187:143
 - Neon 187:143
 - Portable 197:57
 - Public-Acceptance 197:57
 - Sodium-22 187:143
 - Target 187:143
 - Thick 187:143
 - Yield 187:143
- Alpha-Radioactivity** 161:465
- Alpha-Radionuclide** 173:87
- Alpha-Recoil** 178:165
- Alpha-Spectrometry**
 - Alpha-Activity 178:11
 - Boron 187:409
 - Commercial 166:263
 - Environmental-Sample 191:3
 - Glass 187:409
 - Gross 178:11
 - Isotope 191:3, 194:163
 - Isotopic-Composition 177:73
 - Lanthanum-Fluoride 178:11
 - Matrix 189:115
 - Microprecipitation 178:11
 - Radium 189:115, 191:3, 194:163
 - Rapid-Determination 194:163
 - Rock 189:115
 - Separation 189:115
 - Thorium 189:115, 191:3
 - Uranium 177:73
 - Uranium-234/Uranium-238-Ratio 166:263
 - Uranium-235/Uranium-238-Ratio 166:263
 - Uranium-Compound 166:263
 - Urine 177:73, 178:11

- Alteration** 199:265
Alternative
 • (n,gamma)-Reaction-Rate 152:435
 • Asphaltene 158:283, 172:387
 • Asphaltol 159:301
 • Coal 158:283, 159:301, 172:387
 • Convention 152:435
 • Dose 190:13
 • Equivalent 190:13
 • Fuel 158:283, 159:301, 172:387
 • Gamma-Ray 172:387
 • Green 190:13
 • Irradiation 172:387
 • k_0 -Method 152:435
 • Light-Emitting-Diode 190:13
 • Luminescence 190:13
 • Neutron-Activation-Analysis 152:435
 • Optical-Stimulation 190:13
 • Radiation-Induced-Effect 158:283, 159:301, 172:387
 • Unstable 190:13
 • X-Ray-Irradiation 158:283, 159:301
- Alumina**
 • Barium²⁺-Ion 182:375
 • Clay-Mineral 178:193
 • Cobalt²⁺-Ion 182:375
 • Fission-Product 177:321
 • Ion-Exchange 177:321
 • Kaolinite 182:375
 • Magnesite 182:375
 • Organic-Rich 178:193
 • Radiiodine 178:193
 • Radionuclide 177:321
 • Separation 177:321
 • Soil 178:193
 • Sorption 178:193
 • Sorption-Behavior 182:375
 • Zinc²⁺-Ion 182:375
- Alumina (Gamma-)**
 • Catalytic-Activity 177:211, 178:3
 • Conversion 177:211, 178:3
 • Gamma-Irradiation 177:211, 178:3
 • Isopropanol 178:3
 • Methanol 177:211
 • Selectivity 177:211, 178:3
- Aluminosilicate** 171:425
- Aluminum**
 • Assay 164:293
 • Biological-Tissue 192:131
 • Bone 164:293
 • Californium-252 200:435
 • Comment 166:359
 • Content 160:425
 • Drinking-Water 163:307
 • Environmental 163:307
 • Facility 192:131
 • Fish 192:321
 • Gamma-Ray-Spectroscopy 153:383
 • Gill 192:321
 • High-Purity 160:425
 • In-Vivo 166:359, 166:363
 • Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 175:25
 • Inductively-Coupled-Plasma-Mass-Spectrometry 192:321
 • Instrumental-Neutron-Activation-Analysis 192:321, 200:435
 • Irradiation 192:131
 • Monitoring 166:359, 166:363
 • Multielement-Analysis 175:25
 • Natural-Radioactivity 153:383
 • Neutron-Activation-Analysis 163:307, 164:293, 175:25
 • Non-destructive 164:293
 • Novel-Approach 192:131
 • Pair 192:131
 • Particle-Induced-X-Ray-Emission 159:71
 • Pneumatic-Tube 192:131
 • Radiochemical-Neutron-Activation-Analysis 160:425
 • Research 163:307
 • Response 166:363
 • Silicon 159:71
 • Skeletal 166:359, 166:363
 • Sub-ppb 160:425
 • Thermal-Neutron-Source 200:435
 • Thorium 160:425
 • Titanium 200:435
 • Trace-Element 163:307
 • Uranium 160:425
 • Validation 192:321
 • Zeolite 159:71
- Aluminum-Hydroxide** 154:61
- Aluminum-Ion** 190:299
- Aluminum-Oxide**
 • Adsorption 190:81
 • Cesium(I) 190:81
 • Cobalt(II) 190:81
 • Fine-Powder 168:163
 • Multielement 168:163
 • Preparation 168:163
 • Rare-Earth-Element 168:163
 • Silicon-Dioxide 168:163
 • Standard 168:163
 • Strontium(II) 190:81
- Alzheimer's-Disease** 195:7
- Amazon** 179:251
- Amberlite-LA-2** 162:259
- Ambient** 173:365
- Ambient-Temperature** 189:65
- American** 192:109
- American-Museum-of-Science** 171:253
- America (North-)** 196:275
- Americium**
 • 15-Crown-5 159:353
 • 18-Crown-6 159:353
 • 2-Heptanone 190:175
 • Adsorption-Behavior 156:215
 • Analytical-Separation 172:97
 • Automated 197:211
 • Biogeochemical-Behaviour 182:359
 • Biological-Material 164:81
 • Biphasic-Liquid-Scintillation 177:27
 • Cerium 200:31
 • Chromatography 172:97, 194:191
 • CMPO 188:157
 • Curium 194:191, 200:31
 • Dicarbolide 188:157
 • Distribution 182:71
 • Effluent 165:219
 • Europium 159:353, 188:157, 200:31
 • Extraction 172:97, 183:245, 188:157, 194:191
 • Gadolinium 159:353
 • Geochemical-Modelling 182:359
 • Hanford 161:533, 190:175, 194:191
 • High-Level 183:245
 • Highly-Radioactive-Waste 161:533
 • Ion-Exchange 161:533
 • Iron-Hydroxide 190:175
 • Isotope 194:191
 • Laboratory 156:215
 • Liquid-Scintillation-Counting 183:245
 • Loading 165:219
 • Low-Level-Waste 200:31
 • Mango-Tree 182:71
 • Mixed 159:353
 • Mixture 165:219, 188:157
 • Neptunium 161:533, 172:97, 183:245, 190:175
 • Octyl(Phenyl)-N,N-Diisobutylcarbamoylmethylphosphine-Oxide 165:219
 • Perchlorate-Medium 159:353
 • Plating 194:191
 • Plutonium 161:533, 165:219, 172:97, 177:27, 182:71, 182:359, 183:245, 190:175, 194:191, 197:211, 200:31
 • Power-Reactor 200:31
 • Precipitation 190:175, 194:191
 • Purification 165:219
 • Quantitative-Analysis 194:191
 • Quantitative-Determination 164:81
 • Radioactive-Waste 183:245
 • Radiochemical-Procedure 197:211
 • Radioisotope 200:31
 • Radionuclide 159:353
 • Rapid 194:191
 • Sample 194:191
 • Separation 161:533
 • Sequential 161:533
 • Simulated 190:175
 • Simultaneous-Determination 177:27
 • Soil 182:359
 • Solvent-Extraction 190:175
 • Synergic-Extraction 159:353
 • Tail-End 165:219
 • Thenoyltrifluoroacetone 159:353
 • Total 190:175
 • Tri-n-Butyl-Phosphate 165:219
 • Tributyl-Phosphate/Nitric-Acid-System 172:97
 • Tributyl-Phosphate/XAD-4-Column 172:97
 • Trivalent 159:353
 • Uranium 172:97
 • Waste 190:175
- Americium(III)**
 • 2-Thenoyltrifluoroacetone 160:435
 • Aliquat-336 201:325
 • Anhydrous 176:371
 • Aqueous-Medium 157:355, 181:165
 • Benzene 152:127
 • Binary-Mixture 201:325
 • bis(2-Ethylhexyl)Sulfoxide 157:355
 • Bismuth-Phosphate 153:267
 • Chloroform 181:165
 • Coprecipitation 153:267
 • Covalency 176:371
 • Crown-Ether 160:435
 • Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 152:127
 • Distribution 181:165
 • Enthalpy 176:371
 • Europium(III) 181:165
 • Extractant 157:355, 186:47
 • Extraction 152:127
 • Kinetics 181:165
 • Ln(III) 176:371
 • Mechanism 181:165
 • Metal-Ion 153:267
 • Methylbutylmalonamide 186:47
 • Mixture 152:127, 181:165
 • Nitrate 157:355, 181:165
 • Nitric-Acid-Medium 201:325
 • Nitric-Acid-Solution 152:127
 • PC-88A-TOPO 201:325
 • Plutonium(IV) 153:267, 186:47
 • Rare-Earth-Halide 176:371
 • Scandium(III) 176:371
 • Sulfuric-Acid-Medium 201:325
 • Synergistic-Extraction 160:435, 201:325
 • Thenoyltrifluoroacetone 181:165
 • Tributyl-Phosphate 152:127
 • Triphenylarsine-Oxide 181:165
 • Uranium(VI) 186:47, 201:325
 • Yttrium(III) 176:371
- Americium(III)-Humate** 186:129
- Americium(VI)** 185:265
- Americium-Beryllium** 201:25
- Americium-241**
 • Alpha-Contamination 194:185
 • Area 155:45
 • Baboon 156:33
 • Behavior 156:201
 • Beta-Proportional-Counting 163:225
 • Bone 156:33
 • Cesium-134 156:361
 • Cesium-137 155:45, 156:361
 • Chernobyl-Fallout 163:225
 • China 155:45
 • Coastal 156:201
 • Comparison 163:225
 • Construct 182:45
 • Dipping 182:45
 • Distribution 156:201
 • Dosimetry 156:33
 • Estuarine 156:201
 • Forest 170:243
 • Identification 194:185
 • Irish-Sea 156:201
 • Lead-210 156:361
 • Low-Level 163:225
 • Man 156:33
 • Mid-latitude 156:361
 • Mobility 199:143
 • Mushroom 170:243
 • Neptunium-237 156:201

- Nuclear-Track-Detector 194:185
- Ombrogenous-Mire 156:361
- Phantom 182:45
- Plutonium-238 156:361, 170:243
- Plutonium-239 156:33, 156:361, 194:185
- Plutonium-239/240 155:45, 156:201, 170:243
- Plutonium-240 156:361
- Plutonium-241 156:361, 163:225
- Poland 170:243
- Procedure 182:45
- Sample 163:225, 170:243
- Sediment 156:201
- Skeleton 156:33
- Skull 182:45
- Sodium-Humate 199:143
- Soil 155:45, 170:243
- Strontium-90 170:243
- Technetium-99 156:201
- Vertical-Distribution 156:361
- Volume 156:33
- Americium-241-Beryllium** 161:51
- Americium-241-Beryllium-Source** 181:131
- Americium-Beryllium** 181:343
- Amide**
 - 1-Phenyl-3-Methyl-4-Benzoyl-pyrazolone-5 152:401
 - Adduct 170:43
 - HPMBP 152:401
 - Plutonyl-Pyrazolonate 170:43
 - Sulfoxide 170:43
 - Synergism 152:401
 - Synergistic-Extraction 152:401
 - Ternary 170:43
 - Uranyl-Ion 152:401
- Amide IAliphatic-»** 152:401
- Amide IN,N'-Dihexyl-Substituted-»** 196:171
- Amide IN,N'-Methylbutyl-Substituted-»** 201:125
- Amide IN,N'-Disubstituted-»** 178:99
- Amine**
 - 2-Hydroxyethylethylene-diaminetriacetic-Acid 162:35
 - 2-Thenoyltrifluoroacetone 152:151
 - Aqueous 177:345
 - Bidentate 152:151
 - Cerium 162:47
 - Chromium(III) 166:273
 - Cobalt(II) 166:273
 - Complexing-Agent 162:35, 162:47
 - Ethylenediaminetetraacetic-Acid 162:47
 - Extraction 152:151, 162:35, 162:47, 163:29, 166:273, 183:73
 - Heterocycle 152:151
 - High-Molecular-Weight 166:273
 - Iron(III) 166:273
 - Lanthanum 162:35
 - Luminol 177:345
 - Lyoluminescence 177:345
 - Manganese(II) 166:273
 - Polyvanadate 183:73
 - Production 163:29
 - Pure 163:29
 - Rare-Earth-Element 162:35, 162:47
 - Salt 163:29
 - Samarium 162:35
 - Separation 162:35, 162:47
 - Succinic-Acid-Medium 166:273
 - Synergistic-Effect 152:151
 - Thorium(IV) 152:151
 - Zirconium 163:29
- Aminoethoxy)Ethane-N,N,N',N'-Sodium-Sulfonate** 11,2-bis(beta-» 157:393
- Aminomethylpyrrolidine-Cyclobutanedicarboxylato-Platinum(II)** 164:123
- Ammonia**
 - Ammonium-Uranate 186:205
 - Aqueous-Solution 158:273
 - Composition 186:205
 - Flow-Rate 186:205
 - Gaseous 186:205
 - Hydrated 158:273
 - Ion-Exchange 158:273
 - Structure 186:205
 - Titanium-Dioxide 158:273
 - Transition-Metal-Cation 158:273
- Ammonium-Diuranate** 178:41
- Ammonium-Halide**
 - Aqueous-Solution 176:21
 - Comparison 188:331
 - Efficiency 176:21
 - Energy-Transfer 176:21
 - Gamma-Irradiated 176:21
 - Gas-Solid-System 188:331
 - Hydrogen 188:331
 - Iodide 176:21
 - Isotope-Exchange-Reaction 188:331
 - Nitrate 176:21
 - Reactivity 188:331
- Ammonium-Molybdophosphate** 189:107
- Ammonium-Nitrate** 155:79
- Ammonium-Perchlorate**
 - Elastomer 187:1
 - Gamma-Radiation 187:1
 - Gamma-Radiolysis 199:191
 - Hydroxyl-Terminated 187:1
 - Loaded 187:1
 - Microcrystalline 199:191
 - Polybutadiene-Base 187:1
 - Radiation-Effect 165:269
 - Thermal-Decomposition 165:269
- Ammonium-Tc-99-Per technetate** 198:135
- Ammonium-Thiocyanate** 185:227
- Ammonium-Uranate**
 - Ammonia 186:205
 - Carbon-Monoxide 188:169
 - Composition 186:205
 - Derived 188:169
 - Flow-Rate 186:205
 - Gaseous 186:205
 - Non-fissioned 177:279
 - Preparation 177:279
 - Recovery 177:279
 - Reduction 188:169
 - Structure 186:205
 - Treatment 177:279
 - Uranium 177:279
 - Uranium-Trioxide 188:169
 - U₃O₈ 188:169
- Amorphous**
 - Cement-Composite 182:335
 - Cesium 182:323, 182:335, 182:345
 - Column 182:345
 - Crystallization 187:33
 - Fe₈₃P₁₇-Alloy 187:33
 - Isotope 182:335
 - Kinetics 187:33
 - Leaching 182:335
 - Radioactive-Waste 182:323, 182:335, 182:345
 - Radioisotope 182:323
 - Removal 182:345
 - Strontium 182:323, 182:335, 182:345
 - Treatment 182:323, 182:335, 182:345
 - Uptake 182:323
 - Zirconium-Phosphate 182:323, 182:335, 182:345
- Amorphous-Alloy** 176:429
- Amount**
 - 2-Hydroxy-1-Naphthaldehyde 175:1
 - Activity 177:335
 - Aerosol 177:335
 - Biological-Sample 201:13
 - Bulk 182:421
 - Carbon 151:75
 - Carrier-Free 182:421
 - Channeling 151:75
 - Charged-Particle-Activation-Analysis 151:75
 - Chemical-Separation 201:13
 - Compact-Bone 201:477
 - Comparison 201:477
 - Copper 201:13
 - Disk 154:103
 - Dithiocarbamate 191:403
 - Efficiency 177:335
 - Electrodeposition 154:103
 - Electropolished 154:103
 - Evaluation 191:403
 - Gallium-Arsenide 151:75
 - Hydrated 192:163
 - Instrumental-Neutron-Activation-Analysis 201:477
 - Isonicotinoyl-Hydrazone 175:1
 - Lattice 151:75
 - Location 151:75
 - Long-Chain 191:403
 - Magnesium-Oxide 192:163
 - Medium-Level 177:335
 - Milligram 154:103
 - Neutron-Activation-Analysis 192:163, 201:13
 - Nuclear-Power-Plant 177:335
 - Photometric-Reagent 191:403
 - Preconcentration 192:163
 - Prior 201:13
 - Radiochemical-Method 182:421
 - Rare-Earth-Element 192:163
 - Red-Marrow 201:477
 - Retention 177:335
 - Scandium 182:421
 - Section 201:477
 - Selenium 201:13
 - Sensitive 175:1
 - Separation 182:421
 - Sodium 201:477
 - Spectrophotometry 175:1
 - Stainless-Steel 154:103
 - Theoretical-Calculation 151:75
 - Titanium 182:421
 - Trace 151:75, 175:1, 191:403, 192:163, 201:13
 - Uranium 154:103, 191:403
 - Uranium(VI) 175:1
 - Vanadium 182:421
 - Vitrification 177:335
 - Waste 177:335
 - Yellow-Marrow 201:477
- Amyotrophic-Lateral-Sclerosis** 195:13
- ANA** 176:199
- Anadara-Granosa** 195:203
- Analogous** 176:143
- Analytical**
 - Anion-Exchange-Resin 187:57
 - Approach 186:463
 - Aqueous-Solution 187:57
 - Bias 191:245
 - Cold-Neutron 191:245
 - Element 191:245
 - Eliminate 191:245
 - High-Specific-Activity 193:39
 - Macroporous 187:57
 - Mössbauer-Spectroscopy 186:463
 - Phosphate-Containing 187:57
 - Plutonium 187:57
 - Pottery 151:229
 - Preparation 193:39
 - Prompt-Gamma-Ray-Activation-Analysis 191:245
 - Quality-Control 193:39
 - Radioanalytical 193:39
 - Radiotracer 193:39
 - Ratio 191:245
 - Recovery 187:57
 - Soutpansberg 151:229
 - Waste 187:57
- Analytical-Application** 198:151
- Analytical-Chemistry** 193:347
- Analytical-Efficiency** 151:95
- Analytical-Expression** 186:227
- Analytical-Factor** 179:113
- Analytical-Investigation** 168:477
- Analytical-Measurement** 155:183
- Analytical-Method**
 - Assessment 193:329
 - Characterization 191:15
 - Comparison 182:21
 - Conventional 191:15
 - Criteria 193:329
 - Environmental-Sample 193:329
 - Interlaboratory 182:21
 - Isotope 182:21
 - Natural 182:21
 - Organo-Plutonium-Complex 191:15
 - Radium-226 193:329
 - Rock-Sample 182:21
 - Selection 193:329
 - Series 182:21
 - Thorium 182:21
 - Uranium 182:21

- Utility 191:15
- Analytical-Procedure** 169:409
- Analytical-Process-Control** 199:453
- Analytical-Program** 180:75
- Analytical-Reagent**
 - 4-(2'-Thiazolylazo)Resacetophenone 154:357, 170:181
 - Derivative 170:181
 - Oxime 154:357, 170:181
 - Simultaneous-Determination 170:181
 - Spectrophotometry 154:357, 170:181
 - Thorium 170:181
 - Uranium 170:181
 - Uranium(VI) 154:357
- Analytical-Sensitivity** 167:219
- Analytical-Separation** 172:97
- Analytical-Technique**
 - Anadara-Granosa 195:203
 - Aqueous 155:15
 - Benzene-Solution 155:15
 - Bivalve 195:203
 - Body-Weight 195:203
 - Comparison 181:363
 - Deposition 181:363
 - Drinking 173:195
 - Gas-Chromatography 155:15
 - Heavy-Metal 181:363
 - High-Performance-Liquid-Chromatography 155:15
 - Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 195:203
 - Instrumental-Neutron-Activation-Analysis 195:203
 - Marine 195:203
 - Monitor 181:363
 - Moss 181:363
 - Multielement 181:363
 - Radiolysis 155:15
 - Relation 195:203
 - Sodium-Nitrate 155:15
 - Tea 173:195
 - Temperature-Dependence 155:15
 - Trace-Element 173:195
 - Trace-Element-Content 195:203
- Analyzer** 198:311
- Analyzer** 156:223
- Anchor** 196:65
- Ancient**
 - Anchor 196:65
 - Associated 196:267
 - Atomic-Absorption-Spectrometry 196:65
 - Black-Sea 196:65
 - Bronze 192:147
 - Ceramics 152:469
 - Chemical-Characterization 152:469
 - Coin 186:393
 - Comparison 152:469
 - Data 168:273
 - Etruscan 168:273
 - External-Beam 192:147
 - Human-Bone 196:267
 - India 186:393
 - Instrumental-Neutron-Activation-Analysis 152:469, 186:393, 196:65
 - Lead-Isotope 196:65
 - Marble 168:273
 - Monument 168:273
 - Neutron-Activation-Analysis 168:273, 196:267
 - Particle-Induced-X-Ray-Emission 192:147
 - Pottery 168:273
 - Provenance 168:273
 - Punchmark 186:393
 - Reduction 168:273
 - Sardinian 168:273
 - Soil 196:267
 - Statue 192:147
 - Trace-Element 196:267
- Ancient-Pottery** 196:223
- Ancient-Roman** 180:37
- Anhydrous** 176:371
- Anhydrous-Medium** 188:355
- Aniline** 165:127
- Animal**
 - Accumulation 187:299
 - Actinide 156:425, 197:309
 - Assessing 197:309
 - Bioassay 156:425
 - Bone 187:299
 - Commercial 172:125
 - Comparative-Study 172:125
 - Data 156:425
 - Dosimetry 156:425
 - Dust 197:309
 - Exposure 156:425
 - Human 156:425, 172:125
 - Inhaled 197:309
 - Intake 197:309
 - Interpret 156:425
 - Milk-Sample 172:125
 - Minor-Element 172:125
 - Model 156:425
 - Neutron-Activation-Analysis 172:125
 - Skeleton 187:299
 - Strontium 187:299
 - Trace-Element 172:125
- Animal-Study** 156:401
- Animal-Tissue-Sample** 163:355
- Anion** 190:369
- Anion-Exchange**
 - Chemical-Species 191:265
 - Concentration 191:265
 - Controlled 172:281
 - Environmental-Sample 172:281
 - Hydrous 188:219
 - Mixed-Solvent 189:141
 - Natural-Sample 189:141
 - Oxide 188:219
 - Plutonium 172:281
 - Polonium(IV)-Chloride-Solution 191:265
 - Radioactive 189:141
 - Separation 189:141
 - Strontium 189:141
 - Tracer 191:265
 - Valence 172:281
- Anion-Exchange-Resin**
 - Acid-Dissolved-Sludge-Acidified-Supernate 194:117
 - Analytical 187:57
 - Aqueous-Solution 187:57
 - Breakthrough 194:71
 - Cation-Exchange-Resin 194:117
 - Cesium 201:509
 - Composite 201:509
 - Cupric-Ferrocyanide 201:509
 - Cycle 201:509
 - Distribution 194:117
 - Double 194:71
 - Dowex 152:117
 - Element 194:117
 - Functional-Group 194:117
 - Hanford 194:71, 194:117
 - HLW 194:117
 - Impregnated 201:509
 - Inductively-Coupled-Plasma-Mass-Spectrometry 191:67
 - Initial 191:67
 - Ion-Exchanger 201:509
 - Macroporous 187:57, 201:509
 - Metallic-Impurity 152:117
 - Molybdenum 191:67
 - Phosphate-Containing 187:57
 - Plutonium 187:57
 - Prior 191:67
 - Recovery 187:57
 - Redox-Type 201:509
 - REILLEX-HPQ 194:71
 - Separation 152:117, 191:67, 201:509
 - Shell 194:71
 - Significance 191:67
 - Simulant 194:71
 - Simulation 194:117
 - Sorption-Desorption-Regeneration 201:509
 - Strongly-Basic-Type 201:509
 - Tank 194:71, 194:117
 - TeO₄⁻ 194:71
 - Technetium 191:67
 - Uranium 152:117
 - Volume 194:71
 - Waste 187:57
- Anion-Exchanger** 182:401
- Anionic-Species** 175:263
- Anisotropy-Factor** 200:127
- Annealing**
 - Characteristics 180:139
 - Chemical 154:163, 155:351, 187:325
 - Chemistry 172:249
 - Damage 176:345
 - Detector 180:139
 - Gamma-Irradiated 155:351
 - Gamma-Irradiation 176:345
 - Glass 180:139
 - Hot-Atom 172:249
 - Hydration 155:351
 - Lattice-Defect 176:345
 - Nuclear-Track 180:139
 - Optical-Absorption-Spectroscopy 180:139
 - Oscillatory 172:249
 - Radiation-Damage 154:163, 155:351, 187:325
 - Sodium-Bromate 187:325
 - Solid-State 172:249
 - Strontium-Bromate 154:163, 155:351, 176:345
 - Thermal 187:325
- Annealing-Process** 174:167
- Annihilation** 174:167
- Annular** 185:101
- Anomalous**
 - Austenite-Formation 165:115
 - BCS-Type 164:405
 - Change 164:405
 - Deuteron 158:323
 - Deuteron/Hydrogen-Ratio 158:323
 - Disintegration 158:323
 - Fission 158:323
 - High-Temperature 164:405
 - Indication 164:405
 - Kinetic-Behavior 165:115
 - Mössbauer-Parameter 164:405
 - Mössbauer-Spectroscopy 165:115
 - Naturally-Occurring 158:323
 - Possibility 158:323
 - Reaction 158:323
 - Steel 165:115
 - Superconductivity 164:405
 - T_c 164:405
- Anomalous-Behavior**
 - Acidic-Solution 200:417
 - Nd_{1.84}Ce_{0.16}CuO₄ 190:391
 - Radioiodine 200:417
 - Solvent-Extraction 200:417
 - Superconductor 190:391
- Anomaly** 197:369
- Anoxic-Lacustrine-Sediment** 156:129
- Antarctic** 168:107
- Antarctic-Peninsula** 159:21
- Antarctica**
 - Fission-Track-Method 191:381
 - Microanalysis 191:381
 - Neutron-Activation-Analysis 151:345
 - Rare-Earth-Element 151:345
 - Sample 151:345
 - Soil-Sample 191:381
 - Trace-Element 151:345
 - Uranium 191:381
- Anthraquinone** 172:19
- Anti-carcinoembryonic-Antigen** 189:45
- Antibody**
 - Adjuvant 200:475
 - Associated 189:77
 - Chronic 189:77
 - Condition 172:267
 - End-Point 189:77
 - Evaluation 189:77
 - Exposure 189:77
 - IgG2A 172:267
 - Immunochemical 189:77
 - Labeling 170:471, 172:267
 - Liposomal 200:475
 - Low-Specific-Activity 170:471
 - Mouse 172:267
 - Parameter 189:77
 - Possible 189:77
 - Preparation 170:471
 - Radiobiological-Effect 189:77
 - Radioimmunoanalysis 200:475
 - Rhenium-186 170:471
 - Rhenium-186-DTPA-Complex 170:471
 - Stability 172:267
 - Technetium-99m 172:267
 - Tritium 189:77
 - Yttrium-90 172:267
- Anticline** 173:17
- Antimonic-Acid** 201:89
- Antimony**
 - Aerosol 192:215
 - Airborne-Particulate 167:219
 - Analytical-Sensitivity 167:219
 - Area 192:215

- Arsenic 167:219, 168:185, 170:225, 181:385, 192:215
- Bearing 192:215
- Bi-Pb-Cu-Sr-Ca-Sb-O 176:361
- Biological-Reference-Material 168:185
- Brazilian 181:385
- Cadmium 167:219, 168:185, 181:385
- Ceramics 176:361
- Chromium 181:385
- Cobalt-60 165:57
- Cobalt-o-Hydroxybenzaldehyde 165:57
- Compound 176:361
- Concentration 181:385
- Contribution 170:225
- Copper 168:185, 181:385
- Diet 181:385
- Elemental-Analysis 176:361
- Epithermal-Neutron-Activation-Analysis 167:219
- Geochemical-Contamination 170:225
- Greece 179:231
- Growth 192:215
- Gulf 179:231
- High-Temperature 176:361
- Improvement 167:219
- Indium 167:219
- Instrumental-Neutron-Activation-Analysis 179:231, 192:215
- Iodine 167:219
- Iron 165:57
- Isonicotinoyl-Hydrazine 165:57
- Material 176:361
- Matter 167:219
- Mercury 168:185, 181:385
- Molybdenum 167:219, 168:185, 170:225
- Neutron-Activation-Analysis 170:225
- Neutron-Induced-Prompt-Gamma-Ray-Method 176:361
- Particle 192:215
- Pollution 179:231
- Potassium-Ethyl-Xanthate 187:107
- Quantitative 176:361
- Radiochemical-Displacement 165:57
- Radiochemical-Neutron-Activation-Analysis 168:185, 181:385
- Regional 181:385
- Saronikos 179:231
- Selenium 168:185, 170:225, 181:385, 192:215
- Silicon 167:219
- Silver 179:231
- Size-Spectrum 192:215
- Substoichiometric-Radiochemical-Determination 187:107
- Superconductivity 176:361
- Uranium 167:219
- Washington-DC 192:215
- Zinc 192:215
- Antimony(III)** 154:379
- Antimony(III,V)** 196:3
- Antimony(V)** 200:427
- Antimony-125**
 - Aqueous-Solution 170:3
 - Behavior 195:243
 - Carrier-Free 195:243
 - Chernobyl-Fallout 166:173
 - Cobalt-60 166:173
 - Hot-Particle 166:173
 - Hydrochloric-Acid-Solution 195:243
 - Incorporated 170:3
 - Molybdenum-99 170:3
 - Polyamine 170:3
 - Polysaccharide 170:3
 - Radioactive 166:173
 - Radioisotope 170:3
 - Reduction 195:243
 - Removal 170:3
 - Ruthenium 166:173
 - Tungsten-185 170:3
- Antimony-130** 166:187
- Antimony-132** 166:187
- Aortic-Wall** 199:277
- AOT**
 - Electron 189:175
 - Extraction 191:201
 - Hemoprotein 189:175
 - Hydrated 189:175
 - Micellar-System 191:201
 - Micelle 189:175
 - Partitioning 191:201
 - Protein 191:201
 - Radiolabeled 191:201
 - Reaction 189:175
 - Reverse 189:175, 191:201
 - Surfactant 191:201
- Apatite** 186:425
- Aphron** 183:123
- Appearance** 195:97
- Apple** 168:169
- Applied-Research** 190:505
- Approach**
 - Analytical 186:463
 - Assessment 161:283
 - Depth 180:255
 - Detector 166:211
 - Disk 166:211
 - EPA 161:283
 - Geometrical-Factor 166:211
 - Metallocene-Cyclodextrin-Inclusion-Compound 166:123
 - Molecular-Rocket-Reaction 166:123
 - Mössbauer-Spectroscopy 186:463
 - Neutron 180:255
 - Parallel 166:211
 - Profiling 180:255
 - Radon 161:283
 - Risk 161:283
 - Simple 166:211
 - Source 166:211
- Aquaion** 173:47
- Aquatic-Environment**
 - Brachydanio-Rerio 182:63
 - Carassius-Auratus 182:63
 - Cesium-134 182:63
 - Cesium-137 182:63
 - Chromium 177:185
 - Controlled 182:63
 - Fish 182:63
 - Goldfish 182:63
 - Kinetics 182:63
 - Release 182:63
- Substoichiometric-Thermal-Neutron-Activation-Analysis 177:185
- Uptake 182:63
- Zebra 182:63
- Aqueous**
 - Adsorption 159:343
 - Alkaline-Metal-Hydroxide 166:451
 - Amine 177:345
 - Ammonium-Nitrate 155:79
 - Analytical-Technique 155:15
 - Anthraquinone 172:19
 - Benzene-Solution 155:15
 - Chemical-Effect 155:79
 - Chromium(VI) 159:343
 - Coumarin 175:191, 200:521
 - Dosimeter 175:191, 199:385, 200:521
 - Dye 172:19
 - Feasibility 159:343
 - Fluorescence 199:385
 - Gamma-Irradiated 155:79
 - Gamma-Radiolysis 172:19
 - Gas-Chromatography 155:15
 - High-Performance-Liquid-Chromatography 155:15
 - Induced 155:79
 - Laumontite 154:265
 - Light 200:521
 - Low-Dose 199:385
 - Luminol 166:451, 177:345
 - Lyoluminescence 166:451, 177:345
 - Material 154:265
 - Natural 154:265
 - Nuclear-Waste 154:265
 - Oxygen 172:19
 - Phenylacetic-Acid 199:385
 - Post-irradiation 175:191
 - Potential 154:265
 - Radiolysis 155:15
 - Response 175:191, 200:521
 - Sodium-Nitrate 155:15
 - Sodium-Sulfate 155:79
 - Stability 175:191
 - Temperature 200:521
 - Temperature-Dependence 155:15
 - Titanium-Dioxide 159:343
 - Treatment 154:265
 - Zeolite 154:265
- Aqueous-Electrolyte-Solution** 172:257
- Aqueous-Medium**
 - Americium(III) 157:355, 181:165
 - Basic-Medium 152:479
 - Behavior 152:479
 - Binary-Mixture 178:179
 - bis(2-Ethylhexyl)Sulfoxide 157:355
 - Chloroform 181:165
 - Distribution 181:165
 - Europium(III) 181:165
 - Extractant 157:355, 178:179
 - Hydrogen-Chloride 178:179
 - Kinetics 181:165
 - Mechanism 181:165
 - Membrane 175:455
 - Metal-Containing 175:455
 - Mixture 181:165
 - Molybdenum(VI) 178:179
 - Nitrate 157:355, 181:165
- Organophosphinic-Acid 178:179
- Phosphonic-Acid 178:179
- Plutonium 152:479
- Polonium 175:455
- Thenoyltrifluoroacetone 181:165
- Triphenylarsine-Oxide 181:165
- Uranium(VI) 178:179
- Aqueous-Phase** 201:81
- Aqueous-Sample**
 - Alpha-beta-Separation 172:341
 - Arsenic(III) 179:211
 - Arsenic(V) 179:211
 - Automatable 179:211
 - Cocktail 172:341
 - Combination 179:211
 - Cryotrapping 179:211
 - Dimethylarsinic-Acid 179:211
 - Generation 179:211
 - Hydride 179:211
 - Liquid-Scintillation 172:341
 - Monomethylarsonic-Acid 179:211
 - Preconcentration 179:211
 - Procedure 179:211
 - Selective 179:211
 - Speciation 179:211
- Aqueous-Solution**
 - 1-Propanol 157:373
 - 2-Benzylpyridine 159:13
 - Acrylic-Acid 198:191
 - Activated-Charcoal 157:321, 159:155, 165:243
 - Active 186:1
 - Adsorption 157:321, 159:155, 165:243, 170:133, 170:309, 170:321, 170:347, 172:329, 173:141, 174:83, 180:145, 181:117
 - Alamine-310 173:161
 - Alkali-Metal 165:243
 - Alkaline-Earth-Metal 165:243
 - Ammonia 158:273
 - Ammonium-Halide 176:21
 - Analytical 187:57
 - Anion-Exchange-Resin 187:57
 - Antimony-125 170:3
 - Arsenazo(III) 198:77
 - Arsenic(III) 157:193
 - Barium 186:1
 - Barium(II) 170:133
 - Barium-Sulfate 173:23
 - Benzene 157:193, 159:13
 - Bismuth-Trioxide 180:145
 - Cadmium-Oxide 174:83
 - Calcium-45 154:185
 - Cerium 170:309
 - Cesium 170:321
 - Charcoal 173:141
 - Chelex-100 198:77
 - Chemical-Isolation 186:353
 - Chromium-51(VI) 180:145
 - Clay 187:431
 - Cobalt(II) 172:329, 173:141
 - Cobalt-60²⁺ 187:431
 - Cobalt²⁺-Ion 181:201
 - Coefficient 156:291
 - Colloid 172:329
 - Colloidal-Behavior 170:347
 - Comment 199:423
 - Commercial 186:1
 - Comparative 187:431
 - Complex 188:377

- Compressibility 190:469
- Concentration 154:185
- Contact 187:431
- Copper-Nickel 170:321
- Copper²⁺ 198:191
- Copper²⁺-Ion 181:201
- Curium 156:291
- Decomposition 201:495
- Degradation 183:99
- Deoxygenated 186:315
- Detector 154:185
- Diazo 157:133
- Dilute 172:329, 173:141, 196:57
- Dowex 187:9, 198:77
- Dye 157:133
- Efficiency 176:21
- Efficient 170:133, 189:247
- Electrolyte 157:321, 159:155
- Element 186:353
- Elevated-Level 200:233
- Energy-Transfer 176:21
- Ethyl-Propionate 166:7
- Ethylene-Glycol 190:469
- Europium 182:305
- Extraction 159:13
- Flotation 172:329
- Formamide 190:469
- Formation 173:23
- Gadolinium 156:291, 159:155
- Gamma-Irradiated 176:21, 183:99
- Gamma-Radiolysis 157:27, 157:373, 158:107, 198:191
- Hafnium-Nuclide 187:9
- Hexacyanoferrate(II) 170:321
- Hexavalent 170:347
- Hydrated 158:273
- Hydrogen-Chloride 187:9
- Hydrogen-Peroxide 201:495
- Hydrous 170:133
- Incorporated 170:3
- Interaction 152:337, 181:201
- Interface 174:83
- Iodide 157:193, 176:21
- Iodide-Ion 159:13
- Ion-Exchange 158:273, 198:77
- Ion-Pair 152:87
- Ionic-Solute 163:11
- Iron(III)-1,2-Dihydroxyanthraquinone-Complex 196:57
- Isobutanol 158:107
- Kinetic-IR-Study 180:145
- Lanthanide 165:243
- Lead 186:1
- Lead-Dioxide 170:309, 181:117
- Ligand 164:211
- Liquid-Chromatography 183:99
- Low-Level 180:145
- Macroflotation 173:141
- Macroporous 187:57
- Manganese-Dioxide 186:1
- Manganese-Oxide 170:133
- Mercury(II) 159:13, 189:247
- Metal-Oxide 152:337
- Microamount 187:9
- Mineral-Acid 159:13
- Mixture 173:161
- Model-Experiment 186:353
- Molecular-Sieve 190:103
- Molybdenum(VI) 173:161
- Molybdenum-99 170:3
- Multicomponent 183:99
- Natural 187:431
- Neptunium(V)-Carbonate 186:257
- Nitrate 157:373, 158:107, 176:21
- Nitrobenzene 183:99
- Organic-Solution 152:87
- Oxalate 201:495
- Oxygen 188:211, 199:423, 199:429
- Performance 183:99
- Phase-High 183:99
- Phosphate-Containing 187:57
- Phosphoric-Acid 173:161
- Photodiode 154:185
- Plutonium 187:57
- Polyacrylic-Acid 186:315, 198:191
- Polyamine 170:3
- Polysaccharide 170:3
- Positron-Annihilation 190:469
- Positronium-Ion 181:201
- Potassium 170:321
- Potassium-Hexa-Titanate 189:247
- Powder 190:103
- Precipitate 172:329
- Precipitated 186:1
- Precipitation-Process 174:83
- Pulse-Radiolysis 166:7, 186:315
- Pyruvic-Acid 160:461
- Radiation 183:99
- Radiation-Induced-Degradation 157:133
- Radioactive-Waste 200:233
- Radioanalytical-Monitoring 173:23
- Radiochemical-Extraction 157:193
- Radiocobalt 181:117
- Radioisotope 170:3
- Radiolysis 153:125, 160:461, 188:211, 199:423, 199:429
- Radiosensitization 196:57
- Radiotracer 189:247
- Radiotracer-Method 160:461
- Radiotracer-Technique 170:133
- Radium 164:211
- Radium-226 200:233
- Radium-228 200:233
- Rapid 189:247
- Rare-Earth-Element 152:337
- Recovery 187:57
- Removal 159:47, 164:211, 170:3, 170:133, 173:141, 189:247
- Reply 199:429
- Reverse 183:99
- Selective 157:321, 159:13
- Self-Diffusion 156:291
- Separation 172:329, 186:1
- Short-Lived-Isotope 186:353
- Silicon 154:185
- Sodium-Sulfate 174:83
- Solid-State 186:257
- Solvent-Extraction 152:87, 163:11, 173:161
- Sorbent 173:141
- Sorption 182:305, 187:9
- Spectrophotometry 157:193
- Squarete 188:377
- Strontium 186:1
- Structural-Stability 187:431
- Structure 156:291
- Supported 164:211
- Tantalum-Nuclide 187:9
- Tellurium 170:347
- Tetraphenylarsonium 152:87
- Thorium 157:321, 159:47
- Thorium(IV) 198:77
- Thorium-Ion 190:103
- Thymine 196:57
- Titanium-Dioxide 158:273
- Trace 170:347
- Transition-Metal-Cation 158:273
- Transplutonium 156:291
- Treatment 200:233
- Trilaurylamine-Oxide 157:193
- Triton-X-100 157:27, 188:211, 199:423, 199:429
- Trivalent-Ion 156:291
- Tungsten 186:353
- Tungsten-185 170:3
- Uptake 190:103
- Uranium 165:243
- Uranium(VI) 173:161
- Uranium(VI)-Arsenazo-1-complex 153:125
- Uranyl-Ion 188:377
- UV-VIS-Analysis 183:99
- Waste 187:57
- Waste-Water 183:99
- Water-Organic-Mixture 190:469
- Water-Sample 157:193
- Zeolite 159:47, 187:431
- Zirconium-Oxide 182:305
- Aqueous-System**
- Cesium 186:9
- Dialysis 186:99
- Distribution 186:9
- Europium 186:9
- Liquid-Liquid-System 186:99
- Membraneless 186:99
- Milk-Pectin 186:9, 186:99
- Speciation 186:9
- Strontium 186:9, 186:99
- Aqueous/Organic-Phase** 199:499
- Aquifer** 152:237
- Archaeological**
- Abbreviated 180:29
- Brass 168:307
- Chemical-Analysis 168:307
- Clay 168:287
- Copper 168:307
- Figurine 168:287
- Instrumental-Neutron-Activation-Analysis 168:287
- Neutron-Activation-Analysis 180:29
- Northeastern-Ontario 168:307
- Obsidian 180:29
- Optimum-Condition 168:287
- Procedure 180:29
- Sourcing 180:29
- Archaeological-Material** 187:79
- Archaeological-Sample**
- Analyzed 198:311
- Dating 154:173
- Guayabo-Costa-Rica 154:173
- Neutron-Activation-Analysis 154:173
- Origin 198:311
- Polygonal-Graphic-Representation 198:311
- Prior 154:173
- Rubidium 154:173
- Thermoluminescent 154:173
- Thorium 154:173
- Uranium 154:173
- X-Ray-Fluorescence-Analysis 198:311
- Archaeometry** 196:235
- Archimede** 176:87
- Area**
- Aerosol 192:215
- Affected 176:11
- Akwana 168:101
- Americium-241 155:45
- Antimony 192:215
- Arsenic 192:215
- Arufu 168:101
- Bearing 192:215
- Black-Sea 175:9
- Bratislava-Czechoslovakia 153:15
- Byelorussia 176:11
- Cesium-137 155:45
- Chernobyl-Accident 153:15
- Chernobyl-Derived 175:9
- Chernobyl-Fallout 176:11
- China 155:45
- Contamination 153:15
- Danube 186:281
- Delta 186:281
- Energy-Dependence 177:403
- Foliary 153:15
- Gamma-Ray 177:403
- Gamma-Spectroscopy 193:211
- Growth 192:215
- Instrumental-Neutron-Activation-Analysis 168:101, 192:215
- Liver 176:11
- Lung 176:11
- Middle-Benue-Trough-Nigeria 168:101
- Moss 175:9
- Multiplet 193:211
- Particle 192:215
- Peak 177:403
- Person 176:11
- Plutonium 176:11
- Plutonium-239/240 155:45
- Problem 193:211
- Program 193:211
- Radiocesium 175:9
- Radium 186:281
- Radon 186:281
- Rock-Sample 168:101
- Selenium 192:215
- Size-Spectrum 192:215
- Soil 155:45
- Tailing 177:403
- Thorium 186:281
- Uranium 186:281
- Verification 193:211
- Washington-DC 192:215
- Water 186:281
- X-Ray 177:403
- Zinc 192:215
- Argentina** 198:437
- Argentina |Catamarca-»** 200:373

Argon

- Activation-Analysis 192:97
- Dating 192:97
- Ferrocene 166:351
- Gamma-Irradiation 166:351
- Ion-Implantation 166:351
- Isolated 164:365
- Low-Temperature 164:365
- Matrix 164:365
- Mineral-Sample 192:97
- Modification 166:351
- Photochemical-Reaction 164:365
- Surface 166:351
- Tetramethylstannane 164:365

Argon-41 167:209**Argyle** 164:337**Aromatic** 198:429**Arsenazo(III)**

- Aqueous-Solution 198:77
- Back-Extracted 188:291
- Chelex-100 198:77
- Complex 188:291
- Dowex 198:77
- Fluoride 188:291
- Ion-Exchange 198:77
- Spectrophotometry 188:291
- Thorium(IV) 188:291, 198:77

Arsenic

- Aerosol 192:215
- Age-Related 179:331
- Airborne-Particulate 167:219
- Analytical-Sensitivity 167:219
- Antimony 167:219, 168:185, 170:225, 181:385, 192:215
- Area 192:215
- Atomic-Absorption-Spectrometry 174:133
- Bearing 192:215
- Benzene 185:145
- Biological 185:145
- Biological-Reference-Material 168:185
- Brazilian 181:385
- Cadmium 167:219, 168:185, 179:331, 181:385
- Chromium 170:299, 181:385
- CNS 179:331
- Concentration 181:385
- Contribution 170:225
- Copper 168:185, 179:331, 181:385
- Diet 181:385
- Environmental 185:145
- Epithermal-Neutron-Activation-Analysis 167:219
- Examination 174:133
- Fish 170:299
- Gallium-Arsenide 160:77
- Gas-Liquid 174:133
- Generation 174:133
- Geochemical-Contamination 170:225
- Growth 192:215
- Hair 168:249
- Hair-Sample 179:365
- High-Purity 160:77
- Hydride 174:133
- Improvement 167:219
- Indigenous-Medicine 187:399
- Indium 167:219
- Instrumental-Neutron-Activation-Analysis 160:77, 168:249, 179:365, 192:215

- Iodine 167:219
- Marine 170:299, 179:277
- Matter 167:219
- Mercury 168:185, 170:299, 181:385
- Molybdenum 167:219, 168:185, 170:225, 179:331
- Murder-Case 168:249
- Myanmar 187:399
- Neurodegenerative-Disease 179:331
- Neutron-Activation 170:299
- Neutron-Activation-Analysis 170:225, 173:357, 187:399
- Particle 192:215
- Radiochemical-Neutron-Activation-Analysis 168:185, 179:331, 181:385
- Radiotracer 174:133
- Regional 181:385
- Seawater 179:277
- Sectioned 179:365
- Selenium 168:185, 170:225, 170:299, 181:385, 192:215
- Separator 174:133
- Silicon 167:219
- Size-Spectrum 192:215
- Solvent-Extraction 185:145
- Speciation 174:133, 179:277
- Species 173:357, 179:277
- Standard-Reference-Material 185:145
- Substoichiometric-Isotope-Dilution-Analysis 185:145
- Tissue 179:331
- Toluene-3,4-Dithiol 185:145
- Tropical 170:299
- Uranium 167:219
- Washington-DC 192:215
- Zinc 170:299, 192:215

Arsenic(III)

- Aqueous-Sample 179:211
- Aqueous-Solution 157:193
- Arsenic(V) 154:343, 179:211
- Automatable 179:211
- Benzene 157:193
- Combination 179:211
- Cryotrapping 179:211
- Dimethylarsinic-Acid 179:211
- Generation 179:211
- Hydride 179:211
- Iodide 157:193
- Monomethylarsonic-Acid 179:211
- Preconcentration 179:211
- Preservation 154:343
- Procedure 179:211
- Radiochemical-Extraction 157:193
- Selective 179:211
- Speciation 179:211
- Spectrophotometry 157:193
- Trilaurylamine-Oxide 157:193
- Water-Sample 154:343, 157:193

Arsenic(V)

- Aqueous-Sample 179:211
- Arsenic(III) 154:343, 179:211
- Automatable 179:211
- Combination 179:211
- Cryotrapping 179:211
- Dimethylarsinic-Acid 179:211
- Generation 179:211
- Hydride 179:211

Monomethylarsonic-Acid 179:211

- Preconcentration 179:211
- Preservation 154:343
- Procedure 179:211
- Selective 179:211
- Speciation 179:211
- Water-Sample 154:343

Arsenic-75 189:51**Artificial**

- Accident 188:305
- Behavior 182:225
- Coast 182:225
- Collected 188:305
- Distribution 182:225
- Following 188:305
- Ibaraki-Japan 188:305
- Interpretation 169:201
- Introduction 169:201
- k_0 169:201
- k_1 -Concept 169:201
- Level 188:305
- Neutron-Activation-Analysis 169:201
- North-Wales 182:225
- Peak 169:201
- Radionuclide 182:225, 188:305
- Rain 188:305
- Russia 188:305
- Sediment 182:225
- Tomsk-7 188:305
- United-Kingdom 182:225
- Uranium 188:305
- Water 188:305

Artificial-Neural-Network 190:439**Artificial-Radioactivity** 201:31**Artificial-Radionuclide**

- Climatological 177:101
- Correlation 177:101
- Geographic-Parameter 177:101
- Natural-Radionuclide 177:39, 177:101

Paraná-State-Brazil 177:39**Pedological** 177:101**Soil** 177:39, 177:101**Arufu** 168:101**Asbestos** 189:101**Ascertain** 173:79**Ascite**

- Blood 171:383
- Copper 195:155
- Distribution 195:155
- Elemental-Analysis 171:383
- Kinetic 195:155
- Liver 171:383
- Mouse 171:383, 195:155
- Period 195:155
- Selenium 195:155
- Tumor-Bearing 171:383, 195:155
- Zinc 195:155

Ascorbic-Acid 201:199**Ash**

- Actinide 177:5
- Bituminous-Coal 191:181
- Bone 177:5
- Chemical-Composition 191:163
- Coal 191:163, 191:181, 192:265, 201:333
- Content 191:163
- Dual-Beam-Method 191:163

Elemental-Characterization 192:265

- Instrumental-Neutron-Activation-Analysis 191:181
- Leachate 192:265
- Lead-210 177:5
- Medicine 169:277
- Multielemental-Analysis 191:181
- Natural-Radioactivity 201:333
- Neutron-Activation-Analysis 169:277
- Nigerian 191:181
- Polonium-210 177:5
- Sequential-Extraction 192:265
- Standard 177:5
- Strontium-90 177:5
- Tropical-Wood 169:277
- Uranium 177:5
- Variable 191:163
- Zambian 201:333

Ash-Sample 169:381**Ashing**

- Bone-Mineral 153:47
- Cadmium 193:33
- Dry 155:335, 193:33
- Extractability 153:47
- Loss 155:335, 193:33
- Material 193:33
- Plant 193:33
- Radiotracer 153:47
- Seaweed 155:335
- Sodium-22 153:47
- Technetium-99 155:335
- Wet 193:33

ASIA-(Ismatec)-Analyzer

- Radioactive 187:351
- Radiometric-Flow-Injection-Analysis 187:345
- Reverse-Radiometric-Flow-Injection-Analysis 187:351
- Waste-Water 187:351

Aspect 161:489**Asphaltene**

- Alternative 158:283, 172:387
- Coal 158:283, 172:387
- Fuel 158:283, 172:387
- Gamma-Ray 172:387
- Irradiation 172:387
- Radiation-Induced-Effect 158:283, 172:387
- X-Ray-Irradiation 158:283

Asphaltol 159:301**ASPRO-NUC** 193:195**Assay**

- Activation-Analysis 198:385
- Aluminum 164:293
- Bone 164:293
- Cake 170:17
- Conversion 170:17, 201:165
- Crude 170:17, 201:165
- Diuranate 170:17
- Element 196:11, 198:385
- Emission 194:221
- Environmental-Matrix 157:281
- Field 194:221
- Fire 196:11, 198:385
- Gamma-Ray 194:221
- Gamma-Ray-Spectrometry 170:17, 201:165
- Grade 201:165
- Input 201:165
- Instrument 194:221
- Interference 198:385

- Long-Lived-Actinide 157:281
- Magnesium-Fluoride 170:17
- Material 201:165
- Natural 170:17, 201:165
- Neptunium 157:281
- Neutron-Activation-Analysis 164:293, 196:11
- Neutron-Induced-Nuclear-Reaction 198:385
- Nickel-Sulfide 196:11, 198:385
- Non-destructive 164:293
- Nuclear 201:165
- PASS 194:221
- Performance-Test 194:221
- Plant 170:17, 201:165
- Platinum-Group 196:11, 198:385
- Plutonium 194:221
- Preconcentration 196:11, 198:385
- Radionuclide 194:221
- Rapid 194:221
- Rock 196:11
- Slag 170:17
- Uranium 170:17
- Uranium-Metal 201:165
- Uranium-Tetrafluoride 201:165
- Assembly** 194:81
- Assessing**
 - Actinide 197:309
 - Animal 197:309
 - Body 167:413
 - Burden 167:413
 - Co-ordinated-Research-Program 167:413
 - Dust 197:309
 - Environmental-Pollutant 167:413
 - Hair 167:413
 - IAEA 167:413
 - Inhaled 197:309
 - Intake 197:309
 - Internal 167:413
 - Mineral-Analysis 167:413
 - Significance 167:413
- Assessment**
 - Analytical-Method 193:329
 - Approach 161:283
 - Associated 181:309
 - Atropine 188:439
 - Concentration-Dependent 172:231
 - Criteria 193:329
 - Distribution 172:231
 - Dosimetry 197:161
 - Environmental-Sample 193:329
 - EPA 161:283
 - Experience 197:161
 - Field 197:161
 - Fractionation 181:309
 - French 197:161
 - Generalized 172:231
 - Human-Blood-Serum 196:145
 - Humic-Material 181:309
 - Industrial 197:161
 - Information-Theory 169:347
 - Internal 197:161
 - Level 188:439
 - Neutron-Activation-Analysis 169:347
 - Nitrogen 196:145
 - Nuclear 197:161
 - Particle-Induced-Gamma-Ray-Emission 196:145
 - Permeation 188:439
 - Potential 161:377
 - Quality 169:347
 - Radioanalytical-Method 172:231
 - Radionuclide 181:309
 - Radium-226 193:329
 - Radon 161:283, 161:377
 - Rapid 161:377
 - Reaction 172:231
 - Reference-Material 169:347
 - Risk 161:283
 - Scheme 172:231
 - Scopolamine 188:439
 - Selection 193:329
 - Separation 172:231
 - Soil 161:377
 - Transdermal 188:439
 - Ultrafiltration 181:309
 - Uranium-Dioxide 197:161
 - Workplace 197:161
- Associated**
 - Activity 185:127
 - Ancient 196:267
 - Antibody 189:77
 - Assessment 181:309
 - Canadian 185:127
 - Chronic 189:77
 - Conventional 182:127
 - Dose-Rate 185:127
 - End-Point 189:77
 - Evaluation 189:77
 - Exposure 182:127, 189:77
 - Fractionation 181:309
 - Human-Bone 196:267
 - Humic-Material 181:309
 - Immunochemical 189:77
 - Mining 182:127
 - Neutron-Activation-Analysis 196:267
 - Parameter 189:77
 - Possible 189:77
 - Radiobiological-Effect 189:77
 - Radionuclide 181:309
 - Radium-226 185:127
 - Soil 185:127, 196:267
 - Thorium 182:127
 - Trace-Element 196:267
 - Tritium 189:77
 - Ultrafiltration 181:309
 - Uranium 182:127
- Association**
 - Cesium 154:215
 - Component 198:229
 - Extractant 183:33
 - Ferric-Component 154:215
 - Fission-Product 198:229
 - Flood-Basalt 154:215
 - Iodine-127 198:229
 - Iodine-129 198:229
 - Isotope 198:229
 - Low-Polarity-Solvent 183:33
 - Natural 198:229
 - Procedure 198:229
 - Sequential-Extraction 198:229
 - Soil 198:229
- Assurance**
 - Geological-Reference-Material 174:229
 - Instrumental-Neutron-Activation-Analysis 174:229
 - k_0 -Factor 179:87
 - Neutron-Activation-Analysis 179:87
 - Quality 174:229, 179:87
 - Standardization 174:229
 - Utilization 179:87
- ASTM** 168:169
- Aswan-High-Dam** 186:143
- Atlantic-Ocean ISouth-»** 188:65
- Atmosphere**
 - 1,3-Dichloropropane 172:57
 - 1-Chlorobutane 172:57
 - 1-Chlorobutene-2 172:57
 - 1-Chloropropane 172:57
 - 2-Chloropropane 172:57
 - Cerium 201:347
 - Charged-Particle 164:247
 - Chromium 201:347
 - Dichloroethane 177:415
 - Dichloromethane 177:415
 - Gamma-Irradiated 172:57, 177:415
 - Indoor 164:247
 - Industrial-Area 166:465, 201:347
 - Longitudinal-Distribution 166:465
 - Major 201:347
 - Neutron-Activation-Analysis 166:465, 201:347
 - Oxygen-Free 172:57, 177:415
 - Product 172:57, 177:415
 - Punjab-Pakistan 201:347
 - Radiation 172:57
 - Radical 177:415
 - Radiolysis 172:57, 177:415
 - Radon-222 164:247
 - Ratio 164:247
 - Selenium 201:347
 - Stable 172:57, 177:415
 - Trace-Element 166:465
 - Urban 201:347
 - Yield 172:57
 - Ytterbium 201:347
- Atmospheric**
 - Aerosol 167:271, 181:401, 186:245, 189:157, 201:409
 - Air 174:43, 180:171
 - Alpha-Radioactivity 161:465
 - Ankara-Turkey 181:401
 - Background-Level 189:157
 - Behavior 186:245
 - Cement 179:195
 - Cesium 201:409
 - Chemical-Fraction 201:409
 - Chernobyl-Accident 201:409
 - Collected 192:249
 - Composition 181:401
 - Contribution 161:159
 - Counting 180:171
 - Debrecen 188:199
 - Deposition 179:195, 188:199, 192:205, 192:229
 - Device 167:271
 - Elemental-Content 192:229
 - Factory 179:195
 - Fallout 186:245
 - Filter 180:171
 - Gaseous 174:43
 - Gross 161:465
 - Hospital 161:159
 - Incinerator 161:159
 - Instrumental-Neutron-Activation-Analysis 181:401
 - Iodine-129 174:43
 - Lichen 192:229
 - Major-Element 179:195, 188:199
 - Minor-Element 179:195
 - Monitor 161:147
 - Monitoring 192:229
 - Moss 161:147, 192:229
 - Mururoa 177:107
 - Needle 192:229
 - Neutron 192:229
 - Neutron-Activation-Analysis 167:227, 174:43, 192:205
 - Nuclear-Analytical-Technique 167:271
 - Ombrotrophic-Bog-Monitor 192:205
 - Particulate 174:43
 - Passive 167:227, 192:249
 - Peat-Sample 192:205
 - Pine 192:229
 - Plutonium-239 177:107
 - Plutonium-240 177:107
 - Pollutant 192:205
 - Polonium-210 161:465
 - Prague 186:245, 201:409
 - Radioactive 201:409
 - Radioactivity 177:107
 - Radiocesium 186:245
 - Radium-226 189:157
 - Resonance 192:229
 - Role 192:205
 - Sampling 167:271, 192:249
 - Sampling-Method 167:227
 - Size-Fractionating 167:271
 - Sorption 167:227, 192:249
 - Southern-Norway 167:271
 - Spanish 161:147
 - Toxic-Metal 161:159
 - Trace 188:199
 - Trace-Element 161:147, 167:227, 179:195, 181:401, 192:249
 - Trend 192:205
 - Uranium-238 189:157
- Atmospheric-Particulate** 191:257
- Atom**
 - Alpha-Recoil 178:165
 - Cobalt-57-Labeled 173:107
 - Cobalt-Iron-Carboxylate 173:107
 - Defect 190:425
 - Emission 173:107
 - Environment 178:165
 - Iodine 190:425
 - Iron-57 173:107
 - Ligand 190:425
 - Mixed-Valence-State 173:107
 - Mössbauer-Spectroscopy 173:107, 190:425
 - Plutonium 178:165
 - Silver 190:425
 - Tin-119 190:425
 - Trinuclear 173:107
- Atomic**
 - Cluster 190:279
 - Comparison 160:341
 - Detection 160:341
 - Inductively-Coupled-Plasma-Mass-Spectrometry 160:341
 - Mobility 190:279
 - Mössbauer-Spectroscopy 190:279
 - Radiation 160:341

- Radionuclide 160:341
- Thermodynamics 190:279
- Ultrafine 190:279
- Atomic-Absorption-Spectrometry**
 - Aerosol 161:101
 - Anchor 196:65
 - Ancient 196:65
 - Arsenic 174:133
 - Atmospheric-Particulate 191:257
 - Black-Sea 196:65
 - Change 166:383
 - Cloud 161:101
 - Concentration 166:383
 - Examination 174:133
 - Flameless 191:257
 - Gas-Liquid 174:133
 - Generation 161:101, 174:133
 - Graphite-Furnace 172:117, 195:83
 - Graphite-Tube 172:117
 - High-Purity 172:117
 - Human-Bone 195:83
 - Hydride 161:101, 174:133
 - In-Situ 172:117
 - Instrumental-Neutron-Activation-Analysis 161:101, 196:65
 - Lead 191:257, 195:83
 - Lead-Isotope 196:65
 - Mouse 166:383
 - Multiple-Injection 172:117
 - Particle-Induced-X-Ray-Emission 195:83
 - Preconcentration 172:117
 - Radiotracer 174:133
 - Separator 174:133
 - Skin 166:383
 - Speciation 174:133
 - Trace-Element 161:101
 - Trace-Metal 166:383, 172:117
 - Water 161:101, 172:117
 - X-Ray-Irradiated 166:383
- Atomic-Based-Analysis** 161:189
- Atomic-Harvest** 187:169
- Atomic-Power-Station**
 - Dudvák 183:167
 - Environmental-Sample 175:41, 183:167
 - Jaslovské-Bohunice 175:41, 183:167
 - Manivier 183:167
 - Plutonium-239/240 175:41, 183:167
 - River 183:167
 - Surrounding 175:41, 183:167
- Atropine** 188:439
- Attempt** 179:173
- Attenuation** 188:1
- Au** see **Gold**
- Austenite-Formation** 165:115
- Australia** 171:75
- Australian**
 - Breast-Fed-Infant 161:21
 - Diet 163:195
 - Intake 161:21
 - Manganese 163:195
 - Neutron-Activation-Analysis 163:195, 185:293
 - Opal 185:293
 - Selenium 161:21
 - Status 163:195
 - Trace-Element 185:293
- Australia (South-)**
 - Characterization 177:161
 - Contamination 177:161
 - Distribution 161:475
 - Former 177:161
 - Maralinga 177:161
 - Natural-Radionuclide 161:475
 - Nuclear-Weapon 177:161
 - Plutonium 177:161
 - Range 177:161
 - Testing 177:161
 - Tidal-Saltmarsh-Soil 161:475
 - Unusual 161:475
- Austrian** 200:315
- Automatable** 179:211
- Automated**
 - Americium 197:211
 - Analytical-Program 180:75
 - Charcoal 183:329
 - Chemistry 183:329
 - Data 180:75
 - Data-Analysis 180:55
 - Efficiency 183:329
 - F-18-Fluorodeoxyglucose 183:329
 - Filter 183:329
 - Handling 180:75
 - Integrating 180:75
 - NADA92 180:55
 - Neutron-Activation 180:55
 - Neutron-Activation-System 167:39
 - Plutonium 197:211
 - Process-Control 183:329
 - Radiochemical-Procedure 197:211
 - Short-Lived-Nuclide 167:39
 - Spreadsheet 180:75
 - Synthesis 183:329
 - Unit 183:329
 - User-Friendly-Program 180:55
 - Word-Processor 180:75
- Automated-System**
 - Chromium-39 182:133
 - Daughter 182:133
 - Gold-Ore-Sample 168:329
 - Instrumental-Neutron-Activation-Analysis 168:329
 - Monitoring 182:133
 - Multielemental 168:329
 - Radon 182:133
 - Track 182:133
- Automatic-Analysis** 193:187
- Automatic-Analyzer** 160:407
- Automatic-System**
 - Enzymatic-Synthesis 155:9
 - Glutamate 155:9
 - Neutron-Activation-Analysis 167:97
 - Nitrogen-13 155:9
- Automation**
 - Bibliography 182:497
 - Gamma-Spectrum 160:289
 - High-Resolution 160:289
 - Including 160:289
 - Instrumentation 182:497
 - Interactive 160:289
 - Macro 160:289
 - Nuclear 182:497
 - SAMPO-90 160:289
- Availability**
 - Biological 182:75
 - Bottom 161:239
 - Concentration-Level 182:75
 - Environment 182:75
 - Indicator 182:75
 - Lake 161:239
 - Morro-Do-Ferro 182:75
 - Nuclear-Technique 161:239
 - Phosphorus 161:239
 - Plant 182:75
 - Rare-Earth-Element 182:75
 - Sediment 161:239
 - Thorium 182:75
 - Transuranium-Element 182:75
- Average** 160:211
- Axial** 156:323
- Azacrown** 189:219
- B.E.T.** 192:139
- Baboon** 156:33
- Back-Extracted** 188:291
- Background**
 - Above-ground 160:297
 - Characterization 192:331
 - Data 192:331
 - Detector 160:297
 - Enhancement 167:145
 - Germanium 160:297
 - Neutron-Activation-Analysis 192:331
 - Neutron-Scattering-Induced 167:145
 - Project 192:331
 - Prompt-Gamma-Ray-Activation-Analysis 167:145
 - Soil 192:331
 - Ultra-Low 160:297
 - Validation 192:331
- Background-Level**
 - Aerosol 189:157
 - Atmospheric 189:157
 - Canadian 194:359
 - Grain 194:359
 - Human-Urine 156:407
 - Oil 194:359
 - Radioactivity 194:359
 - Radium-226 189:157
 - Seed 194:359
 - Uranium 156:407
 - Uranium-238 189:157
- Background-Measurement** 151:293
- Backscatter-Radiation-Method** 176:415
- Backscattering** 174:265
- Bacterial** 166:431
- Bagasse** 200:305
- Balance** 154:133
- Balance-Equation** 175:281
- Bangladeshi** 152:3
- Barium**
 - Active 186:1
 - Aqueous-Solution 186:1
 - Baryte 174:35
 - Commercial 186:1
 - Content 174:35
 - Copper 187:215
 - Electrodeposition 198:143
 - Equipment 174:35
 - Film 187:215
 - Fluorine 174:35
 - Fluorspar 174:35
 - Lead 186:1
 - Manganese-Dioxide 186:1
 - On-line 174:35
 - Ore 174:35
 - Precipitated 186:1
 - Radiochemical-Sorption-Behavior 198:449
 - Radium-226 198:143
 - Separation 186:1
 - Silicon 174:35
 - Strontium 186:1, 198:449
 - Superconductor 187:215
 - X-Ray-Fluorescence-Analysis 187:215
 - Yttrium 187:215
- Barium(II)** 170:133
- Barium(II)-Ion** 196:353
- Barium-130-(n,gamma)-Barium-131-Reaction** 186:183
- Barium-140** 198:457
- Barium-Carbonate** 187:123
- Barium-Chlorofluoride** 190:431
- Barium-Dicarbollide** 178:27
- Barium-Oxalate** 181:441
- Barium-Perchlorate** 177:357
- Barium-Sulfate** 173:23
- Barium²⁺**
 - Calcium²⁺ 183:85
 - Cesium⁺ 183:85
 - Cobalt 187:285
 - Dicarbolide-Polyethylene 187:285
 - Extraction 187:285
 - Glycol-Nitrobenzene-Carbon-Tetrachloride-Cyclohexanedi-amine 187:285
 - Hollow-Fiber-Supported 183:85
 - Liquid-Membrane 183:85
 - Potassium⁺ 183:85
 - Separation 187:285
 - Sodium⁺ 183:85
 - Strontium²⁺ 183:85, 187:285
 - Transport 183:85
- Barium²⁺-Ion** 182:375
- Barrier** 168:513
- Baryte** 174:35
- Base** 170:67
- Basic-Medium** 152:479
- Basin** 179:259
- Basis** 168:15
- Basket** 196:89
- Batch** 191:229
- Battery** 168:413
- Bauxite** 194:379
- Bauxitic-Material** 190:71
- Bay** 161:135
- BCS-Type** 164:405
- Beach**
 - Cesium-134 161:495
 - Cogenetic 199:51
 - Coincident 161:495
 - Environmental-Monitoring 161:495
 - Hafnium 199:51
 - Monazite 199:51
 - Neutron-Activation-Analysis 199:51
 - Rare-Earth-Element 199:51
 - Sand 161:495, 199:51
 - Scandium 199:51
 - Spectrometer 161:495
 - Thorium 199:51
 - Uranium 199:51
 - Zircon 199:51
 - Zirconium 199:51
- Beaker** 193:133

Bearing

- Actinide 191:279
- Aerosol 192:215
- Antimony 192:215
- Area 192:215
- Arsenic 192:215
- Chromatographic-Separation 191:279
- CMPO 191:279
- Extraction 191:279
- Growth 192:215
- High-Level 191:279
- Instrumental-Neutron-Activation-Analysis 192:215
- Minor 191:279
- Particle 192:215
- Selenium 192:215
- Size-Spectrum 192:215
- Sulfate 191:279
- Washington-DC 192:215
- Waste 191:279
- Zinc 192:215

Bedrock 180:5**Behavior**

- (n,gamma)-Reaction 183:293
- 2,3,7,8-Tetrachlorodibenzo-p-Dioxin 195:219
- Absorption 188:133
- Accident 161:121
- Actinide 170:359
- Aerosol 186:245
- Americium-241 156:201
- Antimony-125 195:243
- Aqueous-Medium 152:479
- Artificial 186:225
- Atmospheric 186:245
- Basic-Medium 152:479
- Carrier-Free 195:243
- Cesium-137 197:343
- Chamber 196:107
- Characteristics 199:173
- Coast 182:225, 197:343
- Coastal 156:201, 156:349
- Column 199:173
- Composition 161:503
- Concentration 197:343
- Concentration-Level 156:349
- Condition 161:121
- Conditioning 177:311
- Contribution 196:107
- Copper(II)-Ion 188:133
- Crassostrea-Gigas 197:343
- Cross-Section 188:293
- Cyclotron 196:107
- Cytosine 188:133
- Distribution 156:201, 182:225, 197:343
- Electrical-Field 196:107
- Environment 192:239
- Estuarine 156:201
- Extraction 177:311
- Facility 180:225
- Fallout 186:245
- Fertilizer 197:173
- Fluorescence 188:133
- Formation 177:311
- Fungicide 189:319
- Gamma-Irradiation 189:319, 199:395
- Geothermal-Field 161:365
- Glass 161:503
- Groundwater 161:503
- High-Level 177:311
- Hogdahl-Convention 183:293

- Hydrochloric-Acid-Solution 195:243
- Iodine 161:121, 180:225, 192:239
- Iodododecane 183:219
- Irish-Sea 156:201
- Irradiated 170:359, 188:133, 199:173
- Japanese 156:349, 197:343
- Jucar-River-Eastern-Spain 190:113
- Latera 161:365
- Leaching 161:503
- Lead-210 197:343
- Level 197:173
- Liquid 177:311
- Macroelement 175:401
- Marine-Environment 156:349
- Matrix 199:173
- Modified-Westcott-Formalism 183:293
- Molybdenum-99-Technecium-99m-Generator 199:173
- Natural-Radioactivity 197:173
- Neon-20-(d,alpha)-Fluorine-18 196:107
- Neptunium 170:359
- Neptunium-237 156:201
- Neutral 188:133
- Neutron-Activation 161:503
- Nitrogenated 189:319
- North-Wales 182:225
- Northern-Latium-Italy 161:365
- Nuclear-Fuel 183:219
- Nuclear-Reactor 161:121
- Nuclide 156:349
- Organic 195:219
- Oyster 197:343
- pH 188:133
- Phosphate 197:173
- Photodegradation 195:219
- Plant 197:173
- Plutonium 152:479
- Plutonium-239/240 156:201
- Prague 186:245
- Pure 183:293
- Radioanalytical 192:239
- Radioanalytical-Technique 195:219
- Radiocesium 186:245
- Radiochemical 161:121
- Radiochemical-Analysis 180:225
- Radioiodine 180:225, 194:303
- Radionuclide 182:225, 196:107, 197:343
- Radon-222 161:365
- Reduction 195:243
- Relation 183:293, 197:343
- Relevant 161:121
- Reprocessing 183:219
- Sea-Water 197:343
- Sediment 156:201, 182:225
- Separation 170:359
- Silver-108m 197:343
- Simulated 177:311
- Sodium-Borosilicate 161:503
- Soil/Plant/Atmosphere-System 194:303
- Solid 177:311
- Surface-Area/Volume-Ratio 161:503
- Target 170:359, 196:107
- Technetium-99 156:201

- Temperature 161:503
- Test 180:225
- Titanium-Molybdate 199:173
- Toxicant 195:219
- Trace-Element 175:401
- Tracer 194:303
- Transuranic-Element 177:311
- Transuranium 156:349
- Triazine 199:395
- United-Kingdom 182:225
- Uranium 190:113
- Uranium-234/Uranium-238-Ratio 190:113
- Uranium-235/Uranium-238-Ratio 190:113
- Vicinity 197:173
- Waste 177:311
- Water-Sediment-System 175:401

Belarus 199:325**Benign** 156:341**Bentonite** 162:325**Benzene**

- 15-Crown-5 196:369
- 18-Crown-6 196:369
- 2-Benzylpyridine 159:13
- Acid 176:233
- Americium(III) 152:127
- Aqueous-Solution 157:193, 159:13
- Arsenic 185:145
- Arsenic(III) 157:193
- Biological 185:145
- Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 152:127
- Dioxouranium(VI) 176:233
- Environmental 185:145
- Europium(III) 196:369
- Extraction 152:127, 159:13, 166:441, 196:369
- Gadolinium(III) 196:369
- Gamma-Radiolysis 152:329
- Iodide 157:193
- Iodide-Ion 159:13
- Magnesium-Oxide 152:329
- Mercury(II) 159:13
- Mineral-Acid 159:13
- Mixture 152:127
- Nitrate-Medium 196:369
- Nitric-Acid-Solution 152:127
- Palladium 166:441
- Radiochemical-Extraction 157:193
- Radioisotope 196:369
- Selective 159:13
- Solvent-Extraction 185:145
- Spectrophotometry 157:193
- Standard-Reference-Material 185:145
- Substoichiometric-Isotope-Dilution-Analysis 185:145
- Surface 152:329
- Synergic-Extraction 176:233
- Synergistic-Mixture 196:369
- Thienoyltrifluoroacetone 196:369
- Toluene-3,4-Dithiol 185:145
- Tributyl-Phosphate 152:127
- Trilaurylamine-Oxide 157:193
- Triphenylphosphine-Oxide 176:233
- Triphenylphosphine-Sulfide 166:441

• Water-Sample 157:193

Benzene-Derivative 188:243**Benzene-Solution** 155:15**Benzenearsonic-Acid** 12-(2-Hydroxy-3,6-Disulfo-1-Naphthylazo)-» 188:341**Benzoate-Ion** 155:65**Benzoic-Acid**

- Action 155:65
- Alkali-Metal-Salt 155:65
- Benzoate-Ion 155:65
- Catalyst 162:179
- Deuteration 162:179
- Homogeneous 162:179
- Potassium 162:179
- Regioselective 155:65
- Tetrachloroplatinate(II) 162:179
- Tritiation 155:65

Benzoinomixte 1Alpha-» 185:347**Benzyl-Xanthate**

- Butyl-Xanthate 199:239, 200:181
- Cadmium 199:239
- Comparative 199:239, 200:181
- Ethyl-Xanthate 199:239, 200:181
- Pentyl-Xanthate 199:239, 200:181
- Potassium-Salt 199:239, 200:181
- Propyl-Xanthate 199:239, 200:181
- Substoichiometric-Extraction 199:239, 200:181
- Zinc 200:181

Benzylpyridine 12-» 159:13**Bermuda** 193:309**Beryllium** 192:9**Beryllium-7**

- Case-Study 172:49
- Environmental-Process 190:137

• Ozone 172:49

• Preliminary 190:137

• Stratospheric 172:49

• Tracer 172:49, 190:137

Beta-Emission 170:443**Beta-Emitter** 200:247**Beta-Phenylpropionic-Acid**

157:125

Beta-Proportional-Counting

163:225

Beta-Radiation

- Alteration 199:265
- Change 199:265
- Cobalt-60-Labeled-Species 158:121
- Energy-Spectrum 199:265
- Intensity 199:265
- Ion-Transport-Process 199:265
- Radiotracer 158:121
- Radiotracer-Method 199:265
- Sorption 158:121

Beta-Spectroscopy

- Depth 180:115
- Detector 173:293
- Neutron-Activation 180:115, 192:45
- Preservative 180:115
- Profiling 180:115
- Scintillation 173:293
- Separation 173:293

- Short-Lived-Radionuclide 192:45
- Strontium-89 173:293
- Strontium-90 173:293
- Wood 180:115
- Yttrium-90 173:293
- Betas** 201:521
- Beverage** 166:195
- BGO** 180:131
- Bi-Pb-Cu-Sr-Ca-Sb-O** 176:361
- Biamperometry** 152:519
- Bias**
 - Air-Pollutant 167:237
 - Analytical 191:245
 - Cold-Neutron 191:245
 - Element 191:245
 - Eliminate 191:245
 - Enrichment-Factor 167:237
 - Geology 167:237
 - Indicator 167:237
 - Natural 167:237
 - Prompt-Gamma-Ray-Activation-Analysis 191:245
 - Ratio 191:245
- Bibliography**
 - Absorption 157:203, 182:477, 185:419, 198:261
 - Activation 152:299, 178:207, 189:349
 - Automation 182:497
 - Cold-Fusion 154:1, 154:237, 155:141, 164:137
 - Environment 152:525, 162:407, 171:501, 173:205, 178:443, 181:461, 183:421, 190:183
 - Environmental 172:395
 - Environmental-Radiochemistry 158:215, 170:281, 170:489, 173:419, 177:425, 181:231, 185:199, 191:209
 - Instrumentation 182:497
 - Nuclear 182:497, 196:405
 - Nuclear-Reaction 152:299, 178:207, 189:349
 - Radiation 157:203, 182:477, 185:419, 198:261
 - Radioactivity 158:215, 170:281, 170:489, 173:419, 177:425, 181:231, 185:199, 191:209
 - Radiochemical-Separation 182:489
 - Radiochemistry 182:489, 196:393
 - Radon 152:525, 162:407, 171:501, 173:205, 174:187, 178:443, 181:461, 183:421, 190:183, 198:511
 - Scattering 157:203, 182:477, 185:419, 198:261
 - Substoichiometric-Isotope-Dilution-Analysis 182:487
- Bidentate** 152:151
- Bifunctional** 175:415
- Bilateral** 200:109
- Bilirubin** 171:451
- Binary**
 - Analytical-Application 198:151
 - Characterization 198:151
 - Hydroxide 190:321
 - Iron(III)-Containing-System 190:321
 - Lifetime 198:151
 - Positron 198:151
 - Solid-Solution 198:151
 - Spectroscopy 198:151
 - Surface-Structure 190:321
- Binary-Mixture**
 - Aliquat-336 201:325
 - Americium(III) 201:325
 - Aqueous-Medium 178:179
 - Extractant 178:179
 - Hydrogen-Chloride 178:179
 - Molybdenum(VI) 178:179
 - Nitrate-Alcohol 152:11
 - Nitric-Acid-Medium 201:325
 - Organophosphinic-Acid 178:179
 - PC-88A-TOPO 201:325
 - pH-12 152:11
 - Phosphonic-Acid 178:179
 - Radiolysis 152:11
 - Sulfuric-Acid-Medium 201:325
 - Synergistic-Extraction 201:325
 - Uranium(VI) 178:179, 201:325
- Binding**
 - Americium(III)-Humate 186:129
 - Constant 186:129
 - Europium(III)-Humate 186:129
 - Fluoride 201:135
 - Humic-Acid 201:135
 - Ionic-Strength 186:129
- Bioaccumulation** 183:389
- Bioaccumulator** 192:171
- Bioassay**
 - Actinide 156:425, 197:41
 - Animal 156:425
 - Critical-Review 197:41
 - Data 156:425, 177:121
 - Dosimetry 156:425
 - Exposure 156:389, 156:425
 - Human 156:425
 - ICRP 156:55, 197:41
 - Implication 197:229
 - Interpret 156:425
 - Interpretation 156:389, 177:121, 197:67, 197:229
 - Light 197:41
 - Liquid-Scintillation 194:177
 - Metabolic-Model 156:55
 - Model 156:425, 197:229
 - Modified 197:229
 - Monitoring 156:55, 197:41
 - Plutonium 194:177, 197:67
 - Problem 156:389
 - Recommendation 197:41
 - Relevance 156:55
 - Respiratory-Tract 197:229
 - Thorium 156:55, 156:389, 177:121
 - Uranium 197:229
- Bioavailability** 151:255
- Biocenose** 186:441
- Biochemical-Technique** 151:287
- Biodistribution**
 - 1,3-Thiazolidine 186:75
 - Carboxylic-Acid-Derivative 186:75
 - Characterization 162:139
 - Dihydro-1,4-Thiazine 186:75
 - Ethylene-bis(alpha-Alanine) 155:253
 - Ethylene-bis(Valine) 155:253
 - Labeled 155:253
 - Preliminary 155:253
 - Preparation 154:53, 162:139
 - Pyridoxylidene-Thyroxine-Complex 162:139
 - Salicylidene-Thyroxine-Complex 162:139
 - Technetium-99m 155:253, 162:139
 - Technetium-99m-HT₁₈ 154:53
 - Technetium-99m-Labeling 186:75
- Biogeochemical-Behaviour** 182:359
- Bioindicator** 188:149
- Biokinetic-Model** 156:413
- Biokinetic-Study** 178:407
- Biological**
 - Arsenic 185:145
 - Availability 182:75
 - Benzene 185:145
 - Bovine 171:443
 - Calcium-Carbonate 194:297
 - Certified 196:125
 - Cesium-137 153:327
 - Concentration-Level 182:75
 - Environment 182:75
 - Environmental 185:145
 - Evidence 171:443
 - Half-Life 153:327
 - Hole 171:443
 - IAEA-NBS 196:125
 - Indicator 182:75
 - Indigenous 176:211
 - Input 196:125
 - Instrumental-Neutron-Activation-Analysis 196:125
 - Matrix 194:297
 - Missing 196:125
 - Morro-Do-Ferro 182:75
 - Origin 194:297
 - Plant 182:75
 - Positive 171:443
 - Possible 171:443
 - Protein 171:443
 - Radiochemical-Quality-Control 176:211
 - Radiostromium 194:297
 - Rare-Earth-Element 182:75
 - Reference-Material 196:125
 - Separation 194:297
 - Serum-Albumin 171:443
 - Snail 153:327
 - Solvent-Extraction 185:145
 - Standard-Reference-Material 185:145
 - Substoichiometric-Isotope-Dilution-Analysis 185:145
 - Technetium-99m-Radiopharmaceutical-Kit 176:211
 - Thorium 182:75
 - Toluene-3,4-Dithiol 185:145
 - Trace-Element 196:125
 - Transport 171:443
 - Transuranium-Element 182:75
- Biological-Application** 157:273
- Biological-Distribution** 196:45
- Biological-Excretion** 156:65
- Biological-Material**
 - Americium 164:81
 - Cadmium 158:313
 - Cesium 174:177
 - Chromium 158:313, 169:229, 178:19
 - Cobalt 158:313, 181:43
 - Combined 156:165
 - Comparison 157:239, 169:239
 - Composite 164:115
 - Detection 160:85, 169:239
 - Electrolyte 160:85
 - Electrolytic-Separation 174:49
 - Environmental 156:165
 - Environmental-Material 157:265, 174:177, 187:451
 - Fast-Neutron 168:201
 - Gallium 157:265
 - Gold 160:85, 174:49
 - HDEHP 156:165
 - High-Performance-Liquid-Chromatography 168:5
 - Inductively-Coupled-Plasma-Mass-Spectrometry 157:239
 - Ion-Chromatography 169:229
 - Ion-Exchange 157:265
 - Ion-Exchanger 164:115
 - Limit 160:85
 - Liquid-Scintillation-Counting 156:165
 - Mineralizate 164:115
 - Modality 169:239
 - Molybdenum 158:313, 192:117
 - Multielement-Analysis 168:5
 - Neutron-Activation-Analysis 157:239, 157:265, 164:115, 174:177, 181:43, 190:23, 192:117
 - Nickel 168:201
 - On-line 168:5, 169:229
 - Platinum 160:85, 174:49
 - Plutonium 187:451
 - Pre-irradiation 157:265
 - Procedure 157:265
 - Quantitative-Determination 164:81
 - Radiochemical-Activation-Analysis 168:201
 - Radiochemical-Analysis 157:57
 - Radiochemical-Determination 178:19
 - Radiochemical-Neutron-Activation-Analysis 158:313, 160:85, 168:5, 169:229, 174:49
 - Radiochemical-Scheme 192:117
 - Removal 164:115
 - Rubidium 174:177
 - Scandium 174:177
 - Selenium 190:23
 - Separation 157:265, 160:85, 169:239
 - Solvent-Extraction 156:165
 - Strontium-90 156:165
 - Tin 169:239
 - Toxic-Element 157:57
 - Trace-Amount 181:43
 - Trace-Element-Analysis 157:239
 - Ultratrace-Level 168:201, 178:19
 - Uranium 192:117
 - Yield 168:5, 169:229
- Biological-Matrix** 167:453

Biological-Monitor

- Cesium-137 155:451
- Environment 161:113
- Linhchi 155:451
- Mushroom 155:451, 161:113
- Pollution 155:451
- Trace-Element 161:113

Biological-Organ 195:133**Biological-Reference-Material**

- Antimony 168:185
- Arsenic 168:185
- Cadmium 168:185
- Certification 198:343
- Chromium 181:61
- Compton 181:61
- Copper 168:185
- Instrumental-Neutron-Activation-Analysis 181:61
- Mercury 168:185
- Molybdenum 168:185
- Neutron-Activation-Analysis 198:343
- Radiochemical-Neutron-Activation-Analysis 168:185
- Radiochemical-Separation 153:185, 198:343
- Selenium 168:185
- Suppression 181:61
- Toxic-Element 153:185
- Trace-Element 198:343

Biological-Sample

- Actinide 156:297, 197:7, 197:9
- Amount 201:13
- Aomori-City-Japan 197:7, 197:9
- Cadmium 161:5
- Chemical-Separation 201:13
- Compton-Suppression-System 161:5
- Conference 197:9
- Copper 201:13
- Daily-Intake 162:163
- Diet 162:163
- Electrofission 156:297
- Environmental-Sample 156:297, 182:205, 197:7, 197:9
- Epithermal-Neutron-Activation-Analysis 161:5
- Estimation 162:163, 175:351
- Instrumental 161:5
- International-Conference 197:7, 197:9
- Long-Lived-Radionuclide 197:7, 197:9
- Low-Level-Measurement 197:7, 197:9
- Mercury 156:103, 182:205
- Message 197:9
- Multilabelling 195:327
- Nanogram-Level 161:5
- Neutron-Activation-Analysis 182:205, 201:13
- Participant 197:9
- PC-Controlled-Evaluation 195:327
- Photofission 156:297
- Potassium-Benzyl-Xanthate 175:351
- Prior 201:13
- Proceedings 197:7, 197:9
- Selenium 175:351, 201:13
- Simultaneous 162:163

- Substoichiometric-Neutron-Activation-Analysis 156:103
- Thorium-232 162:163
- Tool 156:297
- Trace 201:13
- Trace-Level 182:205
- Uranium-238 162:163
- Utilizing 175:351

Biological-Study 159:233**Biological-Tissue**

- Aluminum 192:131
- Facility 192:131
- Improvement 195:117
- Irradiation 192:131
- Mercury 195:117
- Neutron-Activation-Analysis 195:117
- Novel-Approach 192:131
- Pair 192:131
- Pneumatic-Tube 192:131
- Sensitivity 195:117

Biomedical-Field 168:215**Biomedical-Monitoring** 161:79**Biomedical-Study** 200:283**Biomembrane** 163:37**Biosorption** 166:431**Bismuth**

- Evaporation 201:303
- Gallium 183:283
- Ionization 201:303
- Isotope 201:303
- Lead 201:303
- Mass-Spectrometry 201:303
- Melting 183:283
- Polonium 183:283
- Pulsed-Laser 201:303
- Purification 183:283
- Resonance 201:303
- Synthetic-Slag 183:283
- Time-of-Flight 201:303

Bismuth(III)

- Complex 170:197
- Coprecipitation 179:267
- Fluoride 170:197
- Ion-Selective 170:197
- Neutron-Activation-Analysis 179:267
- Plutonium(III) 170:197
- Potentiometry 170:197
- Preconcentration 179:267
- Pyrrolidinedithiocarbamate 179:267
- Samarium(III) 170:197
- Surface 179:267
- Trace-Element 179:267
- Water 179:267

Bismuth-207 153:51**Bismuth-210**

- Bottom 176:353
- Liquid-Scintillation-Counting 177:219
- Needle 177:219
- Pine 177:219
- Polonium-210 177:219
- Sediment 176:353
- Simultaneous-Determination 177:219
- Solvent-Extraction 177:219
- Bismuth-Phosphate 153:267
- Bismuth-Trioxide 180:145
- Bitumen 166:109
- Bituminous-Coal 191:181
- Bivalve 195:203
- Black 186:489

Black-on-White 196:215**Black-Sea**

- Anchor 196:65
- Ancient 196:65
- Area 175:9
- Atomic-Absorption-Spectrometry 196:65
- Chernobyl-Derived 175:9
- Instrumental-Neutron-Activation-Analysis 196:65
- Lead-Isotope 196:65
- Moss 175:9
- Radiocesium 175:9

Blood

- Ascite 171:383
- Change 158:293
- Component 158:293
- Content 158:293
- Dilated-Cardiomyopathy 153:257
- Elemental-Analysis 171:383
- Following 158:293
- Human 158:293
- Liver 171:383
- Low-Dose 158:293
- Mouse 171:383
- Multielement 153:257
- Neutron-Activation-Analysis 158:293
- Patient 153:257
- Radioisotope-Excited-X-Ray-Fluorescence-Analysis 164:275
- Selenium 158:293
- Short-Term 158:293
- Supplementation 158:293
- Trace-Element 164:275
- Tumor-Bearing 171:383
- X-Ray-Fluorescence-Analysis 153:257

Blood-Cell 168:243**Blood-Serum** 199:309**Blue** 153:57**Body**

- Assessing 167:413
- Burden 167:413
- Co-ordinated-Research-Program 167:413
- Concentration 161:11
- Endogenous 161:11
- Environmental-Pollutant 167:413
- Hair 167:413
- Human 161:11
- IAEA 167:413
- Internal 167:413
- Mineral-Analysis 167:413
- Neutron-Activation-Analysis 161:11
- Pool 161:11
- Rat 161:11
- Selenium 161:11
- Significance 167:413
- Sprague-Dawley 161:11
- Total 161:11
- Trimethylselenonium-Ion 161:11
- Urine 161:11

Body-Weight 195:203**Boiling-Water-Reactor** 198:203**Bombardment** 178:387**Bone**

- Accumulation 187:299
- Actinide 177:5

- Aluminum 164:293
- Americium-241 156:33
- Animal 187:299
- Ash 177:5
- Assay 164:293
- Baboon 156:33
- Calcium-Phosphate 176:477
- Ceramics 176:477
- Dosimetry 156:33
- Equivalent 176:477
- Evaluation 164:381
- L-X-Ray-Fluorescence-Analysis 164:381
- Lead 164:381
- Lead-210 177:5
- Major-Element 169:259
- Man 156:33
- Neutron-Activation-Analysis 164:293, 165:41
- Non-destructive 164:293
- Particle-Induced-Gamma-Ray-Emission 169:259
- Particle-Induced-X-Ray-Emission 169:259
- Plutonium-239 156:33
- Polonium-210 177:5
- Section 165:41
- Simultaneous 169:259
- Skeleton 156:33, 187:299
- Sodium/Calcium-Ratio 165:41
- Standard 177:5
- Strontium 187:299
- Strontium-90 177:5
- Thermoluminescence 176:477
- Tissue 165:41
- Trace-Element 169:259
- Undecalcified 165:41
- Uranium 177:5
- Volume 156:33
- Bone-Disease 169:307
- Bone-Male 200:205
- Bone-Marrow 191:25
- Bone-Mineral 153:47
- Bone-Seeking 200:291
- Bone-Tumor 160:443
- BOR-60-Reactor 167:23
- Borehole
 - Calibration 194:393
 - Environmental 194:393
 - Facility 194:393
 - Radiation 194:393
 - Small-Diameter 193:93
 - Surface 194:393
 - Tube-Excited-X-Ray-Fluorescence-Analysis 193:93
- Boreon 164:157
- Boric-Acid 199:305
- Boron
 - 14-MeV 180:277
 - Alpha-Spectrometry 187:409
 - Cesium-137 194:351
 - Fluorine 180:277
 - Gallium-Phosphide 201:49
 - Glass 187:409, 188:15
 - Helium-3-Induced-Activation 151:379
 - Image 188:15
 - Instrumental-Charged-Particle-Activation-Analysis 198:125
 - Instrumental-Neutron-Activation-Analysis 180:277
 - Low-Background-Counting-System 194:351

- Maple-Syrup 194:351
- Multiple-Interference 180:277
- Nitrogen 201:49
- Nuclear-Track-Technique 188:15
- Oxygen 180:277
- Potassium 194:351
- Prompt-Gamma-Ray-Activation-Analysis 194:351
- Prompt-Gamma-Ray-Spectrometry 151:379
- Proton-Activation-Analysis 201:49
- Scanner 188:15
- Silicon-Wafer 198:125
- Surface-Layer 198:125
- Thin 198:125
- Trace-Element 201:49
- Two-Energy 201:49
- Boron-Doped** 173:409
- Botanical** 160:41
- Bottom**
 - Availability 161:239
 - Bismuth-210 176:353
 - Lake 161:239
 - Nuclear-Technique 161:239
 - Phosphorus 161:239
 - Sediment 161:239, 176:353
- Bottom-Line**
 - Germanium 160:355, 193:61
 - Low-Background 160:355, 193:61
 - Spectrometry 160:355, 193:61
- Bound** 179:315
- Boundary**
 - Chelating-Resin 151:107
 - Chemical-Species 151:201
 - Clay 151:201, 168:125
 - Cretaceous-Tertiary 151:201
 - Implication 151:201
 - Iridium 151:107, 151:201, 168:125
 - Precambrian-Cambrian 151:107
 - Radiochemical-Neutron-Activation-Analysis 151:107
 - Sample 151:107
 - Selenium 168:125
 - Separation 151:107
 - Simultaneous-Determination 168:125
 - Thiourea-Type 151:107
 - Trace 151:107
 - Trace-Element 151:201
 - Volcanic-Sublimate 168:125
- Bovine** 171:443
- Brachydanio-Rerio** 182:63
- Brain** 198:215
- Branched-Chain** 176:103
- Brand**
 - Chinese 159:105
 - Cigarette 159:105
 - Commercial 201:401
 - Honey 201:401
 - Minor-Element 201:401
 - Multielement 159:105
 - Trace 201:401
- Brass** 168:307
- Brass-Sample** 196:255
- Bratislava-Trnava-Highway**
 - Content 175:33, 176:451
 - Copper 175:33, 176:451
 - Lead 175:33, 176:451
 - Nickel 175:33, 176:451
- Radionuclide 175:33, 176:451
- Soil 175:33
- Strontium 176:451
- Taraxacum-Officinale 176:451
- X-Ray-Fluorescence-Analysis 175:33, 176:451
- Zinc 175:33, 176:451
- Brazil** 182:91
- Brazilian**
 - Antimony 181:385
 - Arsenic 181:385
 - Cadmium 181:385
 - Chromium 181:385
 - Coast 200:497
 - Concentration 181:385
 - Copper 181:385
 - Corn 164:265
 - Diet 181:385
 - Distribution 164:265
 - Element 173:179
 - Fish 200:497
 - Hair 179:369
 - Head 179:369
 - Inorganic-Element 164:265
 - Interrelationship 173:179
 - Mercury 179:369, 181:385
 - Multivariate 173:179
 - Neutron-Activation-Analysis 151:271, 164:265, 173:179, 179:369
 - Phosphorite 173:179
 - Populational-Group 179:369
 - Radiochemical-Neutron-Activation-Analysis 181:385
 - Regional 181:385
 - Selenium 181:385
 - Snake-Venom 151:271
 - Strontium-90 200:497
 - Tobacco 182:57
 - Variety 164:265
- Brazilian-Nuclear-Energy-Commission** 168:29
- Brazil (Paraná-State-)** 177:39
- Breaking** 195:321
- Breakthrough** 194:71
- Breast-Fed-Infant** 161:21
- Breath-Sample** 151:313
- Breeder** 151:357
- Bremsstrahlung** 168:503
- Brick** 186:57
- Brine** 182:281
- Broadening** 172:29
- Bromide** 171:407
- Bromide** 163:301
- Bromine**
 - Chlorine 164:59, 167:353
 - Iodine 164:59
 - Ion-Exchange 164:59
 - Lymphoma 165:309
 - Mouse 165:309
 - Neutron-Activation-Analysis 167:353
 - Organic 167:353
 - Radiochemical-Separation 164:59
 - Rapid 164:59
 - Total 167:353
 - Variation 165:309
 - Water-Sample 164:59
- Bromine-75** 153:417
- Bromine-77** 153:417
- Bromine-79-(n,gamma)-Bromine-80-Reaction** 183:313
- Bronze** 192:147
- Bronze-Age** 168:297
- Bruce-Nuclear-Generating-Station-A**
 - Carbon-12/Carbon-14-Ratio 200:365
 - Carbon-14 185:69
 - Chlorine-36 200:365
 - Ion-Exchange-Resin 185:69, 200:365
 - Moderator 185:69, 200:365
 - Spent 185:69, 200:365
- Buckingham-Liu-Rule** 153:439
- Building-Material**
 - Collected 199:229
 - Content 199:251
 - Domestic 190:51
 - Dwelling 190:51
 - Exhalation 199:251
 - Fluctuation 180:163
 - Indoor 180:163
 - Lusaka-Zambia 199:229
 - Marrakechi 190:51
 - Natural-Radioactivity 199:229
 - Pollution 190:51
 - Radioactivity 190:51
 - Radionuclide 199:251
 - Radon 180:163, 199:251
 - Real-Situation 180:163
- Bulk**
 - Amount 182:421
 - Calibration 200:191
 - Carrier-Free 182:421
 - Efficiency 200:191
 - Gamma-Spectrometry 200:191
 - Linear-Relation 200:191
 - Radiochemical-Method 182:421
 - Sample 200:191
 - Scandium 182:421
 - Separation 182:421
 - Titanium 182:421
 - Vanadium 182:421
- Burden** 167:413
- Burnup** 155:107
- Burundi** 199:431
- Butadiene** 158:383
- Butanol In-»** 199:197
- Butyl-Xanthate**
 - Benzyl-Xanthate 199:239, 200:181
 - Cadmium 199:239
 - Comparative 199:239, 200:181
 - Ethyl-Xanthate 199:239, 200:181
 - Pentyl-Xanthate 199:239, 200:181
 - Potassium-Salt 199:239, 200:181
 - Propyl-Xanthate 199:239, 200:181
 - Substoichiometric-Extraction 199:239, 200:181
 - Zinc 200:181
- Butylamine In-»**
 - Adsorption 190:167
 - Alpha-Zirconium-Phosphate 190:167
 - Gamma-Zirconium-Phosphate 190:167
 - Intercalate 196:311
 - Intercalation 190:167
 - Microcalorimetry 190:167
 - Phosphate-Phosphite 196:311
- Structural-Investigation 196:311
- Zirconium 196:311
- Butyltoluene Ip-tert-»** 154:421
- Byelorussia** 176:11
- Cadmium**
 - Age-Related 179:331
 - Airborne-Particulate 167:219
 - Analytical-Sensitivity 167:219
 - Antimony 167:219, 168:185, 181:385
 - Arsenic 167:219, 168:185, 179:331, 181:385
 - Ashing 193:33
 - Benzyl-Xanthate 199:239
 - Biological-Material 158:313
 - Biological-Reference-Material 168:185
 - Biological-Sample 161:5
 - Brazilian 181:385
 - Butyl-Xanthate 199:239
 - Chromium 158:313, 181:385
 - CNS 179:331
 - Co-precipitation 168:23
 - Cobalt 158:313, 191:83, 199:107
 - Comparative 199:239
 - Compton-Suppression-System 161:5
 - Concentration 181:385
 - Copper 168:185, 179:331, 181:385
 - Diet 181:385
 - Dry 193:33
 - Enforcement 167:361
 - Environmental-Sample 189:333
 - Epithermal-Neutron-Activation-Analysis 161:5, 167:219
 - Estimation 172:137
 - Ethyl-Xanthate 199:239
 - Gadolinium 172:137
 - Hafnium 172:137
 - Improvement 167:219
 - Indium 167:219
 - Instrumental 161:5
 - Instrumental-Neutron-Activation-Analysis 167:361
 - Iodine 167:219
 - Lead 189:333
 - Loss 193:33
 - Material 193:33
 - Matter 167:219
 - Mercury 165:229, 168:185, 172:137, 181:385
 - Molybdenum 158:313, 167:219, 168:185, 179:331
 - Nanogram-Level 161:5
 - Neurodegenerative-Disease 179:331
 - Neutron-Activation-Analysis 168:23, 189:333
 - Particular 167:361
 - Pentyl-Xanthate 199:239
 - Plant 193:33
 - Plastics 167:361
 - Pollution 167:361
 - Potassium-Salt 199:239
 - Prompt-Gamma-Ray-Neutron-Activation-Analysis 152:497
 - Propyl-Xanthate 199:239

- Radiochemical-Neutron-Activation-Analysis 158:313, 168:185, 179:331, 181:385
- Radiochemical-Solvent-Extraction 165:229
- Reagent 165:229
- Regional 181:385
- Relation 167:361
- Removal 191:83
- Selenium 168:185, 181:385
- Silicon 167:219
- Single 165:229
- Sorption 199:107
- Standard 167:361
- Substoichiometric-Extraction 199:239
- Thallium 189:333
- Thionalide 165:229
- Tissue 179:331
- Trace-Element 167:361
- Uranium 167:219, 172:137
- Water-Sample 168:23
- Wet 193:33
- X-Ray-Fluorescence-Analysis 172:137
- Zeolite-X 191:83
- Zeolite-Y 199:107
- Cadmium-109**
 - Adsorption 186:237
 - Characteristics 155:129
 - Cherenkov-Counting 155:129
 - Container 186:237
 - Liquid-Scintillation 155:129
 - Liquid-Scintillation-Counting 186:237
 - Spiking 186:237
- Cadmium-109–Silver-109m-Generator** 201:205
- Cadmium-111m** 153:235
- Cadmium-115–Indium-115m-Generator** 201:89
- Cadmium-Oxide** 174:83
- Cadmium²⁺** 201:89
- Cake**
 - Assay 170:17
 - Conversion 170:17
 - Crude 170:17
 - Diuranate 170:17
 - Gamma-Ray-Spectrometry 170:17
 - Magnesium-Fluoride 170:17
 - Natural 170:17
 - Plant 170:17
 - Slag 170:17
 - Spectrophotometry 182:437
 - Uranium 170:17, 182:437
 - Yellow 182:437
- Calcination** 183:225
- Calcium**
 - Acidic-Solution 183:127
 - Activation-Analysis 159:121
 - Alcoholic-Solution 182:401
 - Anion-Exchanger 182:401
 - Bone-Disease 169:307
 - Chlorine 159:121
 - Comparative 159:121
 - Crown-Ether 183:127
 - Dicarbolide 174:153
 - EDTA 174:153
 - Glycol 174:153
 - Hypokinesia 169:307
 - Macro-Alga-Sample 159:121
 - Marine 159:121
 - Multielement 159:121
 - Neutron-Activation-Analysis 160:55, 169:307
 - Nitric-Acid 182:401
 - Non-destructive 159:121
 - Normal 169:307
 - Phosphorus 159:121
 - Polyethylene 174:153
 - Precipitation 183:127
 - Rapid 174:153
 - Reference-Material 159:121
 - Separation 174:153, 182:401, 183:127
 - Service 160:55
 - Skeleton 169:307
 - Solvent-Extraction 174:153
 - Standard 159:121
 - Strontium 174:153, 182:401, 183:127
 - Synthetic 159:121
 - Tungstosilicic-Acid 183:127
- Calcium-45**
 - Absolute 187:367
 - Aqueous-Solution 154:185
 - Concentration 154:185
 - Detector 154:185
 - Integral-Counting-Method 187:367
 - Liquid-Scintillation-Counting 187:367
 - Modified 187:367
 - Photodiode 154:185
 - Silicon 154:185
 - Sulfur-35 187:367
- Calcium-Carbonate**
 - Biological 194:297
 - Carbon-14 155:263
 - EDTA 155:263
 - Interaction 155:263
 - Iron-59 155:263
 - Matrix 194:297
 - Origin 194:297
 - Radiostrontium 194:297
 - Separation 194:297
 - Soil 155:263
- Calcium-Phosphate**
 - Bone 176:477
 - Ceramics 176:477
 - Coprecipitation 198:303
 - Equivalent 176:477
 - Morphological-Change 198:303
 - Strontium 198:303
 - Thermoluminescence 176:477
- Calcium-Strontium** 161:413
- Calcium-Strontium-Separation** 194:311
- Calcium²⁺** 183:85
- Calculation**
 - Bromine-79-(n,gamma)-Bromine-80-Reaction 183:313
 - Code 160:269
 - Computer 160:269
 - Concentration 160:269, 183:313
 - Correction 155:75, 183:313
 - Dryak-Method 155:75
 - Identification 160:269
 - k_0 -Concept 160:269
 - Neutron-Activation-Analysis 160:269, 183:313
 - Nuclide 160:269
 - ROMOS 160:269
 - Self-Absorption 155:75
- Calculational-Method**
 - Adapted 198:179
 - Content 198:179
 - Experimental-Condition 198:179
 - Experimental-Method 183:409
 - Gamma-Photon 183:409
 - Geological-Sample 198:179
 - Self-Absorption 183:409
 - Stainless-Steel-Sample 183:409
 - Thorium 198:179
 - Uranium 198:179
- Calibrating** 160:305
- Calibration**
 - Accurate 153:151
 - Alpha-Activity 170:423
 - Americium-241–Beryllium 161:51
 - Annular 185:101
 - Borehole 194:393
 - Bulk 200:191
 - Cascade 169:419
 - Characterization 193:99
 - Close 169:463
 - Cobalt-60 185:101
 - Coefficient 175:333
 - Coincidence 169:419, 193:71
 - Concentration 170:423
 - Correcting 193:71
 - Curve 186:361
 - Density 170:423
 - Design 161:51
 - Detector 157:47, 169:463, 193:71, 193:99, 200:299
 - Dosimetry 170:423, 185:101
 - Efficiency 153:151, 157:47, 157:115, 169:419, 169:463, 186:361, 193:71, 200:191
 - Environmental 194:393
 - Equilibrium 175:333
 - Experimental-Consideration 170:423
 - Facility 194:393
 - Factor 175:333
 - Factor-K 170:423
 - Far 169:463
 - Gamma-Ray-Source 185:101
 - Gamma-Ray-Spectrometer 153:151
 - Gamma-Ray-Spectrometry 186:361
 - Gamma-Spectrometry 200:191
 - Gamma-X-Detector 169:419
 - Ge(Li)-Detector 157:115
 - Geometry 157:115, 169:463
 - Germanium 153:151, 157:47, 193:71
 - HPGe 169:463
 - Internal-Standard 157:47
 - Irradiator 161:51
 - Large-Area 193:99
 - Large-Sample 200:299
 - Linear-Relation 200:191
 - Low-Activity 153:151
 - Matrix 186:361
 - Multigeometry 161:51
 - Neutron 161:51
 - Neutron-Activation-Analysis 161:51
 - Physical-Property 157:115
 - Preparing 153:151
 - Procedure 153:151
 - Radiation 194:393, 200:299
 - Radon 170:423, 175:333
 - Reliable 153:151
 - Sample 157:115, 186:361, 200:191
 - SSNTD 175:333
 - Standard 153:151
 - Strontium-90 193:99
 - Summing 193:71
 - Surface 194:393
 - Theoretical-Consideration 170:423
 - Total-Body 161:51
 - Track 170:423
- Californium-252**
 - (n,n') 176:295
 - Aluminum 200:435
 - Cumulative 170:99, 189:165
 - Distribution 189:165
 - Fission 176:295
 - Fractional 189:165
 - Instrumental-Neutron-Activation-Analysis 200:435
 - Neutron 176:295
 - Nuclear-Charge 189:165
 - Production 176:295
 - Spontaneous-Fission 170:99, 189:165
 - Technetium-99m 176:295
 - Tellurium-133g 189:165
 - Tellurium-133m 189:165
 - Thermal-Neutron-Source 200:435
 - Tin-127g 170:99
 - Tin-128 170:99
 - Titanium 200:435
 - Yield 170:99, 189:165
- Calixarene** 198:349
- Canada**
 - Asbestos 189:101
 - Fingernail 162:283
 - Geographic-Distribution 187:423
 - Hair 162:283
 - Industrial-Worker 162:283
 - Neutron-Activation-Analysis 189:101
 - Ontario 162:283
 - Potassium-40 187:423
 - Scalp 162:283
 - Soil 187:423
 - Trace-Element 162:283
- Canada [Royal-Military-College-of-]** 180:339
- Canada [Wellsch-Valley-Site-Saskatchewan-]** 180:5
- Canadian**
 - Activity 185:127
 - Associated 185:127
 - Background-Level 194:359
 - Chinese 161:215
 - Comparison 161:215
 - Dose-Rate 185:127
 - Environmental-Monitoring 161:201
 - Grain 194:359
 - Group 161:201
 - Human-Hair 161:201
 - Human-Scalp 161:201
 - Indonesian 161:201
 - INNA 161:201
 - Major-Component 161:215
 - Oil 194:359
 - Population 161:201

- Radioactivity 194:359
- Radium-226 185:127
- Seed 194:359
- Soil 161:215, 185:127
- Trace-Component 161:215
- Cancer-Patient** 195:43
- Cancer-Research** 195:91
- Cancerous** 156:341
- Candidate** 151:357
- Capability** 183:59
- Capacity**
 - Ceric-Oxide 157:245
 - Chloride-Ion 157:245
 - Component 157:245
 - Diffusion 157:245
 - Function 157:245
 - Hydrous 157:245
 - Particle 157:245
 - Prediction 181:85
 - Scheme 181:85
 - Self-Diffusion 157:245
 - Sequential-Extraction 181:85
 - Trace 157:245
- Capillary**
 - Cesium-137 182:179
 - Diffusion 182:179
 - Electrophoresis 163:155
 - Modification 182:179
 - Overview 163:155
 - Radionuclide 182:179
 - Soil 182:179
 - Thin-Layer-Method 182:179
 - Trace-Element 182:179
- Capillary-Isotachophoresis** 163:87
- Capsule** 158:343
- Car** 179:205
- Carassius-Auratus** 182:63
- Carbamoylmethyl-Sulfoxide** 187:91
- Carbide** 153:409
- Carbohydrate** 189:237
- Carbon**
 - Activation-Analysis 173:409
 - Amount 151:75
 - Boron-Doped 173:409
 - Channeling 151:75
 - Charged-Particle-Activation-Analysis 151:75
 - Dating 176:339
 - Deuteron 173:409
 - Gallium-Arsenide 151:75
 - Genetically-Obese 160:159
 - Hydrogen 160:159
 - Isotope-Exchange 176:339
 - Lattice 151:75
 - Lean 160:159
 - Location 151:75
 - Nitrogen 160:159
 - Pig 160:159
 - Radiocarbon 176:339
 - Silicon 173:409
 - Single-Crystal 173:409
 - Theoretical-Calculation 151:75
 - Trace 151:75
 - Ultra-Trace 173:409
- Carbon-12/Carbon-13-Isotopomer** 170:107
- Carbon-12/Carbon-14-Ratio** 200:365
- Carbon-13**
 - Abundance-Level 159:305
 - Breath-Sample 151:313
- Decarbonylation 159:305, 174:243 183:301, 191:369, 198:3
 - Formic-Acid 183:301, 198:3
 - Initiated 198:3
 - Isotopic-Composition 174:243, 183:301, 198:3
 - Kinetic-Isotope-Effect 159:305, 174:243, 183:301, 191:369, 198:3
 - Lactic-Acid 159:305, 174:243
 - Liquid 198:3
 - Natural 159:305, 174:243, 183:301, 198:3
 - Oxalic-Acid 191:369
 - Particle-Induced-Gamma-Ray-Emission 151:313
 - Phosphoric-Acid-Medium 174:243, 183:301
 - Phosphorus-Pentoxide 198:3
- Carbon-14**
 - Absorbent 173:323
 - Acetic-Acid 160:487
 - Adsorption 160:487
 - Airborne 198:203
 - Boiling-Water-Reactor 198:203
 - Bruce-Nuclear-Generating-Station-A 185:69
 - Calcium-Carbonate 155:263
 - Carbon-Dioxide 173:323
 - Combination 173:323
 - Counter 173:323
 - Decarbonylation 162:25
 - EDTA 155:263
 - Effluent 198:203
 - Environmental-Material 173:323
 - Heterogeneous-Process 160:487
 - Interaction 155:263
 - Ion-Exchange-Resin 185:69
 - Iron-59 155:263
 - Kinetic-Isotope-Effect 162:25
 - Lactic-Acid(I-C-14) 162:25
 - Large-Volume 173:323
 - Light-Water-Reactor 198:203
 - Liquid-Scintillation 173:323
 - Low-Background 173:323
 - Moderator 185:69
 - One-Year 198:203
 - Pressurized-Water-Reactor 198:203
 - Radiation 160:487
 - Sodium-Montmorillonite 160:487
 - Soil 155:263
 - Spent 185:69
 - Swedish 198:203
 - Total 198:203
- Carbon-14-Dioxide** 176:491
- Carbon-14-Labeled** 175:219
- Carbon-Atom** 189:277
- Carbon-Content** 189:147
- Carbon-Dioxide**
 - Absorbent 173:323
 - Carbon-14 173:323
 - Cement-Wood 162:83
 - Combination 173:323
 - Counter 173:323
 - Environmental-Material 173:323
 - Large-Volume 173:323
 - Liquid-Scintillation 173:323
- Low-Background 173:323
- Mixture 162:83
- Radiotracer-Method 162:83
- Uptake 162:83
- Carbon-Ion** 189:191
- Carbon-Monoxide** 188:169
- Carbon-Steel**
 - Agent 178:359
 - Chemical-Dissolution 178:359
 - Classical 178:359
 - Component 178:359
 - Contaminated 185:251
 - Disodium-Citrate 185:251
 - Grown 178:359
 - Heat-Transfer 178:359
 - Hydrochloric-Acid 185:251
 - Nuclear-Power-Plant 178:359
 - Oxide-Layer 178:359, 185:251
 - Removal 185:251
 - Surface 178:359
- Carbon-Tetrachloride**
 - Dinitrobenzene 174:103
 - Gamma-Radiolysis 174:103
 - Gas-Chromatography-Fourier-Transform-Infrared-Spectroscopy-MS 175:359
 - Isomer 174:103
 - Main 174:103
 - Nitroaniline 174:103
 - Nitrobenzene 174:103
 - Nitrophenol 174:103
 - Nitrophenol-Solution 175:359
 - Product 174:103, 175:359
 - Radiation-Chemical-Yield 174:103
 - Radiolysis 175:359
 - Volatile 174:103, 175:359
- Carbon-Tetrachloride-Solution** 176:185
- Carbon-Tetrachloride/Water-System** 163:107
- Carbonaceous-Chondrite**
 - Abundance 173:229
 - Dating 173:219, 173:229
 - Fission 173:219
 - Initial 173:229
 - Iodine-129 173:229
 - Plutonium-244 173:219, 173:229
 - Xenon 173:219
- Carbonaceous-Slate** 189:269
- Carbonate**
 - Cobalt(II)-Amino-polycarboxylate 166:87
 - Nickel(II)-Iminodiacetate 191:349
 - One-Electron 191:349
 - Oxidation 191:349
 - Radical 166:87, 191:349
 - Reaction 166:87
- Carboxylate** 190:347
- Carboxylic-Acid** 175:219
- Carboxylic-Acid-Derivative** 186:75
- Carminic-Acid**
 - Derivative 164:309
 - Partial-Least-Square-Method 200:397
 - Simultaneous 164:309
 - Simultaneous-Determination 200:397
 - Spectrophotometry 164:309
 - Thorium(IV) 164:309
 - Thorium(IV)-Ion 200:397
- Uranium(VI) 164:309
- Uranium(VI)-Ion 200:397
- Carnotite** 165:159
- Carpenter** 195:31
- Carrier** 193:291
- Carrier-Free**
 - Amount 182:421
 - Antimony-125 195:243
 - Behavior 195:243
 - Bulk 182:421
 - Cadmium-111m 153:235
 - Chemical-Behavior 153:235
 - Chromatography 199:115
 - Crown-Ether 189:307
 - Dysprosium(III)-Oxide 199:115
 - Electrophoresis 199:115
 - Estimation 178:399
 - Holmium-166 199:115
 - Hydrochloric-Acid-Solution 195:243
 - Iodine-125 166:15
 - Ion-Selective 166:15
 - Lutetium-177 185:305
 - Membrane-Electrode 166:15
 - Natural 185:305
 - Neutron-Irradiation 185:305
 - Partition 199:115
 - Potentiometry 166:15
 - Preparation 153:235
 - Radiochemical-Method 182:421
 - Reduction 195:243
 - Ruthenium-106 178:399
 - Scandium 182:421
 - Scandium-47 157:335
 - Separation 157:335, 182:421, 185:305, 199:115
 - Silver-105,106m 153:235
 - Simple 166:15
 - Solvent-Extraction 189:307
 - Specific-Activity 166:15
 - Strontium-90 189:307
 - Target 157:335, 185:305, 199:115
 - Titanium 157:335, 182:421
 - Urine 178:399
 - Vanadium 182:421
 - Ytterbium 185:305
 - Yttrium-90 189:307
- Carrier-Mediated-Transport**
 - Actinide 183:181
 - Cerium 159:219, 163:131, 170:51
 - DEHPA 170:51
 - Europium 159:219, 163:131, 170:51
 - Gadolinium 159:219, 163:131, 170:51
 - Impregnated 163:145
 - Liquid-Membrane 155:311, 159:219, 163:131, 163:145, 170:51, 183:181
 - n-Dodecane 155:311, 159:219
 - Nucleoporous 163:145
 - Organophosphorus-Agent 163:145
 - Pertraction 163:145
 - Plasticized 183:181
 - Rare-Earth-Element 159:219, 163:131, 163:145, 170:51, 183:181
 - REE 163:145

- Scandium 159:219, 163:131, 170:51
- Stability 163:145
- Support 163:145
- Supported 155:311, 159:219, 163:131, 170:51
- Thulium 159:219, 163:131, 170:51
- Tri-n-Octylphosphine-Oxide 155:311, 159:219
- Tributyl-Phosphate 163:131
- Ytterbium 159:219, 163:131, 170:51
- Yttrium 159:219, 163:131, 170:51
- Yttrium(III) 155:311
- Carrying** 163:169
- Cartilage** 161:455
- Cascade** 169:419
- Case-Study** 172:49
- Cassiterite** 182:427
- Catalogue** 191:387
- Catalysis**
 - Deuterium 162:3
 - High-Temperature 162:3
 - Iodide 162:57
 - Isotope-Exchange 162:3
 - Kinetic 162:57
 - Phosphomolybdic-Acid 162:57
 - Reaction 162:57
 - Solid-State 162:3
 - Tritium 162:3
 - Uranium(IV) 162:57
- Catalyst**
 - Active-Center 195:355
 - Benzoic-Acid 162:179
 - Beta-Phenylpropionic-Acid 157:125
 - Biomembrane 163:37
 - Deuteration 157:125, 162:179, 198:29
 - Energy 163:37
 - Ethylene 195:355
 - Homogeneous 157:125, 162:179, 198:29
 - Information-Transfer 163:37
 - Mass 163:37
 - Methanol 195:355
 - Phenylacetic-Acid 198:29
 - Polymerization 195:355
 - Potassium-Tetrachloroplatinate(II) 157:125, 162:179
 - Quenching-Method 195:355
 - Tetrachloroplatinate(II) 198:29
 - Tritiated 195:355
- Catalytic-Activity**
 - Conversion 177:211, 178:3
 - Crystallinity 164:229
 - Gamma-Alumina 177:211, 178:3
 - Gamma-Irradiation 164:229, 177:211, 178:3
 - Isopropanol 178:3
 - Methanol 177:211
 - NdX 164:229
 - NdY 164:229
 - Selectivity 177:211, 178:3
 - Zeolite 164:229
- Catalytic-Dehydration** 187:223
- Catalytic-Effect** 183:49
- Catalytic-Property**
 - Co_3O_4 185:231
 - Ferrisilicate 190:407
 - Gamma-Irradiation 185:231
 - In-Situ 190:407
 - Iron-Containing 190:407
 - Lithium-Oxide-Doping 185:231
 - MFI 190:407
 - Mössbauer-Spectroscopy 190:407
 - Relation 190:407
 - Solid 185:231
 - Surface 185:231
 - Unloaded 185:231
- Catalyzed** 187:303
- Catchment** 156:7
- Category** 200:205
- Cation**
 - Ability 164:109
 - Cesium-137 187:197
 - Clinoptilolite 164:109
 - Dependence 165:191
 - Desorption 187:197
 - Foreign 190:375
 - Hydrated 190:375
 - Induced 190:375
 - Iron 190:375
 - Major 187:197
 - Marine-Sediment 187:197
 - Modified 164:109
 - Mössbauer-Parameter 165:191
 - Nitroprusside 165:191
 - Outer 165:191
 - Oxide 190:375
 - Sea-Water 187:197
 - Sorption 164:109
 - Structural-Modification 190:375
- Cation-Exchange**
 - Alpha-Hydroxy-alpha-Methylbutyrate 154:73
 - Chromatographic-Separation 154:73
 - Distribution 152:219
 - Equilibrium 181:351
 - Fermium 154:73
 - Fission-Product 152:219
 - Ion-Exchange 181:351
 - Kinetics 181:351
 - Mendelevium 154:73
 - Nitric-Acid 152:219
 - Pressure-Effect 152:219
 - Strong-Acid 152:219
 - Sulfonic-Acid-Type 152:219
 - Ternary 181:351
 - $\text{UO}_2^{2+}\text{-Na}^+\text{-H}^+$ 181:351
- Cation-Exchange-Resin** 194:117
- Cation-Exchanger**
 - Cesium 173:387
 - Selective 173:387
 - Stannic-Silicomolybdate 173:387
- Celeste** 199:453
- Cell**
 - Accumulation 177:393
 - Allium-CEPA 187:137
 - Heavy-Metal 187:137
 - Industrial 187:137
 - Instrumental-Neutron-Activation-Analysis 177:393
 - Radionuclide 187:137
 - Root-Tip 187:137
 - Saccharomyces-Cerevisiae 177:393
 - Selenium 177:393
 - Uranium 177:393
 - Waste-Water 187:137
 - X-Ray-Fluorescence-Analysis 187:137
- Cellar** 176:91
- Cellulose**
 - Chelating 164:357
 - Drinking-Water 164:357
 - Exchanger 164:357
 - Hydrogen 164:47
 - Labile 164:47
 - OSTSORB-Oxin 164:357
 - Preconcentration 164:357
 - Preserved 164:47
 - Radionuclide 164:357
 - Trace-Metal 164:357
 - Tritium 164:47
 - X-Ray-Fluorescence-Analysis 164:357
- Cellulose-Disc-Technique** 201:469
- Cement**
 - Atmospheric 179:195
 - Bitumen 166:109
 - Central-India 162:381
 - Cesium-137 154:309, 165:377, 166:109, 199:405, 200:25
 - Cobalt-60 165:377
 - Comparative 165:377, 199:405
 - Conditioning 166:373
 - Curing-Time 200:25
 - Deposition 179:195
 - Dust 162:381
 - Factory 162:381, 179:195
 - Fraction 200:25
 - Fugitive 162:381
 - Immobilization 198:281
 - Immobilized 199:405
 - Incorporated 166:109
 - Industrial-Waste 166:373
 - Interpretation 165:377, 199:405
 - Ion-Exchange-Resin 166:109
 - Leach 165:377
 - Leached 200:25
 - Leaching 166:109, 199:405
 - Leaching-Behavior 154:309
 - Major-Element 179:195
 - Matrix 166:373, 200:25
 - Matrix-Effect 165:377
 - Minor-Element 179:195
 - Multielemental 162:381
 - Neutron-Activation-Analysis 162:381
 - Particulate 162:381
 - Radium-226 198:281
 - Radwaste 199:405
 - Rate 165:377
 - Sludge 199:405
 - Solidification 198:281
 - Trace-Element 179:195
 - Waste 198:281
- Cement-Based** 198:287
- Cement-Composite** 182:335
- Cement-Waste-Composite** 157:95
- Cement-Wood** 162:83
- Centrifuge** 189:133
- Ceramic-Glaze** 192:281
- Ceramic-Material**
 - (n, alpha)-Reaction 151:357
 - Activation 151:357
 - Activation-Analysis 192:139
 - B.E.T. 192:139
 - Breeder 151:357
 - Candidate 151:357
 - Evaluation 151:357
 - Fusion-Reactors 151:357
 - Gamma-Spectrometry 151:357
 - Gas-Adsorption 192:139
 - k_p -Standardization 168:417
 - Lithium-6 151:357
 - Metal 192:139
 - Neutron-Activation-Analysis 168:417
 - Neutron-Irradiation 151:357
 - Nuclide 151:357
 - Oxide-Film 192:139
 - Thickness 192:139
 - Tritium 151:357
- Ceramics**
 - (n, alpha)-Radiography 167:475
 - Aliquot 188:189
 - American 192:109
 - Ancient 152:469
 - Antimony 176:361
 - Bi-Pb-Cu-Sr-Ca-Sb-O 176:361
 - Black-on-White 196:215
 - Bone 176:477
 - Calcium-Phosphate 176:477
 - Characterization 196:215
 - Chemical-Characterization 152:469
 - Comparison 152:469
 - Compositional-Analysis 192:109
 - Compound 176:361
 - Dating 188:189
 - Distribution 167:475
 - Elemental-Analysis 176:361
 - Equivalent 176:477
 - Green 188:189
 - High-Temperature 176:361
 - Instrumental-Neutron-Activation-Analysis 152:469
 - Light-Emitting-Diode 188:189
 - Luminescence 188:189
 - Material 176:361
 - Mesa-Verde 196:215
 - Neutron-Activation-Analysis 192:109, 196:215
 - Neutron-Induced-Prompt-Gamma-Ray-Method 176:361
 - Optical 188:189
 - Oxygen 167:475
 - Quantitative 176:361
 - Quartz 188:189
 - Revisited 188:189
 - Single 188:189
 - Southwestern 192:109
 - Southwestern-Colorado 196:215
 - Stimulated 188:189
 - Superconductivity 176:361
 - Thermoluminescence 176:477, 188:189
 - $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ 167:475
- Ceric-Oxide** 157:245
- Cerium**
 - Activated-Charcoal 172:257
 - Adsorption 170:309, 172:257, 186:63
 - Americium 200:31
 - Amine 162:47
 - Aqueous-Electrolyte-Solution 172:257
 - Aqueous-Solution 170:309

- Atmosphere 201:347
- Carrier-Mediated-Transport 159:219, 163:131, 170:51
- Chromium 201:347
- Complexing-Agent 162:47
- Curium 200:31
- DEHPA 170:51
- Ethylenediaminetetraacetic-Acid 162:47
- Europium 159:219, 163:131, 170:51, 200:31
- Extraction 162:47
- Gadolinium 159:219, 163:131, 170:51
- High-Purity 187:237
- Hydrochloric-Acid/Tributyl-Phosphate-Extraction-System 175:437
- Impurity 187:237
- Industrial-Area 201:347
- Isotope 175:437
- Lanthanum-Oxide 187:237
- Lead-Dioxide 170:309, 186:63
- Liquid-Membrane 159:219, 163:131, 170:51
- Low-Level-Waste 200:31
- Major 201:347
- n-Dodecane 159:219
- Neutron-Activation-Analysis 187:237, 201:347
- Partition 175:437
- Plutonium 166:203, 200:31
- Power-Reactor 200:31
- Punjab–Pakistan 201:347
- Radioisotope 200:31
- Rare-Earth-Element 159:219, 162:47, 163:131, 170:51
- Scandium 159:219, 163:131, 170:51
- Selective 172:257
- Selenium 201:347
- Separation 162:47, 166:203
- Sephadex-Gel 166:203
- Supported 159:219, 163:131, 170:51
- Thermodynamics 186:63
- Thulium 159:219, 163:131, 170:51
- Trace 187:237
- Transport 159:219, 163:131, 170:51
- Tri-n-Octylphosphine-Oxide 159:219
- Tributyl-Phosphate 163:131
- Uranium 166:203
- Urban 201:347
- Ytterbium 159:219, 163:131, 170:51, 201:347
- Yttrium 159:219, 163:131, 170:51
- Cerium(III)**
 - 1,2-bis(beta-Aminoethoxy)-Ethane-N,N,N',N'-Sodium-Sulfonate 157:393
 - 2-Ethylhexylphosphonic-Acid 174:271
 - Chelate 157:393
 - Complexing-Agent 174:271
 - Dialkyl-Sulfoxide 171:329
 - Dialkylthiophosphoric-Acid 164:91
 - Extraction 174:271
 - Lanthanum(III) 164:91
 - Mixture 171:329
 - Mono-2-Ethylhexyl-Ester 174:271
 - Neodymium(III) 174:271
 - Radiolysis 157:393
 - Separation 164:91
 - Solvent-Extraction 164:91
 - Synergistic-Solvent-Extraction 171:329
 - Thenoyltrifluoroacetone 171:329
 - Thorium(IV) 164:91
 - Triacetic-Acid 157:393
 - Water-Soluble 174:271
- Cerium(IV)** 166:153
- Cerium-141** 175:263
- Cerium³⁺-Ion** 182:415
- Certification**
 - Biological-Reference-Material 198:343
 - Botanical 160:41
 - Comprehensive 193:49
 - Element 179:149, 193:25, 193:49
 - Fly-Ash 193:7
 - Hazardous 193:49
 - High-Accuracy 160:41
 - Instrumental-Neutron-Activation-Analysis 179:149, 193:7, 193:25
 - Leaf 179:149
 - National-Institute-of-Standards-and-Technology 160:41, 193:7
 - Neutron-Activation-Analysis 160:41, 198:343
 - Prompt-Gamma-Ray-Activation-Analysis 179:149
 - Radiochemical-Neutron-Activation-Analysis 179:149
 - Radiochemical-Separation 198:343
 - SPINACH 193:25
 - Standard-Reference-Material 160:41, 179:149, 193:7, 193:49, 193:25
 - Tomato 179:149
 - Trace-Element 198:343
- Certified** 196:125
- Cesium**
 - Ability 164:241
 - Additive 153:399, 173:37
 - Adsorption 170:321, 171:483
 - Aerosol 201:409
 - Amorphous 182:323, 182:335, 182:345
 - Anion-Exchange-Resin 201:509
 - Aqueous-Phase 201:81
 - Aqueous-Solution 170:321
 - Aqueous-System 186:9
 - Association 154:215
 - Atmospheric 201:409
 - Biological-Material 174:177
 - Catchment 156:7
 - Cation-Exchanger 173:387
 - Cement-Composite 182:335
 - Characterization 159:335
 - Chemical-Fraction 201:409
 - Chemical-Treatment 164:241, 188:427
 - Chernobyl-Accident 201:409
 - Chromatography 159:293
 - Clay 188:231
 - Clinoptilolite 159:293, 164:241, 188:427
 - Cobalt 164:241, 188:427, 201:185
 - Column 182:345
 - Complementary 152:47
 - Composite 201:509
 - Concentration 152:47
 - Contaminated 156:7
 - Coolant 152:47
 - Copper 159:335, 185:57
 - Copper-Nickel 170:321
 - CO₃[Co(CN)₆]₂·12H₂O 173:171
 - Cupric-Ferrocyanide 173:37, 201:509
 - Cycle 185:57, 201:509
 - Defective 152:47
 - Dibenzo-24-Crown-8 152:487
 - Distribution 186:9
 - Eastern-Black-Sea–Turkey 187:435
 - Electrode 199:375
 - Environmental-Material 174:177
 - Europium 186:9, 201:81
 - Evaluation 185:319
 - Exchange 173:171
 - Extraction 201:81
 - Feature 173:171
 - Ferric-Component 154:215
 - Ferrocyanide 153:399
 - Flood-Basalt 154:215
 - Fractionation 156:7
 - Fuel-Rod 152:47
 - Geological-Sample 159:293
 - Gold 199:375
 - Granulated 152:359
 - Hexacyanoferrate 185:57
 - Hexacyanoferrate(II) 159:335, 170:321
 - Impregnated 201:509
 - Insoluble 153:399, 185:57
 - Ion-Exchanger 159:335, 185:57, 201:509
 - Isotope 156:7, 182:335
 - Lake 156:7
 - Leaching 182:335
 - Level 187:435
 - Localizing 152:47
 - Los-Trancos 188:231
 - Macroporous 201:509
 - Matrix 199:375
 - Milk-Pectin 186:9
 - Minerals 171:483
 - Mordenite 185:319
 - Moss 187:435
 - Mountain 156:7
 - Multichannel-Analyzer 201:185
 - Mössbauer-Spectroscopy 201:57
 - Natural 185:319
 - Neutron-Activation-Analysis 174:177, 199:375
 - Nickel 159:335
 - Nitric-Acid-Medium 153:399, 173:37
 - Non-equilibrium-Condition 163:205
 - Norwegian 156:7
 - Operation 152:47
 - Palladium 199:375
 - Picrate-Solution 152:487
 - Platinum 199:375
 - Potassium 159:335, 170:321, 173:37
 - Prague 201:409
 - Precipitation 159:293
 - Preparation 159:335
 - Pressurized-Water-Reactor 152:47
 - Property 188:427
 - Radioactive 201:409
 - Radioactive-Waste 182:323, 182:335, 182:345
 - Radiochemical-Neutron-Activation-Analysis 159:293
 - Radioisotope 152:359, 182:323
 - Radiometric-Flow-Injection-Analysis 201:185
 - Radionuclide 187:435
 - Ratio 152:47
 - Redox-Type 185:57, 201:509
 - Removal 152:359, 182:345
 - Review 171:483
 - Rubidium 159:293, 174:177, 188:231
 - Run-Off 156:7
 - Scandium 174:177
 - Selective 173:387
 - Separation 152:487, 153:399, 185:57, 201:509
 - Snowmelt 156:7
 - Sodium 188:231
 - Sodium-Carbonate 201:81
 - Sodium-Tetraphenylborate 159:293
 - Solvent-Extraction 152:487
 - Sorbent 153:399
 - Sorption 163:205, 164:241, 173:37, 185:319, 188:427
 - Sorption-Desorption-Regeneration 185:57, 201:509
 - Speciation 186:9
 - Stannic-Silicomolybdate 173:387
 - Stopped-Flow 201:185
 - Strong 173:37
 - Strongly-Basic-Type 201:509
 - Strontium 182:323, 182:335, 182:345, 186:9, 201:81
 - Strontium-90 156:7
 - Thermal-Decomposition 201:57
 - Treatment 182:323, 182:335, 182:345
 - tris(Oxalato)Ferrate(III)-Dihydrate 201:57
 - Uptake 182:323, 188:231
 - Water 156:7
 - Zeolite 152:359, 159:293
 - Zirconium-Phosphate 182:323, 182:335, 182:345
- Cesium(I)** 190:81
- Cesium-134**
 - Americium-241 156:361
 - Aquatic-Environment 182:63
 - Arsenic-75 189:51
 - Beach 161:495
 - Brachydanio-Rerio 182:63
 - Carassius-Auratus 182:63
 - Cesium-137 156:361, 182:63, 194:277
 - Cobalt-60 177:139, 191:53
 - Coefficient 177:139
 - Coincident 161:495

- Controlled 182:63
- Cross-Section 189:51
- Distribution 177:139
- Environmental-Monitoring 161:495
- Fish 182:63
- Flotation 191:53
- Goldfish 182:63
- Integral 189:51
- Kinetics 182:63
- Lead-210 156:361
- Long-Term-Behavior 194:277
- Mid-latitude 156:361
- Ombrogenous-Mire 156:361
- Pinheiros 177:139
- Plant 172:223
- Plutonium-238 156:361
- Plutonium-239 156:361
- Plutonium-240 156:361
- Plutonium-241 156:361
- Potassium-40 194:277
- Radioactive-Process 191:53
- Radionuclide 194:277
- Release 182:63
- Removal 191:53
- Resonance 189:51
- River 177:139
- Sand 161:495
- Sediment 177:139
- Selenium-74 189:51
- Soil 172:223
- Spectrometer 161:495
- Spruce 194:277
- Thermal-Neutron 189:51
- Thorium-234 177:139
- Tree-Ring 194:277
- Type 172:223
- Uptake 172:223, 182:63, 194:277
- Uranium-238 189:51
- Vertical-Distribution 156:361
- Waste-Water 191:53
- Water 177:139
- Zebra 182:63
- Zirconium-94 189:51
- Cesium-137**
 - Accuracy 153:365
 - Acidic 183:371
 - Algal 187:393
 - Americium-241 155:45, 156:361
 - Anoxic-Lacustrine-Sediment 156:129
 - Aquatic-Environment 182:63
 - Area 155:45
 - Aswan-High-Dam 186:143
 - Austrian 200:315
 - Behavior 197:343
 - Biological 153:327
 - Biological-Monitor 155:451
 - Bitumen 166:109
 - Boron 194:351
 - Brachydanio-Rerio 182:63
 - Brazil 182:91
 - Capillary 182:179
 - Carassius-Auratus 182:63
 - Cation 187:197
 - Cement 154:309, 165:377, 166:109, 199:405, 200:25
 - Cesium-134 156:361, 182:63, 194:277
 - Chernobyl-Accident 178:253
 - Chernobyl-Fallout 161:483
 - China 155:45
 - Coast 197:343
 - Cobalt-60 165:377, 201:97, 201:171
 - Commitment 175:297
 - Comparative 165:377, 199:405
 - Complex 183:371
 - Concentration 197:343, 199:465
 - Concrete 154:121
 - Condition 178:253
 - Controlled 182:63
 - Crassostrea-Gigas 197:343
 - Curing-Time 200:25
 - Cáceres-Spain 175:297
 - Depth 175:297
 - Desorption 187:197, 187:207
 - Diffusion 182:179
 - Distribution 175:297, 178:327, 186:143, 197:343, 200:315
 - Dose 175:297
 - Estimation 197:281
 - Experimental-Parameter 201:97
 - External 175:297
 - Fallout 175:297, 181:447
 - Fish 182:63
 - Fission-Product 183:371
 - Following 161:483
 - Foodstuff 153:365
 - Formulation 156:129
 - Fraction 200:25
 - Goiânia-City 182:91
 - Goldfish 182:63
 - Granular 174:279
 - Half-Life 153:327
 - Honey-Sample 199:465
 - Immobilized 199:405
 - Incorporated 166:109
 - Inorganic-Exchanger 183:371
 - Inorganic-Ion-Exchanger 174:279
 - Interpretation 165:377, 199:405
 - Iodine-131 201:171
 - Ion-Exchange-Resin 166:109
 - Irradiation 175:297
 - Japanese 197:343
 - Kinetics 182:63
 - Lake 186:143
 - Leach 165:377
 - Leached 200:25
 - Leaching 166:109, 199:405
 - Leaching-Behavior 154:309
 - Lead-210 156:361, 181:447, 197:343
 - Linhchi 155:451
 - Long-Term-Behavior 194:277
 - Low-Background-Counting-System 194:351
 - Major 187:197
 - Maple-Syrup 194:351
 - Marine-Sediment 187:197, 187:207
 - Matrix 200:25
 - Matrix-Effect 165:377
 - Mediterranean-Sea 181:447
 - Mid-latitude 156:361
 - Migration-Process 154:121
 - Mode 187:207
 - Model 201:171
 - Modification 182:179
 - Multichannel-Analyzer 201:171
 - Mushroom 155:451, 161:483, 200:315
 - Natural 181:447
 - Northern-Venezuela 178:327
 - Ombrogenous-Mire 156:361
 - Oyster 197:343
 - Plutonium-238 156:361
 - Plutonium-239 156:361
 - Plutonium-239/240 155:45
 - Plutonium-240 156:361
 - Plutonium-241 156:361
 - Pollution 155:451
 - Polysaccharide 187:393
 - Potassium 194:351
 - Potassium-40 178:327, 194:277, 199:465
 - Precision 153:365
 - Prompt-Gamma-Ray-Activation-Analysis 194:351
 - Radioactive-Waste 201:171
 - Radiochronology 181:447
 - Radiometric-Flow-Injection-Analysis 201:97, 201:171
 - Radionuclide 182:179, 194:277, 197:343
 - Radium-228 186:143
 - Radwaste 199:405
 - Rate 165:377
 - Relation 197:343
 - Release 156:129, 182:63
 - Retardation-Factor 154:121
 - Retention 187:393
 - Reverse 201:171
 - Ruthenium-106 197:281
 - Sea-Water 187:197, 187:207, 197:343
 - Sediment 181:447, 186:143
 - Selected 199:465
 - Separation 183:371
 - Sequential 197:281
 - Silver-108m 197:343
 - Simultaneous-Determination 201:171
 - Sludge 199:405
 - Snail 153:327
 - Soil 155:45, 175:297, 178:327, 182:179
 - Soil-to-Plant 178:253
 - Soil/Plant-Concentration-Ratio 182:91
 - Sorption 174:279
 - Spruce 194:277
 - Strontium-90 161:483, 175:297, 197:281
 - Surface 175:297
 - Thin-Layer-Method 182:179
 - Thorium-232 178:327
 - Titanium-Hydroxophosphate 174:279
 - Toxic-Element 200:315
 - Trace-Element 182:179, 200:315
 - Transfer 178:253
 - Tree-Ring 194:277
 - Uptake 182:63, 194:277
 - Uranium-238 178:327
 - Urine 197:281
 - Vegetable 182:91
 - Vertical-Distribution 156:361
 - Waste 183:371
 - Water 201:171
 - Zebra 182:63
 - Zirconium-Hydroxophosphate 174:279
- Cesium-137–Barium-137m-Generator** 160:517
- Cesium-Dicarbollide** 178:27
- Cesium⁺**
 - Barium²⁺ 183:85
 - Calcium²⁺ 183:85
 - Characteristics 165:175
 - Clinoptilolite 165:175
 - Cobalt²⁺ 165:175
 - Hollow-Fiber-Supported 183:85
 - Ion-Exchange 165:175
 - Liquid-Membrane 183:85
 - Physical 165:175
 - Potassium⁺ 183:85
 - Sodium-Hydroxide-Treated 165:175
 - Sodium⁺ 183:85
 - Strontium²⁺ 183:85
 - Transport 183:85
- Chain** 157:367
- Challenge**
 - Education 171:15
 - Future 171:15
 - Large-Sample 167:169
 - Neutron-Activation-Analysis 167:169
 - Nuclear-Science 171:15
 - Trace-Element 167:169
- Chamber** 196:107
- Change**
 - Alteration 199:265
 - Anomalous 164:405
 - Atomic-Absorption-Spectrometry 166:383
 - BCS-Type 164:405
 - Beta-Radiation 199:265
 - Blood 158:293
 - Component 158:293
 - Concentration 166:383
 - Content 158:293
 - Decay 166:131
 - Energy-Spectrum 199:265
 - Europium-152 166:131
 - Following 158:293
 - High-Temperature 164:405
 - Human 158:293
 - Indication 164:405
 - Intensity 199:265
 - Ion-Transport-Process 199:265
 - K-Capture 166:131
 - Low-Dose 158:293
 - Mouse 166:383
 - Mössbauer-Parameter 164:405
 - Neutron-Activation-Analysis 158:293
 - Parameter 166:131
 - Perturbed-Angular-Correlation 166:131
 - Probability 166:131
 - Radiolytic-Product 163:99
 - Radiotracer-Method 199:265
 - Selenium 158:293
 - Short-Term 158:293
 - Skin 166:383
 - Sum-Peak-Method 166:131
 - Superconductivity 164:405
 - Supplementation 158:293
 - Trace-Metal 166:383
 - Tributyl-Phosphate 163:99
 - T_c 164:405
 - X-Ray-Irradiated 166:383
 - Yield 163:99
- Changing** 171:203

- Channeling** 151:75
Character 181:335
Characteristics
 • Annealing 180:139
 • Behavior 199:173
 • Cadmium-109 155:129
 • Cesium⁺ 165:175
 • Cherenkov-Counting 155:129
 • Cigarette 195:161
 • Clinoptilolite 165:175
 • Cobalt²⁺ 165:175
 • Column 199:173
 • Denitration 191:115
 • Detector 180:139
 • Dynamic 193:269
 • Filtration 191:115
 • Glass 180:139
 • High-Level 191:115
 • Indian 195:161
 • Instrumental-Neutron-Activation-Analysis 195:161
 • Ion-Exchange 165:175
 • Irradiated 199:173
 • Liquid 191:115
 • Liquid-Scintillation 155:129, 185:91
 • Manganese-Dioxide 193:269
 • Matrix 199:173
 • Molybdenum-99-Technetium-99m-Generator 199:173
 • Nuclear-Track 180:139
 • Optical-Absorption-Spectroscopy 180:139
 • Physical 165:175
 • Radium-226 193:269
 • Radon 185:91
 • Simulated 191:115
 • Slurry 191:115
 • Sodium-Hydroxide-Treated 165:175
 • Sorption 193:269
 • Titanium-Molybdate 199:173
 • Tobacco 195:161
 • Trace-Element 195:161
 • Waste 191:115
 • Water 185:91
Characterization
 • Ablation 160:153
 • Acid 198:375
 • Aerosol 167:295
 • Analytical-Application 198:151
 • Analytical-Method 191:15
 • Ash-Sample 169:381
 • Background 192:331
 • Barium-Chlorofluoride 190:431
 • Binary 198:151
 • Biodistribution 162:139
 • Biomedical-Monitoring 161:79
 • bis(Acetonitrile)-Technetium(III) 165:19
 • Black-on-White 196:215
 • Calibration 193:99
 • Ceramics 196:215
 • Cesium 159:335
 • Chemisorption 191:35
 • Chromatography 161:575
 • Clinoptilolite 165:287
 • Coal 169:381
 • Coating 175:339
 • Column 165:1
 • Combined-Method 160:153
 • Contamination 177:161
 • Contribution 167:295
 • Conventional 191:15
 • Copper 159:335
 • Correlation 193:377
 • Corrosion 175:339
 • Costa-Rica 170:411
 • Crystalline 198:375
 • Data 192:331
 • Dating 201:481
 • Dehydration 165:1
 • Derivative 177:261
 • Detector 193:99
 • Disposal 193:377
 • Dynamics 165:1
 • Electronics 169:105
 • Equilibrium 189:89
 • Extraction 161:575
 • Feasibility 193:369
 • Fission-Track 201:481
 • Flow 165:1
 • Former 177:161
 • Gamma-Ray 191:35
 • Heavy-Metal 192:289
 • Hexacyanoferrate(II) 159:335
 • High-Energy 193:107
 • Household 192:289
 • Important 193:377
 • Induced 191:35
 • Industry 169:105
 • Inventory 193:377
 • Iodine-125-Labeled 177:261
 • Ion-Exchange 189:89
 • Ion-Exchange-Behavior 198:375
 • Ion-Exchanger 159:335
 • Irradiation 201:481
 • Key 193:377
 • Laboratory 165:1
 • LaMnO₃ 191:35
 • Lanthanum-Manganate 191:35
 • Large-Area 193:99
 • Laser-Desorption 160:153
 • Lena-Triga-Mark-II-Reactor 201:481
 • Lifetime 198:151
 • LINAC-Based 193:369
 • Liquid 165:1
 • Maralinga 177:161
 • Material 160:153, 161:575, 169:105
 • Mesa-Verde 196:215
 • Modified 165:287
 • Molecular-Sieve 165:1
 • Mössbauer-Spectroscopy 190:431
 • Na₄UO₂-(O₂)₃·8H₂O-Complex 175:63
 • Neutron-Activation-Analysis 170:411, 192:289, 192:331, 193:15, 196:215
 • Nickel 159:335
 • Nitridotechnetium-EDTA-Complex 176:325
 • Nuclear-Analysis 160:153
 • Nuclear-Related-Technique 169:105
 • Nuclear-Weapon 177:161
 • Organic 165:1
 • Organo-Plutonium-Complex 191:15
 • Oxygen 191:35
 • Pattern-Recognition 169:381
 • Pilot-Plant 165:1
 • Plastics 192:289
 • Plutonium 177:161
 • Position 201:481
 • Positron 198:151
 • Potassium 159:335
 • Potsherd 170:411
 • Pottery 173:99
 • Prehistoric 173:99
 • Preparation 159:335, 162:139, 165:19, 175:63, 175:445, 177:261, 198:375
 • Progesterone 177:261
 • Project 192:331
 • Protective 175:339
 • Pyridoxylidene-Thyroxine-Complex 162:139
 • Radioactive-Waste 161:575
 • Radioimmunoassay 177:261
 • Radionuclide 193:377
 • Radiotracer 165:1
 • Radiotracer-Method 175:339
 • Range 177:161
 • Real-Time 193:107
 • Reference-Material 193:15
 • Safety 193:377
 • Salicylidene-Thyroxine-Complex 162:139
 • Sao-Paulo 167:295
 • Selective 193:107
 • Sensor 193:107
 • Soil 192:331
 • Solid-Solution 198:151
 • Sorption 175:339
 • Source 167:295
 • South-Australia 177:161
 • Southwestern-Colorado 196:215
 • Spectroscopy 198:151
 • Stability 198:375
 • Stabilization 190:431
 • Stannous-Ion 190:431
 • Storage 193:377
 • Stream 193:377
 • Strontium-90 193:99, 193:107
 • Structure 190:431
 • Synthesis 176:325, 189:89
 • Technetium(III) 175:445
 • Technetium-99m 162:139
 • Testing 177:161
 • Tin(IV)-Antimonate 189:89
 • Tin-119 190:431
 • Tin²⁺ 190:431
 • Trace-Element 173:99
 • Transuranic-Waste 193:369
 • Tremiti-Isle 173:99
 • tris(1,10-Phenanthroline) 175:445
 • Typical 193:377
 • Unhybridized 190:431
 • Uranium-238 193:107
 • Uranium-Compound 161:79
 • Uranyl-Ion 198:375
 • Utility 191:15
 • Validation 192:331
 • Waste 193:377
 • XPS 191:35
 • Zirconium-Phosphate 198:375
Characterize 179:173
Charcoal
 • Adsorption 173:141, 181:291
 • Aqueous-Solution 173:141
 • Automated 183:329
 • Chemistry 183:329
 • Cobalt(II) 173:141
 • Comparison 193:337
 • Dilute 173:141
 • Dynamic 181:291
 • Efficiency 183:329
 • Experience 193:337
 • F-18-Fluorodeoxyglucose 183:329
 • Field 193:337
 • Filter 183:329
 • Isotope 181:291
 • Krypton 181:291
 • Liquid-Scintillation-Counting 193:337
 • Macroflotation 173:141
 • Process-Control 183:329
 • Property 181:291
 • Radon 193:337
 • Removal 173:141
 • Sorbent 173:141
 • Survey 193:337
 • Synthesis 183:329
 • Unit 183:329
 • Xenon 181:291
Charge
 • Balance 154:133
 • Balance-Equation 175:281
 • Conservation 154:133
 • Plutonium 154:133, 175:281
Charge-Distribution
 • Closed-Shell 181:175
 • Even-Number 181:175
 • Fine-Structure 158:41
 • Fission 158:41, 181:175
 • Low-Energy 158:41, 181:175
 • Mass-Distribution 158:41, 181:175
 • Nucleon 181:175
Charge-Induced 189:283
Charge-Induced-X-Ray
 • Alpha-Beam 188:453
 • Heavy-Ion-Beam 200:53
 • Light-Ion-Beam 200:53
 • Metal-Salt 188:453
 • Particle-Induced-X-Ray-Emission 200:53
 • Production 200:53
 • Proton 188:453
 • Spectrophotometry 188:453
 • Yield 188:453
Charge-Induced-X-Ray-Spectrometry 199:125
Charge-Plate-Technique 199:15
Charged-Particle
 • Activation-Analysis 158:463, 167:81, 168:377
 • Atmosphere 164:247
 • Bombardment 178:387
 • Enhancement 178:387
 • High-Purity 158:463
 • Impurity 158:463
 • Indoor 164:247
 • Light-Element 167:81, 168:377
 • Material 158:463
 • Metal-Fluoride 178:387
 • Oxygen 158:463
 • Particle-Induced-X-Ray-Emission 178:387
 • Projectile 158:463
 • Radon-222 164:247
 • Ratio 164:247
 • Routine 168:377
 • Sub-ppb-Level 167:81
 • Yield 178:387

Charged-Particle-Activation-Analysis

- Amount 151:75
- Carbon 151:75
- Channeling 151:75
- Gallium-Arsenide 151:75
- Iridium 168:337
- Lattice 151:75
- Location 151:75
- Metallic 168:337
- Neutron-Activation-Analysis 168:337
- Platinum 168:337
- Rhodium 168:337
- Theoretical-Calculation 151:75
- Trace 151:75

Chelate

- 1,2-bis(beta-Aminoethoxy)-Ethane-N,N,N',N'-Sodium-Sulfonate 157:393
- 1-Phenyl-3-Methyl-4-Benzoyl-pyrazolone-5 198:367
- 3,5-Dichlorophenol 157:255
- Acetylacetone 157:255, 163:59
- Actinide 198:367
- Beta-Diketone 152:373, 155:201, 172:81
- Cerium(III) 157:393
- Chemical-Vapor-Deposition 152:373, 155:201, 172:81
- Difluorodichloromethane 172:81
- Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 198:367
- Donor 157:255
- Enhancement 157:255
- Equilibrium 163:59
- Extractant 163:59
- Extraction 157:255, 198:367
- Film 155:201
- Hydration 163:59
- Iron(III) 157:255, 199:317
- Kinetic-Exchange 199:317
- Lanthanide 152:373, 155:201, 172:81, 198:367
- Metal-Ion 163:59, 199:317
- Mixed-Ligand 198:367
- Model 163:59
- Monothioacetylacetone 163:59
- Partition 163:59
- Preparation 152:373, 155:201
- Proton 157:255
- Radiolysis 157:393
- Substitution 199:317
- Sulfide 155:201
- Thorium-Oxide-Film 152:373
- Triacetic-Acid 157:393
- Trivalent 198:367
- Uranium-Dioxide-EDTA 199:317
- Uranium-Oxide-Film 152:373

Chelating

- Cellulose 164:357
- Complexing-Agent 161:549
- Degradation 161:549
- Drinking-Water 164:357
- Exchanger 164:357
- Irradiated 161:549
- Mixed 161:549
- OSTSORB-Oxin 164:357
- Preconcentration 164:357
- Radionuclide 164:357
- Simulated 161:549

- Trace-Metal 164:357
- Waste 161:549
- X-Ray-Fluorescence-Analysis 164:357

Chelating-Resin

- Boundary 151:107
- Chelex-100 172:43
- Crown-Ether 159:239
- Iridium 151:107
- Liquid 159:239
- Milk 159:239
- Precambrian-Cambrian 151:107
- Radiochemical-Neutron-Activation-Analysis 151:107
- Rapid-Method 159:239
- Sample 151:107
- Separation 151:107, 159:239
- Silver-Ion 172:43
- Sorption 172:43
- Strontium 159:239
- Thiourea-Type 151:107
- Trace 151:107
- Treatment 159:239

Chelex-100

- Aqueous-Solution 198:77
- Arsenazo(III) 198:77
- Chelating-Resin 172:43
- Dowex 198:77
- Ion-Exchange 198:77
- Silver-Ion 172:43
- Sorption 172:43
- Thorium(IV) 198:77

Chemical

- Activation-Rate 195:263
- Annealing 154:163, 155:351, 187:325
- Column-Method 196:77
- Copper-67 195:263
- Effluent 196:77
- Enrichment 195:263
- Environmental-Matrix 183:5
- Gamma-Irradiated 155:351
- Hydration 155:351
- Iodine-125 196:77
- Irradiation 195:263
- Low-Energy 195:263
- Metal 183:5
- Natural 187:441
- Neutron-Activation-Analysis 187:441
- Pre-collection 187:441
- Proton 195:263
- Radiation-Damage 154:163, 155:351, 187:325
- Radionuclide 183:5
- Recovery 195:263
- Removal 196:77
- Selenium(IV) 187:441
- Selenium(VI) 187:441
- Separation-Method 183:5
- Sodium-Bromate 187:325
- Soil 196:77
- Speciation 183:5
- Strontium-Bromate 154:163, 155:351
- Target 195:263
- Thermal 187:325
- Water-Sample 187:441
- Zinc-70 195:263

Chemical-Analysis

- Activation 152:237
- Aquifer 152:237
- Archaeological 168:307

- Brass 168:307
- Brass-Sample 196:255
- Christian-Island 196:255
- Copper 168:307, 196:255
- Drinking-Water 152:237
- Georgian-Bay 196:255
- Northeastern-Ontario 168:307
- Ontario 196:255
- Shallow 152:237

Chemical-Aspect 189:71**Chemical-Behavior** 153:235**Chemical-Bond** 190:225**Chemical-Characterization**

- Ancient 152:469
- Bronze-Age 168:297
- Ceramics 152:469
- Comparison 152:469
- Complexation-Behavior 159:129
- Cysteine 159:129
- Greek-South-Aegean-Islands 168:297
- Instrumental-Neutron-Activation-Analysis 152:469, 168:297
- Pertechnetate 159:129
- Pottery 168:297

Chemical-Composition

- Ash 191:163
- Coal 191:163
- Content 191:163
- Dual-Beam-Method 191:163
- Mixed 181:373
- Organic-Ligand 181:373
- Photolysis 181:373
- Product 181:373
- Variable 191:163
- Waste 181:373

Chemical-Dissolution 178:359**Chemical-Effect**

- (Mo₆Cl₆)Cl₄ 178:437
- (n,gamma)-Reaction 178:437
- Ammonium-Nitrate 155:79
- Aqueous 155:79
- Decay 159:363
- Gamma-Irradiated 155:79
- Hexanethiol 159:363
- Incorporated 159:363
- Induced 155:79
- Molecule 159:363
- Sodium-Sulfate 155:79
- Sulfur-35 159:363

Chemical-Element 192:73**Chemical-Exchange** 189:219**Chemical-Fraction** 201:409**Chemical-Isolation** 186:353**Chemical-Leaching-Behavior** 154:299**Chemical-Modification** 201:213**Chemical-Phenomena** 180:45**Chemical-Pretreatment** 200:351**Chemical-Process** 160:505**Chemical-Reactivity** 176:143**Chemical-Resistance** 177:271**Chemical-Separation**

- Amount 201:13
- Biological-Sample 201:13
- Chromatography 166:521
- Copper 182:295, 201:13
- Extraction 166:521
- Gallium-67 195:279
- Geological 182:295
- Hydride 174:57

- Identification 175:207
- Indium 182:295
- Isotope 175:207
- Mercury 166:521
- Metal 174:57
- Meteoritic-Sample 182:295
- Neutron-Activation 174:57
- Neutron-Activation-Analysis 182:295, 201:13
- Phosphorus 174:57
- Platinum-202 175:207
- Plutonium 172:349
- Prior 201:13
- Rapid 182:295
- Selenium 201:13
- Thallium 166:521
- Trace 182:295, 201:13
- Zinc 182:295
- Zinc(pxn)-Reaction 195:279

Chemical-Speciation 194:237**Chemical-Species**

- Anion-Exchange 191:265
- Boundary 151:201
- Clay 151:201
- Concentration 191:265
- Cretaceous-Tertiary 151:201
- Implication 151:201
- Iridium 151:201
- Polonium(IV)-Chloride-Solution 191:265
- Trace-Element 151:201
- Tracer 191:265

Chemical-Stabilization 193:319**Chemical-Treatment**

- Ability 164:241
- Cesium 164:241, 188:427
- Clinoptilolite 164:241, 188:427
- Cobalt 164:241, 188:427
- Property 188:427
- Sorption 164:241, 188:427

Chemical-Vapor-Deposition

- Beta-Diketone 152:373, 155:201, 172:81
- Chelate 152:373, 155:201, 172:81
- Difluorodichloromethane 172:81
- Film 155:201
- Lanthanide 152:373, 155:201, 172:81
- Preparation 152:373, 155:201
- Sulfide 155:201
- Thorium-Oxide-Film 152:373
- Uranium-Oxide-Film 152:373

Chemical-Yield

- Aluminum-Hydroxide 154:61
- Electron-Paramagnetic-Resonance-Spectroscopy 154:61
- Kinetics 154:61
- Paramagnetic-Center 154:61
- Radiation 154:61
- Radiochemical-Neutron-Activation-Analysis 182:317
- Selenium-81m 182:317
- Thermal-Decay 154:61
- Tracer 182:317
- X-Ray-Irradiation 154:61

Chemisorption 191:35**Chemist** 171:269**Chemistry**

- Activity 171:159
- Annealing 172:249

- Automated 183:329
- Charcoal 183:329
- Curriculum 171:159
- Direction 171:259
- Efficiency 183:329
- F-18-Fluorodeoxyglucose 183:329
- Filter 183:329
- Gas 183:261
- Hot-Atom 172:249
- Negative 190:519
- Nuclear-Facility 171:259
- On-line 183:261
- Oscillatory 172:249
- Pion 190:519
- Process-Control 183:329
- Program 171:159
- Solid-State 172:249
- Synthesis 183:329
- Target 195:271
- Technician 171:259
- Traditional 171:159
- Training 171:259
- Transactinide-Element 183:261
- Undergraduate 171:159
- Unit 183:329
- Zinc-Oxide 195:271
- Cherenkov-Counting**
 - Cadmium-109 155:129
 - Characteristics 155:129
 - Liquid-Scintillation 155:129
 - Radiochemical-Determination 196:339
 - Radium-226 196:339
 - Strontium-90 178:131
- Chernobyl**
 - Consequence 198:487
 - Contamination 194:253
 - Environment 194:253
 - Environmental-Sample 197:331
 - Geochemical 197:331
 - Health 198:487
 - Large-Scale 194:253
 - Learning 194:253
 - Monitoring 194:253
 - Possible 198:487
 - Radioactivity 197:331, 198:487
 - Tea 198:487
 - Turkish 198:487
- Chernobyl-Accident**
 - Aerosol 201:409
 - Algae 177:51
 - Alpha-Emission 201:459
 - Area 153:15
 - Atmospheric 201:409
 - Boreon 164:157
 - Bratislava-Czechoslovakia 153:15
 - Cesium 201:409
 - Cesium-137 178:253
 - Chemical-Fraction 201:409
 - Condition 178:253
 - Contamination 153:15
 - Content 171:319, 201:459
 - Contribution 165:185
 - Deposition 164:157, 182:349
 - Derived 182:349
 - Elemental-Composition 181:25
 - Environmental-Sample 171:319
 - Fallout 156:183
 - Foliary 153:15
 - Following 156:183, 177:51
 - Food-Sample 201:459
 - Forestal 164:157
 - Hot-Particle 181:25
 - Isotope 182:349
 - Isotopic-Ratio 181:25
 - Japan 182:349
 - Long-Lived-Radionuclide 164:157
 - Macro 177:51
 - Massif 164:157
 - Monaco 177:51
 - Originated 165:185
 - Plutonium 165:185, 182:349
 - Prague 201:409
 - Radioactive 201:409
 - Radionuclide 171:319, 177:51, 201:459
 - Soil 165:185
 - Soil-to-Plant 178:253
 - Strontium-90 182:349
 - Transfer 178:253
 - Transuranium-Element 156:183
 - Uranium 181:25
- Chernobyl-Derived** 175:9
- Chernobyl-Fallout**
 - Affected 176:11
 - Americium-241 163:225
 - Antimony-125 166:173
 - Area 176:11
 - Belarus 199:325
 - Beta-Proportional-Counting 163:225
 - Byelorussia 176:11
 - Cesium-137 161:483
 - Cobalt-60 166:173
 - Comparison 163:225
 - Edible 180:109
 - Following 161:483
 - Gamma-Ray-Spectroscopy 180:109
 - Hot-Particle 166:173
 - Isotopic-Composition 199:325
 - Liver 176:11
 - Low-Level 163:225
 - Lung 176:11
 - Mushroom 161:483, 180:109
 - Person 176:11
 - Plutonium 176:11
 - Plutonium-241 163:225
 - Radioactive 166:173
 - Radiogeochemical-Region 199:325
 - Ruthenium 166:173
 - Sample 163:225
 - Strontium-90 161:483
- Chernobyl-Site** 154:111
- Chernobyl-Zone** 201:371
- Chicken** 169:283
- Children**
 - Chlorine 181:33
 - Copper 155:383
 - Cystic-Fibrosis 181:33
 - Date 155:325
 - Hair 155:383, 181:33
 - Hair-Sample 155:325
 - Healthy 181:33
 - Instrumental-Neutron-Activation-Analysis 155:325
 - Level 181:33
 - Living 155:383
 - Mine 155:383
 - Nail 181:33
 - Sampling 155:325
 - Sodium 181:33
 - Trace-Element 155:325, 155:383
 - Vicinity 155:383
 - Worker 155:383
- Chilean** 169:247
- Chile** [Lonquimay-Volcano-» 172:181
- Chile** [Northern-»
 - Bay 161:135
 - City 187:243
 - Copper 187:243
 - Crassostrea-Gigas 161:135
 - Cultured 161:135
 - Geographical 161:135
 - Large-Scale 187:243
 - Mine 187:243
 - Pacific-Oyster 161:135
 - Particle 187:243
 - Seasonal-Variability 161:135
 - Suspended 187:243
 - Trace-Element 161:135, 187:243
- China**
 - Activation-Analysis 151:7
 - Activity 151:7
 - Americium-241 155:45
 - Area 155:45
 - Cesium-137 155:45
 - Crude-Oil 151:177
 - Extracted 151:177
 - Instrumental-Neutron-Activation-Analysis 151:177
 - Oil-Forming 151:177
 - Organic-Material 151:177
 - Plutonium-239/240 155:45
 - Rock 151:177
 - Soil 155:45
 - Source 151:177
 - Trace-Element 151:177
- China** [Beijing-» 151:5
- China** [Xizang-Tibet-Plateau-» 168:93
- Chinese**
 - Brand 159:105
 - Canadian 161:215
 - Cigarette 159:105
 - Comparison 161:215
 - Evaluation 151:277
 - Foodstuff 151:277
 - Major-Component 161:215
 - Multielement 159:105
 - Multivariate-Statistical-Treatment 151:319
 - Particle-Induced-X-Ray-Emission 151:319
 - Soil 161:215
 - Trace-Component 161:215
 - Trace-Element 151:277
 - Traditional-Medicine 151:319
- Chitosan** 159:87
- Chloramine-T** 176:169
- Chlorella-Fusca** 154:37
- Chloride**
 - Concrete 174:199
 - Content 158:91, 174:199
 - Ebrié 158:91
 - Fluoride 158:91
 - Ivory-Coast 158:91
 - Lagoon 158:91
 - Nuclear-Method 174:199
 - Potentiometry 158:91
 - Underground 158:91
 - Water 158:91
 - X-Ray-Fluorescence-Analysis 158:91
- Chloride-36**
 - Chlorine 162:71, 164:141
 - Isotope-Exchange-Reaction 162:71, 164:141
 - Kinetics 162:71, 164:141
 - Mixed-Solvent 162:71, 164:141
 - Sodium 162:71, 164:141
 - Triphenyltin-Chloride 162:71, 164:141
- Chloride-Ion**
 - Capacity 157:245
 - Ceric-Oxide 157:245
 - Component 157:245
 - Diffusion 157:245
 - Function 157:245
 - Hydrous 157:245
 - Particle 157:245
 - Photolysis 166:239
 - Quantum 166:239
 - Radiation 166:251
 - Radiolysis 166:251
 - Saturated-Solution 166:239
 - Self-Diffusion 157:245
 - Trace 157:245
 - Water/Carbon-Tetrachloride-System 166:239
 - Water/Chlorobenzene-System 166:239
 - Water/Chlorobenzene/Carbon-Tetrachloride-System 166:251
 - Water/Nitrobenzene/Carbon-Tetrachloride-System 166:251
 - Yield 166:239, 166:251
- Chlorinated-Hydrocarbon** 161:253
- Chlorine**
 - Activation-Analysis 159:121
 - Bromine 164:59, 167:353
 - Calcium 159:121
 - Children 181:33
 - Chloride-36 162:71, 164:141
 - Comparative 159:121
 - Cystic-Fibrosis 181:33
 - Ethylene 185:355
 - Hair 181:33
 - Healthy 181:33
 - Hydrogen 175:371
 - Iodine 164:59
 - Ion-Exchange 164:59
 - Isotope-Exchange 175:371
 - Isotope-Exchange-Reaction 162:71, 164:141
 - Kinetics 162:71, 164:141
 - Level 181:33
 - Macro-Alga-Sample 159:121
 - Marine 159:121
 - Mixed-Solvent 162:71, 164:141
 - Multielement 159:121
 - N-Methylimidazolium-Chloride 175:371
 - Nail 181:33
 - Neutron-Activation-Analysis 167:353
 - Non-destructive 159:121
 - Organic 167:353
 - Phosphorus 159:121

- Radiochemical-Separation 164:59
- Reaction 185:355
- Recoil 185:355
- Reference-Material 159:121
- Sodium 162:71, 164:141, 181:33
- Standard 159:121
- Synthetic 159:121
- Total 167:353
- Triphenyltin-Chloride 162:71, 164:141
- Water-Sample 164:59
- Chlorine-36** 200:365
- Chlorine-38** 166:287
- Chloroacetate** 190:257
- Chlorobutane 11-»** 172:57
- Chlorobutene-2 11-»** 172:57
- Chloroform**
 - 8-Hydroxyquinoline 166:531
 - Acetylacetone 166:531
 - Americium(III) 181:165
 - Aqueous-Medium 181:165
 - Chromium(III) 166:531
 - Chromium-51 166:531
 - Distribution 181:165
 - Europium(III) 181:165
 - Extraction 158:303
 - Kinetics 181:165
 - Mechanism 181:165
 - Mixed-Ligand 166:531
 - Mixture 181:165
 - Nitrate 181:165
 - Palladium-Nitrate-Solution 158:303
 - Radiochemical-Solvent-Extraction 166:531
 - Thenoyltrifluoroacetone 181:165
 - Tracer 166:531
 - Triphenylarsine-Oxide 181:165
 - Triphenylphosphine 158:303
 - Triphenylphosphine-Oxide 158:303
- Chloropropane 11-»** 172:57
- Chloropropane 12-»** 172:57
- Choice** 179:7
- Chondrite** 152:409
- Christian-Island** 196:255
- Chromatographic-Separation**
 - Acidic 191:291
 - Actinide 191:279, 191:291
 - Alpha-Hydroxy-alpha-Methylbutyrate 154:73
 - Bearing 191:279
 - Cation-Exchange 154:73
 - CMPO 191:279
 - Extraction 166:503, 189:345, 191:279
 - Fermium 154:73
 - High-Level 191:279
 - Mendelevium 154:73
 - Minor 191:279, 191:291
 - Molybdenum-99 189:345
 - Nitrate 191:291
 - Partition 191:291
 - Purex 191:291
 - Reversed-Phase 191:291
 - Sulfate 191:279
 - Sulfoxide 191:291
 - Thorium(IV) 166:503
 - Tri-n-Octylphosphine-Oxide 166:503
 - Trioctylamine 189:345
 - Tungsten-187 189:345
 - Waste 191:279, 191:291
- Chromatography**
 - Acid-Rain 161:89
 - Adogen-464 162:125
 - Adsorption 175:415
 - Americium 172:97, 194:191
 - Analytical-Separation 172:97
 - Bifunctional 175:415
 - Biological-Material 157:265
 - Biological-Study 159:233
 - Bone-Seeking 200:291
 - Carrier-Free 199:115
 - Cesium 159:293
 - Characterization 161:575
 - Chemical-Separation 166:521
 - Clinoptilolite 159:293
 - Column 182:103
 - Comment 188:163
 - Comparative 200:291
 - Comparative-Study 159:3
 - Complex 175:415
 - Composition 199:347
 - Coolant 194:51
 - Curium 194:191
 - Dysprosium(III)-Oxide 199:115
 - Electrophoresis 199:115
 - Elements-104,105 160:327
 - Eluent 199:347
 - Emission 194:51
 - Environmental-Material 157:265
 - Environmental-Object 170:189
 - Extractant 175:415
 - Extracted 175:415
 - Extraction 161:89, 161:575, 162:125, 166:521, 170:189, 172:97, 175:415, 182:103, 188:163, 194:191, 200:385
 - f-Element 175:415
 - Gallium 157:265
 - Gas-Phase 160:327
 - Geological-Sample 159:293
 - Germanium-Iodide 199:347, 200:291
 - Halide 160:327
 - Hanford 194:191
 - Holmium-166 199:115
 - Indium-113m 159:3
 - Ion 194:51
 - Ion-Exchange 157:265, 165:209
 - Isotope 194:191
 - Lead-210 200:385
 - Magnesium-28 159:233
 - Material 161:575
 - Mercury 166:521
 - Monitoring 182:103
 - Neptunium 172:97
 - Neutron-Activation 161:89
 - Neutron-Activation-Analysis 157:265
 - No-Carrier-Added 159:233
 - Non-gamma 194:51
 - On-line 194:51
 - Parent-Daughter 162:125
 - Partition 199:115
 - Phase 162:125
 - Plating 194:191
 - Plutonium 165:209, 172:97, 194:191
 - Polypropylene 182:103
 - Pre-irradiation 157:265
 - Precipitation 159:293, 194:191
 - Procedure 157:265
 - Purification 159:233
 - Quality-Control 159:3, 200:291
 - Quantitative-Analysis 194:191
 - Radioactive-Waste 161:575
 - Radiochemical-Neutron-Activation-Analysis 159:293
 - Radionuclide 194:51
 - Radiopharmaceutical 159:3, 200:291
 - Radiostrophium 170:189
 - Rapid 194:191
 - Removal 165:209
 - Reverse 162:125
 - Reversed-Phase 161:89
 - Rubidium 159:293
 - Sample 194:191
 - Scintillation-Counting 194:51
 - Sediment 200:385
 - Separation 157:265, 162:125, 199:115
 - Sodium-Tetraphenylborate 159:293
 - Solvent 175:415
 - Target 199:115
 - Technetium-99m 200:291
 - Technetium-99m-(Sn)-Methylene-Diphosphonate 199:347
 - Thallium 166:521
 - Trace-Element 161:89
 - Tri-n-Octylphosphine-Oxide-Supported 182:103
 - Tributyl-Phosphate/Nitric-Acid-System 172:97
 - Tributyl-Phosphate/XAD-4-Column 172:97
 - TVEX-DCH18C6 170:189
 - Uranium 172:97
 - Urine 182:103
 - Zeolite 159:293
- Chromium**
 - Antimony 181:385
 - Aquatic-Environment 177:185
 - Arsenic 170:299, 181:385
 - Atmosphere 201:347
 - Biological-Material 158:313, 169:229, 178:19
 - Biological-Reference-Material 181:61
 - Brazilian 181:385
 - Cadmium 158:313, 181:385
 - Cerium 201:347
 - Cobalt 158:313, 161:245
 - Compton 181:61
 - Concentration 181:385
 - Copper 181:385
 - Deceleration 176:129
 - Diet 181:385
 - Distribution 161:245
 - Fish 170:299
 - Gabbroic-Rock 161:245
 - Hafnium 161:245
 - Industrial-Area 201:347
 - Instrumental-Neutron-Activation-Analysis 181:61
 - Ion-Chromatography 169:229
 - Major 201:347
 - Marine 170:299
 - Mercury 170:299, 181:385
 - Molybdenum 158:313
 - Neutron-Activation 170:299
 - Neutron-Activation-Analysis 201:347
 - On-line 169:229
 - PIPPS 176:129
 - Profile 161:245
 - Property 176:129
 - Punjab-Pakistan 201:347
 - Radiochemical-Determination 178:19
 - Radiochemical-Displacement 200:119
 - Radiochemical-Neutron-Activation-Analysis 158:313, 169:229, 181:385
 - Regional 181:385
 - Relative 176:129
 - Scandium 161:245
 - Selenium 170:299, 181:385, 201:347
 - Serpa-Portugal 161:245
 - Substoichiometric-Thermal-Neutron-Activation-Analysis 177:185
 - Suppression 181:61
 - Tantalum 161:245
 - Thorium 161:245
 - Tropical 170:299
 - Ultratrace-Level 178:19
 - Urban 201:347
 - Weathering 161:245
 - Yield 169:229
 - Ytterbium 201:347
 - Zinc 170:299
- Chromium(III)**
 - 8-Hydroxyquinoline 166:531
 - Acetylacetone 166:531
 - Amine 166:273
 - Attempt 179:173
 - Characterize 179:173
 - Chloroform 166:531
 - Chromium(VI) 179:173
 - Chromium-51 166:531
 - Cobalt(II) 166:273
 - Extraction 166:273
 - High-Molecular-Weight 166:273
 - Iron(III) 166:273
 - Manganese(II) 166:273
 - Mixed-Ligand 166:531
 - Prepare 179:173
 - Radiochemical-Solvent-Extraction 166:531
 - Reference-Material 179:173
 - Soil 179:173
 - Succinic-Acid-Medium 166:273
 - Tracer 166:531
- Chromium(VI)**
 - Adsorption 159:343
 - Aqueous 159:343
 - Attempt 179:173
 - Characterize 179:173
 - Chromium(III) 179:173
 - Feasibility 159:343
 - Kinetic-Study 157:75
 - Manganese(IV)-Oxide 157:75
 - Prepare 179:173
 - Reference-Material 179:173
 - Soil 179:173
 - Sorption 157:75
 - Titanium-Dioxide 159:343
- Chromium-39**
 - Automated-System 182:133

- Daughter 182:133
- Etching-Time 182:139
- Monitoring 182:133
- Performance 182:139
- Radon 182:133
- Radon-Thoron-Discrimination 182:139
- Track 182:133
- Chromium-51** 166:531
- Chromium-51(VI)**
 - Acid 195:363
 - Adsorption 180:145
 - Aqueous-Solution 180:145
 - Bismuth-Trioxide 180:145
 - Concentration 180:155
 - Kinetic-IR-Study 180:145
 - Low-Level 180:145
 - Product 195:363
 - Radioindicator 180:155
 - Reduction 195:363
 - Sorption 180:155
 - Speciation 195:363
 - Titanium-Dioxide 180:155
 - Trace 180:155
 - Zirconium-Dioxide 180:155
- Chromium-51-Labeled-Compound** 196:161
- Chromogenic-Reagent** 188:341
- Chromosorb** 162:171
- Chronic** 189:77
- Chronology** 152:273
- Cigarette**
 - Brand 159:105
 - Characteristics 195:161
 - Chinese 159:105
 - Comparison 194:371
 - Indian 195:161
 - Instrumental-Neutron-Activation-Analysis 195:161
 - Jurak 194:371
 - Level 194:371
 - Mexican 200:137
 - Moasel 194:371
 - Multielement 159:105
 - Multielement-Measurement 200:137
 - Radioactivity 194:371
 - Tobacco 194:371, 195:161, 200:137
 - Trace-Element 195:161
- Cigarette-Smoke** 187:131
- CIRUS-Reactor** 201:355
- cis-Decalin-D₁₈/Bromoalkane-System** 173:67
- cis-Decalin-D₁₈/Chloroalkane-System** 173:67
- Citation** 163:3
- Citation-Impact** 166:1
- City** 187:243
- Cladding** 163:235
- Clarias-Magur** 188:9
- Clarification** 152:199
- Class**
 - Contribution 199:57
 - Disk-Shaped 199:57
 - ESR 196:153
 - Expression 199:57
 - Free-Radical 196:153
 - Hubbell 199:57
 - Hydrazone 196:153
 - Radiation-Field 199:57
 - Short 199:57
 - Source 199:57
 - Terpenoid 196:153
- Classical**
 - Agent 178:359
 - Carbon-Steel 178:359
 - Chemical-Dissolution 178:359
 - Collision-Theory 178:121
 - Collisional-Process 178:121
 - Component 178:359
 - Fusion 178:121
 - Grown 178:359
 - Heat-Transfer 178:359
 - Muon-Catalyzed 178:121
 - Nuclear-Power-Plant 178:359
 - Oxide-Layer 178:359
 - Surface 178:359
- Classification**
 - Carbon-12/Carbon-13-Isotopomer 170:107
 - Cyclic-C₇ 170:107
 - C₈ 170:373
 - D₂D 170:373
 - Isomerization 170:107, 170:373
 - Isotopomer 170:373
- Clay**
 - Aluminosilicate 171:425
 - Aqueous-Solution 187:431
 - Archaeological 168:287
 - Boundary 151:201, 168:125
 - Carrier 193:291
 - Cesium 188:231
 - Chemical-Species 151:201
 - Cobalt-60²⁺ 187:431
 - Comparative 187:431
 - Contact 187:431
 - Cretaceous-Tertiary 151:201
 - Desorption 200:529
 - Diffractometry 152:453
 - Dominican-Republic 152:453
 - Elemental-Composition 171:425
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 171:425
 - Evidence 193:291
 - Faulted 193:291
 - Figurine 168:287
 - Firing 152:453
 - Gas 193:291
 - Implication 151:201
 - Instrumental-Neutron-Activation-Analysis 168:287
 - Iridium 151:201, 168:125
 - Italy 193:291
 - Limestone 152:453
 - Los-Trancos 188:231
 - Mineralogical-Analysis 152:453
 - Mixture 152:453
 - Mössbauer-Spectroscopy 152:453
 - Natural 187:431
 - Optimum-Condition 168:287
 - Radon 193:291
 - Rubidium 188:231
 - Selenium 168:125
 - Simultaneous-Determination 168:125
 - Sodium 188:231
 - Sorption 200:529
 - Structural-Stability 187:431
 - Temperature 152:453
 - Trace-Element 151:201
 - Transport 193:291
 - Turkish 200:529
- Uptake 188:231
- Uranium 200:529
- Volcanic-Sublimate 168:125
- X-Ray-Powder 152:453
- Zeolite 187:431
- Clay-Mineral** 178:193
- Clayey** 155:359
- Clientele** 171:203
- Climatological** 177:101
- Clinical-Application**
 - Anti-carcinoembryonic-Antigen 189:45
 - Comparative 158:65
 - Monoclonal-Antibody 189:45
 - PAHIDA-Tc-99m 158:65
 - Pharmacokinetic 158:65
 - Radiolabeling 189:45
 - Reagent 158:65
 - Renal 158:65
- Clinical-Chemistry** 195:123
- Clinoptilolite**
 - Ability 164:109, 164:241
 - Adsorption 200:351
 - Cation 164:109
 - Cesium 159:293, 164:241, 188:427
 - Cesium⁺ 165:175
 - Characteristics 165:175
 - Characterization 165:287
 - Chemical-Pretreatment 200:351
 - Chemical-Treatment 164:241, 188:427
 - Chromatography 159:293
 - Cobalt 164:241, 188:427
 - Cobalt²⁺ 165:175
 - Equilibrium 178:143, 201:293
 - Form 178:143
 - Geological-Sample 159:293
 - Inorganic-Ion 201:293
 - Iodide 200:351
 - Ion-Exchange 165:175
 - Modified 164:109, 165:287
 - Mordenite 178:143
 - Natural 159:317
 - Physical 165:175
 - Precipitation 159:293
 - Property 188:427
 - Radiochemical-Neutron-Activation-Analysis 159:293
 - Removal 159:317
 - Rubidium 159:293
 - Ruthenium-Oxide 159:317
 - Sodium 178:143
 - Sodium-Hydroxide-Treated 165:175
 - Sodium-Tetraphenylborate 159:293
 - Sorption 164:109, 164:241, 188:427, 201:293
 - Surface 200:351
 - Thorium 178:143
 - Vapor 159:317
 - Water-Solution 201:293
 - Zeolite 159:293
- Clipper** 158:251
- Close** 169:463
- Closed-Shell** 181:175
- Cloud** 161:101
- CLP-Type** 192:339
- Cluster**
 - Atomic 190:279
 - Carboxylate 190:347
 - Iron(III)-Substituted 190:347
- Magnetic-Property 190:347
- Mobility 190:279
- Mössbauer-Spectroscopy 190:279
- Thermodynamics 190:279
- Trinuclear 190:347
- Ultrafine 190:279
- CMPO**
 - Actinide 191:279
 - Americium 188:157
 - Bearing 191:279
 - Chromatographic-Separation 191:279
 - Coextraction 191:189
 - Dicarbolide 188:157
 - Europium 188:157
 - Extraction 188:157, 191:279
 - High-Level 191:279
 - Minor 191:279
 - Mixture 188:157
 - Reaction 191:189
 - Stoichiometry 191:189
 - Sulfate 191:279
 - Technetium(VII) 191:189
 - Uranium(VI) 191:189
 - Waste 191:279
- CN** 161:293
- CNS** 179:331
- Co-ordinated-Research-Program** 167:413
- Co-precipitation**
 - Actinide 197:133
 - Cadmium 168:23
 - Low-Level 197:133
 - Neodymium-Fluoride 197:133
 - Neutron-Activation-Analysis 168:23
 - Oxidation 197:133
 - Reduction 197:133
 - Selective 197:133
 - Separation 197:133
 - Water-Sample 168:23
- Coal**
 - Activation-Analysis 187:175
 - Alternative 158:283, 159:301, 172:387
 - Ash 191:163, 191:181, 192:265, 201:333
 - Ash-Sample 169:381
 - Asphaltene 158:283, 172:387
 - Asphaltol 159:301
 - Characterization 169:381
 - Chemical-Composition 191:163
 - Content 191:163
 - Counting 169:219
 - Coupled-Standard-Addition-Method 152:55
 - Destruction 187:355
 - Direct 175:383
 - Dual-Beam-Method 191:163
 - Elemental-Characterization 192:265
 - Elemental-Composition 167:153
 - Environmental-Sample 169:219
 - Estimation 201:233
 - Fast-Neutron 187:175
 - Fast-Neutron-Activation 201:233
 - Fly-Ash 152:55
 - Fuel 158:283, 159:301, 172:387

- Gamma-Ray 172:387
- Instrumental-Neutron-Activation-Analysis 191:181
- Instrumental-Photon-Activation-Analysis 152:55
- Internal-Standard-Addition-Method 152:55
- Irradiation 172:387
- Kalewa–Myanmar 187:175
- k_0 169:219
- Leachate 192:265
- LEPD 169:219
- Liquefaction 175:383
- Mongolian 185:27
- Multielemental-Analysis 191:181
- Natural-Radioactivity 201:333
- Neutron-Activation-Analysis 169:219
- Nigerian 191:181
- Pattern-Recognition 169:381
- Polycondensation 187:355
- Power-Station 169:219
- Preirradiation 175:383
- Prompt-Gamma-Neutron-Activation-Analysis 167:153
- Radiation-Induced-Effect 158:283, 159:301, 172:387
- Radiation-Stimulated-Process 187:355
- Radiometry 191:171
- REE 169:219
- Sequential-Extraction 192:265
- Sulfur 201:233
- Sulfur-Content 191:171
- Trace-Element 185:27
- Variable 191:163
- X-Ray 175:383
- X-Ray-Fluorescence-Analysis 185:27
- X-Ray-Irradiation 158:283, 159:301
- Zambian 201:333
- Coal-Combustion** 167:259
- Coast**
 - Albanian 186:303
 - Artificial 182:225
 - Behavior 182:225, 197:343
 - Brazilian 200:497
 - Cesium-137 197:343
 - Comparative-Study 188:313
 - Concentration 197:343
 - Crassostrea-Gigas 197:343
 - Distribution 182:225, 197:343
 - Energy-Dispersive 186:303
 - Environmental-Radioactivity 188:313
 - Fish 200:497
 - Inhabiting 188:313
 - Japan 188:313
 - Japanese 197:343
 - Korea 188:313
 - Lead-210 197:343
 - North-Wales 182:225
 - Oyster 197:343
 - Radionuclide 182:225, 197:343
 - Relation 197:343
 - Sea 186:303
 - Sea-Water 197:343
 - Sediment 182:225
 - Shellfish 188:313
 - Silver-108m 197:343
 - Strontium-90 200:497
 - Trace-Metal 186:303
 - United-Kingdom 182:225
 - Water 186:303
 - X-Ray-Fluorescence-Analysis 186:303
- Coastal**
 - Americium-241 156:201
 - Behavior 156:201, 156:349
 - CN 161:293
 - Collected 197:245
 - Complementary 161:293
 - Concentration-Level 156:349
 - Distribution 156:201
 - Environment 156:119
 - Estuarine 156:201
 - Fukuoka–Japan 197:245
 - Geochemical-Association 156:119
 - India 182:5
 - Irish-Sea 156:201
 - Island 161:293
 - Japanese 156:349
 - Marine-Environment 156:349, 182:5
 - Mass 161:293
 - Neptunium-237 156:201, 182:5
 - Nuclear 182:5
 - Nuclide 156:349
 - Plutonium 156:119
 - Plutonium-239/240 156:201
 - Polluted-Air 161:293
 - Radon 161:293
 - Seawater 197:245
 - Sediment 156:119, 156:201
 - Site 161:293, 182:5
 - Technetium-99 156:201, 197:245
 - Tracer 161:293
 - Transuranium 156:349
 - Trombay 156:119
- Coastal-Atmosphere** 196:295
- Coastal-Sediment**
 - Element 170:333
 - Elemental-Ratioing-Technique 167:341
 - Environmental-Assessment 167:341
 - Estuarine 170:333
 - Intertidal 170:333
 - Irish-Sea 170:333
 - Radioisotope 170:333
- Coating**
 - Characterization 175:339
 - Continuous 164:71
 - Continuous-Method 152:321
 - Control 164:71
 - Conversion 152:321
 - Corrosion 175:339
 - Formation 152:321
 - Fuel-Element 164:71
 - Hermetic-Sealing 164:71
 - Kinetic-Study 152:321
 - Nuclear-Reactor 164:71
 - Protective 175:339
 - Radiotracer-Method 175:339
 - Sorption 175:339
 - Thermophysical 164:71
 - Verification 164:71
 - VVER-440 164:71
- Coaxial** 156:323
- Cobalt**
 - Ability 164:241
 - Adsorption 166:41
 - Alkali 164:39
 - Alkaline-Earth-Metal-Ion 164:39
 - Alloy 192:91
 - Barium²⁺ 187:285
 - Biological-Material 158:313, 181:43
 - Cadmium 158:313, 191:83, 199:107
 - Calcination 183:225
 - Cesium 164:241, 188:427, 201:185
 - Chemical-Treatment 164:241, 188:427
 - Chromium 158:313, 161:245
 - Clinoptilolite 164:241, 188:427
 - Condition 170:381
 - Content 158:455
 - Copper 198:317
 - CSFR 166:41
 - Dedicated 192:91
 - Desferrioxamine-B 198:317
 - Dicarbolide-Polyethylene 187:285
 - Diffusion-Coefficient 170:381
 - Direct 170:381
 - Distribution 161:245
 - Element 192:91
 - Elution 183:225
 - Encapsulation 183:225
 - Extraction 187:285
 - Foil 192:91
 - Gabbroic-Rock 161:245
 - Glycol-Nitrobenzene-Carbon-Tetrachloride-Cyclohexanedi-aminete 187:285
 - Gold 192:91
 - Hafnium 161:245
 - Hexacyanoferrate(II) 164:39
 - High-Accuracy 192:91
 - Iron 158:455
 - Layer 170:381
 - Lutetium 192:91
 - Mercury 158:455
 - Molybdenum 158:313
 - Monitor 192:91
 - Multichannel-Analyzer 201:185
 - Natural 166:41
 - Neutron-Activation-Analysis 181:43, 192:91
 - Neutron-Spectrum 192:91
 - Nickel 153:339, 183:225, 198:317
 - Nuclear-Waste 183:225
 - Occurring 166:41
 - Polyethylene 170:457
 - Potassium 164:39
 - Profile 161:245
 - Property 188:427
 - Radioactive-Tracer-Method 170:457
 - Radioactive-Waste 198:317
 - Radiochemical-Displacement 153:339
 - Radiochemical-Neutron-Activation-Analysis 158:313
 - Radiochemical-Separation 201:263
 - Radiometric-Flow-Injection-Analysis 201:185
 - Removal 191:83
 - Scandium 161:245
 - Selectivity 164:39
 - Selenium 158:455
 - Separation 187:285
 - Serpa–Portugal 161:245
 - Silica-Gel 170:381
 - Sodium-Alginate 201:263
 - Sorption 164:241, 170:457, 188:427, 199:107
 - Steel 198:317
 - Stopped-Flow 201:185
 - Strontium 170:381
 - Strontium²⁺ 187:285
 - Synthetic-Faujasite 183:225
 - Tantalum 161:245
 - Thorium 161:245
 - Trace-Amount 181:43
 - Treatment 183:225
 - Uptake 183:225
 - Weathering 161:245
 - Wire 192:91
 - Yeast-Cell 158:455
 - Zeolite 166:41, 183:225
 - Zeolite-X 191:83
 - Zeolite-Y 199:107
 - Zinc 158:455, 183:225
- Cobalt(II)**
 - 8-Hydroxyquinoline 196:35
 - Adsorption 172:329, 173:141, 190:81
 - Alkaline 199:183
 - Aluminum-Oxide 190:81
 - Amine 166:273
 - Aqueous-Solution 172:329, 173:141
 - Cesium(I) 190:81
 - Charcoal 173:141
 - Chromium(III) 166:273
 - Colloid 172:329
 - Complexing-Agent 173:303
 - Decanoic-Acid 174:13
 - Dilute 172:329, 173:141
 - Extraction 166:273, 178:153
 - Flotation 172:329, 174:13, 196:35
 - Fluorinated 178:153
 - Hexacyanoferrate(II) 199:183
 - High-Molecular-Weight 166:273
 - HPMTEFP 178:153
 - Ion 174:13
 - Iron(III) 166:273
 - Kaolinite 173:303
 - Liquid-Liquid-Extraction 174:13, 196:35
 - Macroflotation 173:141
 - Manganese(II) 166:273, 178:153
 - Mercury(II) 178:153
 - Potassium 199:183
 - Precipitate 172:329, 174:13, 196:35
 - Pyrazolone 178:153
 - Radiocesium 199:183
 - Radwaste 199:183
 - Removal 173:141, 199:183
 - Salt-Loaded 199:183
 - Selenium(IV) 178:153
 - Separation 172:329
 - Simulated 199:183
 - Sorbent 173:141
 - Sorption 173:303
 - Strontium(II) 190:81
 - Succinic-Acid-Medium 166:273

- Surfactant 173:303
- Synergic-Effect 178:153
- TPPO 178:153
- Triphenylphosphine-Oxide 178:153
- Cobalt(II)-Amino-polycarboxylate** 166:87
- Cobalt(III)** 157:159
- Cobalt-57** 154:95
- Cobalt-57-Labeled** 173:107
- Cobalt-57-Source** 174:291
- Cobalt-60**
 - Annular 185:101
 - Antimony 165:57
 - Antimony-125 166:173
 - Calibration 185:101
 - Cement 165:377
 - Cesium-134 177:139, 191:53
 - Cesium-137 165:377, 201:97, 201:171
 - Chernobyl-Fallout 166:173
 - Cobalt-o-Hydroxybenzaldehyde 165:57
 - Coefficient 177:139
 - Comparative 165:377
 - Distribution 176:71, 176:333, 177:139
 - Dosimetry 185:101
 - Experimental-Parameter 201:97
 - Flotation 191:53
 - Fungus 176:71
 - Gamma-Ray-Source 185:101
 - Growth 176:333
 - Hot-Particle 166:173
 - Interpretation 165:377
 - Iodine-131 201:171
 - Iron 165:57
 - Isonicotinoyl-Hydrazone 165:57
 - Leach 165:377
 - Matrix-Effect 165:377
 - Mexican 200:259, 201:155
 - Model 201:171
 - Montmorillonite 200:259, 201:155
 - Multichannel-Analyzer 201:171
 - Pinheiros 177:139
 - Radiation 200:19
 - Radioactive 166:173
 - Radioactive-Process 191:53
 - Radioactive-Waste 201:171
 - Radiochemical-Displacement 165:57
 - Radioindicator 176:71
 - Radiometric-Flow-Injection-Analysis 201:97, 201:171
 - Rate 165:377
 - Removal 191:53
 - Retention 201:155
 - Reverse 201:171
 - River 177:139
 - Ruthenium 166:173
 - Sediment 177:139
 - Simultaneous-Determination 201:171
 - Sorption 200:19
 - Sorption-Desorption 200:259
 - Thorium-234 177:139
 - Trichoderma-Viride 176:71, 176:333
 - Waste-Water 191:53
 - Water 177:139, 201:171
- Zeolite 200:19
- Cobalt-60-Labeled-Species** 158:121
- Cobalt-60²⁺** 187:431
- Cobalt-Dicarbollide** 172:213
- Cobalt-Iron-Carboxylate** 173:107
- Cobalt-o-Hydroxybenzaldehyde** 165:57
- Cobalt²⁺**
 - 8-Hydroxyquinoline 152:461
 - Cesium⁺ 165:175
 - Characteristics 165:175
 - Clinoptilolite 165:175
 - Ethylenediamine 191:89
 - Extraction 152:461
 - Ion-Exchange 165:175
 - Phenanthroline 152:461
 - Physical 165:175
 - Sodium-Hydroxide-Treated 165:175
 - Thenoyltrifluoroacetone 152:461
 - Thermodynamics 152:461
 - Uptake 191:89
 - Zeolite-Y 191:89
- Cobalt²⁺-Ion**
 - Activation-Energy 158:171
 - Alumina 182:375
 - Aqueous-Solution 181:201
 - Barium²⁺-Ion 182:375
 - Copper²⁺-Ion 181:201
 - Diffusion 158:171
 - Interaction 181:201
 - Kaolinite 182:375
 - Magnesite 182:375
 - Multielectrolyte 158:171
 - Obstruction 158:171
 - Positronium-Ion 181:201
 - Sorption-Behavior 182:375
 - Tracer 158:171
 - Tracer-Diffusion 172:193
 - Transition-Metal-Chloride-Solution 172:193
 - Zinc²⁺-Ion 182:375
- Cobalt³⁺** 157:169
- Cocktail**
 - Alpha-beta-Separation 172:341
 - Aqueous-Sample 172:341
 - Corrosion 185:45
 - Liquid-Scintillation 172:341
 - Product 185:45
 - Radionuclide 185:45
- Code** 160:269
- Coefficient**
 - Absolute 169:397
 - Aqueous-Solution 156:291
 - Calibration 175:333
 - Cesium-134 177:139
 - Cobalt-60 177:139
 - Computation 169:397
 - Correction 169:397
 - Curium 156:291
 - Distribution 177:139
 - Ecosystem 199:21
 - Equilibrium 175:333
 - Factor 175:333
 - Gadolinium 156:291
 - Partitioning 199:21
 - Pinheiros 177:139
 - Radioactivity 169:397
 - Radionuclide 199:21
 - Radon 175:333
 - River 177:139, 199:21
- Sava 199:21
- Sediment 177:139
- Self-Diffusion 156:291
- Source 169:397
- SSNTD 175:333
- Structure 156:291
- Thorium-234 177:139
- Transplutonium 156:291
- Trivalent-Ion 156:291
- Voluminous 169:397
- Water 177:139
- Coextraction** 191:189
- CoFe₂O(CH₃CO₂)₆(H₂O)₃** 154:95
- Cogenetic** 199:51
- Coin**
 - Ancient 186:393
 - India 186:393
 - Instrumental-Neutron-Activation-Analysis 186:393
 - Punchmark 186:393
 - Roman 201:447
 - Silver 201:447
 - X-Ray-Fluorescence-Analysis 201:447
- Coincidence**
 - Calibration 169:419, 193:71
 - Cascade 169:419
 - Cobalt-57 154:95
 - CoFe₂O(CH₃CO₂)₆(H₂O)₃ 154:95
 - Correcting 193:71
 - Correction 191:105
 - Detector 193:71
 - Efficiency 169:419, 193:71
 - Gamma-X-Detector 169:419
 - Germanium 193:71
 - Labeled 154:95
 - Mössbauer-Spectroscopy 154:95
 - Summing 191:105, 193:71
- Coincident**
 - Beach 161:495
 - Cesium-134 161:495
 - Environmental-Monitoring 161:495
 - ERD 188:55
 - Hydrogen 188:55
 - Profiling 188:55
 - Sand 161:495
 - Spectrometer 161:495
 - Thin-Film 188:55
- Coke-Oven** 198:295
- Cold-Fusion**
 - Bibliography 154:1, 154:237, 155:141, 164:137
 - Chronology 152:273
 - Correlation 155:377
 - Evidence 193:165
 - Explosion 193:165
 - Fatal 193:165
 - Foil 154:153
 - Implementation 162:99
 - Involvement 193:165
 - Nuclear 193:165
 - Palladium 154:153
 - Parameter 155:377
 - Probability 162:99
 - Search 193:165
 - Statistical-Analysis 153:391
 - Synergetic-Hypothesis 162:99
 - Thin 154:153
- Cold-Neutron**
 - Analytical 191:245
- Bias 191:245
- Depth 160:315
- Element 191:245
- Eliminate 191:245
- Facility 167:133
- Guided-Beam 193:171
- Hydrogen 180:271, 181:321
- Instrument 160:315
- National-Institute-of-Standards-and-Technology 160:315, 167:121, 180:263
- Neutron-Capture 167:121
- Neutron-Scattering 181:321
- Profiling 160:315
- Progress-Report 180:263
- Prompt-Gamma-Activation-Analysis 180:263, 180:271, 181:321
- Prompt-Gamma-Neutron-Activation-Analysis 167:133
- Prompt-Gamma-Ray-Activation-Analysis 167:121, 191:245
- Prompt-Gamma-Ray-Analysis 193:171
- Ratio 191:245
- Research-Facility 167:121
- Thermal-Neutron 193:171
- Cold-Neutron-Source** 193:145
- Collect** 199:365
- Collected**
 - Accident 188:305
 - Activation-Analysis 165:61
 - Artificial 188:305
 - Atmospheric 192:249
 - Building-Material 199:229
 - Coastal 197:245
 - Concentration 185:157
 - Elemental-Analysis 173:313
 - Following 188:305
 - Former 173:313, 185:157
 - Freshwater-Sample 173:313, 185:157
 - Fukuoka-Japan 197:245
 - Ibaraki-Japan 188:305
 - Inductively-Coupled-Plasma-Mass-Spectrometry 173:313
 - Level 188:305
 - Lusaka-Zambia 199:229
 - Metal-Element 165:61
 - Natural-Radioactivity 199:229
 - Passive 192:249
 - Radionuclide 188:305
 - Rain 188:305
 - Russia 188:305
 - Sampling 192:249
 - Seawater 197:245
 - Sorption 192:249
 - Stromboli-Italy 165:61
 - Technetium-99 197:245
 - Thorium 185:157
 - Toms-7 188:305
 - Trace-Element 192:249
 - Uranium 185:157, 188:305
 - USSR 173:313, 185:157
 - Volatile 165:61
 - Volcanic-Exhalation 165:61
 - Vulcano 165:61
 - Water 188:305
- Collector** 193:281
- College** 171:153
- Collision-Theory** 178:121
- Collisional-Process** 178:121
- Colloid** 172:329

- Colloidal** 167:445
Colloidal-Behavior 170:347
Color-Center 183:205
Colorado [Southwestern-] 196:215
Coloured 198:499
Column
 • 12-Molybdocerate 183:339
 • 12-Molybdocerate-Mo-99 173:185
 • Amorphous 182:345
 • Behavior 199:173
 • Cesium 182:345
 • Characteristics 199:173
 • Characterization 165:1
 • Chromatography 182:103
 • Dehydration 165:1
 • Dynamics 165:1
 • Extraction 182:103
 • Flow 165:1
 • Future-Development 183:19
 • High-Performance-Liquid-Chromatography 183:19
 • Irradiated 199:173
 • Laboratory 165:1
 • Liquid 165:1
 • Matrix 173:185, 183:339, 199:173
 • Molecular-Sieve 165:1
 • Molybdenum-99–Technetium-99m-Generator 199:173
 • Monitoring 182:103
 • Neutron-Irradiation 183:339
 • Organic 165:1
 • Packing 183:19
 • Pilot-Plant 165:1
 • Polypropylene 182:103
 • Precipitate 173:185
 • Present 183:19
 • Radioactive-Waste 182:345
 • Radiotracer 165:1
 • Removal 182:345
 • State 183:19
 • Strontium 182:345
 • Technetium-99m-Generator 173:185, 183:339
 • Titanium-Molybdate 199:173
 • Treatment 182:345
 • Tri-n-Octylphosphine-Oxide-Supported 182:103
 • Urine 182:103
 • Zirconium-Phosphate 182:345
Column-Method
 • Chemical 196:77
 • Dispersion-Coefficient 163:373
 • Effluent 196:77
 • Iodine-125 196:77
 • Migration 163:373
 • On-line-Method 163:373
 • Radionuclide 163:373
 • Removal 196:77
 • Soil 196:77
Combination
 • Absorbent 173:323
 • Aqueous-Sample 179:211
 • Arsenic(III) 179:211
 • Arsenic(V) 179:211
 • Automatable 179:211
 • Carbon-14 173:323
 • Carbon-Dioxide 173:323
 • Counter 173:323
 • Cryotrapping 179:211
 • Dimethylarsinic-Acid 179:211
 • Environmental-Material 173:323
 • Generation 179:211
 • Hydride 179:211
 • Large-Volume 173:323
 • Liquid-Scintillation 173:323
 • Low-Background 173:323
 • Monomethylarsonic-Acid 179:211
 • Preconcentration 179:211
 • Procedure 179:211
 • Selective 179:211
 • Speciation 179:211
Combined
 • Biological-Material 156:165
 • Enrichment 152:161
 • Environmental 156:165
 • Gamma 152:161
 • HDEHP 156:165
 • Homogeneity 179:177
 • Lanthanoid 172:305
 • Liquid-Scintillation-Counting 156:165
 • Macro-Alga 172:305
 • Marine 172:305
 • Matrix 179:177
 • Nanogram-Level 172:305
 • Neutron-Activation-Analysis 172:305
 • Particle-Induced-X-Ray-Emission 179:177
 • Passive 152:161
 • Photon 179:177
 • Precipitation 172:305
 • Representative-Sampling 179:177
 • Selective 172:305
 • Separation 172:305
 • Solvent-Extraction 156:165
 • Strontium-90 156:165
 • Testing 179:177
 • Tomography 179:177
 • Total-Concentration 152:161
 • Transmission 179:177
 • Uranium-235 152:161
 • X-Ray-Fluorescence-Analysis 152:161
Combined-Method 160:153
Combining 176:415
Combustion 171:287
Comment
 • Aluminum 166:359
 • Aqueous-Solution 199:423
 • Chromatography 188:163
 • Extraction 188:163
 • Flow-Injection-Analysis 201:251
 • In-Vivo 166:359
 • Instrumental 201:541
 • Journal-of-Radioanalytical-and-Nuclear-Chemistry-Letters 201:251
 • Marl 166:167
 • Monitoring 166:359
 • Nickel 166:167
 • Oxygen 199:423
 • Radiochemical-Technique 201:251
 • Radiolysis 199:423
 • Skeletal 166:359
 • Sorption 166:167
 • Triton-X-100 199:423
Commercial
 • Active 186:1
 • Alpha-Spectrometry 166:263
 • Animal 172:125
 • Aqueous-Solution 186:1
 • Barium 186:1
 • Brand 201:401
 • Comparative-Study 172:125
 • Honey 201:401
 • Human 172:125
 • Lead 186:1
 • Manganese-Dioxide 186:1
 • Milk-Sample 172:125
 • Minor-Element 172:125, 201:401
 • Neutron-Activation-Analysis 172:125
 • Precipitated 186:1
 • Separation 186:1
 • Strontium 186:1
 • Trace 201:401
 • Trace-Element 172:125
 • Uranium-234/Uranium-238-Ratio 166:263
 • Uranium-235/Uranium-238-Ratio 166:263
 • Uranium-Compound 166:263
Commitment 175:297
Compact-Bone 201:477
Comparative
 • Activation-Analysis 159:121
 • Aqueous-Solution 187:431
 • Benzyl-Xanthate 199:239, 200:181
 • Bone-Seeking 200:291
 • Butyl-Xanthate 199:239, 200:181
 • Cadmium 199:239
 • Calcium 159:121
 • Cement 165:377, 199:405
 • Cesium-137 165:377, 199:405
 • Chlorine 159:121
 • Chromatography 200:291
 • Clay 187:431
 • Clinical-Application 158:65
 • Cobalt-60 165:377
 • Cobalt-60²⁺ 187:431
 • Contact 187:431
 • Environmental-Behavior 156:253
 • Ethyl-Xanthate 199:239, 200:181
 • Germanium-Iodide 200:291
 • Immobilized 199:405
 • Interpretation 165:377, 199:405
 • Leach 165:377
 • Leaching 199:405
 • Macro-Alga-Sample 159:121
 • Marine 159:121
 • Matrix-Effect 165:377
 • Mine-Mill 156:253
 • Multielement 159:121
 • Natural 187:431
 • Non-destructive 159:121
 • PAHIDA-Tc-99m 158:65
 • Pentyl-Xanthate 199:239, 200:181
 • Pharmacokinetic 158:65
 • Phosphorus 159:121
 • Plant 156:253
 • Potassium-Salt 199:239, 200:181
 • Propyl-Xanthate 199:239, 200:181
 • Quality-Control 200:291
 • Radionuclide 156:253
 • Radiopharmaceutical 200:291
 • Radwaste 199:405
 • Rate 165:377
 • Reagent 158:65
 • Reference-Material 159:121
 • Renal 158:65
 • Sludge 199:405
 • Standard 159:121
 • Structural-Stability 187:431
 • Substoichiometric-Extraction 199:239, 200:181
 • Synthetic 159:121
 • Technetium-99m 200:291
 • Uptake 156:253
 • Uranium 156:253
 • Uranium-Series 156:253
 • Zeolite 187:431
 • Zinc 200:181
Comparative-Analysis 195:315
Comparative-Study
 • Animal 172:125
 • Chromatography 159:3
 • Coast 188:313
 • Commercial 172:125
 • Crystallization 200:443
 • Energy-Transfer-Reaction 178:351
 • Environmental-Radioactivity 188:313
 • Ferric-Compound 200:443
 • Ferrous-Compound 200:443
 • Gamma-Irradiated 178:351
 • Gamma-Radiolysis 178:351
 • High-Spin 200:443
 • Human 172:125
 • Implication 200:443
 • Indium-113m 159:3
 • Induced 178:351
 • Inhabiting 188:313
 • Ion-Exchange 183:171
 • Japan 188:313
 • Korea 188:313
 • Low-Spin 200:443
 • Methyl-Orange 178:351
 • Methyl-Red 178:351
 • Milk-Sample 172:125
 • Minor-Element 172:125
 • Mössbauer-Spectrum 200:443
 • Neutron-Activation-Analysis 172:125
 • Pertechnetate 183:171
 • Quality-Control 159:3
 • Radiopharmaceutical 159:3
 • Reduction 183:171
 • Role 200:443
 • Shellfish 188:313
 • Sodium-Chloride 178:351
 • Solvent-Extraction 183:171
 • Spectrophotometry 183:171
 • Thiourea 183:171
 • Trace-Element 172:125
 • Water 200:443
Comparison
 • Actinide 182:149, 197:357
 • Alpha-Activation-Analysis 153:313
 • Alzheimer's-Disease 195:7
 • Americium-241 163:225
 • Ammonium-Halide 188:331
 • Amount 201:477
 • Analytical-Method 182:21
 • Analytical-Technique 181:363
 • Ancient 152:469

- Animal-Study 156:401
- Ascorbic-Acid 201:199
- Atomic 160:341
- Axial 156:323
- Beta-Proportional-Counting 163:225
- Bilateral 200:109
- Biological-Material 157:239, 169:239
- Canadian 161:215
- Catalogue 191:387
- Ceramics 152:469
- Charcoal 193:337
- Chemical-Characterization 152:469
- Chernobyl-Fallout 163:225
- Chinese 161:215
- Cigarette 194:371
- Coaxial 156:323
- Compact-Bone 201:477
- Composition 168:115
- Contaminated 194:197, 201:199
- Data 168:115
- Deposition 181:363
- Detection 160:341, 169:239
- DEXA 169:301
- Distribution 156:401
- Dual-Photon-Absorptiometry 169:301
- ENEA-Italy 200:109
- Excreta 197:357
- Experience 193:337
- Fast-Neutron-Activation-Analysis 153:313
- Femur 156:401
- Field 193:337
- Fission 182:149
- Gabbro 168:115
- Gamma-Spectrometry 156:323
- Gas 161:325
- Gas-Solid-System 188:331
- General-Population 156:401
- Geochemistry 180:285
- GOG-1 168:115
- Grain-Size 161:325
- Heavy-Metal 181:363
- High-Resolution 156:323
- High-Resolution-Delayed-X-Ray-Spectrometry 153:313
- Hydrogen 188:33, 188:331
- Inductively-Coupled-Plasma-Mass-Spectrometry 157:239, 160:341, 168:115, 180:285
- Inductively-Coupled-Plasma-Mass-Spectrometry 192:29
- INP-Albania 200:109
- Instrumental-Neutron-Activation-Analysis 152:469, 152:507, 180:285, 191:387, 192:351, 201:477
- Inter-Laboratory 197:357
- Interlaboratory 182:21
- Iodine-125 200:109
- Isotope 182:21
- Isotope-Exchange-Reaction 188:33, 188:331
- Jurak 194:371
- k_0 191:387
- k_0 -Standardization 152:507
- k_{Zn} -Standardization 152:507
- Laser-Microprobe-Mass-Spectrometry 195:7
- Level 194:371
- Liquid-Scintillation-Counting 193:337
- Liquid-Solid-System 188:33
- LMMS 195:7
- Low-Length-to-Diameter-HPGe-Detector 156:323
- Low-Level 163:225
- Macro 156:401
- Macroscopic-Measurement 194:197
- Major-Component 161:215
- Mancini-Method 201:199
- Medium-Lived-Radionuclide 179:155
- Micro-Particle-Induced-X-Ray-Emission 195:7
- Microscopic-Measurement 194:197
- Moasel 194:371
- Modality 169:239
- Moisture 161:325
- Monitor 181:363
- Moss 181:363
- Multielement 181:363, 192:351
- National-Institute-of-Standards-and-Technology 179:155
- Natural 182:21
- Neutron-Activation-Analysis 157:239, 168:115, 169:301, 179:155, 192:29
- Neutron-Induced 182:149
- Occupational-Case 156:401
- Osteoporosis 169:301
- Permeability 161:325
- Petroleum 180:285
- Photon-Induced 182:149
- Planar 156:323
- Plaque 195:7
- Plutonium 156:401, 194:197
- Plutonium-241 163:225
- Prediction 169:301
- Preliminary-Study 195:7
- Procedure 152:507
- Proton-Activation-Analysis 153:313
- Radiation 160:341
- Radioactivity 194:371
- Radioimmunoanalysis 201:199
- Radionuclide 156:323, 160:341
- Radioprotection 201:199
- Radon 161:325, 193:337
- Rat 201:199
- Reactivity 188:33, 188:331
- Red-Marrow 201:477
- REE 168:115
- Reference-Material 192:351
- Reference-Sample 168:115
- Republic-of-the-Marshall-Islands 194:197
- Rock 161:325
- Rock-Sample 182:21
- Routine 152:507
- Sample 163:225
- Section 201:477
- Senile 195:7
- Sensitivity 153:313
- Separation 169:239
- Series 182:21
- Single-Comparator-Method 191:387
- Sodium 201:477
- Soil 161:215, 161:325, 179:155, 194:197
- Sorting 161:325
- Standard-Reference-Material 179:155
- Standardization 191:387, 200:109
- Sum-Peak-Method 200:109
- Surface-Ionization-Mass-Spectrometry 168:115
- Survey 193:337
- Thermal-Neutron-Activation-Analysis 153:313
- Thorium 182:21
- Tin 169:239
- Tobacco 194:371
- Tolueneithiol 188:33
- Trace-Component 161:215
- Trace-Element 180:285
- Trace-Element-Analysis 157:239, 192:29
- Transuranic 156:323
- Tritiated-Water 201:199
- Type 161:325
- Ultra-Trace-Element-Analysis 192:29
- Updating 168:115
- Uranium 182:21
- Well 169:301
- Yellow-Marrow 201:477
- Zinc 191:387
- Compensation** 198:253
- Competition** 191:239
- Competitive** 188:117
- Competitive-Reaction** 164:285
- Complementary**
 - Cesium 152:47
 - CN 161:293
 - Coastal 161:293
 - Concentration 152:47
 - Coolant 152:47
 - Defective 152:47
 - Fuel-Rod 152:47
 - Island 161:293
 - Localizing 152:47
 - Mass 161:293
 - Operation 152:47
 - Polluted-Air 161:293
 - Pressurized-Water-Reactor 152:47
 - Radon 161:293
 - Ratio 152:47
 - Site 161:293
 - Tracer 161:293
- Complex**
 - Acidic 183:371
 - Adsorption 175:415
 - Antimony(V) 200:427
 - Aqueous-Solution 188:377
 - Arsenazo(III) 188:291
 - Back-Extracted 188:291
 - Bifunctional 175:415
 - Bismuth(III) 170:197
 - Cesium-137 183:371
 - Chromatography 175:415
 - Contamination 197:253
 - Dimer 199:217
 - EDDA 199:217
 - EDTA 199:217
 - Electrolytic-Formation 186:291
 - Extractant 175:415
 - Extracted 175:415
 - Extraction 175:415, 200:427
 - f-Element 175:415
- Facility 197:253
- Fission-Product 183:371
- Fluoride 170:197, 188:291
- Formation 199:217
- Gamma-Irradiated 165:277
- Hemopathy 151:261
- Human-Blood-Serum 151:261
- Inorganic-Exchanger 183:371
- Instrumental-Neutron-Activation-Analysis 151:261
- Interest 195:237
- Ion-Selective 170:197
- Kinetics 165:277
- Ligand 186:291, 195:237
- Mandelhydroxamic-Acid 165:277
- Mineral-Composition 151:261
- Modification 151:261
- Mu-Oxo 199:217
- Nitridotechnetium(VI) 199:217
- Particle-Induced-X-Ray-Emission 151:261
- Pharmacological 195:237
- Pi-Acceptor 186:291
- Plutonium(III) 170:197
- Possible 197:253
- Potentiometry 170:197
- Problem 197:253
- Processing 197:253
- Radiochemical-Ion-Association 200:427
- Representative-Sampling 197:253
- Samarium(III) 170:197
- Sampling 197:79
- Separation 183:371
- Soil 197:79
- Solvent 175:415
- Spectrophotometry 188:291
- Squarete 188:377
- Technetium 186:291, 195:237
- Terrain 197:79
- Tetrazolium 200:427
- Thermal-Behavior 200:427
- Thermal-Decomposition 165:277
- Thorium(IV) 188:291
- Unirradiated 165:277
- Uranyl-Ion 188:377
- Violet 200:427
- Waste 183:371, 197:253
- Complex-Forming** 201:65
- Complex-System** 172:71
- Complexation** 164:1
- Complexation-Behavior** 159:129
- Complexing-Agent**
 - 2-Ethylhexylphosphonic-Acid 174:271
 - 2-Hydroxyethylethylene-diaminetriacetic-Acid 162:35
 - 2-Methoxyisobutylisonitrile 188:409
 - Acidity 152:447
 - Amine 162:35, 162:47
 - Cerium 162:47
 - Cerium(III) 174:271
 - Chelating 161:549
 - Cobalt(II) 173:303
 - Degradation 161:549
 - Efficient 188:409
 - Ethylenediaminetetraacetic-Acid 162:47

- Extraction 162:35, 162:47, 174:271
- Fission-Product 172:87
- Free 152:447
- Irradiated 161:549
- Kaolinite 173:303
- Lanthanum 162:35
- Mixed 161:549
- Molybdenum-99 172:87
- Mono-2-Ethylhexyl-Ester 174:271
- Neodymium(III) 174:271
- Potentiometry 152:447
- Rare-Earth-Element 162:35, 162:47
- Samarium 162:35
- Separation 162:35, 162:47, 172:87
- Simulated 161:549
- Sorption 173:303
- Sulfate 152:447
- Surfactant 173:303
- Synthesis 188:409
- Technetium-99m 188:409
- Tellurium-132 172:87
- Thiourea 172:87
- Uranium 152:447
- Uranyl-Nitrate-Solution 152:447
- Waste 161:549
- Water-Soluble 174:271
- Complicating** 158:239
- Component**
 - Agent 178:359
 - Association 198:229
 - Blood 158:293
 - Capacity 157:245
 - Carbon-Steel 178:359
 - Ceric-Oxide 157:245
 - Change 158:293
 - Chemical-Dissolution 178:359
 - Chloride-Ion 157:245
 - Classical 178:359
 - Content 158:293
 - Diffusion 157:245
 - Element 169:113
 - Fission-Product 198:229
 - Following 158:293
 - Function 157:245
 - Grown 178:359
 - Heat-Transfer 178:359
 - Human 158:293
 - Hydrous 157:245
 - Impurity 169:113
 - Iodine-127 198:229
 - Iodine-129 198:229
 - Isotope 198:229
 - Low-Dose 158:293
 - Natural 198:229
 - Neutron-Activation-Analysis 158:293, 169:113
 - Nuclear-Fuel 169:113
 - Nuclear-Power-Plant 178:359
 - Oxidation 191:129
 - Oxide-Layer 178:359
 - Particle 157:245
 - Petrochemical 191:129
 - Phenol 191:129
 - Plutonium 172:363
 - Plutonium-244 195:335
 - Preliminary-Study 172:363
 - Procedure 198:229
 - Radiation 191:129
 - Seawater 172:363
 - Selenium 158:293
 - Self-Diffusion 157:245
 - Sequential-Extraction 198:229
 - Short-Term 158:293
 - Soil 198:229
 - Solar-System 195:335
 - Speciation 172:363
 - Strange 195:335
 - Supplementation 158:293
 - Surface 178:359
 - Trace 157:245
 - Waste-Water 191:129
 - Xenon 195:335
- Composite**
 - Anion-Exchange-Resin 201:509
 - Biological-Material 164:115
 - Cesium 201:509
 - Cupric-Ferrocyanide 201:509
 - Cycle 201:509
 - Fixation 155:243
 - Francium 155:243
 - Impregnated 201:509
 - Inorganic-Sorbent 155:243
 - Ion-Exchanger 155:243, 164:115, 183:27, 201:509
 - Macroporous 201:509
 - Mineralizate 164:115
 - Mixed 155:243
 - Neutron-Activation-Analysis 164:115
 - Nuclear 183:27
 - Prospective 183:27
 - Radium 155:243
 - Redox-Type 201:509
 - Removal 164:115
 - Separation 201:509
 - Sorption-Desorption-Regeneration 201:509
 - Strongly-Basic-Type 201:509
- Composition**
 - Aerosol 181:401
 - Ammonia 186:205
 - Ammonium-Uranate 186:205
 - Ankara-Turkey 181:401
 - Atmospheric 181:401
 - Behavior 161:503
 - Chromatography 199:347
 - Comparison 168:115
 - Data 168:115
 - Eluent 199:347
 - Flow-Rate 186:205
 - Gabbro 168:115
 - Gaseous 186:205
 - Germanium-Iodide 199:347
 - Glass 161:503
 - Global-Ecology 174:73
 - GOG-1 168:115
 - Groundwater 161:503
 - Human-Hair 174:73
 - Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 168:115
 - Instrumental-Neutron-Activation-Analysis 181:401
 - Leaching 161:503
 - Neutron-Activation 161:503
 - Neutron-Activation-Analysis 168:115
 - REE 168:115
 - Reference-Sample 168:115
 - Sodium-Borosilicate 161:503
 - Structure 186:205
 - Surface-Area/Volume-Ratio 161:503
 - Surface-Ionization-Mass-Spectrometry 168:115
 - Technetium-99-DPD-Complex 173:261
 - Technetium-99m-(Sn)-Methylene-Diphosphonate 199:347
 - Temperature 161:503
 - Trace-Element 181:401
 - Updating 168:115
 - Valence-State 173:261
- Compositional-Analysis**
 - American 192:109
 - Ceramics 192:109
 - Huitzila-La-Lobera 196:245
 - Neutron-Activation-Analysis 192:109
 - Obsidian 196:245
 - Source 196:245
 - Southern-Sierra-Madre-Occidental-Mexico 196:245
 - Southwestern 192:109
- Compound**
 - Abnormal 199:65
 - Antimony 176:361
 - Azacrown 189:219
 - Bi-Pb-Cu-Sr-Ca-Sb-O 176:361
 - Ceramics 176:361
 - Chemical-Exchange 189:219
 - Chlorine-38 166:287
 - Elemental-Analysis 176:361
 - Europium 160:203
 - High-Temperature 176:361
 - Induced-Emission 160:203
 - Ion-Beam 160:203
 - Isotope-Separation 189:219
 - Lithium 189:219
 - Material 176:361
 - Neutron-Induced-Prompt-Gamma-Ray-Method 176:361
 - Polymer-Bound 189:219
 - Primary 199:65
 - Proton-Beam 199:65
 - Quantitative 176:361
 - Radio-High-Performance-Liquid-Chromatography 166:287
 - Radioactive 166:287
 - Solid 160:203
 - Superconductivity 176:361
 - Target 199:65
 - X-Ray 199:65
 - XSQR 199:65
 - Yield 199:65
- Comprehensive** 193:49
- Compressibility** 190:469
- Compton**
 - Aerosol 192:195
 - Biological-Reference-Material 181:61
 - Chromium 181:61
 - Counting 192:195
 - Detection 192:195
 - Environmental-Analysis 179:67
 - Epithermal-Irradiation-Technique 192:195
 - Filter 192:195
 - Instrumental-Neutron-Activation-Analysis 181:61
 - Limit 192:195
 - Neutron-Activation-Method 179:67
 - Suppression 179:67, 181:61, 192:195
 - Trace-Element 192:195
- Compton-Suppression-System** 161:5
- Computation** 169:397
- Computer** 160:269
- Computer-Aided-Analysis** 163:335
- Computer-Based-System** 167:89
- Computer-Program**
 - Advance 160:221
 - Element 160:221
 - Epithermal-Proton-Activation-Analysis 169:471
 - Instrumental-Neutron-Activation-Analysis 160:221
 - Interactive 169:471
 - Neutron-Activation-Analysis 169:471
 - Prediction 160:221
 - Radiometric-Flow-Injection-Analysis 201:143
 - Relative-Method 169:471
 - Standard 160:221
- Concentrating** 172:213
- Concentration**
 - Accumulation 161:561
 - Active 161:561, 169:483
 - Activity 166:331, 174:223
 - Affecting 159:201
 - Agricultural-Sample 174:223
 - Airborne 186:23
 - Alpha-Activity 170:423
 - Anion-Exchange 191:265
 - Anionic-Species 175:263
 - Antimony 181:385
 - Aqueous-Solution 154:185
 - Arsenic 181:385
 - Atomic-Absorption-Spectrometry 166:383
 - Backscatter-Radiation-Method 176:415
 - Behavior 197:343
 - BGO 180:131
 - Body 161:11
 - Brazilian 181:385
 - Bromine-79-(n,gamma)-Bromine-80-Reaction 183:313
 - Cadmium 181:385
 - Calcium-45 154:185
 - Calculation 160:269, 183:313
 - Calibration 170:423
 - Cartilage 161:455
 - Cerium-141 175:263
 - Cesium 152:47
 - Cesium-137 197:343, 199:465
 - Change 166:383
 - Chemical-Species 191:265
 - Chromium 181:385
 - Chromium-51(VI) 180:155
 - Coast 197:343
 - Code 160:269
 - Collected 185:157
 - Combining 176:415
 - Complementary 152:47
 - Computer 160:269
 - Constituent 169:483
 - Contact-Time 159:201

- Coolant 152:47
- Copper 181:385
- Correction 176:415, 183:313
- Costal 161:455
- Crassostrea-Gigas 197:343
- Daughter 161:351
- Debrecen 186:23
- Decay 154:413
- Defective 152:47
- Delayed-Neutron-Analysis 164:131
- Density 170:423
- Deposition 198:23
- Detector 154:185, 180:131
- Diet 181:385
- Distribution 197:343
- Dosimetry 170:423
- Drinking-Water 164:397
- Dysprosium-160 154:413
- E.-Rostratus-Schlecht 169:483
- Egyptian 188:255
- Element 186:385, 198:23
- Endogenous 161:11
- Environment 194:411
- Environmental-Sample 197:295
- Equation 176:415
- Estimation 161:455
- Eucalyptus-Camaldulensis-Dehnh 169:483
- Evaluation 181:413
- Experimental-Consideration 170:423
- Factor 159:201
- Factor-K 170:423
- Fallout 156:175
- Feature 161:561
- Ferrite 183:135
- Fissile 161:561
- Food 161:455
- Former 185:157
- Freshwater 159:201
- Freshwater-Sample 185:157
- Fuel-Rod 152:47
- Function 154:413
- Gas-Production 170:117
- Geiger-Müller-Counter 181:413
- Gelatin 154:413
- Generator 193:301
- Hair 186:385
- Heating 198:23
- Honey-Sample 199:465
- Human 161:11
- Human-Gallstone 174:29
- Human-Tissue 161:455
- Identification 160:269
- Inductively-Coupled-Plasma-Mass-Spectrometry 164:13
- Instrumental-Neutron-Activation-Analysis 174:29
- Interaction 159:187, 159:201
- JAERI 197:295
- Japanese 156:175, 197:343
- Kindergarten 175:103
- Kinetics 159:187
- Krypton-85 194:411
- k_p -Concept 160:269
- Lead 186:23
- Lead-210 197:343
- Level 197:295
- Limestone 164:131
- Ljubljana 175:103
- Localizing 152:47
- Low-Background 181:413
- Low-Level 194:411
- Low-Specific-Activity 170:117
- Material 161:561
- Mean-Residence-Time 161:455
- Medicinal 169:483
- Mercury 181:385, 186:385
- Meteorite 164:13
- Meteorological-Condition 161:351
- Microgram/Gram-Level 181:413
- Migration 159:187
- Modeling 159:187
- Monitor 180:131
- Monitoring 161:561
- Montreal 161:351
- Mouse 166:383
- Negative-Ion 193:301
- Neutron-Activation-Analysis 160:269, 161:11, 164:131, 183:313
- Neutron-Counting 161:561
- Nitrogen-16 180:131
- Normal 186:385
- Nuclear-Reprocessing 161:561
- Nuclide 160:269
- Occupied 193:301
- Oil 170:117
- Operation 152:47
- Organically-Bound 161:455
- Osijek 175:103
- Outdoor 161:351
- Oyster 197:343
- Parameter 154:413
- Particle 186:23
- Passive 161:561
- Person 186:385
- Perturbed-Angular-Correlation 154:413
- Photodiode 154:185
- Plant 169:483, 170:117
- Plutonium 156:175
- Polluted 186:385
- Polonium(IV)-Chloride-Solution 191:265
- Pool 161:11, 180:131
- Postreaction-Time 175:263
- Potassium-40 199:465
- Preconcentration 198:23
- Pressurized-Water-Reactor 152:47
- Radiocesium 159:201
- Radiochemical-Neutron-Activation-Analysis 181:385
- Radioindicator 180:155
- Radionuclide 159:187, 197:343
- Radium 164:397, 170:117
- Radium-226 166:331, 174:223
- Radon 161:351, 170:423, 175:103
- Radon-Progeny 193:301
- Rat 161:11
- Ratio 152:47
- Reactor 180:131
- Recovery 183:135
- Regional 181:385
- Relation 197:343
- Residence 193:301
- River 159:187
- Rock 181:413
- Rock-Sample 188:255
- ROMOS 160:269
- Safety 161:561
- Sample 156:175, 198:23
- Scale 170:117
- Sea-Water 197:343
- Seasonal-Variation 186:23
- Selected 199:465
- Selenium 161:11, 181:385
- Semiempirical-Model 176:415
- Silicon 154:185
- Silver-108m 197:343
- Site 186:23
- Skin 166:383
- Soil 166:331
- Solid 159:187, 159:201
- Sorption 180:155
- Sprague-Dawley 161:11
- Statistical-Analysis 169:483
- Sternum 161:455
- Sum-Peak-Method 154:413
- Suspended-Solid 159:187
- Technetium 198:23
- Temperature 159:187, 159:201
- Theoretical-Consideration 170:423
- Thorium 164:131, 170:117, 185:157, 188:255
- Thoron-Progeny 193:301
- Tissue 156:175
- Titanium-Dioxide 180:155
- Tokai 197:295
- Total 161:11
- Trace 180:155
- Trace-Element 164:13, 169:483, 174:29
- Trace-Metal 166:383, 183:135
- Tracer 191:265
- Track 170:423
- Tricarbonated-Solution 175:263
- Trimethylselenonium-Ion 161:11
- Tritium 161:455, 197:295
- Uranium 164:131, 170:117, 175:263, 181:413, 185:157, 188:255
- Uranium-238 166:331, 174:223
- Urine 161:11
- USSR 185:157
- Value 154:413
- Water 170:117
- West-Malaysia 164:131
- X-Ray-Fluorescence-Analysis 176:415
- X-Ray-Irradiated 166:383
- Xenon-133 194:411
- Zirconium-Dioxide 180:155
- Concentration-Dependent 172:231**
- Concentration-Level**
 - Availability 182:75
 - Behavior 156:349
 - Biological 182:75
 - Coastal 156:349
 - Environment 181:141, 182:75
 - Indicator 182:75
 - Japanese 156:349
 - Marine-Environment 156:349
 - Morro-Do-Ferro 182:75
 - Nuclide 156:349
 - Plant 182:75
 - Progeny 181:141
 - Radon-220 181:141
 - Radon-222 181:141
- Rare-Earth-Element 182:75
- Thorium 182:75
- Transuranium 156:349
- Transuranium-Element 182:75
- Underground 181:141
- Uranium-Thorium 181:141
- Concern 171:365**
- Concrete**
 - Cesium-137 154:121
 - Chloride 174:199
 - Content 174:199
 - Environmental-Sample 193:127
 - Fast 193:119
 - Iron-55 193:119
 - LSC 193:119, 193:127
 - Migration-Process 154:121
 - Nickel-63 193:127
 - Nuclear-Method 174:199
 - Procedure 193:119, 193:127
 - Retardation-Factor 154:121
 - Sensitive 193:119, 193:127
 - Steel 193:119, 193:127
- Concretion 199:277**
- Condition**
 - 8-Hydroxyquinoline 201:65
 - Accident 161:121
 - Antibody 172:267
 - Behavior 161:121
 - Cesium-137 178:253
 - Chernobyl-Accident 178:253
 - Cobalt 170:381
 - Complex-Forming 201:65
 - Diffusion-Coefficient 170:381
 - Direct 170:381
 - IgG2A 172:267
 - Inorganic-Impurity 168:403
 - Instrumental-Activation-Analysis 169:429
 - Iodine 161:121
 - Iodine-125 187:277
 - Iodogen 187:277
 - Irradiation 168:403
 - Labeling 172:267, 187:277
 - Layer 170:381
 - Microelectronic-Application 168:403
 - Mouse 172:267
 - Neutron-Activation-Analysis 168:403
 - Nuclear-Reactor 161:121
 - Optimization 169:429
 - Plastics 168:403
 - Radiochemical 161:121
 - Relevant 161:121
 - Silica-Gel 170:381
 - Soil-to-Plant 178:253
 - Stability 172:267
 - Strontium 170:381
 - Synkavit 187:277
 - Technetium-99m 172:267, 201:65
 - Trace 168:403
 - Transfer 178:253
 - Yttrium-90 172:267
- Conditioning**
 - Behavior 177:311
 - Cement 166:373
 - Extraction 177:311
 - Formation 177:311
 - High-Level 177:311
 - Industrial-Waste 166:373
 - Liquid 177:311
 - Matrix 166:373

- Simulated 177:311
- Solid 177:311
- Transuranic-Element 177:311
- Waste 177:311
- Conference** 197:9
- Configuration** 162:15
- Conformity** 192:255
- Coniferous-Plant** 200:147
- Conodont** 186:425
- Consequence** 198:487
- Conservation** 154:133
- Constant**
 - Americium(III)-Humate 186:129
 - Binding 186:129
 - Dicarbolylcobaltate-Anion 198:359
 - Distribution 157:295, 165:137, 166:477
 - Europium(III)-Humate 186:129
 - Extraction 198:359
 - Individual 198:359
 - Ionic-Strength 186:129
 - Stability 157:295, 165:137, 166:477
 - Thallium(I)-Dialkyldithiophosphate 157:295
 - Thallium(I)-Dithiocarbamate 165:137
 - Thallium(I)-Xanthate 166:477
 - Water/Nitrobenzene-System 198:359
- Constant-Current** 176:205
- Constituent** 169:483
- Construct** 182:45
- Construction**
 - Contribution 182:445
 - Cyclotron 182:445
 - Element 176:315
 - Fluorine-18 182:445
 - Gamma-Spectroscopy 176:315
 - Material 176:315, 182:445
 - Metal-Surface 182:445
 - Natural-Radioactivity 176:315
 - Neon-20-(d.alpha.)-Fluorine-18 182:445
 - Neutron-Activation-Analysis 176:315
 - Production 182:445
 - Recovery 182:445
 - Target 182:445
 - Testing 182:445
 - Track-Registration-Technique 176:315
- Contact**
 - Ambient-Temperature 189:65
 - Aqueous-Solution 187:431
 - Clay 187:431
 - Cobalt-60²⁺ 187:431
 - Comparative 187:431
 - Contaminant 195:209
 - Contamination 189:65
 - Food 195:209
 - Kinetics 189:65
 - Material 195:209
 - Natural 187:431
 - Neutron-Activation-Analysis 195:209
 - Radioactive 189:65
 - Stainless-Steel 189:65
 - Structural-Stability 187:431
 - Zeolite 187:431
- Contact-Time** 159:201
- Container**
 - Adsorption 186:237
 - Cadmium-109 186:237
 - Irradiation 157:301
 - k_0 157:301
 - Liquid-Scintillation-Counting 186:237
 - Neutron-Activation-Analysis 157:301
 - Neutron-Flux 157:301
 - Parameter 157:301
 - Spiking 186:237
 - Variation 157:301
- Containment** 180:237
- Contaminant** 195:209
- Contaminated**
 - Actinide 194:107
 - Ascorbic-Acid 201:199
 - Carbon-Steel 185:251
 - Catchment 156:7
 - Cesium 156:7
 - Comparison 194:197, 201:199
 - Disodium-Citrate 185:251
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 194:107
 - Fractionation 156:7
 - Hydrochloric-Acid 185:251
 - Isotope 156:7
 - Lake 156:7
 - Macroscopic-Measurement 194:197
 - Mancini-Method 201:199
 - Microscopic-Measurement 194:197
 - Monitor 194:107
 - Mountain 156:7
 - Norwegian 156:7
 - On-line 194:107
 - Oxide-Layer 185:251
 - Plutonium 194:197
 - Radioimmunoanalysis 201:199
 - Radioprotection 201:199
 - Rat 201:199
 - Removal 185:251
 - Republic-of-the-Marshall-Islands 194:197
 - Run-Off 156:7
 - Snowmelt 156:7
 - Soil 194:197
 - Stream 194:107
 - Strontium-90 156:7
 - Tritiated-Water 201:199
 - Waste 194:107
 - Water 156:7
- Contamination**
 - Ambient-Temperature 189:65
 - Area 153:15
 - Bratislava-Czechoslovakia 153:15
 - Characterization 177:161
 - Chernobyl 194:253
 - Chernobyl-Accident 153:15
 - Clipper 158:251
 - Complex 197:253
 - Contact 189:65
 - Dietary 158:251
 - Environment 194:253
 - Estimation 197:115
 - Facility 197:115, 197:253
 - Fertilizer 200:9
 - Foliary 153:15
 - Former 177:161
 - Gamma-Monitoring-Technique 197:115
 - Human-Nail 158:251
 - Kinetics 189:65
 - Large-Scale 194:253
 - Learning 194:253
 - Maralinga 177:161
 - Monitoring 194:253
 - Nuclear-Weapon 177:161, 197:115
 - Phosphate 200:9
 - Plutonium 177:161, 197:115
 - Possible 197:253, 200:9
 - Problem 197:253
 - Processing 197:253
 - Production 200:9
 - Radioactive 189:65
 - Radium-226 200:9
 - Range 177:161
 - Representative-Sampling 197:253
 - South-Australia 177:161
 - Stainless-Steel 189:65
 - Testing 177:161
 - Waste 197:253
 - Water 200:9
- Content**
 - Adapted 198:179
 - Alpha-Emission 201:459
 - Aluminum 160:425
 - Ash 191:163
 - Barium 174:35
 - Baryte 174:35
 - Biological-Distribution 196:45
 - Blood 158:293
 - Bratislava-Tmava-Highway 175:33, 176:451
 - Building-Material 199:251
 - Calculational-Method 198:179
 - Change 158:293
 - Character 181:335
 - Chemical-Composition 191:163
 - Chernobyl-Accident 171:319, 201:459
 - Chloride 158:91, 174:199
 - Coal 191:163
 - Cobalt 158:455
 - Component 158:293
 - Concrete 174:199
 - Copper 175:33, 176:451
 - Disease 185:109
 - Distribution 179:377
 - Dual-Beam-Method 191:163
 - Ebrié 158:91
 - Element 185:109
 - Environmental 181:335
 - Environmental-Pollutant 176:405
 - Environmental-Sample 171:319
 - Equipment 174:35
 - Exhalation 199:251
 - Experimental-Condition 198:179
 - Fluoride 158:91
 - Fluorine 174:35
 - Fluorspar 174:35
 - Following 158:293
 - Food-Sample 201:459
 - Freeze-Dried 196:45
 - Gamma-Radiation 196:45
 - Geological-Sample 198:179
 - High-Purity 160:425
 - Human 158:293
 - Human-Hair 185:109
 - Indicator 181:335
 - Iron 158:455
 - Ivory-Coast 158:91
 - Kit 196:45
 - Lagoon 158:91
 - Lead 175:33, 176:451
 - Low-Dose 158:293
 - Mercury 158:455
 - Neutron-Activation-Analysis 158:293
 - Nickel 175:33, 176:451
 - Nuclear-Method 174:199
 - On-line 174:35
 - Ore 174:35
 - Potential 176:405
 - Potentiometry 158:91
 - Radiochemical-Neutron-Activation-Analysis 160:425, 179:377
 - Radiochemical-Purity 196:45
 - Radionuclide 171:319, 175:33, 176:451, 199:251, 201:459
 - Radon 199:251
 - Rare-Earth-Element 179:377
 - Relationship 185:109
 - Respiratory-System 185:109
 - Rice-Sample 179:377
 - Selenium 158:293, 158:455
 - Short-Term 158:293
 - Silicon 174:35
 - Soil 175:33
 - Stability 196:45
 - Strontium 176:451
 - Sub-ppb 160:425
 - Supplementation 158:293
 - Taiwan 181:335
 - Taraxacum-Officinale 176:451
 - Technetium-99m-Labelled 196:45
 - Technogenic-Product 176:405
 - Thorium 160:425, 198:179
 - Tin(II) 196:45
 - Trace 179:377
 - Tritium 181:335
 - Underground 158:91
 - Uranium 160:425, 176:405, 198:179
 - Variable 191:163
 - Water 158:91
 - Wheat-Sample 179:377
 - X-Ray-Fluorescence-Analysis 158:91, 175:33, 176:451
 - Yeast-Cell 158:455
 - Zinc 158:455, 175:33, 176:451
- Content-Level** 175:139
- Continuous**
 - Coating 164:71
 - Control 164:71
 - Extraction 166:75
 - Fuel-Element 164:71
 - Hermetic-Sealing 164:71
 - Nuclear-Reactor 164:71
 - Radiolytic-Product 166:75
 - Removal 166:75
 - Thermophysical 164:71
 - Tributyl-Phosphate 166:75
 - Verification 164:71
 - VVER-440 164:71
- Continuous-Method** 152:321
- Contribution**
 - Activity 182:237
 - Aerosol 167:295

- Antimony 170:225
- Arsenic 170:225
- Atmospheric 161:159
- Basket 196:89
- Behavior 196:107
- Chamber 196:107
- Characterization 167:295
- Chernobyl-Accident 165:185
- Class 199:57
- Construction 182:445
- Cyclotron 182:237, 182:445, 196:107, 198:247
- Deuteron-Induced-Reaction 198:247
- Dietary 196:89
- Disk-Shaped 199:57
- Distribution 182:237
- Dose 196:89
- Electrical-Field 196:107
- Expression 199:57
- Fluorine-18 182:237, 182:445, 198:247
- Food 196:89
- Gas 198:247
- Gas-Target 182:237
- Geochemical-Contamination 170:225
- High-Energy 155:225
- Hospital 161:159
- Hubbell 199:57
- Imported 196:89
- Incinerator 161:159
- Intake 196:89
- Internal 196:89
- Japanese 196:89
- Market 196:89
- Material 182:445
- Metal-Surface 182:445
- Molybdenum 170:225
- Neon-20-(d, alpha)-Fluorine-18 182:445, 196:107
- Neon-20-(d, alpha)-Fluorine-18-Reaction 182:237
- Neon-23 198:247
- Neutron-Activation-Analysis 170:225
- Originated 165:185
- Piggery 155:225
- Plutonium 165:185
- Post-treatment 155:225
- Production 182:445, 198:247
- Quantification 182:237
- Radiation 155:225
- Radiation-Field 199:57
- Radionuclide 196:107
- Recovery 182:445
- Sao-Paulo 167:295
- Selenium 170:225
- Short 199:57
- Slurry 155:225
- Sodium-21 198:247
- Soil 165:185
- Source 167:295, 199:57
- Target 182:445, 196:107
- Targetry 182:237, 198:247
- Testing 182:445
- Thorium-232 196:89
- Toxic-Metal 161:159
- Uranium-238 196:89
- Yield 198:247
- Control**
- Assembly 194:81
- Coating 164:71
- Continuous 164:71
- Disintegration-Process 154:365
- Emission 161:429
- Fuel-Element 164:71
- Hermetic-Sealing 164:71
- Immission 161:429
- Increasing 161:429
- Installation 161:429
- Instrumental-Neutron-Activation-Analysis 168:489
- Liquid-Scintillation-Counting 161:429
- Molybdenum 168:489
- Neutron-Activation 154:365
- Nuclear 161:429
- Nuclear-Reactor 164:71
- Ore 154:365
- Plutonium-241 161:429
- Radiological-Characterization 194:81
- Rod 194:81
- Sensitivity 161:429
- Spent 194:81
- Technology 168:489
- Thermophysical 164:71
- Tungsten 168:489
- Verification 164:71
- VVER-440 164:71
- Controlled**
- Analytical-Chemistry 193:347
- Anion-Exchange 172:281
- Aquatic-Environment 182:63
- Brachydanio-Rerio 182:63
- Carassius-Auratus 182:63
- Cesium-134 182:63
- Cesium-137 182:63
- Environmental-Sample 172:281
- Fish 182:63
- Fusion 193:347
- Goldfish 182:63
- Kinetics 182:63
- Plutonium 172:281
- Release 182:63
- Thermonuclear 193:347
- Uptake 182:63
- Valence 172:281
- Zebra 182:63
- Convention 152:435**
- Conventional**
- Analytical-Method 191:15
- Associated 182:127
- Characterization 191:15
- Exposure 182:127
- Extraction 166:413
- Filter 189:35
- Fluorometric-Determination 166:413
- Ground-Water 189:35
- Mining 182:127
- Organo-Plutonium-Complex 191:15
- Radium 189:35
- Removal 189:35
- Sand 189:35
- Spectrophotometry 166:413
- Station 189:35
- Thorium 182:127
- Treatment 189:35
- Uranium 166:413, 182:127
- Utility 191:15
- Conversion**
- Age-Momentum-Correlation 190:481
- Assay 170:17, 201:165
- Cake 170:17
- Catalytic-Activity 177:211, 178:3
- Coating 152:321
- Continuous-Method 152:321
- Crude 170:17, 201:165
- Degradation 190:289
- Diameter 169:209
- Diuranate 170:17
- Efficiency 169:209
- Electrochemical-Deposition 190:327
- Electron 186:447, 190:289, 190:327
- Extension 169:209
- EXTSANGLE 169:209
- Fe-Ni-Cr-Alloy 190:327
- Formation 152:321
- Gamma-Alumina 177:211, 178:3
- Gamma-Irradiation 177:211, 178:3
- Gamma-Ray-Spectrometry 170:17, 201:165
- Germanium-Detector 169:209
- Grade 201:165
- Input 201:165
- Iron 190:289
- Isopropanol 178:3
- Kinetic-Study 152:321
- Larger 169:209
- Layer 190:289
- Magnesium-Fluoride 170:17
- Material 201:165
- Methanol 177:211
- Mössbauer-Spectroscopy 186:447, 190:289, 190:327
- Natural 170:17, 201:165
- Nuclear 201:165
- Ordering 190:327
- Paramagnetic-Solution 190:481
- Passive 190:289
- Plant 170:17, 201:165
- Polishing 186:447
- Positronium 190:481
- Program 169:209
- Selectivity 177:211, 178:3
- Short-Range 190:327
- Slag 170:17
- SLOLANG 169:209
- Source 169:209
- Spin 190:481
- Stainless-Steel-Sample 186:447
- Uranium 170:17
- Uranium-Metal 201:165
- Uranium-Tetrafluoride 201:165
- XPS 186:447
- Conversion-Electron-Mössbauer-Spectroscopy 153:375**
- Converter 179:13**
- Coolant**
- Actinide 170:399
- Cesium 152:47
- Chromatography 194:51
- Complementary 152:47
- Concentration 152:47
- Defective 152:47
- Emission 194:51
- Estimation 162:399
- Fuel-Rod 152:47
- Ion 194:51
- Localizing 152:47
- Non-gamma 194:51
- On-line 194:51
- Operation 152:47
- Pressurized-Water-Reactor 152:47
- Primary 170:399
- Radioiodine 162:399
- Radionuclide 194:51
- Ratio 152:47
- Reactor 162:399
- Scintillation-Counting 194:51
- Speciation 162:399
- Water 162:399
- WWER-440-Type-Reactor 170:399
- Coordination-Compound 165:337**
- Copolymer 190:463**
- Copper**
- Age-Related 179:331
- Alpha-Induced-Reaction 152:189
- Amount 201:13
- Antimony 168:185, 181:385
- Archaeological 168:307
- Arsenic 168:185, 179:331, 181:385
- Ascite 195:155
- Barium 187:215
- Biological-Reference-Material 168:185
- Biological-Sample 201:13
- Brass 168:307
- Brass-Sample 196:255
- Bratislava-Trnava-Highway 175:33, 176:451
- Brazilian 181:385
- Brick 186:57
- Brine 182:281
- Cadmium 168:185, 179:331, 181:385
- Cesium 159:335, 185:57
- Characterization 159:335
- Chemical-Analysis 168:307, 196:255
- Chemical-Separation 182:295, 201:13
- Children 155:383
- Christian-Island 196:255
- Chromium 181:385
- City 187:243
- CNS 179:331
- Cobalt 198:317
- Concentration 181:385
- Content 175:33, 176:451
- Corrosion 182:281
- Cycle 185:57
- Desferrioxamine-B 198:317
- Diet 181:385
- Diffusion 153:37
- Distribution 195:155
- Enzymatic-Activity 159:9
- Factory 186:57
- Film 187:215
- Final 186:57
- Geological 182:295
- Georgian-Bay 196:255
- Hair 155:383
- Hexacyanoferrate 185:57
- Hexacyanoferrate(II) 159:335
- Indigenous-Medicine 188:127
- Indium 182:295
- Insoluble 185:57

- Instrumental-Neutron-Activation-Analysis 191:145
- Iodide--Anion 153:37
- Ion-Exchanger 159:335, 185:57
- Iron 186:57
- Kinetic 195:155
- Large-Scale 187:243
- Lead 175:33, 176:451, 186:57
- Living 155:383
- Loss 159:9
- Manganese 186:57
- Material 186:57
- Matter 186:57
- MCC 182:281
- Mercury 168:185, 181:385
- Meteoritic-Sample 182:295
- Mine 155:383, 187:243
- Molybdenum 168:185, 179:331
- Mouse 195:155
- Myanmar 188:127
- Native 159:9, 191:145
- Near-Surface 153:37
- Neurodegenerative-Disease 179:331
- Neutron-Activation-Analysis 182:295, 188:127, 201:13
- Nickel 159:335, 175:33, 176:451, 198:317
- Northeastern-Ontario 168:307
- Northern-Chile 187:243
- Ontario 196:255
- Particle 187:243
- Particulate 186:57
- Period 195:155
- Potassium 159:335
- Pre-equilibrium-Effect 152:189
- Preparation 159:335
- Prior 201:13
- Radioactive-Waste 198:317
- Radiochemical-Neutron-Activation-Analysis 168:185, 179:331, 181:385
- Radionuclide 175:33, 176:451, 186:57
- Rapid 182:295
- Raw 186:57
- Reaction 182:281
- Redox-Type 185:57
- Region 153:37
- Regional 181:385
- Replacement 159:9
- Selenium 168:185, 181:385, 195:155, 201:13
- Separation 185:57
- Simulated 182:281
- Soil 175:33
- Sorption-Desorption-Regeneration 185:57
- Steel 198:317
- Strontium 176:451
- Superconductor 187:215
- Superoxide-Dismutase 159:9
- Suspended 187:243
- Taraxacum-Officinale 176:451
- Tissue 179:331
- Titanium 182:281
- Trace 182:295, 201:13
- Trace-Element 155:383, 187:243
- Tumor-Bearing 195:155
- Vicinity 155:383
- Volume 153:37
- Worker 155:383
- X-Ray-Fluorescence-Analysis 175:33, 176:451, 186:57, 187:215
- Yttrium 187:215
- Zinc 175:33, 176:451, 182:295, 186:57, 195:155
- Copper(I)** 174:3
- Copper(II)-2-Methyl-5-Nitro-1H-Imidazol-1-Ethanol-Complex** 191:337
- Copper(II)-Complex** 162:253
- Copper(II)-Ion**
 - 5,5-Dimethylpyrroline-N-Oxide 172:201
 - Absorption 188:133
 - Adduct 172:201
 - Behavior 188:133
 - Cytosine 188:133
 - Fluorescence 188:133
 - Formed 172:201
 - Hydroxyl-Radical 172:201
 - Hydroxylalkyl-Radical 172:201
 - Irradiated 188:133
 - Neutral 188:133
 - pH 188:133
 - Reaction 172:201
 - Spin 172:201
 - Stability 172:201
- Copper(II)-Oxime** 162:253
- Copper-64** 159:9
- Copper-67** 195:263
- Copper-Containing** 183:205
- Copper-Mill** 181:425
- Copper-Molybdenum** 168:503
- Copper-Nickel** 170:321
- Copper-Target** 189:191
- Copper²⁺** 198:191
- Copper²⁺-Ion** 181:201
- Coprecipitation**
 - 1-(2-Thiazolylazo)-2-Naphthol 168:439
 - Americium(III) 153:267
 - Ammonium-Diuranate 178:41
 - Bismuth(III) 179:267
 - Bismuth-Phosphate 153:267
 - Calcium-Phosphate 198:303
 - Extraction 178:41
 - Hydrofluoric-Acid-Solution 178:41
 - Metal-Ion 153:267
 - Morphological-Change 198:303
 - N-Nitroso-Phenylhydroxylamine 168:439
 - Neutron-Activation-Analysis 168:439, 179:267
 - Plutonium(IV) 153:267
 - Preconcentration 168:439, 179:267
 - Primary-Amine 178:41
 - Pyrrolidinedithiocarbamate 168:439, 179:267
 - Seawater 168:439
 - Strontium 198:303
 - Surface 179:267
 - Technetium(VII) 178:41
 - Trace-Element 168:439, 179:267
 - Water 179:267
- Coral**
 - Actinide 156:243
 - Diffusion 169:339
 - Element 169:339
 - Implanted 169:339, 174:93
 - In-Vivo 169:339
 - Kinetics 169:339
 - Large-Sample 156:243
 - Long-Lived-Radionuclide 156:243
 - Mineralization 174:93
 - Neutron-Activation 169:339
 - Radioactive-Tracer 174:93
- Corn**
 - Brazilian 164:265
 - Distribution 164:265
 - Inorganic-Element 164:265
 - Neutron-Activation-Analysis 164:265
 - Protein 177:253
 - Single 177:253
 - Variety 164:265
- Corn-Sample** 151:287
- Cornell**
 - Archaeometry 196:235
 - Microelectronic-Material-Research 192:65
 - Neutron-Activation 192:65
 - TRIGA-Reactor 192:65, 196:235
- Correct** 167:209
- Correcting**
 - Activation-Analysis 169:409
 - Analytical-Procedure 169:409
 - Calibration 193:71
 - Coincidence 193:71
 - Detector 193:71
 - Efficiency 193:71
 - Germanium 193:71
 - Observation 169:409
 - Optimization 169:409
 - Summing 193:71
 - Time 169:409
- Correction**
 - Absolute 169:397
 - Backscatter-Radiation-Method 176:415
 - Broadening 172:29
 - Bromine-79-(n,gamma)-Bromine-80-Reaction 183:313
 - Calculation 155:75, 183:313
 - Coefficient 169:397
 - Coincidence 191:105
 - Combining 176:415
 - Computation 169:397
 - Concentration 176:415, 183:313
 - Counting 160:253, 179:55
 - Dead-Time 155:403
 - Dryak-Method 155:75
 - Equation 176:415
 - Estimation 152:347
 - Evaluation 172:29
 - Filter 179:55
 - Gamma-Gamma-Coincidence 160:253
 - Gamma-KX-Coincidence 160:253
 - Gamma-LX-Coincidence 160:253
 - Importance 172:29
 - Improvement 155:231
 - k_0 -Standardization 160:253
 - LEPD 160:253
 - Line 172:29
 - Loss 179:55
 - Matrix-Effect 155:231
 - Meter 155:403
 - Neutron-Activation-Analysis 160:253, 172:29, 183:313
 - Optimum 155:231
 - Peak 172:29
 - Pile-Up 155:403
 - Preloaded 179:55
 - Processor 179:55
 - Pulse 179:55
 - Radioactivity 169:397
 - Rapid-Method 152:347
 - Relation 155:231
 - Self-Absorption 155:75
 - Semiempirical-Model 176:415
 - Shift 172:29
 - Source 169:397
 - Spectrum 172:29
 - Summing 191:105
 - Voluminous 169:397
 - Water-Sample 152:347
 - X-Ray-Fluorescence-Analysis 152:347, 155:231, 176:415
 - Yield 152:347
- Correction-Method** 193:239
- Correlation**
 - Age 195:51
 - Artificial-Radionuclide 177:101
 - Carpenter 195:31
 - Characterization 193:377
 - Climatological 177:101
 - Cold-Fusion 155:377
 - Disposal 193:377
 - Exposure 161:39
 - Geographic-Parameter 177:101
 - Human-Fingernail 195:51
 - Important 193:377
 - INNA 161:39
 - Interelement 161:39
 - Inventory 193:377
 - Key 193:377
 - Mercuric-Chloride 161:39
 - Natural-Radionuclide 177:101
 - Parameter 155:377
 - Particle 199:353
 - Pedological 177:101
 - Radionuclide 193:377
 - Rat 161:39
 - Safety 193:377
 - Sex 195:51
 - Soil 177:101
 - Spontaneous-Fission 199:353
 - Storage 193:377
 - Stream 193:377
 - Ternary 199:353
 - Toenail 195:31
 - Trace-Element 195:31, 195:51
 - Typical 193:377
 - Waste 193:377
 - Yield 199:353
- Corrosion**
 - Actinide 194:95
 - Activation 198:161
 - Brine 182:281
 - Characterization 175:339
 - Coating 175:339
 - Cocktail 185:45
 - Copper 182:281
 - Deionized 175:467
 - Exposure 165:107
 - High-Ionic-Strength 194:95
 - Immersion 175:467
 - Low-Level-Waste 198:161

- MCC 182:281
- Mild-Steel 175:467
- Mössbauer-Spectroscopy 165:107, 175:467
- Power-Reactor 198:161
- Product 185:45, 198:161
- Prolonged 175:467
- Protective 175:339
- Radionuclide 185:45
- Radiotracer-Method 175:339
- Reaction 182:281
- Scaling-Factor 198:161
- Sea-Water 165:107
- Simulated 182:281
- Sorption 175:339, 194:95
- Speciation 194:95
- SS-304 165:107
- Titanium 182:281
- Water 175:467
- Cosmic-Ray** 169:13
- Cosmochemical-Samples** 168:47
- Costa-Rica** 170:411
- Costa-Rica (Guayabo-)** 154:173
- Costal** 161:455
- Cotton** 175:17
- Coulometry**
 - Acidity 176:205
 - Constant-Current 176:205
 - Free 176:205
 - Narrow 187:265
 - Neptunium 187:265
 - Span 187:265
 - Uranium 176:205
- Coumarin**
 - Aqueous 175:191, 200:521
 - Dosimeter 175:191, 200:521
 - Light 200:521
 - Post-irradiation 175:191
 - Response 175:191, 200:521
 - Stability 175:191
 - Temperature 200:521
- Count-Rate** 170:27
- Counter**
 - Absorbent 173:323
 - Activity 197:57
 - Alpha-Particle 197:57
 - Carbon-14 173:323
 - Carbon-Dioxide 173:323
 - Combination 173:323
 - Environmental-Material 173:323
 - Large-Volume 173:323
 - Liquid-Scintillation 173:323
 - Low-Background 173:323
 - Portable 197:57
 - Public-Acceptance 197:57
- Counter-Ion** 201:281
- Counting**
 - Aerosol 192:195
 - Air 180:171
 - Atmospheric 180:171
 - Coal 169:219
 - Compensation 198:253
 - Compton 192:195
 - Correction 160:253, 179:55
 - Decay 198:253
 - Detection 192:195
 - Environmental-Sample 169:219
 - Epithermal-Irradiation-Technique 192:195
 - Filter 179:55, 180:171, 192:195
 - Gamma-Gamma-Coincidence 160:253
 - Gamma-KX-Coincidence 160:253
 - Gamma-LX-Coincidence 160:253
 - Geometry 198:253
 - k_0 169:219
 - k_0 -Standardization 160:253
 - LEPD 160:253, 169:219
 - Limit 192:195
 - Loss 179:55
 - Neutron-Activation-Analysis 160:253, 169:219, 198:253
 - Power-Station 169:219
 - Preloaded 179:55
 - Processor 179:55
 - Pulse 179:55
 - Radioactive 198:253
 - REE 169:219
 - Short-Lived-Nuclide 198:253
 - Suppression 192:195
 - Trace-Element 192:195
 - Variation 198:253
- Counting-Loss** 193:239
- Counting-Technique** 194:337
- Couple** 164:153
- Coupled**
 - Geological-Material 168:133
 - High-Concentration 185:387
 - Ion-Transport 189:207
 - k_0 -Standardization 168:133
 - Liquid-Membrane 185:387, 189:207
 - Neutron-Activation-Analysis 168:133
 - Nitrate 189:207
 - Short-Lived-Isotope 168:133
 - Spectrometry 168:133
 - Transport 185:387
 - Tributyl-Phosphate/Kerosene-Oil-Supported 185:387, 189:207
 - Uranium(VI)-Ion 185:387
 - Uranyl-Ion 189:207
- Coupled-Standard-Addition-Method** 152:55
- Covalency** 176:371
- Co₃O₄** 185:231
- CO₃[Co(CN)₆]₂·12H₂O** 173:171
- Crassostrea-Gigas**
 - Bay 161:135
 - Behavior 197:343
 - Cesium-137 197:343
 - Coast 197:343
 - Concentration 197:343
 - Cultured 161:135
 - Distribution 197:343
 - Geographical 161:135
 - Japanese 197:343
 - Lead-210 197:343
 - Northern-Chile 161:135
 - Oyster 197:343
 - Pacific-Oyster 161:135
 - Radionuclide 197:343
 - Relation 197:343
 - Sea-Water 197:343
 - Seasonal-Variability 161:135
 - Silver-108m 158:31, 197:343
 - Silver-110m 158:31
 - Trace-Element 161:135
- Cretaceous-Tertiary** 151:201
- Criminal** 160:21
- Criteria** 193:329
- Criterion** 195:139
- Critical-Review** 197:41
- Croatia** 176:91
- Crocker-Nuclear-Laboratory** 171:119
- Crop** 194:379
- Cross-Section**
 - (n,gamma)-Reaction 183:293
 - 14.7-MeV 166:493
 - 4-MeV 176:285
 - Arsenic-75 189:51
 - Behavior 183:293
 - Cesium-134 189:51
 - Energetic 160:387
 - Formation 170:367
 - Gamma-Ray-Spectroscopy 160:387
 - Hogdahl-Convention 183:293
 - Inelastic-Scattering 160:387
 - Integral 176:285, 189:51
 - Iron-59-(n,gamma)-Iron-60-Reaction 170:367
 - Iron-60 170:367
 - Isomer-Ratio 172:155
 - Isotope 166:493
 - Modified-Westcott-Formalism 183:293
 - Neutron 160:387, 166:493, 170:367
 - Planetary 160:387
 - Production 160:387
 - Pure 183:293
 - Reactor 170:367
 - Relation 183:293
 - Resonance 189:51
 - Rhenium-184(mu,gamma) 172:155
 - Selenium-74 189:51
 - Tantalum-181(alpha,n)-Reaction 172:155
 - Technetium-99-(gamma,gamma')-Technetium-99m-Reaction 176:285
 - Thermal-Neutron 189:51
 - Uranium-238 189:51
 - W(alpha,pxn)-Reaction 172:155
 - Zirconium-94 189:51
- Crown-Ether**
 - 2-Thenoyltrifluoroacetone 160:435
 - Acidic-Solution 183:127
 - Americium(III) 160:435
 - Calcium 183:127
 - Calcium-Strontium-Separation 194:311
 - Carrier-Free 189:307
 - Chelating-Resin 159:239
 - Dinonylnaphthalenesulfonic-Acid 176:457
 - Europium(III) 176:457
 - Extraction 176:457, 185:411
 - Liquid 159:239
 - Milk 159:239
 - Neutron-Activation-Analysis 189:127, 199:151
 - Nitric-Acid-Solution 185:411
 - Precipitation 183:127
 - Radiochemical-Separation 199:151
 - Radiostromium 162:307
 - Rapid-Method 159:239
- Rhenium 199:151
- Rock 199:151
- Rock-Sample 189:127
- Rubidium 189:127
- Sediment 194:311
- Selected 185:411
- Separation 159:239, 183:127, 189:127
- Soil 194:311
- Soil-Sample 162:307
- Solvent-Extraction 189:127, 189:307
- Strontium 159:239, 183:127, 185:411
- Strontium-89/Strontium-90-Determination 194:311
- Strontium-90 189:307
- Synergistic-Effect 176:457
- Synergistic-Extraction 160:435
- Treatment 159:239
- Trioctylphosphine-Oxide 176:457
- Tungstosilicic-Acid 183:127
- Yttrium-90 189:307
- CrSiO** 175:389
- Crucible** 159:83
- Crude**
 - Assay 170:17, 201:165
 - Cake 170:17
 - Conversion 170:17, 201:165
 - Diuranate 170:17
 - Gamma-Ray-Spectrometry 170:17, 201:165
 - Grade 201:165
 - Input 201:165
 - Magnesium-Fluoride 170:17
 - Major-Element 198:17
 - Material 201:165
 - Natural 170:17, 201:165
 - Neutron-Activation-Analysis 168:145, 198:17
 - Nigerian 168:145
 - Nuclear 201:165
 - Oil 168:145
 - Petroleum 198:17
 - Plant 170:17, 201:165
 - Slag 170:17
 - Trace-Element 198:17
 - Uranium 170:17
 - Uranium-Metal 201:165
 - Uranium-Tetrafluoride 201:165
- Crude-Oil** 151:177
- Cryotrapping** 179:211
- Cryptand-222** 201:281
- Cryptomelane-Type** 172:145
- Crystal** 199:333
- Crystal-Growth** 176:1
- Crystal-Structure** 190:257
- Crystalline**
 - Acid 198:375
 - Antimonic-Acid 201:89
 - Cadmium-115-Indium-115m-Generator 201:89
 - Cadmium²⁺ 201:89
 - Characterization 198:375
 - Indium³⁺ 201:89
 - Ion-Exchange-Behavior 198:375
 - Polymer 153:345
 - Preparation 198:375
 - Radon 153:345
 - Separation 201:89
 - Stability 198:375
 - State 153:345

- Uranyl-Ion 198:375
- Zirconium-Phosphate 198:375
- Crystalline-Structure**
 - Artificial-Neural-Network 190:439
 - Gamma-Zirconium-Phosphate 196:319
 - Identification 190:439
 - Mössbauer-Parameter 190:439
- Crystallinity** 164:229
- Crystallization**
 - Amorphous 187:33
 - Comparative-Study 200:443
 - Ferric-Compound 200:443
 - Ferrous-Compound 200:443
 - Fe₈₃P₁₇-Alloy 187:33
 - Fourier-Transform-Infrared-Spectroscopy 190:381
 - Glass 190:381
 - High-Spin 200:443
 - Highly-Functional 190:381
 - Implication 200:443
 - Kinetics 187:33
 - Low-Spin 200:443
 - Mössbauer-Spectroscopy 190:381
 - Mössbauer-Spectrum 200:443
 - Role 200:443
 - Tungstate 190:381
 - Vanadate 190:381
 - Water 200:443
 - XRD 190:381
- CSFR**
 - Actinium-228 175:37
 - Adsorption 166:41
 - Cobalt 166:41
 - Fly-Ash 175:37
 - Natural 166:41
 - Occurring 166:41
 - Potassium-40 175:37
 - Radiometry 175:37
 - Radium-226 175:37
 - Zeolite 166:41
- Cs_xFeO_{2+0.5x}** 188:99
- Cultured** 161:135
- Cumulative**
 - Californium-252 170:99, 189:165
 - Distribution 189:165
 - Fractional 189:165
 - Nuclear-Charge 189:165
 - Spontaneous-Fission 170:99, 189:165
 - Tellurium-133g 189:165
 - Tellurium-133m 189:165
 - Tin-127g 170:99
 - Tin-128 170:99
 - Yield 170:99, 189:165
- Cupric-Ferrocyanide**
 - Additive 173:37
 - Anion-Exchange-Resin 201:509
 - Cesium 173:37, 201:509
 - Composite 201:509
 - Cycle 201:509
 - Impregnated 201:509
 - Ion-Exchanger 201:509
 - Macroporous 201:509
 - Nitric-Acid-Medium 173:37
 - Potassium 173:37
 - Redox-Type 201:509
 - Separation 201:509
 - Sorption 173:37
- Sorption-Desorption-Regeneration 201:509
- Strong 173:37
- Strongly-Basic-Type 201:509
- Cuprous-Ion** 186:333
- Curing-Time** 200:25
- Curium**
 - Americium 194:191, 200:31
 - Aqueous-Solution 156:291
 - Cerium 200:31
 - Chromatography 194:191
 - Coefficient 156:291
 - Europium 200:31
 - Extraction 194:191
 - Gadolinium 156:291
 - Hanford 194:191
 - Isotope 194:191
 - Low-Level-Waste 200:31
 - Plating 194:191
 - Plutonium 194:191, 200:31
 - Power-Reactor 200:31
 - Precipitation 194:191
 - Quantitative-Analysis 194:191
 - Radioisotope 200:31
 - Rapid 194:191
 - Sample 194:191
 - Self-Diffusion 156:291
 - Structure 156:291
 - Transplutonium 156:291
 - Trivalent-Ion 156:291
- Current** 171:33
- Curriculum** 171:159
- Curve** 186:361
- Cyanex-301/Alamine-308-Mixture** 181:3
- Cycle**
 - Acid 187:159
 - Anion-Exchange-Resin 201:509
 - Cesium 185:57, 201:509
 - Composite 201:509
 - Copper 185:57
 - Cupric-Ferrocyanide 201:509
 - Distribution 187:159
 - Hexacyanoferrate 185:57
 - Impregnated 201:509
 - Insoluble 185:57
 - Ion-Exchanger 185:57, 201:509
 - Macroporous 201:509
 - Neptunium 187:159
 - Purex 187:159
 - Redox-Type 185:57, 201:509
 - Separation 185:57, 201:509
 - Sorption-Desorption-Regeneration 185:57, 201:509
 - Strongly-Basic-Type 201:509
- Cyclic**
 - Computer-Based-System 167:89
 - Diet 161:71
 - Fast-Neutron-Activation-Analysis 167:89, 185:35
 - Fluoride 179:27
 - Fluorine 161:71
 - Human-Nail 179:27
 - Instrumental-Neutron-Activation-Analysis 161:71, 179:27
 - Multielement 185:35
 - Particle-Induced-Gamma-Ray-Emission 161:71
 - Potential 185:35
- Sample 161:71
- Cyclic-3',5'-Adenosine-Monophosphate** 155:145
- Cyclic-C₇** 170:107
- Cycloalkane** 164:29
- Cycloalkyl-Radical** 201:39
- Cyclohexane**
 - Alpha-Propionic-Acid 166:143
 - D2EHPA 162:267
 - Extraction 162:267
 - Kinetic-Characteristics 166:143
 - Macroconcentration 162:267
 - Methyl-Ester 166:143
 - Microconcentration 162:267
 - Mixture 162:267
 - n-Hexane 162:267
 - Radical 166:143
 - Rare-Earth-Ion 162:267
 - Spectral 166:143
 - Tributyl-Phosphate 162:267
 - Water 166:143
- Cyclopentane** 165:385
- Cyclotron**
 - Activity 182:237
 - Behavior 196:107
 - Chamber 196:107
 - Construction 182:445
 - Contribution 182:237, 182:445, 196:107, 198:247
 - Deuteron-Induced-Reaction 198:247
 - Distribution 182:237
 - Electrical-Field 196:107
 - Fluorine-18 182:237, 182:445, 198:247, 200:227
 - Gas 198:247
 - Gas-Target 182:237
 - Iodine-123 175:75
 - IPEN-CNEN-SP 175:75, 200:227
 - Material 182:445
 - Metal-Surface 182:445
 - Natural-Water 200:227
 - Neon-20-(d, alpha)-Fluorine-18 182:445, 196:107
 - Neon-20-(d, alpha)-Fluorine-18-Reaction 182:237
 - Neon-23 198:247
 - Production 175:75, 182:445, 198:247, 200:227
 - Quantification 182:237
 - Radionuclide 196:107
 - Recovery 182:445
 - Sodium-21 198:247
 - Target 182:445, 196:107, 200:227
 - Targetry 182:237, 198:247
 - Testing 182:445
 - Yield 198:247
- Cyclotron-Accelerated** 155:25
- Cyclotron-Produced** 168:477
- Cysteine** 159:129
- Cystic-Fibrosis** 181:33
- Cytolytic-Protein** 163:169
- Cytosine** 188:133
- Czechoslovakia (Bratislava-»** 153:15
- Czechoslovakia (Smolence-»** 163:9
- C₈** 170:373
- D2EHPA** 162:267
- D2EHPA-Tributyl-Phosphate-Kerosene-Oil-Supported** 185:369
- Daily-Intake**
 - Biological-Sample 162:163
 - Diet 162:163, 162:363, 185:183
 - Estimation 162:163
 - Japanese 185:183
 - Pratas-Islander 162:363
 - Sample 185:183
 - Simultaneous 162:163
 - South-China-Sea 162:363
 - Thorium-232 162:163
 - Total 185:183
 - Uranium 185:183
 - Uranium-238 162:163
- Dalat-Reactor** 165:351
- Damage** 176:345
- Danube** 186:281
- Danube-Delta-Area** 165:305
- Data**
 - Actinide 156:425, 194:141
 - Analytical-Program 180:75
 - Ancient 168:273
 - Animal 156:425
 - ASPRO-NUC 193:195
 - Automated 180:75
 - Background 192:331
 - Bioassay 156:425, 177:121
 - Characterization 192:331
 - CLP-Type 192:339
 - Comparison 168:115
 - Composition 168:115
 - Deduced 165:9
 - Dosimetry 156:425
 - Elemental-Concentration 179:165
 - Environmental-Measurement 194:141
 - Etruscan 168:273
 - Exposure 156:425
 - Gabbro 168:115
 - Gamma-Ray-Spectrometry 193:195
 - Gamma-Ray-Spectrum 198:55
 - Geochemical-Exploration 179:165
 - GOG-1 168:115
 - GSJ 158:115
 - Guideline 192:339
 - Handling 180:75
 - Human 156:425
 - Hydrate 165:9
 - Identification 193:195
 - Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 168:115
 - Instrumental-Neutron-Activation-Analysis 158:115, 198:55
 - Integrating 180:75
 - Interpret 156:425
 - Interpretation 177:121
 - Isotope 193:195
 - Library 198:55
 - Management 193:195
 - Marble 168:273
 - Microcomputer 169:453
 - Model 156:425
 - Monument 168:273
 - Neutron-Activation-Analysis 168:115, 168:273, 169:453, 192:331, 192:339, 193:195

- Number 165:9
- PC-Based-System 198:55
- Pottery 168:273
- Processing 169:453
- Program 169:453, 198:55
- Project 192:331
- Provenance 168:273
- Quality-Control 194:141
- Radiochemical-Procedure 194:141
- Reduction 168:273, 198:55
- REE 168:115
- Reference 158:115
- Reference-Material 179:165
- Reference-Sample 168:115
- Rock 158:115
- Routine 193:195
- Sardinian 168:273
- Scandium-Sulfate 165:9
- Software 193:195
- Soil 192:331
- Solubility 165:9
- SPECTRA 198:55
- Spreadsheet 180:75
- Surface-Ionization-Mass-Spectrometry 168:115
- Thorium 177:121
- Updating 168:115
- USGS 179:165
- Validation 192:331, 192:339
- Word-Processor 180:75
- Data-Acquisition-System** 193:89
- Data-Analysis**
 - Automated 180:55
 - NADA 160:277
 - NADA92 180:55
 - Neutron-Activation 160:277, 180:55
 - PC 160:277
 - Program 160:277
 - User-Friendly-Program 180:55
 - Versatile 160:277
- Date**
 - 14-MeV 169:283
 - Chicken 169:283
 - Children 155:325
 - Dung 169:283
 - Hair-Sample 155:325
 - Instrumental-Neutron-Activation-Analysis 155:325
 - Neutron-Activation-Analysis 169:283
 - Sampling 155:325
 - Trace-Element 155:325
- Dated** 169:65
- Dating**
 - Abundance 158:437, 173:229
 - Accelerator-Mass-Spectrometry 160:119
 - Achondrite 157:217
 - Activation-Analysis 192:97
 - Age 159:281
 - Aliquot 188:189
 - Archaeological-Sample 154:173
 - Argon 192:97
 - Carbon 176:339
 - Carbonaceous-Chondrite 173:219, 173:229
 - Ceramics 188:189
 - Characterization 201:481
 - Chondrite 152:409
 - Complicating 158:239
 - Factor 158:239
 - Fission 173:219
 - Fission-Track 201:481
 - Fossil 158:239
 - Green 188:189
 - Groznaya 152:99
 - Guayabo-Costa-Rica 154:173
 - Hipparion 158:239
 - Initial 158:437, 173:229
 - Initial-Ratio 152:99, 152:409, 157:217
 - Iodine-129 173:229
 - Irradiation 201:481
 - Isotope-Exchange 176:339
 - Lena-Triga-Mark-II-Reactor 201:481
 - Light-Emitting-Diode 188:189
 - Luminescence 188:189
 - Lunar 159:281
 - Lunar-Sample 158:437
 - Meteorite 152:99
 - Mineral-Sample 192:97
 - Mokoia 152:99
 - Neutron-Activation-Analysis 154:173
 - Optical 188:189
 - Ordinary 152:409
 - Plutonium-244 152:99, 152:409, 157:217, 158:437, 159:281, 173:219, 173:229
 - Position 201:481
 - Prior 154:173
 - Quartz 188:189
 - Radiocarbon 176:339
 - Radionuclide 160:119
 - Renazzo 152:99
 - Revisited 188:189
 - Rock 159:281
 - Rubidium 154:173
 - Single 188:189
 - Stimulated 188:189
 - Teeth 158:239
 - Thermoluminescence 188:189
 - Thermoluminescent 154:173
 - Thorium 154:173
 - Trace-Element-Analysis 160:119
 - Uranium 152:99, 152:409, 154:173, 157:217
 - Uranium-235 158:437
 - Uranium-Microdistribution 158:239
 - Variation 158:239
 - Xenon 173:219
- Dating-Nuclide** 173:283
- Daughter**
 - Air 154:5
 - Alpha-Beta-Discrimination 181:97
 - Automated-System 182:133
 - Chromium-39 182:133
 - Concentration 161:351
 - Emission 153:137
 - Equilibrium 153:137
 - Gamma-Ray 153:137
 - Intensity 153:137
 - Liquid-Scintillation-Counting 181:97
 - Meteorological-Condition 161:351
 - Monitoring 182:133
 - Montreal 161:351
 - Outdoor 161:351
 - Product 153:137
 - Radium-226 153:137
 - Radon 161:351, 182:133
 - Track 182:133
 - Uranium 181:97
- Dead-Time** 155:403
- Debreccen**
 - Airborne 186:23
 - Atmospheric 188:199
 - Concentration 186:23
 - Deposition 188:199
 - Lead 186:23
 - Major-Element 188:199
 - Particle 186:23
 - Seasonal-Variation 186:23
 - Site 186:23
 - Trace 188:199
- Decanoic-Acid** 174:13
- Decarbonylation**
 - Abundance-Level 159:305
 - Carbon-13 159:305, 174:243, 183:301, 191:369, 198:3
 - Carbon-14 162:25
 - Formic-Acid 183:301, 198:3
 - Initiated 198:3
 - Isotopic-Composition 174:243, 183:301, 198:3
 - Kinetic-Isotope-Effect 159:305, 162:25, 174:243, 183:301, 191:369, 198:3
 - Lactic-Acid 159:305, 174:243
 - Lactic-Acid(1-C-14) 162:25
 - Liquid 198:3
 - Natural 159:305, 174:243, 183:301, 198:3
 - Oxalic-Acid 191:369
 - Phosphoric-Acid-Medium 174:243, 183:301
 - Phosphorus-Pentoxide 198:3
- Decay**
 - Accompanying 196:161
 - Change 166:131
 - Chemical-Effect 159:363
 - Chromium-51-Labeled-Compound 196:161
 - Compensation 198:253
 - Concentration 154:413
 - Counting 198:253
 - Dysprosium-160 154:413
 - EC 196:161
 - Energy 196:161
 - Europium-152 166:131
 - Experimental-Investigation 153:245
 - Following 186:471
 - Function 154:413
 - Gadolinium-153 189:3
 - Gamma-Ray 166:393
 - Gelatin 154:413
 - Geometry 198:253
 - Hexanethiol 159:363
 - Incorporated 159:363
 - Intensity 166:393
 - k-beta/k-alpha-Intensity-Ratio 186:471
 - K-Capture 166:131
 - Labeling 164:221
 - Luminescence 175:81
 - Molecule 159:363
 - Neutron-Activation-Analysis 198:253
 - Paramagnetic-Center 188:287
 - Parameter 154:413, 166:131
 - Perturbed-Angular-Correlation 154:413, 166:131
- Phosphoric-Acid-Solution 175:81
- Photoionization 186:471
- Polyacetylene 188:287
- Probability 166:131
- Protactinium-234m 166:393
- Radioactive 186:471, 198:253
- Radioactive-Source 153:245
- Radon-222 164:221
- Shift 196:161
- Short-Lived-Nuclide 198:253
- Short-Lived-Product 164:221
- Solid 164:221
- Statistical-Density-Function 153:245
- Sulfur-35 159:363
- Sum-Peak-Method 154:413, 166:131
- Surface 164:221
- Uranyl 175:81
- Value 154:413
- Vanadium 196:161
- Variation 198:253
- X-Ray 196:161
- Deceleration**
 - Chromium 176:129
 - Magnesium 186:415
 - Particle-Induced-Gamma-Ray-Emission 183:273, 186:415
 - PIPPS 176:129
 - Property 176:129
 - Relative 176:129, 183:273, 186:415
 - Silicon 183:273
 - Value 183:273, 186:415
- DECHAOS** 193:187
- Decomposition** 201:495
- Decontamination**
 - Chemical-Modification 201:213
 - Element 186:233
 - Enhancement 201:213
 - Group-I 186:233
 - Group-II 186:233
 - Group-III 186:233
 - Hafnium 186:233
 - Hydroxylamine 182:171
 - Improvement 182:171
 - Lateritic-Mineral 158:201
 - Microquantity 186:233
 - Nuclear-Accident 201:213
 - Polyacrylamide 201:213
 - Pretreatment 182:171
 - Radionuclide 158:201
 - Ruthenium 182:171
 - Soil 201:213
 - Surface 201:213
 - Treatment 175:273
 - Tricarbonated-Solution 175:273
 - Uranium 175:273
- Decylphenylamine** 14-» 183:63
- Dedicated** 192:91
- Deduced** 165:9
- Deer**
 - Environment 188:401
 - Farm-Animal 194:269
 - Iodine-127 188:401
 - Iodine-129 188:401
 - Man-Made-Radionuclide 194:269
 - Natural 188:401
 - Natural-Radionuclide 194:269
 - Nuclear-Facility 188:401

- Nuclear-Fuel 188:401
- Plant 188:401, 194:269
- Remote 188:401
- Reprocessing 188:401
- Roe 194:269
- Site 188:401
- Small 188:401
- Thyroid 188:401
- Transfer 194:269
- Defect**
 - Atom 190:425
 - Iodine 190:425
 - Ion 190:513
 - Ligand 190:425
 - Monocrystal 190:513
 - Mu-Spin-Resonance 190:513
 - Mössbauer-Spectroscopy 190:425
 - Point-Like 190:513
 - Quartz 190:513
 - Reactivity 190:513
 - Silver 190:425
 - Substituent 190:513
 - Tin-119 190:425
- Defective** 152:47
- Degradation**
 - Aqueous-Solution 183:99
 - Chelating 161:549
 - Complexing-Agent 161:549
 - Conversion 190:289
 - Electron 190:289
 - Gamma-Irradiated 183:99
 - Iron 190:289
 - Irradiated 161:549
 - Layer 190:289
 - Liquid-Chromatography 183:99
 - Mixed 161:549
 - Multicomponent 183:99
 - Mössbauer-Spectroscopy 190:289
 - Nitrobenzene 183:99
 - Passive 190:289
 - Performance 183:99
 - Phase-High 183:99
 - Polypropylene 185:311
 - Post-irradiation 185:311
 - Radiation 183:99
 - Reverse 183:99
 - Simulated 161:549
 - UV-VIS-Analysis 183:99
 - Waste 161:549
 - Waste-Water 183:99
- DEHPA**
 - Carrier-Mediated-Transport 170:51
 - Cerium 170:51
 - Europium 170:51
 - Extraction 198:237
 - Gadolinium 170:51
 - Liquid-Membrane 170:51
 - Oxidation-Reduction 198:237
 - Phosphoric-Acid 198:237
 - Rare-Earth-Element 170:51
 - Scandium 170:51
 - Supported 170:51
 - Thulium 170:51
 - Transport 170:51
 - Tri-n-Octylphosphine-Oxide 198:237
 - Uranium 198:237
 - Wet 198:237
 - Ytterbium 170:51
 - Yttrium 170:51
- DEHSO** 162:391
- Dehydration**
 - Aquaion 173:47
 - Characterization 165:1
 - Column 165:1
 - Dynamics 165:1
 - Extraction 173:47
 - Flow 165:1
 - Laboratory 165:1
 - Lanthanide 173:47
 - Liquid 165:1
 - Molecular-Sieve 165:1
 - Organic 165:1
 - Pilot-Plant 165:1
 - Radiotracer 165:1
 - Tributyl-Phosphate/Iso-thiocyanate-System 173:47
- Deionized** 175:467
- Delayed-Gamma-Ray** 192:39
- Delayed-Neutron-Analysis** 164:131
- Delayed-Neutron-Counting**
 - Eskischir-Beylikahir 201:439
 - Isotopic-Analysis 179:35
 - Neutron-Activation 179:35
 - Non-destructive 179:35
 - Ore-Sample 201:439
 - Rapid 179:35
 - Thorium 201:439
 - Uranium 179:35, 201:439
- Delayed-X-Ray** 188:43
- Delta** 186:281
- Demand** 168:215
- Denitration** 191:115
- Density**
 - Alkali-Silicate-Glass 163:267
 - Alpha-Activity 170:423
 - Calibration 170:423
 - Concentration 170:423
 - Dosimetry 170:423
 - Experimental-Consideration 170:423
 - Factor-K 170:423
 - Gamma-Irradiated 163:267
 - Radon 170:423
 - Refractive-Index 163:267
 - Theoretical-Consideration 170:423
 - Track 170:423
- Deoxygenated** 186:315
- Dependence**
 - Carbide 153:409
 - Cation 165:191
 - Generation 153:409
 - k-beta/k-alpha-Intensity-Ratio 170:125
 - Lifetime 186:375
 - Molecular-Weight 186:375
 - Mössbauer-Parameter 165:191
 - Mössbauer-Spectroscopy 153:409
 - Nitroprusside 165:191
 - Outer 165:191
 - Oxidation-State 170:125
 - Parameter 186:375
 - PEEK 186:375
 - Phase 153:409
 - Positron 186:375
 - Precipitation 153:409
 - Pressure 153:409
 - Sample 186:375
 - Shock-Wave 153:409
 - Steel 153:409
- Deposition**
 - Analytical-Technique 181:363
 - Atmospheric 179:195, 188:199, 192:205, 192:229
 - Boreon 164:157
 - Cement 179:195
 - Chernobyl-Accident 164:157, 182:349
 - Comparison 181:363
 - Concentration 198:23
 - Coniferous-Plant 200:147
 - Debrecen 188:199
 - Derived 182:349
 - Dried-Up 190:31
 - Element 198:23
 - Elemental-Content 192:229
 - Factory 179:195
 - Fission-Product 200:147
 - Forestal 164:157
 - Fundamental-Study 190:31
 - Heating 198:23
 - Heavy-Metal 181:363
 - Inductively-Coupled-Plasma-Mass-Spectrometry 190:31
 - Isotope 182:349
 - Japan 182:349
 - Lichen 192:229, 200:147
 - Long-Lived-Radionuclide 164:157
 - Major-Element 179:195, 188:199
 - Massif 164:157
 - Minor-Element 179:195
 - Monitor 181:363
 - Monitoring 192:229
 - Moss 181:363, 192:229
 - Multielement 181:363
 - Needle 192:229
 - Neutron 192:229
 - Neutron-Activation-Analysis 192:205
 - Ombrotrophic-Bog-Monitor 192:205
 - Peat-Sample 192:205
 - Pine 192:229
 - Plutonium 182:349
 - Pollutant 192:205
 - Preconcentration 198:23
 - Radionuclide 200:147
 - Resonance 192:229
 - Role 192:205
 - Sample 190:31, 198:23
 - Strontium-90 182:349
 - Technetium 198:23
 - Technetium-99 190:31
 - Trace 188:199
 - Trace-Element 179:195
 - Trend 192:205
 - Turkey 200:147
- Depth**
 - Approach 180:255
 - Beta-Spectroscopy 180:115
 - Cesium-137 175:297
 - Cold-Neutron 160:315
 - Commitment 175:297
 - Conversion-Electron-Mössbauer-Spectroscopy 153:375
 - Cáceres-Spain 175:297
 - Distribution 175:297
 - Dose 175:297
 - External 175:297
 - Fallout 175:297
 - Improving 153:375
- Instrument 160:315
- Irradiation 175:297
- National-Institute-of-Standards-and-Technology 160:315
- Neutron 167:111, 180:255
- Neutron-Activation 180:115
- Parallel-Plate-Avalanche-Counter 153:375
- Performance 153:375
- Preservative 180:115
- Profile 153:375
- Profiling 160:315, 167:111, 180:115, 180:255
- Soil 175:297
- Strontium-90 175:297
- Surface 175:297
- Wood 180:115
- Derivate** 189:301
- Derivative**
 - 4-(2'-Thiazolylazo)Resacetophenone 170:181
 - Activation-Analysis 155:33
 - Analytical-Reagent 170:181
 - Carminic-Acid 164:309
 - Characterization 177:261
 - Iodine-125-Labeled 177:261
 - Oxime 170:181
 - Phosphorus 155:33
 - ppb-Level 155:33
 - Preparation 177:261
 - Progesterone 177:261
 - Radioimmunoassay 177:261
 - Simultaneous 164:309
 - Simultaneous-Determination 170:181
 - Spectrophotometry 164:309, 170:181
 - Thorium 170:181
 - Thorium(IV) 164:309
 - Uranium 170:181
 - Uranium(VI) 164:309
 - Water-Sample 155:33
- Derived**
 - Ammonium-Uranate 188:169
 - Carbon-Monoxide 188:169
 - Chernobyl-Accident 182:349
 - Deposition 182:349
 - Isotope 182:349
 - Japan 182:349
 - Plutonium 182:349
 - Reduction 188:169
 - Strontium-90 182:349
 - Uranium-Trioxide 188:169
 - U₃O₈ 188:169
- Desferrioxamine-B** 198:317
- Design**
 - Americium-241-Beryllium 161:51
 - Calibration 161:51
 - Carbon-14-Labeled 175:219
 - Carboxylic-Acid 175:219
 - Fast-Method 175:219
 - Future 161:541
 - Irradiator 161:51
 - Laboratory 161:541
 - Multigeometry 161:51
 - Neutron 161:51
 - Neutron-Activation-Analysis 161:51
 - Radiological-Service 161:541
 - Total-Body 161:51
- Desorption**
 - Adsorption 152:31, 191:229
 - Batch 191:229

- Cation 187:197
- Cesium-137 187:197, 187:207
- Clay 200:529
- Equilibrium 152:31
- Ion 159:37
- Isotopic-Exchange 191:229
- Kinetics 159:37
- Major 187:197
- Marine-Sediment 187:197, 187:207
- Mica 159:37
- Mode 187:207
- Molybdenum-99-Technetium-99m-Generator 199:89
- Quartz 159:37
- Radionuclide 152:31
- Sea-Water 187:197, 187:207
- Sediment/Sea-Water-System 152:31
- Sorption 200:529
- Spent 199:89
- Surface 159:37
- Turkish 200:529
- Uranium 200:529
- Destruction** 187:355
- Destructive-Analysis** 197:417
- Detectability** 160:233
- Detection**
 - Aerosol 192:195
 - Alpha-Radionuclide 173:87
 - Atomic 160:341
 - Biological-Application 157:273
 - Biological-Material 160:85, 169:239
 - Comparison 160:341, 169:239
 - Compton 192:195
 - Counting 192:195
 - Efficiency 151:41
 - Elastic-Scattering 172:3
 - Electrolyte 160:85
 - Elemental-Content 172:3
 - Epithermal-Irradiation-Technique 192:195
 - Expression 151:41
 - Fast-Method 190:251
 - Fault 161:339
 - Filter 192:195
 - Fission-Product 194:7
 - Fluorine 157:273
 - Gamma-Ray 151:41, 157:15
 - Ge(Li)-Detector 151:41
 - Geological 161:339
 - Geological-Application 157:273
 - Gold 160:85
 - High-Resolution 157:15
 - Inductively-Coupled-Plasma-Mass-Spectrometry 160:341
 - Inductively-Coupled-Plasma-Mass-Spectrometry 194:7
 - Ion-Chromatography 194:7
 - Lifetime 173:87
 - Light-Ion 172:3
 - Limit 155:435, 160:85, 192:195
 - Microprobe 157:273
 - Millisecond 173:87
 - Modality 169:239
 - Molybdenum 155:435
 - Nuclear 157:273
 - Nuclear-Method 161:339
 - Nuclei 172:3
 - On-line 194:7
 - Optimization 157:273
 - Order 173:87
 - Plant-Tissue 190:251
 - Platinum 160:85
 - Radiation 160:341
 - Radioactivation-Analysis 155:435
 - Radiochemical-Neutron-Activation-Analysis 160:85
 - Radionuclide 160:341, 194:7
 - Radiotracing 190:251
 - Rare-Earth-Element 194:7
 - Recoil 172:3
 - Rectilinear 157:15
 - Scanner 157:15
 - Sensitivity 173:87
 - Separation 160:85, 169:239
 - Suppression 192:195
 - Technetium-99-(gamma,gamma)-Technetium-99m 155:435
 - Thick 172:3
 - Time-Interval-Analysis 173:87
 - Tin 169:239
 - Trace-Element 192:195
 - Transport-Process 190:251
 - Utilizing 157:15
- Detection-Limit** 192:345
- Detector**
 - Above-ground 160:297
 - Activation-Analysis 167:187
 - Advanced 167:187
 - Annealing 180:139
 - Approach 166:211
 - Aqueous-Solution 154:185
 - Background 160:297
 - Beta-Spectroscopy 173:293
 - BGO 180:131
 - Calcium-45 154:185
 - Calibrating 160:305
 - Calibration 157:47, 169:463, 193:71, 193:99, 200:299
 - Characteristics 180:139
 - Characterization 193:99
 - Close 169:463
 - Coincidence 193:71
 - Concentration 154:185, 180:131
 - Correcting 193:71
 - Disk 166:211
 - Efficiency 157:47, 169:463, 193:71
 - Far 169:463
 - Geometrical-Factor 166:211
 - Geometry 169:463
 - Germanium 157:47, 160:297, 160:305, 193:71
 - Glass 180:139
 - HPGe 169:463
 - Imaging 167:197
 - Internal-Standard 157:47
 - Large-Area 193:99
 - Large-Sample 200:299
 - Low-Background 193:247
 - Monitor 180:131
 - Monte-Carlo 193:247
 - Neutron 167:197
 - Nitrogen-16 180:131
 - Non-conventional-Method 160:305
 - Nuclear-Track 180:139
 - Offer 167:187
 - Optical-Absorption-Spectroscopy 180:139
 - Parallel 166:211
 - Photodiode 154:185
 - Pool 180:131
 - Radiation 200:299
 - Reactor 180:131
 - Scintillation 173:293
 - Separation 173:293
 - Silicon 154:185
 - Simple 166:211
 - Simulation 193:247
 - Source 166:211
 - Strontium-89 173:293
 - Strontium-90 173:293, 193:99
 - Summing 193:71
 - Ultra-Low 160:297
 - Yttrium-90 173:293
- Deuteriation**
 - Benzoic-Acid 162:179
 - Beta-Phenylpropionic-Acid 157:125
 - Catalyst 157:125, 162:179, 198:29
 - Homogeneous 157:125, 162:179, 198:29
 - Phenylacetic-Acid 198:29
 - Potassium-Tetrachloroplatinate(II) 157:125, 162:179
 - Tetrachloroplatinate(II) 198:29
- Deuterium** 162:3
- Deuterium-(d,n)-Helium-3-Reaction** 200:127
- Deuterium-2** 153:439
- Deuteron**
 - 700-2000-keV 199:125
 - Activation-Analysis 173:409
 - Alpha-Particle 199:125
 - Anomalous 158:323
 - Boron-Doped 173:409
 - Carbon 173:409
 - Charge-Induced-X-Ray-Spectrometry 199:125
 - Disintegration 158:323
 - Energy-Range 199:125
 - Fission 158:323
 - Naturally-Occurring 158:323
 - Possibility 158:323
 - Reaction 158:323
 - Silicon 173:409
 - Single-Crystal 173:409
 - Ultra-Trace 173:409
- Deuteron-Induced** 188:43
- Deuteron-Induced-Reaction** 198:247
- Deuteron/Hydrogen-Ratio** 158:323
- Developing-Country** 171:109
- Device** 167:271
- DEXA** 169:301
- Di(2-Ethylhexyl)Sulfoxide** 162:91
- Diabetic** 199:471
- Dialkyl-Sulfoxide** 171:329
- Dialkylamide** 176:103
- Dialkylamide [N,N']** 159:167
- Dialkyldithiophosphoric-Acid**
 - Cerium(III) 164:91
 - Lanthanum(III) 164:91
 - Separation 164:91
 - Solvent-Extraction 164:91, 165:95
 - Thorium(IV) 164:91, 165:95
- Dialysis** 186:99
- Diameter** 169:209
- Diamond** 164:337
- Diazepam** 200:75
- Diazo** 157:133
- Dibenzo-24-Crown-8**
 - Cesium 152:487
 - Picrate-Solution 152:487
 - Separation 152:487, 170:215
 - Solvent-Extraction 152:487, 170:215
 - Uranium(VI) 170:215
- Dibenzoylmethane** 162:227
- Dibenzoylmethane-Loaded** 172:319
- Dibenzyltin(IV)-Complex** 189:237
- Dibromomethane/Aniline-System** 199:15
- Dibromomethane/Aniline-System** 199:15
- Dibutyl-Sulfoxide** 198:409
- Dibutyldithiophosphoric-Acid** 186:273
- Dicarbollide**
 - 18-Crown-6 163:81
 - Americium 188:157
 - Calcium 174:153
 - CMPO 188:157
 - EDTA 174:153
 - Europium 188:157
 - Extraction 163:81, 187:185, 188:157
 - Glycol 174:153
 - Lanthanide 163:81
 - Metal 187:185
 - Mixture 188:157
 - Nitrobenzene-Solution 163:81
 - Polyethylene 174:153
 - Rapid 174:153
 - Research 187:185
 - Separation 174:153
 - Solvent-Extraction 174:153
 - Strontium 174:153
- Dicarbollide-Polyethylene** 187:285
- Dicarbollylcobaltate-Anion** 198:359
- Dichlorobenzene** 157:105
- Dichloroethane** 177:415
- Dichloromethane** 177:415
- Dichlorophenol [3,5-]** 157:255
- Dichloropropane [1,3-]** 172:57
- Dicyclohexano-18-Crown-6** 175:55
- Diet**
 - Antimony 181:385
 - Arsenic 181:385
 - Australian 163:195
 - Biological-Sample 162:163
 - Brazilian 181:385
 - Cadmium 181:385
 - Chromium 181:385
 - Concentration 181:385
 - Copper 181:385
 - Cyclic 161:71
 - Daily-Intake 162:163, 162:363, 185:183
 - Estimation 162:163
 - Evaluation 162:111
 - Fluorine 161:71
 - Human 197:271
 - Human-Tissue 156:89
 - Instrumental-Neutron-Activation-Analysis 161:71
 - Integrated 162:111

- Japanese 156:89, 185:183
- Manganese 163:195
- Mercury 181:385
- Neutron-Activation-Analysis 163:195
- Particle-Induced-Gamma-Ray-Emission 161:71
- Pratas-Islander 162:363
- Radiochemical-Neutron-Activation-Analysis 181:385
- Regional 181:385
- Sample 161:71, 185:183
- Season 161:27
- Selenium 181:385
- Simultaneous 162:163
- South-China-Sea 162:363
- Status 163:195
- Taiwan 161:27
- Thorium-232 162:163
- Total 185:183
- Toxic-Element 162:111
- Trace-Element 161:27
- Transfer 197:271
- Tritium 197:271
- Tritium-Level 156:89
- Uranium 185:183
- Uranium-238 162:163
- Dietary**
 - Appearance 195:97
 - Basket 196:89
 - Clipper 158:251
 - Contamination 158:251
 - Contribution 196:89
 - Dose 196:89
 - Enrichment 195:97
 - Food 196:89
 - Human-Nail 158:251, 195:97
 - Imported 196:89
 - Intake 196:89
 - Internal 196:89
 - Japanese 196:89
 - Market 196:89
 - Monitor 195:97
 - Selenium-76 195:97
 - Supplemental 195:97
 - Thorium-232 196:89
 - Uranium-238 196:89
- Diffractionmetry** 152:453
- Diffuse** 196:97
- Diffusion**
 - Activation-Energy 158:171, 176:161
 - Capacity 157:245
 - Capillary 182:179
 - Ceri-Oxide 157:245
 - Cesium-137 182:179
 - Chloride-Ion 157:245
 - Cobalt²⁺-Ion 158:171
 - Component 157:245
 - Copper 153:37
 - Coral 169:339
 - Electrolyte 176:161
 - Element 169:339
 - Fish 198:399
 - Function 157:245
 - Gamma-Radiation 188:367
 - Hydrous 157:245
 - Implanted 169:339
 - In-Vivo 169:339
 - Iodide-Anion 153:37
 - Kinetics 169:339
 - Modification 182:179
 - Modified 188:367
 - Multielectrolyte 158:171
 - Near-Surface 153:37
 - Neutron-Activation 169:339
 - Obstruction 158:171
 - Otolith 198:399
 - Particle 157:245
 - Poly(Alkylthiophene)S 188:367
 - Radionuclide 182:179
 - Radon 198:399
 - Region 153:37
 - Salt 176:161
 - Soil 182:179
 - Sulfur-Dioxide 188:367
 - Thin-Layer-Method 182:179
 - Trace 157:245
 - Trace-Element 182:179
 - Tracer 158:171
 - Volume 153:37, 188:367
 - Zinc 176:161
- Diffusion-Coefficient** 170:381
- Diffusion-Potential** 195:321
- Diffusive** 179:243
- Difluorodichloromethane** 172:81
- Digging** 155:273
- Digital**
 - Activation-Analysis 158:139
 - Filter 193:81
 - Implementation 193:81
 - Integration 158:139
 - Photopick 158:139
 - Preloaded 193:81
 - Processor 193:81
 - Pulse 193:81
- Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate**
 - 1-Phenyl-3-Methyl-4-Benzoyl-pyrazolone-5 198:367
 - Acidic-Solution 155:195
 - Actinide 162:171, 183:359, 198:367
 - Adsorption 162:171
 - Americium(III) 152:127
 - Benzene 152:127
 - Chelate 198:367
 - Chromosorb 162:171
 - Extraction 152:127, 155:195, 183:359, 198:367
 - Lanthanide 162:171, 198:367
 - Mixed-Ligand 198:367
 - Mixture 152:127
 - Nitric-Acid 162:171
 - Nitric-Acid-Solution 152:127, 183:359
 - Promethium(III) 155:195
 - Tetravalent 183:359
 - Tributyl-Phosphate 152:127, 183:359
 - Trivalent 183:359, 198:367
 - Uptake 162:171
- Dihexylbutyramide** 182:393
- Dihexylisobutyramide** 182:393
- Dihydro-1,4-Thiazine** 186:75
- Diisodecylphosphoric-Acid**
 - Extraction-Behavior 158:391, 185:173
 - Molybdenum 185:173
 - Nitric-Acid-Solution 158:391, 185:173
 - Yttrium 158:391
 - Zirconium 185:173
- Diketonato-Tc(III)-Complex** [Beta-» 178:311
- Diketone** [Beta-»
 - Chelate 152:373, 155:201, 172:81
 - Chemical-Vapor-Deposition 152:373, 155:201, 172:81
 - Coordination-Compound 165:337
 - Difluorodichloromethane 172:81
 - Double 165:337
 - Film 155:201
 - Lanthanide 152:373, 155:201, 172:81
 - Preparation 152:373, 155:201
 - Sulfide 155:201
 - Thorium 165:337
 - Thorium-Oxide-Film 152:373
 - Uranium 165:337
 - Uranium-Oxide-Film 152:373
- Dilated-Cardiomyopathy** 153:257
- Dilute**
 - Adsorption 172:329, 173:141
 - Aqueous-Solution 172:329, 173:141, 196:57
 - Charcoal 173:141
 - Cobalt(II) 172:329, 173:141
 - Colloid 172:329
 - Europium 190:413
 - Field 190:413
 - Flotation 172:329
 - Hyperfine 190:413
 - Instability 190:413
 - Iron 190:413
 - Iron(III)-1,2-Dihydroxyanthraquinone-Complex 196:57
 - Macroflotation 173:141
 - Magnetic-Phase-Transition 190:413
 - Multiple 190:413
 - Precipitate 172:329
 - Radiosensitization 196:57
 - Rare-Earth 190:413
 - Removal 173:141
 - RMn₂Si_{2-x}Ge_x 190:413
 - Separation 172:329
 - Sorbent 173:141
 - Thymine 196:57
 - Valence 190:413
- Dimer** 199:217
- Dimethylarsinic-Acid** 179:211
- Dimethylglyoxime** 158:211
- Dimethylpyrrolidine-N-Oxide** 15,5-» 172:201
- Dinitrobenzene** 174:103
- Dinonylnaphthalenesulfonic-Acid** 176:457
- Diocetyl-Sulfoxide** 187:339
- Diol-Diisocyanate** 176:77
- Dioxin** 192:299
- Dioxo-Complex** 176:143
- Dioxouranium(VI)**
 - Acid 176:233
 - Benzene 176:233
 - Extractive 199:413
 - Hexamethyleneimine-carbodithioate 199:413
 - Sodium-Salt 199:413
 - Spectrophotometry 199:413
 - Synergic-Extraction 176:233
 - Triphenylphosphine-Oxide 176:233
- Dipping** 182:45
- Dipyridyl** [2,2'-» 157:177
- Direct**
 - Carbon-14-Dioxide 176:491
 - Coal 175:383
 - Cobalt 170:381
 - Condition 170:381
 - Diffusion-Coefficient 170:381
 - Environmental 167:383
 - Formaldehyde-C-14 176:491
 - Gamma-Spectrometry 175:325
 - Irradiation 167:383
 - k₀ 179:105
 - Layer 170:381
 - Liquefaction 175:383
 - Lithium-Aluminium-Hydride 176:491
 - Liver-Autopsy-Sample 175:325
 - Monitor 179:105
 - Neutron-Activation-Analysis 175:325, 179:105
 - Photon-Activation-Analysis 167:383
 - Preirradiation 175:383
 - Production 176:491
 - Progesterone 196:331
 - Radioimmunoassay 196:331
 - Reduction 176:491
 - Serum 196:331
 - Silica-Gel 170:381
 - Strontium 170:381
 - Thorium 175:325
 - Water-Sample 167:383
 - X-Ray 175:383
- Direct-Extraction** 194:337
- Direct-Measurement** 193:281
- Direct-Method** 189:25
- Direction** 171:259
- Discrimination**
 - Activity 194:403
 - Air 194:403
 - Content-Level 175:139
 - Distinguishing 175:139
 - Filter 194:403
 - Gross-Alpha 194:403
 - Gross-Beta 194:403
 - Hair 175:139
 - Liquid-Scintillation-Counting 194:403
 - Maximum 175:139
 - Naso-Pharyngeal-Cancer-Patient 175:139
 - Probable 175:139
 - Pulse-Shape 194:403
 - Simultaneous-Determination 194:403
 - Trace-Element 175:139
- Disease**
 - Content 185:109
 - Criminal 160:21
 - Element 185:109
 - Hair 160:21
 - Health 179:295
 - Human-Bone 179:295
 - Human-Hair 185:109
 - Instrumental-Activation-X-Ray-Fluorescence-Analysis 179:295
 - Metal 160:21
 - Moonrock 160:21
 - Nuclear-Analytical-Chemistry 160:21
 - Polluters 160:21
 - Relationship 185:109
 - Respiratory-System 185:109

- Sickle-Cell 168:233
- Trace-Element 168:233
- Disintegration**
 - Anomalous 158:323
 - Deuteron 158:323
 - Deuteron/Hydrogen-Ratio 158:323
 - Dosimetry 162:187
 - Fission 158:323
 - Fission-Product 162:187
 - Naturally-Occurring 158:323
 - Possibility 158:323
 - Rate 162:187
 - Reaction 158:323
- Disintegration-Process** 154:365
- Disk**
 - Amount 154:103
 - Approach 166:211
 - Detector 166:211
 - Electrodeposition 154:103
 - Electropolished 154:103
 - Geometrical-Factor 166:211
 - Milligram 154:103
 - Parallel 166:211
 - Simple 166:211
 - Source 166:211
 - Stainless-Steel 154:103
 - Uranium 154:103
- Disk-Shaped**
 - Analytical-Expression 186:227
 - Class 199:57
 - Contribution 199:57
 - Expression 199:57
 - Flux-Density 186:227
 - Hubbell 199:57
 - Non-dispersive-Medium 186:227
 - Omnidirectional-Emission 186:227
 - Radial-Dependence 186:227
 - Radiation-Field 199:57
 - Short 199:57
 - Source 186:227, 199:57
- Disodium-Citrate** 185:251
- Disodium-Salt** 188:341
- Dispersion-Coefficient** 163:373
- Disposal** 193:377
- Disproportionation**
 - Activation 191:361
 - Heterogeneous-System 187:151
 - Kinetic-Isotope-Effect 187:151, 191:361
 - Kinetics 191:361
 - Pentavalent 187:151, 191:361
 - Plutonium 187:151, 191:361
 - Power 191:361
 - Ultrasound 191:361
- Dissolution**
 - Clarification 152:199
 - Competition 191:239
 - Electrochemistry 191:239
 - Feed 152:199
 - Growth 178:261
 - Host 178:261
 - Kinetics 178:261
 - Metal-Alloy 152:199
 - Model 178:261
 - n-Gallium-Arsenide 182:257
 - n-Gallium-Phosphide 191:239
 - Neutron-Activation-Analysis 182:257
 - Ore 178:261
 - Platinum 152:199
 - Potassium-Hydroxide 182:257
 - Potential 178:261
 - Processing 178:261
 - Radiochemical-Study 191:239
 - Redox-Reaction 191:239
 - Sludge 152:199
 - Solid 178:261
 - Surface 178:261
 - Uranium 178:261
- Distance** 181:343
- Distant** 193:309
- Distillation** 198:295
- Distinguishing** 175:139
- Distribution**
 - (n, alpha)-Radiography 167:475
 - Abundance 183:351
 - Acid 187:159
 - Acid-Dissolved-Sludge-Acidified-Supernatant 194:117
 - Activity 182:237
 - Amazon 179:251
 - Americium 182:71
 - Americium(III) 181:165
 - Americium-241 156:201
 - Animal-Study 156:401
 - Anion-Exchange-Resin 194:117
 - Antarctic 168:107
 - Aqueous-Medium 181:165
 - Aqueous-System 186:9
 - Artificial 182:225
 - Ascite 195:155
 - Assessment 172:231
 - Aswan-High-Dam 186:143
 - Austrian 200:315
 - Behavior 156:201, 182:225, 197:343
 - Bilirubin 171:451
 - Biochemical-Technique 151:287
 - Brazilian 164:265
 - Californium-252 189:165
 - Cation-Exchange 152:219
 - Cation-Exchange-Resin 194:117
 - Ceramics 167:475
 - Cesium 186:9
 - Cesium-134 177:139
 - Cesium-137 175:297, 178:327, 186:143, 197:343, 200:315
 - Chernobyl-Zone 201:371
 - Chloroform 181:165
 - Chromium 161:245
 - Coast 182:225, 197:343
 - Coastal 156:201
 - Cobalt 161:245
 - Cobalt-60 176:71, 176:333, 177:139
 - Coefficient 177:139
 - Commitment 175:297
 - Comparison 156:401
 - Concentration 197:343
 - Concentration-Dependent 172:231
 - Constant 157:295, 165:137, 166:477
 - Content 179:377
 - Contribution 182:237
 - Copper 195:155
 - Corn 164:265
 - Corn-Sample 151:287
 - Crassostrea-Gigas 197:343
 - Cumulative 189:165
 - Cycle 187:159
 - Cyclotron 182:237
 - Cáceres-Spain 175:297
 - Depth 175:297
 - Dose 175:297, 181:109
 - Element 151:287, 151:301, 178:365, 179:349, 194:117
 - Eluate 188:109
 - Environmental-Object 167:399
 - Estuarine 156:201
 - Europium 186:9
 - Europium(III) 181:165
 - External 175:297
 - Factor 201:371
 - Fallout 175:297
 - Femur 156:401
 - Fine-Grained-Material 166:219
 - Fission-Product 152:219
 - Floodplain 179:251
 - Fluorine 179:349
 - Fluorine-18 182:237
 - Form 201:371
 - Fractional 189:165
 - Functional-Group 194:117
 - Fungus 176:71
 - Gabbroic-Rock 161:245
 - Gamma-Radionuclidic-Impurity 188:109
 - Gas-Flow 154:241
 - Gas-Target 182:237
 - General-Population 156:401
 - Generalized 172:231
 - Geochemical-Aspect 161:389
 - Growth 176:333
 - Gubrunde 178:365
 - Hafnium 161:245
 - Hanford 194:117
 - HLW 194:117
 - Host 178:365
 - HSA 171:451
 - Human-Hair 151:301
 - Hyperfine 153:423
 - Indium-Ion 153:101
 - Industrial-Reactor 154:241
 - Injected 153:101
 - Inorganic-Element 164:265
 - Interaction 171:451
 - Interface 185:83
 - Internal-Organ 151:301
 - Irish-Sea 156:201
 - Irradiated 181:109
 - Irradiation 175:297
 - Isotope 201:371
 - Japanese 197:343
 - Kinetic 195:155
 - Kinetics 181:165
 - Lake 186:143
 - Layer 201:371
 - Lead-210 197:343
 - Long-Lived-Radionuclide 161:389
 - Macro 156:401
 - Magnetic-Field 153:423
 - Mango-Tree 182:71
 - Marine-Sediment 161:389
 - Material 183:351
 - Mechanism 181:165
 - Metal-Ion 195:305
 - Milk-Pectin 186:9
 - Mixture 181:165
 - Mobile 201:371
 - Mouse 153:101, 195:155
 - Multicomponent 166:219
 - Multitracer 195:305
 - Mushroom 200:315
 - Mössbauer-Spectroscopy 153:423
 - Natural-Radionuclide 161:475
 - Neon-20-(d, alpha)-Fluorine-18-Reaction 182:237
 - Neptunium 187:159
 - Neptunium-237 156:201
 - Neutron-Activation-Analysis 151:287, 151:301, 164:265, 168:107
 - Nigeria 178:365
 - Nitrate 181:165
 - Nitric-Acid 152:219
 - North-Wales 182:225
 - Northern-Venezuela 178:327
 - Nuclear-Charge 189:165
 - Occupational-Case 156:401
 - Occurrence 178:365
 - Oxygen 167:475
 - Oyster 197:343
 - Palomare 161:389
 - Particularity 181:109
 - Pattern 178:365, 183:351
 - Peculiarity 167:399
 - Period 195:155
 - Phosphorus 185:83
 - Pinheiros 177:139
 - Plant 183:351, 195:305
 - Plastic 181:109
 - Plutonium 156:401, 182:71, 201:371
 - Plutonium-239/240 156:201
 - Positron 166:219
 - Potassium-40 178:327
 - Pressure-Effect 152:219
 - Profile 161:245
 - Proton-Induced-Reaction 179:349
 - Purex 187:159
 - Pyrrhotite 153:423
 - Quantification 182:237
 - Radioanalytical-Method 172:231
 - Radiochemical-Neutron-Activation-Analysis 179:377
 - Radioindicator 176:71
 - Radionuclide 182:225, 197:343
 - Radiotracer-Technique 154:241
 - Radium-228 186:143
 - Rare-Earth-Element 167:399, 179:377, 183:351
 - Rat 171:451
 - Reaction 172:231
 - REE 178:365
 - Region 185:83
 - Relation 197:343
 - Rice-Sample 179:377
 - River 177:139
 - Rock 178:365
 - Routine 188:109
 - Scandium 161:245
 - Scheme 172:231
 - Sea-Water 197:343
 - Sediment 156:201, 168:107, 177:139, 182:225, 186:143
 - Selenium 151:287, 195:155
 - Selenium-Compound 153:101
 - Separation 172:231
 - Serpa-Portugal 161:245
 - Silver-108m 197:343
 - Simulation 194:117
 - SiO₂-Si 185:83

- Soil 175:297, 178:327, 179:251
- Soil-Profile 201:371
- South-Australia 161:475
- Speciation 186:9
- Spontaneous-Fission 189:165
- Stability 157:295, 165:137, 166:477
- Strong-Acid 152:219
- Strontium 186:9
- Strontium-90 175:297
- Substoichiometric-Analysis 185:83
- Sulfonic-Acid-Type 152:219
- Sulfur-Dioxide-Oxidation 154:241
- Surface 175:297
- Tank 194:117
- Tantalum 161:245
- Targetry 182:237
- Technetium-99 156:201
- Technetium-99m-Generator 188:109
- Technetium-99m-HIDA 171:451
- Technetium-99m-IODIDA 171:451
- Teeth 179:349
- Tellurium-133g 189:165
- Tellurium-133m 189:165
- Thallium(I)-Dialkyldithiophosphate 157:295
- Thallium(I)-Dithiocarbamate 165:137
- Thallium(I)-Xanthate 166:477
- Thenoyltrifluoroacetone 181:165
- Thorium 161:245
- Thorium-232 178:327
- Thorium-234 177:139
- Tidal-Saltmarsh-Soil 161:475
- Toxic-Element 200:315
- Trace 179:377
- Trace-Element 168:107, 179:251, 200:315
- Transport 195:305
- Trichoderma-Viride 176:71, 176:333
- Triphenylarsine-Oxide 181:165
- Tubing 181:109
- Tumor-Bearing 195:155
- United-Kingdom 182:225
- Unusual 161:475
- Uranium 178:365
- Uranium-238 178:327
- Variety 164:265
- Water 177:139
- Weathering 161:245
- Wheat-Sample 179:377
- $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ 167:475
- Yield 189:165
- Zinc 153:101, 195:155
- Dithiocarbamate** 191:403
- Diuranate** 170:17
- Divalent-Cation** 171:339
- Dodecane** 176:273
- Dodecane-Solution** In-» 196:171
- Dodecane** In-»
 - Carrier-Mediated-Transport 155:311, 159:219
 - Cerium 159:219
 - Europium 159:219
 - Europium(III) 201:125
 - Extraction-Behavior 201:125
 - Gadolinium 159:219
 - Gamma-Pre-Irradiated 201:125
 - Liquid-Membrane 155:311, 159:219
 - N,N'-Methylbutyl-Substituted-Amide 201:125
 - Plutonium(IV) 201:125
 - Rare-Earth-Element 159:219
 - Ruthenium(III) 201:125
 - Scandium 159:219
 - Supported 155:311, 159:219
 - Thulium 159:219
 - Transport 159:219
 - Tri-n-Octylphosphine-Oxide 155:311, 159:219
 - Uranium(VI) 201:125
 - Ytterbium 159:219
 - Yttrium 159:219
 - Yttrium(III) 155:311
 - Zirconium(IV) 201:125
- Domestic** 190:51
- Domestic-Cold-Kit** 199:79
- Dominican-Republic** 152:453
- Dominican-Republic** (Samana-Bay-» 200:483
- Donor** 157:255
- Dose**
 - Accident 175:17
 - Alternative 190:13
 - Basket 196:89
 - Cellar 176:91
 - Cesium-137 175:297
 - Commitment 175:297
 - Contribution 196:89
 - Cotton 175:17
 - Croatia 176:91
 - Cáceres-Spain 175:297
 - Depth 175:297
 - Dietary 196:89
 - Distribution 175:297, 181:109
 - Equivalent 190:13
 - ESR 175:17
 - Estimation 182:119
 - External 175:297
 - Fabric 175:17
 - Fallout 175:297
 - Food 196:89
 - Green 190:13
 - Imported 196:89
 - Intake 196:89
 - Internal 196:89
 - Irradiated 181:109
 - Irradiation 175:297
 - Japanese 196:89
 - Lead-210 182:119
 - Light-Emitting-Diode 190:13
 - Luminescence 190:13
 - Man 182:119
 - Market 196:89
 - Nitrogen-13 155:411
 - Optical-Stimulation 190:13
 - Particularity 181:109
 - Phase 155:411
 - Pile-Irradiated 155:411
 - Plastic 181:109
 - Polonium-210 182:119
 - Propionic-D₂-Acid 155:411
 - Radon 176:91
 - Soil 175:297
 - Strontium-90 175:297
 - Surface 175:297
 - Thorium-232 196:89
 - Tobacco 182:119
 - Tubing 181:109
 - Unstable 190:13
 - Uranium-238 196:89
 - War 176:91
- Dose-Rate** 185:127
- Dosimeter**
 - Aqueous 175:191, 199:385, 200:521
 - Blue 153:57
 - Coumarin 175:191, 200:521
 - Ferrous-Cupric-Sulfate 175:199
 - Fluorescence 199:385
 - Human-Hair 161:171
 - Humidity 153:57
 - Irradiation 153:57
 - Light 200:521
 - Low-Dose 199:385
 - Phenylacetic-Acid 199:385
 - PMMA 153:57
 - Pollutant 161:171
 - Post-irradiation 175:191
 - Response 153:57, 175:191, 175:199, 200:521
 - Stability 175:191, 175:199
 - Temperature 153:57, 175:199, 200:521
- Dosimetry**
 - Actinide 156:425
 - Alanine-Polyethylene 196:97
 - Alpha-Activity 170:423
 - Alpha-Alanine 187:73
 - Americium-241 156:33
 - Animal 156:425
 - Annular 185:101
 - Assessment 197:161
 - Baboon 156:33
 - Bioassay 156:425
 - Bone 156:33
 - Calibration 170:423, 185:101
 - Cobalt-60 185:101
 - Concentration 170:423
 - Data 156:425
 - Density 170:423
 - Diffuse 196:97
 - Disintegration 162:187
 - Enhancement 186:35
 - EPR 186:35
 - Evaluation 196:97
 - Experience 197:161
 - Experimental-Consideration 170:423
 - Exposure 156:425
 - Factor-K 170:423
 - Field 197:161
 - Film 196:97
 - Fission-Product 162:187
 - French 197:161
 - Gamma-Ray-Source 185:101
 - Human 156:425
 - Human-Tooth 186:35
 - Industrial 197:161
 - Internal 197:161
 - Interpret 156:425
 - Man 156:33
 - Model 156:425
 - Nuclear 197:161
 - Plutonium-239 156:33
 - Radon 170:423
 - Rate 162:187
 - Reflection 196:97
 - Sensitivity 186:35
 - Skeleton 156:33
 - Spectrophotometry 196:97
- Theoretical-Consideration 170:423
- Thin 196:97
- Track 170:423
- Uranium-Dioxide 197:161
- Volume 156:33
- Workplace 197:161
- Double**
 - Anion-Exchange-Resin 194:71
 - Beta-Diketone 165:337
 - Breakthrough 194:71
 - Coordination-Compound 165:337
 - Divalent-Cation 171:339
 - Gamma-Radiolysis 178:429
 - Gamma-Ray-Induced-Decomposition 171:339
 - Hanford 194:71
 - Lanthanide 171:339
 - Nitrate 171:339
 - Potassium-Nitrate 178:429
 - REILLEX-HPQ 194:71
 - Shell 194:71
 - Simulant 194:71
 - Solid-State 178:429
 - Sulfate 178:429
 - Tank 194:71
 - TeO_4^- 194:71
 - Thorium 165:337
 - Univalent 171:339
 - Uranium 165:337
 - Volume 194:71
- Double-Dilution-Method** 173:9
- Dowex**
 - Anion-Exchange-Resin 152:117
 - Aqueous-Solution 187:9, 198:77
 - Arsenazo(III) 198:77
 - Chelex-100 198:77
 - Hafnium-Nuclide 187:9
 - Hydrogen-Chloride 187:9
 - Ion-Exchange 198:77
 - Metallic-Impurity 152:117
 - Microamount 187:9
 - Separation 152:117
 - Sorption 182:305, 187:9
 - Tantalum-Nuclide 187:9
 - Thorium(IV) 198:77
 - Uranium 152:117
- Dried-Up** 190:31
- Drinking**
 - Analytical-Technique 173:195
 - Cobalt-Dicarbollide 172:213
 - Concentrating 172:213
 - Evaluation 164:373
 - Fallout 172:213
 - Iodine 164:373
 - Isotope-Exchange 164:373
 - Model 172:213
 - Neutron-Activation-Analysis 164:373
 - Radiostromium 172:213
 - Rapid 172:213
 - Separation 164:373
 - Slovafol-909 172:213
 - Solvent-Extraction 172:213
 - Tea 173:195
 - Technological 172:213
 - Trace-Element 173:195
 - Water 164:373, 172:213
 - Well 164:373
- Drinking-Water**
 - Activation 152:237

- Aluminum 163:307
- Aquifer 152:237
- Cellulose 164:357
- Chelating 164:357
- Chemical-Analysis 152:237
- Concentration 164:397
- Environmental 163:307
- Exchanger 164:357
- Liquid-Scintillation-Counting 161:357
- Low-Level 161:357
- Neutron-Activation-Analysis 163:307
- OSTSORB-Oxin 164:357
- Preconcentration 164:357
- Radionuclide 164:357
- Radium 164:397
- Radium-228 158:53
- Radon-222 161:357
- Research 163:307
- Shallow 152:237
- Trace-Element 163:307
- Trace-Metal 164:357
- X-Ray-Fluorescence-Analysis 164:357
- Droplet** 154:41
- Drug**
 - Element 166:55
 - Identification 166:55
 - Infusion 166:55
 - Instrumental-Neutron-Activation-Analysis 170:265
 - Natural 170:265
 - Plant 166:55
 - Trace-Element 170:265
 - Water 166:55
 - X-Ray-Fluorescence-Analysis 166:55
- Dry**
 - Ashing 155:335, 193:33
 - Battery 168:413
 - Cadmium 193:33
 - Electrode 168:413
 - Fallout 197:409
 - Graphite 168:413
 - Inductively-Coupled-Plasma-Mass-Spectrometry 197:409
 - Instrumental-Neutron-Activation-Analysis 168:413
 - Loss 155:335, 193:33
 - Material 193:33
 - Plant 193:33
 - Rain 197:409
 - Seaweed 155:335
 - Technetium-99 155:335, 197:409
 - Wet 193:33
- Dryak-Method** 155:75
- Drying** 158:3
- Dual-Beam-Method** 191:163
- Dual-Energy** 195:139
- Dual-Photon-Absorptiometry** 169:301
- Dudvák** 183:167
- Dump** 194:157
- Dung** 169:283
- Dust**
 - Actinide 197:309
 - Air 173:365
 - Ambient 173:365
 - Animal 197:309
 - Assessing 197:309
 - Cement 162:381
 - Central-India 162:381
 - Elemental-Composition 163:313, 173:365
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 170:171
 - Factory 162:381
 - Following 163:313
 - Fugitive 162:381, 173:365
 - Gravitation 170:171
 - Inhaled 197:309
 - Inorganic 170:171
 - Instrumental-Neutron-Activation-Analysis 173:365
 - Intake 197:309
 - Israel 163:313
 - Multielemental 162:381
 - Neutron-Activation-Analysis 162:381, 163:313
 - Particle 163:313
 - Particulate 162:381, 173:365
 - Pollutant 170:171
 - Saharan 163:313
 - Sediment 170:171
 - Settling 163:313
 - Storm 163:313
 - Thermal-Power-Station 173:365
- Dwelling**
 - Building-Material 190:51
 - Domestic 190:51
 - Field 164:347
 - Gamma-Radiation 193:259
 - Level 193:259
 - Marrakechi 190:51
 - Mexico-City 193:259
 - Osijek 191:45
 - Photon 164:347
 - Pollution 190:51
 - Radioactivity 190:51
 - Radon 191:45, 193:259
 - School 191:45
 - Spatial-Characteristics 164:347
- Dye**
 - Anthraquinone 172:19
 - Aqueous 172:19
 - Aqueous-Solution 157:133
 - Diazo 157:133
 - Droplet 154:41
 - Extraction 154:41
 - Gamma-Radiolysis 172:19
 - Lipophilic 154:41
 - Oxygen 172:19
 - Polyoxyethylene-Nonyl-Phenyl-Ether 154:41
 - PONPE-2 154:41
 - Radiation-Induced-Degradation 157:133
 - Spectrophotometry 154:41
 - Uranium(VI)-Pyridylazo-Complex 154:41
- Dynamic**
 - Adsorption 158:79, 181:291
 - Characteristics 193:269
 - Charcoal 181:291
 - Gamma-Irradiation 187:313
 - Isotope 181:291
 - Krypton 181:291
 - Manganese-Dioxide 193:269
 - Property 181:291
 - Radium-226 193:269
 - Silica-Gel 158:79
 - Sorption 193:269
 - Thermal-Decomposition 187:313
 - Thermogravimetry 187:313
 - Uranium(VI) 158:79
 - Xenon 181:291
 - Zinc-Bromate 187:313
 - Zirconium(IV) 158:79
- Dynamics** 165:1
- Dysprosium(III)**
 - 1,10-Phenanthroline 195:343
 - 1-Nitroso-2-Naphthol 180:187, 195:343
 - Complexation 164:1
 - Europium(III) 180:187, 195:343
 - Extraction 164:1
 - HTTA-TBA 164:1
 - Mixed-Ligand 164:1
 - Mixed-Ligand-Complex 180:187
 - Samarium(III) 164:1, 180:187, 195:343
 - Synergic-System 164:1
 - Synergistic-Extraction-Behavior 195:343
 - Trioctylphosphine-Oxide 180:187
- Dysprosium(III)-Oxide** 199:115
- Dysprosium-160** 154:413
- D₂D** 170:373
- E.-Rostratus-Schlecht** 169:483
- Earthenware** 196:207
- Eastern-Michigan-University** 171:203
- Ebrié** 158:91
- EC** 196:161
- Ecological-Study** 167:391
- Ecosystem**
 - Coefficient 199:21
 - Forest 194:259
 - Marine 156:151
 - Partitioning 199:21
 - Post-Chernobyl 194:259
 - Radiomonitoring 194:259
 - Radionuclide 199:21
 - River 199:21
 - Sava 199:21
 - Spanish 156:151
 - Transfer 156:151
 - Transuranics 156:151
- EDDA** 199:217
- Edible** 180:109
- EDTA**
 - Calcium 174:153
 - Calcium-Carbonate 155:263
 - Carbon-14 155:263
 - Complex 199:217
 - Dicarbolide 174:153
 - Dimer 199:217
 - EDDA 199:217
 - Formation 199:217
 - Glycol 174:153
 - Interaction 155:263
 - Iron-59 155:263
 - Mu-Oxo 199:217
 - Nitridotechnetium(VI) 199:217
 - Polyethylene 174:153
 - Rapid 174:153
 - Separation 174:153
 - Soil 155:263
 - Solvent-Extraction 174:153
 - Strontium 174:153
- EDTMP** 160:443
- Education**
 - Australia 171:75
 - Challenge 171:15
 - Crocker-Nuclear-Laboratory 171:119
 - Current 171:33
 - Future 171:15
 - India 171:33
 - Japanese-University 171:83
 - Nuclear-Engineering 171:183
 - Nuclear-Science 171:15, 171:23, 171:33, 171:57, 171:67, 171:83, 171:119, 171:237
 - Opportunity 171:119
 - Pakistan 171:67
 - Pre-college-Program 171:237
 - Radiation-Chemistry 171:75
 - Radiochemistry 171:193
 - South-Africa 171:57
 - Status 171:33
 - Taiwan 171:23
 - Training 171:33, 171:57, 171:67
 - Undergraduate 171:183
 - United-States 171:183
 - University-of-California-at-Davis 171:119
- Educational-Program** 171:101
- Efficiency**
 - Accurate 153:151
 - Acigol 200:169
 - Activity 177:335
 - Aerosol 177:335
 - Ammonium-Halide 176:21
 - Amount 177:335
 - Aqueous-Solution 176:21
 - Automated 183:329
 - Bulk 200:191
 - Calibration 153:151, 157:47, 157:115, 169:419, 169:463, 186:361, 193:71, 200:191
 - Cascade 169:419
 - Charcoal 183:329
 - Chemistry 183:329
 - Close 169:463
 - Coincidence 169:419, 193:71
 - Conversion 169:209
 - Correcting 193:71
 - Curve 186:361
 - Detection 151:41
 - Detector 157:47, 169:463, 193:71
 - Diameter 169:209
 - Energy-Transfer 176:21
 - Expression 151:41
 - Extension 169:209
 - EXTSANGLE 169:209
 - F-18-Fluorodeoxyglucose 183:329
 - Far 169:463
 - Filter 183:329
 - Gamma-Irradiated 176:21
 - Gamma-Ray 151:41
 - Gamma-Ray-Spectrometer 153:151
 - Gamma-Ray-Spectrometry 186:361
 - Gamma-Spectrometry 200:191
 - Gamma-X-Detector 169:419
 - Ge(Li)-Detector 151:41, 157:115
 - Geometry 157:115, 169:463
 - Germanium 153:151, 157:47, 193:71
 - Germanium-Detector 169:209
 - HPGe 169:463

- $\text{H}_2\text{O}_2/\text{Na}_2\text{SO}_4/\text{H}_2\text{SO}_4$ -HSS-System 200:169
- Internal-Standard 157:47
- Iodide 176:21
- Lake 200:169
- Larger 169:209
- Leaching 200:169
- Linear-Relation 200:191
- Low-Activity 153:151
- Matrix 186:361
- Medium-Level 177:335
- Nitrate 176:21
- Nuclear-Power-Plant 177:335
- Physical-Property 157:115
- Preparing 153:151
- Procedure 153:151
- Process-Control 183:329
- Program 169:209
- Reliable 153:151
- Retention 177:335
- Sample 157:115, 186:361, 200:191
- SOLANG 169:209
- Source 169:209
- Standard 153:151
- Summing 193:71
- Synthesis 183:329
- Unit 183:329
- Uranium 200:169
- Vittrification 177:335
- Waste 177:335
- Water 200:169
- Efficient**
 - 2-Methoxyisobutylisonitrile 188:409
 - Adsorption 170:133
 - Aqueous-Solution 170:133, 189:247
 - Barium(II) 170:133
 - Complexing-Agent 188:409
 - Environmental-Sample 186:401
 - Extractant 186:401
 - Hydrous 170:133
 - Manganese-Oxide 170:133
 - Mercury(II) 189:247
 - Plutonium 186:401
 - Potassium-Hexa-Titanate 189:247
 - Radiochemical-Separation 186:401
 - Radiotracer 189:247
 - Radiotracer-Technique 170:133
 - Rapid 189:247
 - Removal 170:133, 189:247
 - Specificity 186:401
 - Supported 186:401
 - Synthesis 188:409
 - Technetium-99m 188:409
- Effluent**
 - Airborne 198:203
 - Americium 165:219
 - Boiling-Water-Reactor 198:203
 - Carbon-14 198:203
 - Chemical 196:77
 - Column-Method 196:77
 - Estimation 156:75
 - Extraction 200:509
 - Industrial 200:509
 - Iodine-125 196:77
 - Light-Water-Reactor 198:203
 - Loading 165:219
 - Low-Level 156:75
 - Mercury 200:509
 - Mixture 165:219
 - Natural 156:75
 - Octyl(Phenyl)-N,N-Diisobutylcarbamoylmethylphosphine-Oxide 165:219
 - One-Year 198:203
 - Plant 156:75
 - Plutonium 165:219
 - Pressurized-Water-Reactor 198:203
 - Processing 156:75
 - Purification 165:219
 - Removal 196:77
 - Separation 200:509
 - Soil 196:77
 - Swedish 198:203
 - Tail-End 165:219
 - Tetrahydro-Trimethyl-7-Substituted-Pyrimido-Benzimidazole-Thiol 200:509
 - Thorium 156:75
 - Total 198:203
 - Tri-n-Butyl-Phosphate 165:219
- Egyptian**
 - Concentration 188:255
 - Industrial-Product 196:377
 - Instrumental-Neutron-Activation-Analysis 200:95
 - Lake-Sediment 200:95
 - Laser-Fluorometry 200:95
 - Multielement-Clustering-Technique 196:377
 - Rock-Sample 188:255
 - Sugar 196:377
 - Thorium 188:255, 200:95
 - Trace-Element 200:95
 - Uranium 188:255
- Elaboration** 159:111
- Elastic-Scattering** 172:3
- Elastomer**
 - Ammonium-Perchlorate 187:1
 - Gamma-Radiation 176:153, 187:1
 - Hydroxyl-Terminated 176:153, 187:1
 - Loaded 187:1
 - Polybutadiene-Base 176:153, 187:1
 - Property 176:153
- Electrical-Conduction** 154:285
- Electrical-Field** 196:107
- Electrochemical-Deposition** 190:327
- Electrochemical-Procedure** 185:331
- Electrochemical-Property** 182:213
- Electrochemistry**
 - Acetamide 170:389
 - Competition 191:239
 - Dissolution 191:239
 - Ethylammonium-Nitrate 170:389
 - Eutectic 170:389
 - Ionic-Medium 170:389
 - n-Gallium-Phosphide 191:239
 - Organic-Medium 170:389
 - Potassium-Thiocyanate 170:389
 - Radiochemical-Study 191:239
 - Redox-Reaction 191:239
 - Uranium 170:389
- Electrode**
 - Battery 168:413
 - Cesium 199:375
 - Dry 168:413
 - Gold 199:375
 - Graphite 168:413
 - Instrumental-Neutron-Activation-Analysis 168:413
 - Matrix 199:375
 - Neutron-Activation-Analysis 199:375
 - Palladium 199:375
 - Platinum 199:375
- Electrodeposition**
 - Actinide 180:201
 - Added 177:365
 - Affecting 160:477
 - Amount 154:103
 - Barium 198:143
 - Cobalt-57-Source 174:291
 - Disk 154:103
 - Electrochemical-Property 182:213
 - Electropolished 154:103
 - Factor 160:477
 - Foil 174:291
 - Groundwater 180:201
 - Isotope 177:365
 - Kinetics 182:213
 - Lactones 182:213
 - Milligram 154:103
 - Mössbauer-Experiment 174:291
 - Optimal-Parameter 164:23
 - Platinum 177:365
 - Preparation 174:291
 - Radium 177:365
 - Radium-226 160:477, 162:131, 198:143
 - Rare-Earth 173:351
 - Saline 180:201
 - Separation 162:131
 - Stainless-Steel 154:103, 174:291
 - Uranium 154:103, 164:23, 182:213
- Electrofission** 156:297
- Electrolyte**
 - Activated-Charcoal 157:321, 159:155
 - Activation-Energy 176:161
 - Adsorption 157:321, 159:155
 - Aqueous-Solution 157:321, 159:155
 - Biological-Material 160:85
 - Breaking 195:321
 - Detection 160:85
 - Diffusion 176:161
 - Diffusion-Potential 195:321
 - Forward/Backward-Symmetry 195:321
 - Gadolinium 159:155
 - Gold 160:85
 - Interfusion 195:321
 - Ion-Movement 195:321
 - Kinetics 195:321
 - Limit 160:85
 - Platinum 160:85
 - Radiocesium 183:147
 - Radiochemical-Neutron-Activation-Analysis 160:85
 - Revisited 195:321
 - Salt 176:161
 - Selective 157:321
 - Separation 160:85
 - Soil 183:147
 - Sorption 183:147
 - Thorium 157:321
 - Tracer 195:321
 - Zinc 176:161
- Electrolyte-Solution**
 - Acid 178:173
 - Electromigration 155:419
 - Free 155:419
 - Hafnium(IV) 178:173
 - HDEHP 178:173
 - Hydrolysis 155:419
 - Mixed 178:173
 - Pentavalent 155:419
 - Quantity 155:419
 - Radioelement 155:419
 - Solvent-Extraction 178:173
 - Tetravalent 155:419
 - Trace 155:419
 - Vanadium 155:419
- Electrolytic-Formation** 186:291
- Electrolytic-Separation** 174:49
- Electrolytical** 196:15
- Electromigration** 155:419
- Electron**
 - AOT 189:175
 - Conversion 186:447, 190:289, 190:327
 - Degradation 190:289
 - Electrochemical-Deposition 190:327
 - Fe-Ni-Cr-Alloy 190:327
 - Hemoprotein 189:175
 - Hydrated 189:175
 - Iron 190:289
 - Layer 190:289
 - Micelle 189:175
 - Mössbauer-Spectroscopy 186:447, 190:289, 190:327
 - Ordering 190:327
 - Passive 190:289
 - Polishing 186:447
 - Reaction 189:175
 - Reverse 189:175
 - Short-Range 190:327
 - Stainless-Steel-Sample 186:447
 - XPS 186:447
- Electron-Exchange** 165:167
- Electron-Irradiation** 189:107
- Electron-Paramagnetic-Resonance-Spectroscopy** 154:61
- Electron-Spin-Resonance-Spectrum** 173:67
- Electronic-Configuration** 199:35
- Electronics** 169:105
- Electrophilic** 196:303
- Electrophoresis**
 - Capillary 163:155
 - Carrier-Free 199:115
 - Chromatography 199:115
 - Dysprosium(III)-Oxide 199:115
 - Holmium-166 199:115
 - Overview 163:155
 - Partition 199:115
 - Separation 199:115
 - Target 199:115
- Electroplating** 175:47
- Electropolished** 154:103

Element

- Acid-Dissolved-Sludge-Acidified-Supernate 194:117
- Activation-Analysis 197:417, 198:385
- Advance 160:221
- Affecting 180:45
- Alloy 192:91
- Analytical 191:245
- Anion-Exchange-Resin 194:117
- Aqueous-Solution 186:353
- Assay 196:11, 198:385
- Bias 191:245
- Biochemical-Technique 151:287
- Brazilian 173:179
- Car 179:205
- Cation-Exchange-Resin 194:117
- Certification 179:149, 193:25, 193:49
- Chemical-Isolation 186:353
- Chemical-Phenomena 180:45
- Coastal-Sediment 170:333
- Cobalt 192:91
- Cold-Neutron 191:245
- Component 169:113
- Comprehensive 193:49
- Computer-Program 160:221
- Concentration 186:385, 198:23
- Concern 171:365
- Construction 176:315
- Content 185:109
- Coral 169:339
- Corn-Sample 151:287
- Decontamination 186:233
- Dedicated 192:91
- Deposition 198:23
- Destructive-Analysis 197:417
- Diffusion 169:339
- Disease 185:109
- Distribution 151:287, 151:301, 178:365, 179:349, 194:117
- Drug 166:55
- Eliminate 191:245
- Environmental-Sample 197:417
- Estuarine 170:333
- Fertilizer 180:25
- Fire 196:11, 198:385
- Fluorine 179:349
- Foil 192:91
- Functional-Group 194:117
- Gamma-Spectroscopy 176:315
- Garden 180:25
- Gold 192:91
- Group-I 186:233
- Group-II 186:233
- Group-III 186:233
- Gubrunde 178:365
- Hafnium 186:233
- Hair 171:365, 186:385
- Hanford 194:117
- Hazardous 193:49
- Heating 198:23
- High-Accuracy 192:91
- HLW 194:117
- Host 178:365
- Hot-Atom 180:49
- Human-Hair 151:301, 185:109
- Identification 166:55
- Implanted 169:339
- Impurity 169:113
- In-Vivo 169:339
- Incineration 179:205
- Infusion 166:55
- Instrumental-Neutron-Activation-Analysis 160:221, 179:149, 180:25, 193:25, 196:387
- Interference 198:385
- Internal-Organ 151:301
- Interrelationship 173:179
- Intertidal 170:333
- Irish-Sea 170:333
- Kinetics 169:339
- Lake 151:159
- Lawn 180:25
- Leachability 169:39, 180:45, 180:49
- Leaf 179:149
- Lutetium 192:91
- Material 176:315
- Mercury 186:385
- Microquantity 186:233
- Model-Experiment 186:353
- Monitor 192:91
- Mouse 171:365
- Multivariate 173:179
- Natural-Radioactivity 176:315
- Neutron-Activation 169:339
- Neutron-Activation-Analysis 151:159, 151:287, 151:301, 169:113, 173:179, 176:315, 192:91, 196:11
- Neutron-Induced-Nuclear-Reaction 198:385
- Neutron-Spectrum 192:91
- Nickel-Sulfide 196:11, 198:385
- Nigeria 178:365
- Non-destructive-Analysis 197:417
- Normal 186:385
- Nuclear-Fuel 169:113
- Occurrence 178:365
- Pattern 178:365
- Person 186:385
- Phosphorite 173:179
- Physical-Phenomena 180:45
- Plant 166:55
- Platinum-Group 196:11, 198:385
- Polluted 186:385
- Preconcentration 196:11, 198:23, 198:385
- Prediction 160:221
- Profile 171:365
- Prompt-Gamma-Ray-Activation-Analysis 179:149, 191:245
- Proton-Induced-Reaction 179:349
- Radiochemical-Neutron-Activation-Analysis 179:149
- Radioisotope 170:333
- Ratio 191:245
- REE 178:365
- Relationship 185:109
- Repository 171:365
- Respiratory-System 185:109
- Rock 178:365, 196:11
- Sample 198:23
- Sediment 151:159
- Selenium 151:287
- Short-Lived-Isotope 186:353
- Simulation 194:117
- Solid-Waste 169:39, 180:45, 180:49
- SPINACH 193:25, 196:387
- Standard 160:221
- Standard-Reference-Material 179:149, 193:25, 193:49, 196:387
- Tank 194:117
- Technetium 198:23
- Teeth 179:349
- Thermal-Neutron 197:417
- Timetable 171:365
- Tire 179:205
- Tissue 197:417
- Tomato 179:149
- Track-Registration-Technique 176:315
- Truck 179:205
- Tungsten 186:353
- Uranium 178:365
- Volatilization 179:205
- Water 166:55
- Wire 192:91
- X-Ray-Fluorescence-Analysis 166:55

Elemental

- Abundance 192:255
- Air-Pollution 192:171
- Aortic-Wall 199:277
- Bioaccumulator 192:171
- Biological-Matrix 167:453
- Concretion 199:277
- Conformity 192:255
- Environmental-Study 192:171
- Fortuity 192:255
- Natural-Law 192:255
- Nature 192:255
- Particle-Induced-X-Ray-Emission 199:277
- Radioanalytical-Technique 192:171
- Tissue 199:277
- Tomographic-Technique 167:453

Elemental-Analysis

- Antimony 176:361
- Ascite 171:383
- Bi-Pb-Cu-Sr-Ca-Sb-O 176:361
- Blood 171:383
- Ceramics 176:361
- Collected 173:313
- Compound 176:361
- Former 173:313
- Freshwater-Sample 173:313
- High-Temperature 176:361
- Inductively-Coupled-Plasma-Mass-Spectrometry 173:313
- Instrumental-Neutron-Activation-Analysis 157:381, 174:145
- Liver 171:383
- Local 157:381
- Marine 174:145
- Material 174:145, 176:361
- MESS 174:145
- Mouse 171:383
- Neutron 179:285
- Neutron-Induced-Prompt-Gamma-Ray-Method 176:361
- On-line 151:83
- PACS 174:145
- Prompt-Gamma 151:83
- Quantitative 176:361

- Reference 174:145
- Sediment 174:145
- Soda-Sample 157:381
- Superconductivity 176:361
- Thermal-Neutron 151:83
- Tomography 179:285
- Transmission 179:285
- Tumor-Bearing 171:383
- USSR 173:313

Elemental-Assay 174:115**Elemental-Characterization**

- Airborne-Particulate 167:283
- Ash 192:265
- Coal 192:265
- Harmattan 167:283
- High-Purity 168:471
- Leachate 192:265
- Location 167:283
- Material 168:471
- Neutron-Activation-Analysis 168:471
- Nigerian 167:283
- Pre-irradiation 168:471
- Season 167:283
- Separation 168:471
- Sequential-Extraction 192:265
- Ultratrace 168:471

Elemental-Composition

- Air 173:365
- Aluminosilicate 171:425
- Ambient 173:365
- Argentina 198:437
- Chernobyl-Accident 181:25
- Clay 171:425
- Coal 167:153
- Dust 163:313, 173:365
- Energy-Dispersive-X-Ray-Fluorescence-Analysis 171:425
- Following 163:313
- Fugitive 173:365
- Hot-Particle 181:25
- Instrumental-Neutron-Activation-Analysis 173:365
- Isotopic-Ratio 181:25
- Israel 163:313
- Lichen 198:437
- Nahuel-Huapi-National-Park 198:437
- Neutron-Activation-Analysis 163:313
- Particle 163:313
- Particulate 173:365
- Patagonia 198:437
- Plant 177:381
- Prompt-Gamma-Neutron-Activation-Analysis 167:153
- Saharan 163:313
- Settling 163:313
- Soil 177:381
- Storm 163:313
- Thermal-Power-Station 173:365
- Uranium 181:25
- Variation 177:381

Elemental-Concentration

- Air 179:187
- Data 179:165
- Geochemical-Exploration 179:165
- Identification 179:187
- Matter 179:187
- Nigerian 179:187
- Particulate 179:187

- Preliminary-Study 179:187
- Reference-Material 179:165
- Site 179:187
- Source 179:187
- USGS 179:165
- Elemental-Content**
 - Atmospheric 192:229
 - Cancer-Patient 195:43
 - Deposition 192:229
 - Detection 172:3
 - Elastic-Scattering 172:3
 - Esophageal 195:43
 - Fingernail 195:43
 - Instrumental-Neutron-Activation-Analysis 195:43
 - Lichen 192:229
 - Light-Ion 172:3
 - Monitoring 192:229
 - Moss 192:229
 - Needle 192:229
 - Neutron 192:229
 - Nuclei 172:3
 - Pine 192:229
 - Recoil 172:3
 - Resonance 192:229
 - Thick 172:3
- Elemental-Homogeneity** 195:133
- Elemental-Imbalance** 195:13
- Elemental-Ratioing-Technique** 167:341
- Elemental-Sensitivity** 192:39
- Elements-104,105** 160:327
- Elevated-Level** 200:233
- Eliminate** 191:245
- Elimination** 151:63
- Elate**
 - Distribution 188:109
 - Gamma-Radionuclidic-Impurity 188:109
 - Molybdenum-99-Technetium-99m-Generator 152:81
 - Pertechnetate 152:81
 - Rapid 152:81
 - Reversed-Phase-High-Performance-Liquid-Chromatography 152:81
 - Routine 188:109
 - Sensitive 152:81
 - Technetium-99m-Generator 188:109
- Eluent** 199:347
- Elution** 183:225
- Emission**
 - Aerosol 172:181
 - Assay 194:221
 - Atom 173:107
 - Chain 157:367
 - Chromatography 194:51
 - Cobalt-57-Labeled 173:107
 - Cobalt-Iron-Carboxylate 173:107
 - Control 161:429
 - Coolant 194:51
 - Daughter 153:137
 - Equilibrium 153:137, 157:367
 - Field 194:221
 - Gamma-Ray 153:137, 157:367, 194:221
 - Immission 161:429
 - Increasing 161:429
 - Installation 161:429
 - Instrument 194:221
 - Intensity 153:137, 157:367
 - Ion 194:51
 - Iron-57 173:107
 - Liquid-Scintillation-Counting 161:429
 - Lonquimay-Volcano-Chile 172:181
 - Major-Component 172:181
 - Mixed-Valence-State 173:107
 - Mössbauer-Spectroscopy 173:107
 - Non-gamma 194:51
 - Nuclear 161:429
 - On-line 194:51
 - PASS 194:221
 - Performance-Test 194:221
 - Plutonium 194:221
 - Plutonium-241 161:429
 - Product 153:137
 - Progeny 157:367
 - Radionuclide 194:51, 194:221
 - Radium-226 153:137
 - Rapid 194:221
 - Scintillation-Counting 194:51
 - Secular 157:367
 - Sensitivity 161:429
 - Thorium-232 157:367
 - Trinuclear 173:107
 - Uranium-235 157:367
 - Uranium-238 157:367
- Emission-Transmission-Method** 158:409
- Emulsion**
 - Aniline 165:127
 - Extraction 163:113
 - Fission-Product 163:113
 - Gamma-Irradiated 165:127
 - Hole 165:127
 - Leakage 163:181
 - Liquid-Membrane 163:113, 163:181
 - Organic-Acid 163:113
 - Polyvalent 163:113
 - Potassium 163:181
 - Potassium-Bromide 165:127
 - Potassium-Chloride 165:127
 - Potassium-Iodide 165:127
 - Promoted 163:113
 - Reaction 165:127
 - Species 165:127
 - Stability 163:181
 - Water 165:127
- Encapsulation** 183:225
- Encore** 200:471
- End-Point**
 - Antibody 189:77
 - Associated 189:77
 - Chronic 189:77
 - Coke-Oven 198:295
 - Distillation 198:295
 - Evaluation 189:77
 - Exposure 189:77
 - Immunochemical 189:77
 - Parameter 189:77
 - Possible 189:77
 - Radioactive-Tracer 198:295
 - Radiobiological-Effect 189:77
 - Tritium 189:77
- Endogenous** 161:11
- Energetic** 160:387
- Energy**
 - Accompanying 196:161
 - American-Museum-of-Science 171:253
 - Biomembrane 163:37
 - Catalyst 163:37
 - Chromium-51-Labeled-Compound 196:161
 - Decay 196:161
 - EC 196:161
 - Information-Transfer 163:37
 - Intermediate 160:181
 - Japan 171:95
 - Kyushu 171:95
 - Mass 163:37
 - Museum 171:95
 - Nuclear-Collision 160:181
 - Nuclear-Science 171:95, 171:253
 - Program 171:253
 - Public-Education 171:95
 - Radioanalytical-Technique 160:181
 - Relativistic 160:181
 - Shift 196:161
 - Ultrarelativistic 160:181
 - Vanadium 196:161
 - X-Ray 196:161
- Energy-Dependence** 177:403
- Energy-Dispersive** 186:303
- Energy-Range**
 - 500-700-keV 200:85
 - 700-2000-keV 199:125
 - Alpha-Particle 199:125
 - Charge-Induced-X-Ray-Spectrometry 199:125
 - Deuteron 199:125
 - Enhancement 200:85
 - Hydrogen-1 ($^1\text{H}_2^+$) 200:85
 - Hydrogen-2 ($^2\text{H}_2^+$) 200:85
 - Molecule-Ion-Beam 200:85
 - X-Ray 200:85
 - Yield 200:85
- Energy-Spectrum** 199:265
- Energy-Transfer** 176:21
- Energy-Transfer-Reaction** 178:351
- Enforcement** 167:361
- Engineering-Education** 171:177
- Enhancement**
 - 3,5-Dichlorophenol 157:255
 - 500-700-keV 200:85
 - Acetylacetone 157:255
 - Background 167:145
 - Bombardment 178:387
 - Charge-Induced 189:283
 - Charged-Particle 178:387
 - Chelate 157:255
 - Chemical-Modification 201:213
 - Decontamination 201:213
 - Donor 157:255
 - Dosimetry 186:35
 - Energy-Range 200:85
 - EPR 186:35
 - Extraction 157:255
 - Human-Activity 155:97
 - Human-Tooth 186:35
 - Hydrogen-1 ($^1\text{H}_2^+$) 189:283, 200:85
 - Hydrogen-2 ($^2\text{H}_2^+$) 200:85
 - Ion-Beam 189:283
 - Iron(III) 157:255
 - L-X-Ray 189:283
 - M-X-Ray 189:283
 - Metal-Fluoride 178:387
 - Molecule-Ion-Beam 200:85
 - Natural-Radioactivity 155:97
 - Neutron-Scattering-Induced 167:145
 - Nuclear-Accident 201:213
 - Particle-Induced-X-Ray-Emission 178:387
 - Polyacrylamide 201:213
 - Prompt-Gamma-Ray-Activation-Analysis 167:145
 - Proton 157:255, 189:283
 - River 155:97
 - Sensitivity 186:35
 - Soil 201:213
 - Southwestern-Spain 155:97
 - Surface 201:213
 - X-Ray 200:85
 - Yield 178:387, 189:283, 200:85
- Enrichment**
 - Activation-Rate 195:263
 - Appearance 195:97
 - Bromine-75 153:417
 - Bromine-77 153:417
 - Chemical 195:263
 - Combined 152:161
 - Copper-67 195:263
 - Dietary 195:97
 - Electrolytical 196:15
 - Excitation-Function 153:417
 - Gamma 152:161
 - Gamma-Spectrometry 186:157
 - Human-Nail 195:97
 - Irradiation 195:263
 - Krypton 153:417
 - Liquid-Scintillation 196:15
 - Low-Energy 195:263
 - Monitor 195:97
 - Passive 152:161
 - Production 153:417
 - Proton 195:263
 - Recovery 195:263
 - Review 186:157
 - Revised 196:15
 - Sample 196:15
 - Selenium-76 195:97
 - Supplemental 195:97
 - Target 195:263
 - Total-Concentration 152:161
 - Tritium 196:15
 - Uranium 186:157
 - Uranium-235 152:161
 - X-Ray-Fluorescence-Analysis 152:161
 - Zinc-70 195:263
- Enrichment-Factor** 167:237
- Enthalpy**
 - Americium(III) 176:371
 - Anhydrous 176:371
 - Covalency 176:371
 - Ln(III) 176:371
 - Rare-Earth-Halide 176:371
 - Reaction 154:89
 - Scandium(III) 176:371
 - Thorium(IV)-Oxalate 154:89
 - Yttrium(III) 176:371
- Environment**
 - Almaraz-Spain 152:175
 - Alpha-Recoil 178:165
 - Atom 178:165
 - Availability 182:75
 - Behavior 192:239
 - Bibliography 152:525, 162:407, 171:501, 173:205, 178:443, 181:461, 183:421, 190:183

- Biological 182:75
- Biological-Monitor 161:113
- Chernobyl 194:253
- Coastal 156:119
- Concentration 194:411
- Concentration-Level 181:141, 182:75
- Contamination 194:253
- Deer 188:401
- Geochemical-Association 156:119
- Geochemistry 168:93
- Indicator 182:75
- Instrumental-Neutron-Activation-Analysis 168:93
- Iodine 192:239
- Iodine-127 188:401
- Iodine-129 188:401
- Krypton-85 194:411
- Large-Scale 194:253
- Learning 194:253
- Low-Level 194:411
- Monitoring 194:253
- Morro-Do-Ferro 182:75
- Mushroom 161:113
- Natural 188:401
- Nuclear-Facility 188:401
- Nuclear-Fuel 188:401
- Nuclear-Power-Plant 152:175
- Plant 182:75, 188:401
- Plutonium 156:119, 178:165
- Progeny 181:141
- Radioanalytical 192:239
- Radiological-Impact 152:175
- Radon 152:525, 162:407, 171:501, 173:205, 178:443, 181:461, 183:421, 190:183
- Radon-220 181:141
- Radon-222 181:141
- Rare-Earth-Element 182:75
- Remote 188:401
- Reprocessing 188:401
- Sediment 156:119
- Site 188:401
- Small 188:401
- Thorium 182:75
- Thyroid 188:401
- Trace-Element 161:113
- Transuranium-Element 182:75
- Trombay 156:119
- Underground 181:141
- Uranium-Thorium 181:141
- Xenon-133 194:411
- Xizang-Tibet-Plateau-China 168:93
- Environmental**
 - Alpha-Coefficient 182:291
 - Aluminum 163:307
 - Arsenic 185:145
 - Benzene 185:145
 - Bibliography 172:395
 - Biological 185:145
 - Biological-Material 156:165
 - Borehole 194:393
 - Calibration 194:393
 - Character 181:335
 - Combined 156:165
 - Content 181:335
 - Direct 167:383
 - Drinking-Water 163:307
 - Facility 194:393
 - HDEHP 156:165
 - Indicator 181:335
 - Irradiation 167:383
 - Liquid-Scintillation-Counting 156:165, 186:119
 - Low-Level 186:119
 - Neutron-Activation-Analysis 163:307
 - Photon-Activation-Analysis 167:383
 - Plutonium 155:177, 182:291
 - Potential 155:177
 - Pulse-Shape-Analysis 186:119
 - Radiation 194:393
 - Radon-222 186:119
 - Rapid-Method 185:255
 - Redox 155:177
 - Reference-State 182:291
 - Research 163:307
 - Seawater 155:177
 - Soil 185:255
 - Solvent-Extraction 156:165, 185:145
 - Standard-Reference-Material 185:145
 - Strontium-90 156:165, 185:255
 - Substoichiometric-Isotope-Dilution-Analysis 185:145
 - Surface 194:393
 - Taiwan 181:335
 - Toluene-3,4-Dithiol 185:145
 - Trace-Element 163:307
 - Tritium 181:335
 - Water 186:119
 - Water-Sample 167:383
- Environmental-Analysis** 179:67
- Environmental-Assessment** 167:341
- Environmental-Behavior** 156:253
- Environmental-Field** 168:215
- Environmental-Material**
 - Absorbent 173:323
 - Biological-Material 157:265, 174:177, 187:451
 - Carbon-14 173:323
 - Carbon-Dioxide 173:323
 - Cesium 174:177
 - Chromatography 157:265
 - Combination 173:323
 - Counter 173:323
 - Gallium 157:265
 - Ion-Exchange 157:265
 - Large-Volume 173:323
 - Liquid-Scintillation 173:323
 - Low-Background 173:323
 - Monitor 158:417
 - Neutron-Activation-Analysis 157:265, 174:177
 - Plutonium 187:451
 - Pre-irradiation 157:265
 - Procedure 157:265
 - Rhenium 158:417
 - Rubidium 174:177
 - Scandium 174:177
 - Separation 157:265
 - Technetium-99 158:417
 - Yield 158:417
- Environmental-Matrix**
 - Assay 157:281
 - Chemical 183:5
 - Long-Lived-Actinide 157:281
 - Metal 183:5
 - Neptunium 157:281
 - Radionuclide 183:5
 - Separation-Method 183:5
 - Speciation 183:5
- Environmental-Measurement**
 - Actinide 194:141
 - Data 194:141
 - Gamma-Detector 194:345
 - Misinterpretation 194:213
 - Plutonium 194:213
 - Quality-Control 194:141
 - Radiochemical-Procedure 194:141
 - Savannah-River 194:345
 - Site 194:345
 - Source 194:213
 - Underwater 194:345
- Environmental-Monitoring**
 - Beach 161:495
 - Canadian 161:201
 - Cesium-134 161:495
 - Coincident 161:495
 - Group 161:201
 - Human-Hair 161:201
 - Human-Scalp 161:201
 - Indonesian 161:201
 - INNA 161:201
 - Population 161:201
 - Radiation 194:291
 - Sand 161:495
 - South-China-Sea 194:291
 - Spectrometer 161:495
 - Spratly-Islet 194:291
- Environmental-Object**
 - Chromatography 170:189
 - Distribution 167:399
 - Extraction 170:189
 - Peculiarity 167:399
 - Radiostromium 170:189
 - Rare-Earth-Element 167:399
 - TVEX-DCH18C6 170:189
- Environmental-Pollutant**
 - Assessing 167:413
 - Body 167:413
 - Burden 167:413
 - Co-ordinated-Research-Program 167:413
 - Content 176:405
 - Hair 167:413
 - IAEA 167:413
 - Internal 167:413
 - Mineral-Analysis 167:413
 - Potential 176:405
 - Significance 167:413
 - Technogenic-Product 176:405
 - Uranium 176:405
- Environmental-Pollution**
 - Bioindicator 188:149
 - Dated 169:65
 - Gamma-Radiation 186:175
 - Gas 186:175
 - Indian 192:307
 - Industrial 192:307
 - Instrumental-Neutron-Activation-Analysis 192:307
 - Interaction 186:175
 - Langmuir-Blodgett-Film 186:175
 - Leaf 188:149
 - Metropolitan-City 192:307
 - Oak 188:149
 - Poly(3-Hexadecylthiophene) 186:175
 - Property 186:175
 - Radiochemical-Neutron-Activation-Analysis 169:65
 - Repair 169:65
 - Sample 169:65
 - Selected 186:175
 - St-Stephen-Cathedral 169:65
 - Surrounding 192:307
 - Time-Dependence 169:65
 - Vienna 169:65
- Environmental-Process** 190:137
- Environmental-Radioactivity**
 - Coast 188:313
 - Comparative-Study 188:313
 - Danube-River-Area-Romania 163:289
 - Eastern-State-Nigeria 166:511
 - Inhabiting 188:313
 - Japan 188:313
 - Korea 188:313
 - Macrosample 190:59
 - Microwave-Oven 190:59
 - Monitoring 190:59
 - Pretreatment 190:59
 - Shellfish 188:313
- Environmental-Radiochemistry**
 - Bibliography 158:215, 170:281, 170:489, 173:419, 177:425, 181:231, 185:199, 191:209
 - Radioactivity 158:215, 170:281, 170:489, 173:419, 177:425, 181:231, 185:199, 191:209
- Environmental-Research** 167:321
- Environmental-Sample**
 - Actinide 156:297, 197:7, 197:9
 - Activation-Analysis 197:417
 - Alpha-Emission 194:173
 - Alpha-Spectrometry 191:3
 - Analytical-Method 193:329
 - Anion-Exchange 172:281
 - Aomori-City-Japan 197:7, 197:9
 - Assessment 193:329
 - Atomic-Power-Station 175:41, 183:167
 - Biological-Sample 156:297, 182:205, 197:7, 197:9
 - Cadmium 189:333
 - Calcium-Strontium 161:413
 - Chernobyl 197:331
 - Chernobyl-Accident 171:319
 - Coal 169:219
 - Concentration 197:295
 - Concrete 193:127
 - Conference 197:9
 - Content 171:319
 - Controlled 172:281
 - Counting 169:219
 - Criteria 193:329
 - Destructive-Analysis 197:417
 - Dudvák 183:167
 - Efficient 186:401
 - Electrofission 156:297
 - Element 197:417
 - Extractant 186:401
 - Geochemical 197:331
 - Helium-3 161:443
 - High-Performance-Liquid-Chromatography 197:219
 - High-Resolution 197:185
 - Inductively-Coupled-Plasma-Mass-Spectrometry 177:149, 197:149

- Inductively-Coupled-Plasma-Mass-Spectrometry 197:149, 197:185
- Inorganic-Exchanger 161:413
- International-Conference 197:7, 197:9
- Iodine-127 197:149
- Iodine-129 197:149
- Isotope 161:437, 191:3
- JAERI 197:295
- Jaslovské-Bohunice 175:41, 183:167
- k_0 169:219
- Lead 189:333
- Lead-210 182:165
- LEPD 169:219
- Level 197:295
- Life 197:99
- Liquid-Membrane 186:341
- Liquid-Scintillation 194:173
- Long-Lived-Radionuclide 158:367, 197:7, 197:9
- Loss 176:303
- Low-Level 161:443, 197:185
- Low-Level-Measurement 197:7, 197:9
- LSC 193:113, 193:127
- Luminescence 186:341
- Manivier 183:167
- Mass-Spectrometry 161:443
- Mercury 182:205
- Message 197:9
- Millisecond-Order 197:99
- Monitoring 194:173
- Natural-Alpha-Radionuclide 197:99
- Neptunium 186:341
- Neptunium-235 173:273
- Neptunium-237 173:273, 177:149
- Neptunium-239 173:273
- Neutron-Activation-Analysis 169:219, 182:205, 189:333, 197:149
- Nickel-63 193:127
- Non-destructive-Analysis 197:417
- Novel-Approach 161:413
- Nuclide 194:173
- Optimization 161:437
- Participant 197:9
- Photofission 156:297
- Plutonium 172:281, 186:401
- Plutonium-239/240 175:41, 183:167
- Power-Station 169:219
- Preconcentration 186:341
- Procedure 176:303, 193:113, 193:127
- Proceedings 197:7, 197:9
- Promethium-147 197:219
- Radioactivity 197:331
- Radioanalytical-Procedure 161:437
- Radiochemical 173:273
- Radiochemical-Separation 186:401
- Radionuclide 171:319
- Radium 191:3
- Radium-226 182:165, 193:329
- Radium-228 182:165
- Rapid-Method 197:219
- Rare-Earth-Element 154:293
- REE 169:219
- River 183:167
- Samarium-151 197:219
- Selection 193:329
- Semivolatile 158:367
- Sensitive 193:113, 193:127
- Separation 161:413, 197:219
- Sequential-Method 182:165
- Simultaneous 158:367
- Simultaneous-Determination 173:273
- Specificity 186:401
- Steel 193:127
- Step 176:303
- Strontium-90 161:413
- Supported 186:341, 186:401
- Surrounding 175:41, 183:167
- Technetium 176:303
- Technetium-99 177:149, 193:113, 197:185
- Thallium 189:333
- Thermal-Neutron 197:417
- Thorium 191:3
- Thorium-228 182:165
- Thorium-230 182:165
- Thorium-232 182:165
- Time-Interval-Analysis 197:99
- Tissue 197:417
- Tokai 197:295
- Tool 156:297
- Trace-Level 182:205
- Tracer 173:273
- Transuranium 194:173
- Tritium 161:443, 197:295
- Uranium 161:437
- Uranium-234 182:165
- Uranium-238 182:165
- Valence 172:281
- **Environmental-Study** 192:171
- **Environmental-Toxicology** 195:123
- **Environmental-Tracking** 169:363
- **Enzymatic-Activity**
 - Copper 159:9
 - Copper-64 159:9
 - Estimation 171:457
 - Loss 159:9
 - Native 159:9
 - Radiorespirometry 171:457
 - Rapid 171:457
 - Replacement 159:9
 - Sensitive 171:457
 - Simple 171:457
 - Soil 171:457
 - Superoxide-Dismutase 159:9
- **Enzymatic-Degradation** 156:21
- **Enzymatic-Synthesis** 155:9
- Eosin 201:281
- **EPA**
 - Approach 161:283
 - Assessment 161:283
 - Radon 161:273, 161:283
 - Risk 161:283
 - Survey 161:273
- **Epithermal-Interaction** 153:85
- **Epithermal-Irradiation** 190:71
- **Epithermal-Irradiation-Technique** 192:195
- **Epithermal-Proton-Activation-Analysis** 169:471
- **Epithermal-Technique** 167:45
- **EPR**
 - Dosimetry 186:35
 - Enhancement 186:35
- Human-Tooth 186:35
- Irradiated 176:65
- Non-doped 176:65
- Polyacetylene 165:71, 176:65
- Sensitivity 186:35
- Strongly-Irradiated 165:71
- **Equation** 176:415
- **Equilibration-Time** 175:155
- **Equilibrium**
 - Acetylacetone 163:59
 - Adsorption 152:31
 - Calibration 175:333
 - Cation-Exchange 181:351
 - Chain 157:367
 - Characterization 189:89
 - Chelate 163:59
 - Clinoptilolite 178:143, 201:293
 - Coefficient 175:333
 - Daughter 153:137
 - Desorption 152:31
 - Emission 153:137, 157:367
 - Extractant 163:59
 - Extraction 170:89, 191:331
 - Factor 175:333
 - Form 178:143
 - Gamma-Ray 153:137, 157:367
 - Hydration 163:59
 - Inorganic-Ion 201:293
 - Intensity 153:137, 157:367
 - Ion-Exchange 181:351, 189:89
 - Kinetics 181:351
 - Mercury(II)-Sulfoxide 191:331
 - Metal-Ion 163:59
 - Mixture 170:89
 - Model 163:59
 - Monothioacetylacetone 163:59
 - Mordenite 178:143
 - Partition 163:59
 - Product 153:137
 - Progeny 157:367
 - Radionuclide 152:31
 - Radium-226 153:137
 - Radon 175:333
 - Secular 157:367
 - Sediment/Sea-Water-System 152:31
 - Sodium 178:143
 - Sorption 201:293
 - SSNTD 175:333
 - Sulfoxide 170:89
 - Synthesis 189:89
 - Ternary 181:351
 - Thorium 178:143
 - Thorium-232 157:367
 - Tin(IV)-Antimonate 189:89
 - UO_2^{2+} - Na^+ - H^+ 181:351
 - Uranium-235 157:367
 - Uranium-238 157:367
 - Water-Solution 201:293
 - Ytterbium(III) 170:89
- **Equipment** 174:35
- **Equivalent**
 - Activity 187:131
 - Air 187:131
 - Alternative 190:13
 - Bone 176:477
 - Calcium-Phosphate 176:477
 - Ceramics 176:477
 - Cigarette-Smoke 187:131
 - Dose 190:13
 - Green 190:13
 - Light-Emitting-Diode 190:13
 - Luminescence 190:13
- Optical-Stimulation 190:13
- Radon-222 187:131
- Thermoluminescence 176:477
- Unstable 190:13
- Volume 187:131
- **Erbium** 165:295
- **Erbium(III)** 172:167
- **ERD** 188:55
- **Erosion** 151:191
- **Erythrocyte** 164:183
- **Eskisehir-Beylikahir** 201:439
- **Esophageal** 195:43
- **ESR**
 - Accident 175:17
 - Class 196:153
 - Cotton 175:17
 - Dose 175:17
 - Fabric 175:17
 - Formation 164:255
 - Free-Radical 196:153
 - Heterogeneous-Process 157:385
 - Hydrazone 196:153
 - Irradiated 157:385
 - KY 164:255
 - Mössbauer-Spectroscopy 154:197, 164:255
 - NaY 164:255
 - Phthalocyanineiron(II)-Pyridine-Adduct 164:255
 - Phthalocyanineiron(II) 154:197
 - Pyridine-Inactive 154:197
 - RbY 164:255
 - $\text{SiO}_2/\text{B}_2\text{O}_3+\text{H}_2\text{O}$ -System 157:385
 - Supercage 154:197, 164:255
 - Terpenoid 196:153
 - Zeolite 154:197, 164:255
- **Estimation**
 - Biological-Sample 162:163, 175:351
 - Burnup 155:107
 - Cadmium 172:137
 - Carrier-Free 178:399
 - Cartilage 161:455
 - Cesium-137 197:281
 - Coal 201:233
 - Concentration 161:455
 - Contamination 197:115
 - Coolant 162:399
 - Correction 152:347
 - Costal 161:455
 - Daily-Intake 162:163
 - Diet 162:163
 - Dose 182:119
 - Effluent 156:75
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 152:251, 191:305
 - Enzymatic-Activity 171:457
 - Facility 197:115
 - Fast-Neutron-Activation 201:233
 - Filter-Paper 152:251
 - Food 161:455
 - Fruit-Sample 181:433
 - Gadolinium 172:137
 - Gamma-Monitoring-Technique 197:115
 - Hafnium 172:137
 - Human-Tissue 161:455
 - Incorporation 182:35
 - Iron 152:251, 181:433
 - Isotopic-Composition 155:107

- Lead-210 182:119
- Low-Level 156:75
- Malonic-Anilide 181:433
- Man 182:119
- Mean-Residence-Time 161:455
- Mercury 172:137
- Microdroplet 152:251
- Natural 156:75
- Natural-Nuclear-Reactor 155:107
- Nuclear-Waste 191:305
- Nuclear-Weapon 197:115
- Oklo 155:107
- Organically-Bound 161:455
- Plant 156:75
- Plutonium 197:115
- Polonium-210 182:119
- Potassium-Benzyl-Xanthate 175:351
- Processing 156:75
- Radioiodine 162:399
- Radiorespirometry 171:457
- Rapid 171:457
- Rapid-Method 152:347
- Reactor 162:399
- Ruthenium 155:107
- Ruthenium-106 178:399, 197:281
- Selenium 175:351
- Sensitive 171:457
- Sequential 197:281
- Simple 171:457
- Simulated 191:305
- Simultaneous 162:163
- Soil 171:457
- Speciation 162:399
- Sternum 161:455
- Strontium 191:305
- Strontium-90 197:281
- Substoichiometric-Extraction 181:433
- Sulfur 201:233
- Thorium 156:75
- Thorium-232 162:163
- Thoron 182:35
- Titanium 152:251
- Tobacco 182:119
- Tritium 161:455
- Uranium 152:251, 172:137
- Uranium-238 162:163
- Urine 178:399, 197:281
- Utilizing 175:351
- Water 162:399
- Water-Sample 152:347
- X-Ray-Fluorescence-Analysis 152:347, 172:137
- Yield 152:347
- Estuarine**
 - Americium-241 156:201
 - Behavior 156:201
 - Coastal 156:201
 - Coastal-Sediment 170:333
 - Complex-System 172:71
 - Distribution 156:201
 - Element 170:333
 - Fertilizer 172:71
 - Intertidal 170:333
 - Irish-Sea 156:201, 170:333
 - Isotope 183:395
 - Neptunium-237 156:201
 - Phosphate 172:71
 - Plutonium-239/240 156:201
 - Radioisotope 170:333
 - Radium 183:395
 - Radium-Isotope 172:71
 - Sediment 156:201
 - Southwestern-Spain 172:71, 183:395
 - Suspended-Matter 183:395
 - Technetium-99 156:201
- Estuary** 197:369
- Etching** 175:95
- Etching-Time** 182:139
- Ether** 157:159
- Ethyl-Propionate** 166:7
- Ethyl-Xanthate**
 - Benzyl-Xanthate 199:239, 200:181
 - Butyl-Xanthate 199:239, 200:181
 - Cadmium 199:239
 - Comparative 199:239, 200:181
 - Pentyl-Xanthate 199:239, 200:181
 - Potassium-Salt 199:239, 200:181
 - Propyl-Xanthate 199:239, 200:181
 - Substoichiometric-Extraction 199:239, 200:181
 - Zinc 200:181
- Ethylammonium-Nitrate** 170:389
- Ethylene**
 - Active-Center 195:355
 - Catalyst 195:355
 - Chlorine 185:355
 - Methanol 195:355
 - Polymerization 195:355
 - Quenching-Method 195:355
 - Reaction 185:355
 - Recoil 185:355
 - Tritiated 195:355
- Ethylene-bis(alpha-Alanine)** 155:253
- Ethylene-bis(Valine)** 155:253
- Ethylene-Glycol** 190:469
- Ethylenediamine** 191:89
- Ethylenediamine-N,N'-Diacetic-Acid** 152:113
- Ethylenediaminetetraacetic-Acid** 162:47
- Ethylhexyl-Phosphate** [tris-(2-> 154:227
- Ethylhexyl)Sulfoxide** [bis(2-> 157:355
- Ethylhexylphosphonic-Acid** [2->
 - Cerium(III) 174:271
 - Complexing-Agent 174:271
 - Erbium(III) 172:167
 - Extraction 174:271
 - Lutetium(III) 172:167
 - Mono-2-Ethylhexyl-Ester 172:167, 174:271
 - Neodymium(III) 174:271
 - Reagent 172:167
 - Solvent-Extraction 172:167
 - Water-Soluble 174:271
- Etruscan** 168:273
- Eucalyptus-Camaldulensis-Dehnh** 169:483
- European** 151:149
- Europium**
 - 15-Crown-5 159:353
 - 18-Crown-6 159:353
 - Acid 170:207
 - Americium 159:353, 188:157, 200:31
 - Aqueous-Phase 201:81
 - Aqueous-Solution 182:305
 - Aqueous-System 186:9
 - Carrier-Mediated-Transport 159:219, 163:131, 170:51
 - Cerium 159:219, 163:131, 170:51, 200:31
 - Cesium 186:9, 201:81
 - CMPO 188:157
 - Compound 160:203
 - Curium 200:31
 - DEHPA 170:51
 - Dicarbolide 188:157
 - Dilute 190:413
 - Distribution 186:9
 - Extraction 188:157, 201:81
 - Field 190:413
 - Gadolinium 159:219, 159:353, 163:131, 170:51
 - Hydrochloric-Acid/HDEHP-Extraction-System 199:159
 - Hyperfine 190:413
 - Induced-Emission 160:203
 - Instability 190:413
 - Ion-Beam 160:203
 - Iron 190:413
 - Isotope-Separation 199:159
 - Liquid-Membrane 159:219, 163:131, 170:51
 - Low-Level-Waste 200:31
 - Magnetic-Phase-Transition 190:413
 - Milk-Pectin 186:9
 - Mineral 157:347
 - Mixed 159:353
 - Mixture 157:347, 188:157
 - Multiple 190:413
 - n-Dodecane 159:219
 - Neodymium 170:207
 - Perchlorate-Medium 159:353
 - Plutonium 200:31
 - Power-Reactor 200:31
 - Radioisotope 200:31
 - Radionuclide 159:353
 - Rare-Earth 190:413
 - Rare-Earth-Element 159:219, 163:131, 170:51
 - Removal 157:347
 - RMn₂Si_{2-x}Ge_x 190:413
 - Scandium 159:219, 163:131, 170:51
 - Sodium-Carbonate 201:81
 - Solid 160:203
 - Solvent-Extraction 170:207
 - Sorption 182:305
 - Speciation 186:9
 - Strontium 186:9, 201:81
 - Supported 159:219, 163:131, 170:51
 - Synergic-Extraction 159:353
 - Thenoyltrifluoroacetone 159:353
 - Thulium 159:219, 163:131, 170:51, 170:207
 - Transport 159:219, 163:131, 170:51
 - Tri-n-Octylphosphine-Oxide 159:219
 - Tributyl-Phosphate 163:131
 - Trivalent 159:353
 - Valence 190:413
 - Ytterbium 159:219, 163:131, 170:51
 - Yttrium 159:219, 163:131, 170:51
 - Zirconium-Oxide 182:305
- Europium(III)**
 - 1,10-Phenanthroline 195:343
 - 1-Nitroso-2-Naphthol 180:187, 195:343
 - 15-Crown-5 196:369
 - 18-Crown-6 196:369
 - 8-Hydroxyquinoline 176:273
 - Americium(III) 181:165
 - Aqueous-Medium 181:165
 - Benzene 196:369
 - Chloroform 181:165
 - Crown-Ether 176:457
 - Dinonylnaphthalenesulfonic-Acid 176:457
 - Distribution 181:165
 - Dodecane 176:273
 - Dysprosium(III) 180:187, 195:343
 - Extractant 178:109
 - Extraction 176:273, 176:457, 178:63, 196:369
 - Extraction-Behavior 201:125
 - Gadolinium(III) 196:369
 - Gamma-Pre-Irradiated 201:125
 - Kinetics 181:165
 - Liquid-Membrane 178:63
 - Mechanism 181:165
 - Mixed-Ligand-Complex 180:187
 - Mixture 178:109, 181:165
 - N,N'-Methylbutyl-Substituted-Amide 201:125
 - n-Dodecane 201:125
 - Nitrate 181:165
 - Nitrate-Medium 196:369
 - Organophosphinic-Acid 178:63
 - Organophosphorus 178:109
 - Perchlorate-Medium 176:273
 - Phosphoric-Acid 176:273
 - Plutonium(IV) 201:125
 - Radioisotope 196:369
 - Ruthenium(III) 201:125
 - Samarium(III) 180:187, 195:343
 - Synergistic-Effect 176:457
 - Synergistic-Extraction-Behavior 195:343
 - Synergistic-Mixture 196:369
 - Synergistic-Solvent-Extraction 178:109
 - Terbium(III) 178:109
 - Thenoyltrifluoroacetone 181:165, 196:369
 - Transport 178:63
 - Trioctylphosphine-Oxide 176:457, 180:187
 - Triphenylarsine-Oxide 181:165
 - Uranium(VI) 201:125
 - Zirconium(IV) 201:125
- Europium(III)-Humate** 186:129
- Europium(III)/Europium(II)-System** 165:167
- Europium-151** 190:401
- Europium-152** 166:131
- Europium³⁺**
 - 1,10-Phenanthroline 157:177
 - 2,2'-Dipyridyl 157:177
 - Extraction 157:87
 - Phosphine-Oxide 157:87
 - Synergistic-Extraction 157:177

- Thenoyltrifluoroacetone 157:87
- Thermodynamics 157:87
- Triphenylarsine-Oxide 157:87
- Europium³⁺-Ion** 182:415
- Eutectic** 170:389
- Evaluation**
 - (n,α)-Reaction 151:357
 - Activation 151:357
 - Alanine-Polyethylene 196:97
 - Alkali-Metal-Nitrate 153:211
 - Amount 191:403
 - ANA 176:199
 - Antibody 189:77
 - Associated 189:77
 - Bone 164:381
 - Breeder 151:357
 - Broadening 172:29
 - Candidate 151:357
 - Ceramic-Material 151:357
 - Cesium 185:319
 - Chinese 151:277
 - Chronic 189:77
 - Concentration 181:413
 - Correction 172:29
 - Counting-Technique 194:337
 - Criterion 195:139
 - Cyclic-Neutron-Activation-Analysis 151:167
 - Diet 162:111
 - Diffuse 196:97
 - Direct-Extraction 194:337
 - Dithiocarbamate 191:403
 - Dosimetry 196:97
 - Drinking 164:373
 - Dual-Energy 195:139
 - End-Point 189:77
 - Exposure 189:77
 - Film 196:97
 - Foodstuff 151:277
 - Fusion-Reactors 151:357
 - Gamma-Spectrometry 151:357
 - Gamma-Spectrum 176:199
 - Geiger-Müller-Counter 181:413
 - Homogeneity 151:167
 - Immunochemical 189:77
 - Importance 172:29
 - Infant 195:139
 - Integrated 162:111
 - Iodine 164:373
 - Isotope-Exchange 164:373
 - L-X-Ray-Fluorescence-Analysis 164:381
 - Lead 164:381
 - Line 172:29
 - Liquid-Scintillation 194:337
 - Lithium-6 151:357
 - Long-Chain 191:403
 - Low-Background 181:413
 - Microgram/Gram-Level 181:413
 - Mordenite 185:319
 - Multiple-Spectral-Model 193:207
 - Natural 185:319
 - Neutron-Activation-Analysis 164:373, 172:29, 187:255, 195:139
 - Neutron-Activation-Analysis-Spectrum 186:199
 - Neutron-Irradiation 151:357
 - Nuclear-Effect 187:255
 - Nuclide 151:357
- Object-Oriented-Approach 193:207
- Parameter 189:77
- Peak 172:29
- Photometric-Reagent 191:403
- Plastics 187:255
- Possible 189:77
- Program 176:199, 186:199
- Radiation-Induced-Decomposition 153:211
- Radioactive-Waste 181:253
- Radiobiological-Effect 189:77
- Rate-Constant 153:211
- Reference-Material 151:167
- Reflection 196:97
- Rock 181:413
- Selenium 151:167
- Separation 164:373
- Shift 172:29
- Sorption 185:319
- Spectrophotometry 196:97
- Spectrum 172:29
- Statistical-Estimate 181:253
- Synergic-Extraction 189:83
- Thin 196:97
- Toluene-3,4-Dithiol 189:83
- Toxic-Element 162:111
- Trace 191:403
- Trace-Element 151:277
- Trioctylamine 189:83
- Tritium 151:357, 189:77
- Uranium 181:413, 191:403, 194:337
- Vitrified 181:253
- Water 164:373, 194:337
- Well 164:373
- X-Ray-Absorptiometry 195:139
- Evaluation-Method** 181:395
- Evaporation** 201:303
- Even-Number** 181:175
- Evidence**
 - Biological 171:443
 - Bovine 171:443
 - Carrier 193:291
 - Clay 193:291
 - Cold-Fusion 193:165
 - Explosion 193:165
 - Fatal 193:165
 - Faulted 193:291
 - Gas 193:291
 - Hole 171:443
 - Involvement 193:165
 - Italy 193:291
 - Nuclear 193:165
 - Positive 171:443
 - Possible 171:443
 - Protein 171:443
 - Radon 193:291
 - Search 193:165
 - Serum-Albumin 171:443
 - Transport 171:443, 193:291
- Evolution** 171:203
- Examination** 174:133
- Exchange**
 - Cesium 173:171
 - $\text{CO}_3[\text{Co}(\text{CN})_6]_2 \cdot \sqrt{12}\text{H}_2\text{O}$ 173:171
 - Feature 173:171
- Exchange-Reaction**
 - Labeling 163:255
 - Manganese-PAN-Complex 164:193
 - Metal 164:193
- Polyaminomacrocyclic-Ligand 163:255
- Reduction 163:255
- Technetium-99mO₄⁻ 163:255
- Zinc-EDTA-Complex 164:193
- Exchanger**
 - Cellulose 164:357
 - Chelating 164:357
 - Drinking-Water 164:357
 - Inorganic-Ion 199:1
 - OSTSORB-Oxin 164:357
 - Plutonium 199:1
 - Preconcentration 164:357
 - Radionuclide 164:357
 - Sodium-Carbonate-Medium 199:1
 - Sorption 199:1
 - Trace-Metal 164:357
 - X-Ray-Fluorescence-Analysis 164:357
- Excimer** 165:255
- Excitation-Function** 153:417
- Excited-Atom** 159:249
- Excreta**
 - Actinide 197:357
 - Activation-Analysis 155:427
 - Comparison 197:357
 - Glass 155:427
 - Inter-Laboratory 197:357
 - Quartz 155:427
 - Significance 155:427
 - Thorium 155:427
- Exhalation** 199:251
- Expectation** 163:123
- Experience**
 - Assessment 197:161
 - Charcoal 193:337
 - Comparison 193:337
 - Dosimetry 197:161
 - Field 193:337, 197:161
 - French 197:161
 - Industrial 197:161
 - Internal 197:161
 - Liquid-Scintillation-Counting 193:337
 - Nuclear 197:161
 - Radon 193:337
 - Survey 193:337
 - Uranium-Dioxide 197:161
 - Workplace 197:161
- Experimental-Condition** 198:179
- Experimental-Consideration** 170:423
- Experimental-Design** 161:313
- Experimental-Investigation** 153:245
- Experimental-Method** 183:409
- Experimental-Parameter** 201:97
- Expert-System**
 - Gamma-Spectrum 160:245, 193:219
 - Identification 160:245, 193:219
 - Interpretation 160:245
 - Nuclide 160:245, 193:219
- Exploratory-Study** 183:159
- Explosion** 193:165
- Explosive** 151:409
- Explosive-Material** 162:277
- Exposure**
 - Actinide 156:425
 - Air 177:81
- Animal 156:425
- Antibody 189:77
- Associated 182:127, 189:77
- Bioassay 156:389, 156:425
- Chronic 189:77
- Conventional 182:127
- Correlation 161:39
- Corrosion 165:107
- Data 156:425
- Dosimetry 156:425
- End-Point 189:77
- Evaluation 189:77
- Human 156:425
- Immunochemical 189:77
- INNA 161:39
- Interelament 161:39
- Interpret 156:425
- Interpretation 156:389
- Late 156:269
- Medical-Consequence 156:269
- Mercuric-Chloride 161:39
- Mining 182:127
- Model 156:425
- Monitoring 177:81
- Mössbauer-Spectroscopy 165:107
- Occupational 177:81
- Parameter 189:77
- Possible 189:77
- Problem 156:389
- Radioactive-Fallout 156:269
- Radiobiological-Effect 189:77
- Rat 161:39
- Rongelap-Utirik 156:269
- Sea-Water 165:107
- SS-304 165:107
- Thorium 156:389, 177:81, 182:127
- Tritium 189:77
- Uranium 182:127
- Expression**
 - Class 199:57
 - Contribution 199:57
 - Detection 151:41
 - Disk-Shaped 199:57
 - Efficiency 151:41
 - Gamma-Ray 151:41
 - Ge(Li)-Detector 151:41
 - Hubbell 199:57
 - Radiation-Field 199:57
 - Short 199:57
 - Source 199:57
- Extension**
 - Conversion 169:209
 - Diameter 169:209
 - Efficiency 169:209
 - EXTSANGLE 169:209
 - Germanium-Detector 169:209
 - k_q-Standardization 169:125
 - Larger 169:209
 - Neutron-Activation-Analysis 169:125
 - Program 169:209
 - Prospect 169:125
 - SOLANG 169:209
 - Source 169:209
- External** 175:297
- External-Beam** 192:147
- Extractability** 153:47
- Extractant**
 - Acetylacetone 163:59
 - Actinide 187:91
 - Adsorption 175:415

- Americium(III) 157:355, 186:47
- Aqueous-Medium 157:355, 178:179
- Association 183:33
- Bifunctional 175:415
- Binary-Mixture 178:179
- bis(2-Ethylhexyl)Sulfoxide 157:355
- Capability 183:59
- Carbamoylmethyl-Sulfoxide 187:91
- Chelate 163:59
- Chromatography 175:415
- Complex 175:415
- DEHSO 162:391
- Di(2-Ethylhexyl)Sulfoxide 162:91
- Dicyclohexano-18-Crown-6 175:55
- Efficient 186:401
- Environmental-Sample 186:401
- Equilibrium 163:59
- Europium(III) 178:109
- Extracted 175:415
- Extraction 162:391, 175:415, 183:59
- f-Element 175:415
- Filter 183:59
- Fuel 162:391
- High-Level 187:19
- Hydration 163:59
- Hydrogen-Chloride 178:179
- Hydrophobic 183:59
- Infrared-Spectrometry 155:371
- Low-Polarity-Solvent 183:33
- Metal-Ion 163:59
- Methylbutylmalonamide 186:47
- Mixture 178:109
- Model 163:59
- Molybdenum(VI) 178:179
- Monothioacetylacetone 163:59
- Nitrate 157:355
- Nitric-Acid-Medium 162:91, 162:391
- Nuclear 183:59
- Nuclear-Fuel 175:55
- Observed 183:59
- Organophosphinic-Acid 178:179
- Organophosphorus 178:109
- Palladium 187:19
- Partition 163:59
- Phosphonic-Acid 178:179
- Plutonium 186:401
- Plutonium(IV) 162:91, 186:47
- Polyether-Type 163:69
- Polyurethane-Foam 163:69
- Quantitative-Analysis 155:371
- Radioactive-Waste 187:19
- Radiochemical-Separation 186:401
- Radiolytic-Product 175:55
- Recovery 187:19
- Reprocessing 162:391, 175:55
- Selective 175:55, 187:19
- Solid 163:69, 183:59
- Solvent 175:415
- Specificity 186:401
- Spent 162:391
- Supported 186:401
- Synergistic-Solvent-Extraction 178:109
- Terbium(III) 178:109
- Thorium(IV) 162:391
- Thorium-Uranium 162:391
- Trace-Element 163:69
- Unloaded 163:69
- Uranium(VI) 162:391, 178:179, 186:47
- Extracted**
 - Adsorption 175:415
 - Bifunctional 175:415
 - China 151:177
 - Chromatography 175:415
 - Complex 175:415
 - Crude-Oil 151:177
 - Extractant 175:415
 - Extraction 175:415
 - f-Element 175:415
 - Instrumental-Neutron-Activation-Analysis 151:177
 - Oil-Forming 151:177
 - Organic-Material 151:177
 - Rock 151:177
 - Solvent 175:415
 - Source 151:177
 - Trace-Element 151:177
- Extracting-Agent** 185:347
- Extraction**
 - 1-Phenyl-3-Methyl-4-Benzoyl-pyrazolone-5 198:367
 - 14-MeV 172:357
 - 15-Crown-5 196:369
 - 18-Crown-6 159:63, 163:81, 189:229, 196:369
 - 2-Benzylpyridine 159:13
 - 2-Ethylhexylphosphonic-Acid 174:271
 - 2-Hydroxyethylethylene-diaminetriacetic-Acid 162:35
 - 2-Thenoyltrifluoroacetone 152:151
 - 3,5-Dichlorophenol 157:255
 - 4-Decylphenylamine 183:63
 - 8-Hydroxyquinoline 152:461, 176:273
 - Acetone 161:227
 - Acetylacetone 157:255
 - Acid-Medium 157:105, 162:371
 - Acid-Rain 161:89
 - Acidic-Medium 162:289
 - Acidic-Solution 155:195
 - Actinide 157:105, 159:259, 162:371, 170:479, 183:359, 191:279, 198:367
 - Actinium 153:67
 - Activation-Analysis 153:301, 173:125
 - Adogen-464 162:125
 - Adsorption 175:415
 - Aliphatic-Monoamide 191:323
 - Aliquat-336 162:289, 187:385
 - Alkaline-Solution 159:259
 - Alkylammonium-Cation 178:27
 - Americium 172:97, 183:245, 188:157, 194:191
 - Americium(III) 152:127
 - Amine 152:151, 162:35, 162:47, 163:29, 166:273, 183:73
 - Ammonium-Diuranate 178:41
 - Analytical-Separation 172:97
 - Antimony(V) 200:427
 - AOT 191:201
 - Aquaion 173:47
 - Aqueous-Phase 201:81
 - Aqueous-Solution 159:13
 - Barium-Dicarbollide 178:27
 - Barium²⁺ 187:285
 - Bearing 191:279
 - Behavior 177:311
 - Benzene 152:127, 159:13, 166:441, 196:369
 - Bidentate 152:151
 - Bifunctional 175:415
 - Branched-Chain 176:103
 - Capability 183:59
 - Capillary-Isotachophoresis 163:87
 - Cerium 162:47
 - Cerium(III) 174:271
 - Cerium(IV) 166:153
 - Cesium 201:81
 - Cesium-Dicarbollide 178:27
 - Characterization 161:575
 - Chelate 157:255, 198:367
 - Chemical-Separation 166:521
 - Chloroform 158:303
 - Chromatographic-Separation 166:503, 189:345, 191:279
 - Chromatography 161:89, 161:575, 162:125, 166:521, 170:189, 172:97, 175:415, 182:103, 188:163, 194:191, 200:385
 - Chromium(III) 166:273
 - CMPO 188:157, 191:279
 - Cobalt 187:285
 - Cobalt(II) 166:273, 178:153
 - Cobalt²⁺ 152:461
 - Column 182:103
 - Comment 188:163
 - Complex 175:415, 200:427
 - Complexation 164:1
 - Complexing-Agent 162:35, 162:47, 174:271
 - Conditioning 177:311
 - Constant 198:359
 - Continuous 166:75
 - Conventional 166:413
 - Coprecipitation 178:41
 - Crown-Ether 176:457, 185:411
 - Curium 194:191
 - Cyclohexane 162:267
 - D2EHPA 162:267
 - D2EHPA-Tributyl-Phosphate-Kerosene-Oil-Supported 185:369
 - DEHPA 198:237
 - DEHSO 162:391
 - Dehydration 173:47
 - Dialkylamide 176:103
 - Dibenzoylmethane 162:227
 - Dicarbollide 163:81, 187:185, 188:157
 - Dicarbollide-Polyethylene 187:285
 - Dicarbollylcobaltate-Anion 198:359
 - Dichlorobenzene 157:105
 - Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 152:127, 155:195, 183:359, 198:367
 - Dihexylbutyramide 182:393
 - Dihexylisobutyramide 182:393
 - Dinonylnaphthalenesulfonic-Acid 176:457
 - Dodecane 176:273
 - Donor 157:255
 - Droplet 154:41
 - Dye 154:41
 - Dysprosium(III) 164:1
 - Effluent 200:509
 - Emulsion 163:113
 - Enhancement 157:255
 - Environmental-Object 170:189
 - Equilibrium 170:89, 191:331
 - Ethylenediaminetetraacetic-Acid 162:47
 - Europium 188:157, 201:81
 - Europium(III) 176:273, 176:457, 178:63, 196:369
 - Europium³⁺ 157:87
 - Extractant 162:391, 175:415, 183:59
 - Extracted 175:415
 - f-Element 175:415
 - Filter 183:59
 - Fission-Product 163:113, 176:103, 178:91, 178:99
 - Fluoride-Ion 172:357
 - Fluorinated 178:153
 - Fluorine 172:357
 - Fluorometric-Determination 166:413
 - Foam 157:105
 - Formation 177:311
 - Fuel 162:391
 - Gadolinium(III) 196:369
 - Gamma-Irradiated 176:103
 - Gamma-Irradiation 178:91
 - Gamma-Ray 178:99
 - Glycol-Nitrobenzene-Carbon-Tetrachloride-Cyclohexanedi-aminete 187:285
 - Hafnium 162:289
 - Hanford 194:191
 - HDEHP 157:105, 162:371
 - Heterocycle 152:151
 - High-Level 177:311, 183:245, 191:279
 - High-Molecular-Weight 166:273, 191:323
 - High-Temperature 153:301
 - HPMTFP 178:153
 - HTTA-TBA 164:1
 - Hydrochloric-Acid-Solution 153:67
 - Hydrofluoric-Acid-Solution 178:41
 - Hydrophobic 183:59
 - Individual 198:359
 - Industrial 200:509
 - Interfacial-Activity 183:63
 - Iodide-Ion 159:13
 - Ionogenic-Compound 163:87
 - Iridium 153:301
 - Iron(III) 157:255, 166:273
 - Iron(III)-Bromide 157:185
 - Irradiation 178:99
 - Isotope 194:191
 - Isotope-Exchange 158:163
 - Kinetics 157:185, 170:235
 - Lanthanide 157:105, 162:371, 163:81, 173:47, 189:229, 198:367
 - Lanthanoid 159:63

- Lanthanum 162:35
 - Lead-210 200:385
 - Light 189:229
 - Lipophilic 154:41
 - Liquid 177:311
 - Liquid-Membrane 163:113, 178:63, 185:369
 - Liquid-Scintillation-Counting 183:245
 - Loaded 162:227, 166:153
 - Macroconcentration 162:267
 - Manganese(II) 166:273, 178:153
 - Material 161:575
 - Mercury 166:521, 200:509
 - Mercury(II) 159:13, 178:153
 - Mercury(II)-Sulfoxide 191:331
 - Metal 173:125, 187:185
 - Micellar-System 191:201
 - Micelle 183:115
 - Microconcentration 162:267
 - Mineral-Acid 159:13
 - Minor 191:279
 - Mixed-Ligand 164:1, 198:367
 - Mixture 152:127, 162:267, 162:289, 170:89, 188:157
 - Model-System 183:63
 - Modified 183:115
 - Molybdenum-99 189:345
 - Monitoring 182:103
 - Mono-2-Ethylhexyl-Ester 174:271
 - N,N-Disubstituted-Amide 178:99
 - n-Alkylcaprolactam 162:207
 - n-Heptane-Solution 171:371
 - n-Hexane 162:267
 - n-Octylacetamide 152:243
 - Neodymium(III) 174:271
 - Neptunium 172:97, 183:245
 - Neutral-Donor 170:479, 200:1
 - Neutron 172:357
 - Neutron-Activation 161:89
 - Neutron-Activation-Analysis 161:227, 172:357
 - Niobium 162:289
 - Nitrate-Medium 196:369
 - Nitric-Acid 171:371, 178:99
 - Nitric-Acid-Medium 162:391, 178:91, 182:393, 191:323
 - Nitric-Acid-Solution 152:127, 153:67, 157:105, 162:207, 162:371, 183:359, 185:411
 - Nitrobenzene-Solution 163:81
 - Non-plasticized-Polyurethane-Foam 162:227
 - Nuclear 183:59
 - Observed 183:59
 - Organic-Acid 163:113
 - Organophosphinic-Acid 178:63
 - Oxalic-Acid-Nitric-Acid-Solution 187:385
 - Oxidation-Reduction 198:237
 - Oxidation-State 159:259
 - Palladium 166:441
 - Palladium-Nitrate-Solution 158:303
 - PAR 152:243
 - Parent-Daughter 162:125
 - Partitioning 191:201
 - Perchlorate-Medium 176:273
 - Perfluorooctanoate 189:229
 - Phase 162:125
 - Phenanthroline 152:461
 - Phosphate 157:185
 - Phosphine-Oxide 157:87
 - Phosphonic-Acid 200:1
 - Phosphoric-Acid 176:273, 198:237
 - Plating 194:191
 - Plutonium 172:97, 176:103, 183:245, 194:191
 - Plutonium(IV) 182:393, 187:385, 191:323
 - Polyethylene-Glycol 178:27
 - Polyoxyethylene-Nonyl-Phenyl-Ether 154:41
 - Polypropylene 182:103
 - Polyurethane-Foam 166:153
 - Polyurethane-Foam-Loaded-Acid 157:105, 162:371
 - Polyvalent 163:113
 - Polyvanadate 183:73
 - PONPE-2 154:41
 - Precipitation 194:191
 - Preconcentration 183:115
 - Preliminary 161:227
 - Preparation 163:87
 - Primary-Amine 171:371, 178:41
 - Production 163:29
 - Promethium(III) 155:195
 - Promoted 163:113
 - Protein 191:201
 - Proton 157:255
 - Pure 163:29
 - Pyrazolone 178:153
 - Quantitative-Analysis 194:191
 - Radioactive-Waste 161:575, 183:245
 - Radiochemical-Ion-Association 200:427
 - Radioisotope 196:369
 - Radiolabeled 191:201
 - Radiolytic-Product 166:75
 - Radiostromium 170:189
 - Rapid 194:191
 - Rare-Earth-Element 162:35, 162:47
 - Rare-Earth-Ion 162:267
 - Removal 166:75
 - Reprocessing 162:391
 - Research 187:185
 - Reverse 162:125, 191:201
 - Reversed-Phase 161:89
 - Rhenium 161:227
 - Rock 161:227
 - Salt 163:29
 - Samarium 162:35
 - Samarium(III) 164:1
 - Sample 163:87, 194:191
 - Sediment 200:385
 - Selected 185:411
 - Selective 159:13, 166:153, 189:229
 - Selenium(IV) 178:153
 - Separation 158:163, 159:259, 162:35, 162:47, 162:125, 162:289, 172:357, 187:285, 200:509
 - Simulated 177:311
 - Sodium-Carbonate 201:81
 - Solid 177:311, 183:59
 - Solid-Phase 163:87, 183:115
 - Solvent 159:63, 175:415
 - Sorbent 162:227
 - Spectrophotometry 152:243, 154:41, 166:413
 - Spent 162:391
 - Stripping 185:369
 - Strontium 183:115, 185:411, 201:81
 - Strontium-Ion 185:369
 - Strontium²⁺ 187:285
 - Succinic-Acid-Medium 166:273
 - Sulfate 191:279
 - Sulfoxide 170:89, 178:91
 - Surfactant 191:201
 - Synergic-Effect 178:153
 - Synergic-System 164:1
 - Synergistic-Effect 152:151, 176:457
 - Synergistic-Mixture 196:369
 - Technetium(VII) 171:371, 178:41
 - Tetrahydro-Trimethyl-7-Substituted-Pyrimido-Benzimidazole-Thiol 200:509
 - Tetravalent 183:359
 - Tetrazolium 200:427
 - Thallium 166:521
 - Thenoyltrifluoroacetone 152:461, 157:87, 166:153, 196:369
 - Thermal-Behavior 200:427
 - Thermodynamics 152:461, 157:87
 - Thiocyanate 162:289
 - Thorium(IV) 152:151, 162:207, 162:391, 166:503, 178:91, 178:99, 185:243
 - Thorium-Uranium 162:391
 - TPPO 178:153
 - Trace-Analysis 163:87
 - Trace-Element 161:89
 - Transport 178:63
 - Transuranic-Element 177:311
 - Tri-n-Butyl-Phosphate 166:153
 - Tri-n-Octylphosphine-Oxide 162:289, 166:503, 198:237
 - Tri-n-Octylphosphine-Oxide-Supported 182:103
 - Tributyl-Phosphate 152:127, 162:267, 166:75, 170:235, 183:359
 - Tributyl-Phosphate-Plasticized-Polyurethane-Foam 162:227
 - Tributyl-Phosphate/Iso-thiocyanate-System 173:47
 - Tributyl-Phosphate/Nitric-Acid-System 172:97
 - Tributyl-Phosphate/XAD-4-Column 172:97
 - Trichloroacetate 159:63
 - Trioctylamine 189:345
 - Trioctylphosphine-Oxide 176:457
 - Triphenylarsine-Oxide 157:87
 - Triphenylphosphine 158:303
 - Triphenylphosphine-Oxide 178:153, 185:243
 - Triphenylphosphine-Sulfide 166:441
 - Triphenylphosphine-Oxide 158:303
 - Triphenyltin-Chloride 172:357
 - Trivalent 183:359, 198:367
 - Tropolone 170:479
 - Tungsten-187 189:345
 - TVEX-DCH18C6 170:189
 - Uncommon 159:259
 - Unsymmetrical 176:103
 - Uranium 166:413, 172:97, 176:103, 198:237
 - Uranium(IV) 158:163
 - Uranium(VI) 152:243, 157:105, 158:163, 162:207, 162:227, 162:371, 162:391, 170:479, 171:371, 178:91, 178:99, 182:393, 191:323, 200:1
 - Uranium(VI)-Pyridylazo-Complex 154:41
 - Urine 182:103
 - Violet 200:427
 - Volcanic-Rock 153:301
 - Waste 177:311, 191:279
 - Water-Soluble 174:271
 - Water/Nitrobenzene-System 198:359
 - Wet 198:237
 - Ytterbium(III) 170:89
 - Zinc(II)-Chloride 170:235
 - Zirconium 162:289, 163:29
- Extraction-Behavior**
- Diisodecylphosphoric-Acid 158:391, 185:173
 - Europium(III) 201:125
 - Fission-Product 159:167, 196:171
 - Gamma-Irradiated 159:167
 - Gamma-Pre-Irradiated 196:171, 201:125
 - Molybdenum 185:173
 - N,N'-Dialkylamide 159:167
 - N,N'-Dihexyl-Substituted-Amide 196:171
 - N,N'-Methylbutyl-Substituted-Amide 201:125
 - n-Dodecane 201:125
 - n-Dodecane-Solution 196:171
 - Nitric-Acid-Solution 158:391, 185:173
 - Plutonium 159:167
 - Plutonium(IV) 196:171, 201:125
 - Ruthenium(III) 201:125
 - Uranium 159:167
 - Uranium(VI) 196:171, 201:125
 - Yttrium 158:391
 - Zirconium 185:173
 - Zirconium(IV) 201:125
- Extractive**
- 4-tert-Butylbenzo-15-Crown-5 187:25
 - 5-(2-Carboxyphenyl)Azo-8-Quinolinol 196:363
 - Acidic 177:327
 - Dioxouranium(VI) 199:413
 - Geological-Sample 196:363
 - Hexamethyleneimine-carbodithioate 199:413
 - High-Activity 177:327
 - Isotope 187:25
 - Lithium 187:25
 - Nuclear-Waste 177:327
 - Palladium 177:327
 - Reagent 196:363
 - Sensitive 196:363
 - Separation 187:25
 - Sodium-Salt 199:413

- Spectrophotometry 177:327, 196:363, 199:413
- Uranium 196:363
- Extraneural-Tissue** 195:13
- EXTSANGLE** 169:209
- e_{Aq}-OH** 163:391
- f-Element** 175:415
- Fabric** 175:17
- Facility**
 - Activation-Analysis 181:131
 - Advanced 167:7
 - Aluminum 192:131
 - Americium-241-Beryllium-Source 181:131
 - Applied-Research 190:505
 - Behavior 180:225
 - Biological-Tissue 192:131
 - Borehole 194:393
 - Calibration 194:393
 - Cold-Neutron 167:133
 - Complex 197:253
 - Contamination 197:115, 197:253
 - Environmental 194:393
 - Estimation 197:115
 - Gamma-Monitoring-Technique 197:115
 - Iodine 180:225
 - Irradiation 192:131
 - JINR 190:505
 - KFUPM 181:131
 - McMaster-University-Nuclear-Reactor 180:313
 - Multidisciplinary-Center 180:319
 - Neutron-Activation-Analysis 167:7
 - Neutron-Source 167:7
 - Novel-Approach 192:131
 - Nuclear-Science 180:319
 - Nuclear-Weapon 197:115
 - Pair 192:131
 - Plutonium 197:115
 - Pneumatic-Tube 192:131
 - Possibility 190:505
 - Possible 197:253
 - Problem 197:253
 - Processing 197:253
 - Prompt-Gamma-Neutron-Activation-Analysis 167:133
 - Radiation 194:393
 - Radiochemical-Analysis 180:225
 - Radioiodine 180:225
 - Representative-Sampling 197:253
 - Research 180:313
 - Status 167:7
 - Surface 194:393
 - Test 180:225
 - Thermal-Neutron 181:131
 - U.W.I. 180:319
 - Waste 197:253
- Factor**
 - Affecting 159:201, 160:477
 - Background-Measurement 151:293
 - Calibration 175:333
 - Chernobyl-Zone 201:371
 - Coefficient 175:333
 - Complicating 158:239
 - Concentration 159:201
 - Contact-Time 159:201
 - Dating 158:239
 - Distribution 201:371
 - Electrodeposition 160:477
 - Equilibrium 175:333
 - Form 201:371
 - Fossil 158:239
 - Freshwater 159:201
 - High-Temperature-Superconducting-Material 151:365
 - Hipparion 158:239
 - In-Vivo 151:293
 - Interaction 159:201
 - Isotope 201:371
 - Layer 201:371
 - Mobile 201:371
 - Neutron-Activation 151:365
 - Neutron-Activation-Analysis 151:293
 - Nitrogen 151:293
 - Oxygen 151:365
 - Plutonium 201:371
 - Radiocesium 159:201
 - Radium-226 160:477
 - Radon 175:333
 - Soil-Profile 201:371
 - Solid 159:201
 - SSNTD 175:333
 - Teeth 158:239
 - Temperature 159:201
 - Uranium-Microdistribution 158:239
 - Variation 158:239
- Factor-K** 170:423
- Factory**
 - Atmospheric 179:195
 - Brick 186:57
 - Cement 162:381, 179:195
 - Central-India 162:381
 - Copper 186:57
 - Deposition 179:195
 - Dust 162:381
 - Final 186:57
 - Fugitive 162:381
 - Iron 186:57
 - Lead 186:57
 - Major-Element 179:195
 - Manganese 186:57
 - Material 186:57
 - Matter 186:57
 - Minor-Element 179:195
 - Multielemental 162:381
 - Neutron-Activation-Analysis 162:381
 - Particulate 162:381, 186:57
 - Radionuclide 186:57
 - Raw 186:57
 - Trace-Element 179:195
 - X-Ray-Fluorescence-Analysis 186:57
 - Zinc 186:57
- Fall** 180:217
- Fallout**
 - Actinide 151:113
 - Aerosol 186:245
 - Atmospheric 186:245
 - Behavior 186:245
 - Cesium-137 175:297, 181:447
 - Chernobyl-Accident 156:183
 - Cobalt-Dicarbollide 172:213
 - Commitment 175:297
 - Concentrating 172:213
 - Concentration 156:175
 - Cáceres-Spain 175:297
 - Depth 175:297
 - Distribution 175:297
 - Dose 175:297
 - Drinking 172:213
 - Dry 197:409
 - External 175:297
 - Following 156:183
 - Inductively-Coupled-Plasma-Mass-Spectrometry 197:409
 - Irradiation 175:297
 - Japanese 156:175
 - Lead-210 181:447
 - Mediterranean-Sea 181:447
 - Model 172:213
 - Natural 181:447
 - Neutron-Activated-Nuclide 151:113
 - Plutonium 156:175
 - Prague 186:245
 - Radiocesium 186:245
 - Radiochronology 181:447
 - Radiostromium 172:213
 - Rain 197:409
 - Rapid 172:213
 - Sample 151:113, 156:175
 - Sediment 181:447
 - Separation 151:113
 - Slovafof-909 172:213
 - Soil 175:297
 - Solvent-Extraction 172:213
 - Strontium-90 175:297
 - Surface 175:297
 - Technetium-99 197:409
 - Technological 172:213
 - Tissue 156:175
 - Transuranium-Element 156:183
 - Water 172:213
- Family** 185:347
- Far** 169:463
- Farm-Animal** 194:269
- Fast**
 - Centrifuge 189:133
 - Concrete 193:119
 - HDEHP 196:287
 - Iridium 196:287
 - Iron-55 193:119
 - LSC 193:119
 - Procedure 193:119
 - Rhodium 196:287
 - Ruthenium 196:287
 - Sensitive 193:119
 - Separation 196:287
 - Solvent-Extraction 189:133, 196:287
 - Steel 193:119
 - Transactinide-Element 189:133
- Fast-Method**
 - Carbon-14-Labeled 175:219
 - Carboxylic-Acid 175:219
 - Cosmochemical-Samples 168:47
 - Design 175:219
 - Detection 190:251
 - Geochemical-Samples 168:47
 - Instrumental-Neutron-Activation-Analysis 168:47
 - Phosphate-Ore 194:319
 - Phosphogypsum 194:319
 - Plant-Tissue 190:251
 - Plutonium 200:545
 - Radiotracing 190:251
 - Small-Sample-Analysis 168:47
 - Soil-Sediment-Sample 200:545
 - Transport-Process 190:251
- Fast-Neutron**
 - Activation-Analysis 167:55, 187:175, 188:9
 - Biological-Material 168:201
 - Clarias-Magur 188:9
 - Coal 187:175
 - Fish 188:9
 - Freshwater 188:9
 - Kalewa-Myanmar 187:175
 - Nga-Khu 188:9
 - Nickel 168:201
 - Radiochemical-Activation-Analysis 168:201
 - Short-Lived-Radionuclide 167:55
 - Ultratrace-Level 168:201
- Fast-Reactor** 167:11
- Fatal** 193:165
- Fault** 161:339
- Faulted** 193:291
- FDG (2-(F-18)-»** 173:239
- Fe(CO)₄(C₂H₄)** 199:95
- Fe(CO)₅** 188:83
- Fe-Ni-Cr-Alloy** 190:327
- Fe** see also **Iron**
- Fear** 176:267
- Feasibility**
 - Adsorption 159:343
 - Airborne 167:309
 - Aqueous 159:343
 - Characterization 193:369
 - Chromium(VI) 159:343
 - Instrumental-Neutron-Activation-Analysis 168:61
 - Leaf 167:309
 - LINAC-Based 193:369
 - Miniature-Neutron-Source-Reactor 198:393
 - Molybdenum-99-Technetium-99m-Generator 198:393
 - Monitor 167:309
 - Natural 168:61
 - Oak 167:309
 - Pollution 167:309
 - Soil 168:61
 - Titanium-Dioxide 159:343
 - Trace-Element 168:61
 - Transuranic-Waste 193:369
- Feasibility-Study** 158:343
- Feature**
 - Accumulation 161:561
 - Active 161:561
 - Cesium 173:171
 - Concentration 161:561
 - CO₃[Co(CN)₆]₂·12H₂O 173:171
 - Exchange 173:171
 - Fissile 161:561
 - Material 161:561
 - Monitoring 161:561
 - Multitracer 195:297
 - Neutron-Counting 161:561
 - Nuclear-Reprocessing 161:561
 - Passive 161:561
 - Principle 195:297
 - Safety 161:561
 - Tracer-Technique 195:297
- Fed** 153:293
- Feed** 152:199
- Femora** 199:471
- Femur** 156:401
- Fermium** 154:73
- Ferric-Chloride** 171:417
- Ferric-Component** 154:215

- Ferric-Compound** 200:443
- Ferrisilicate** 190:407
- Ferrite** 183:135
- Ferritin**
 - Elaboration 159:111
 - Incorporation 190:237
 - Iodination 162:199
 - Iron 190:237
 - Mössbauer-Spectroscopy 190:237
 - Placental 162:199
 - Radioimmunoassay 162:199
 - Radioimmunoanalytical-Method 159:111
 - Serum 159:111
- Ferrocene** 166:351
- Ferrocyanide** 153:399
- Ferrous-Compound** 200:443
- Ferrous-Cupric-Sulfate** 175:199
- Fertilizer**
 - 14-MeV 168:317
 - Behavior 197:173
 - Complex-System 172:71
 - Contamination 200:9
 - Element 180:25
 - Estuarine 172:71
 - Garden 180:25
 - Heavy-Metal 194:331
 - Instrumental-Neutron-Activation-Analysis 180:25
 - Lawn 180:25
 - Level 197:173
 - Natural-Radioactivity 197:173
 - Neutron 168:317
 - Phosphate 168:317, 172:71, 194:331, 197:173, 200:9
 - Plant 197:173
 - Possible 200:9
 - Production 200:9
 - Radioactivity 194:331
 - Radium-226 200:9
 - Radium-Isotope 172:71
 - Reactor 168:317
 - Southwestern-Spain 172:71
 - Vicinity 197:173
 - Water 200:9
- Fe₈₃P₁₇** 176:429
- Fe₈₃P₁₇-Alloy** 187:33
- Fiber** 153:29
- Field**
 - Assay 194:221
 - Assessment 197:161
 - Charcoal 193:337
 - Comparison 193:337
 - Dilute 190:413
 - Dosimetry 197:161
 - Dwelling 164:347
 - Emission 194:221
 - Europium 190:413
 - Experience 193:337, 197:161
 - Fixation 163:325
 - French 197:161
 - Gamma-Radiation 163:325
 - Gamma-Ray 194:221
 - Generator 166:279
 - Hyperfine 190:413
 - Industrial 197:161
 - Instability 190:413
 - Instrument 194:221
 - Internal 197:161
 - Iron 190:413
 - Liquid-Scintillation-Counting 193:337
 - Magnetic-Phase-Transition 190:413
 - Molecular 163:325
 - Multiple 190:413
 - Neutron 166:279
 - Nitrogen 163:325
 - Nuclear 197:161
 - PASS 194:221
 - Performance-Test 194:221
 - Photon 164:347
 - Plutonium 194:221
 - Program 194:389
 - Radionuclide 194:221
 - Radon 193:337
 - Rapid 194:221
 - Rare-Earth 190:413
 - Real-Time 194:389
 - Reduction 163:325
 - RMn₂Si_{2-x}Ge_x 190:413
 - Sealed-Tube 166:279
 - Spatial-Characteristics 164:347
 - Survey 193:337
 - Tritium 194:389
 - Uranium-Dioxide 197:161
 - Valence 190:413
 - Versatile 194:389
 - WH₄(PCH₃Ph)₄ 163:325
 - WH₄(PC₂H₅Ph)₄ 163:325
 - Workplace 197:161
- Field-Sample** 192:361
- Figure** 168:287
- Film**
 - Alanine-Polyethylene 196:97
 - Aluminum-Ion 190:299
 - Backscattering 174:265
 - Barium 187:215
 - Beta-Diketone 155:201
 - Chelate 155:201
 - Chemical-Vapor-Deposition 155:201
 - Copper 187:215
 - Diffuse 196:97
 - Dosimetry 196:97
 - Evaluation 196:97
 - High-Temperature 155:91
 - Implanted 190:299
 - Iron-Si-Al 190:299
 - Lanthanide 155:201
 - Magnetic-Structure 190:299
 - Preparation 155:201
 - Proton 174:265
 - Reflection 196:97
 - Spectrophotometry 196:97
 - Stoichiometry 174:265
 - Sulfide 155:201
 - Superconductivity 155:91
 - Superconductor 187:215
 - Thin 196:97
 - Vanadium-Nitride 174:265
 - X-Ray-Fluorescence-Analysis 155:91, 187:215
 - Yttrium 187:215
- Filter**
 - Activity 194:403
 - Aerosol 192:195
 - Air 180:171, 194:403
 - Atmospheric 180:171
 - Automated 183:329
 - Capability 183:59
 - Charcoal 183:329
 - Chemistry 183:329
 - Compton 192:195
 - Conventional 189:35
 - Correction 179:55
 - Counting 179:55, 180:171, 192:195
 - Detection 192:195
 - Digital 193:81
 - Discrimination 194:403
 - Efficiency 183:329
 - Epithermal-Irradiation-Technique 192:195
 - Extractant 183:59
 - Extraction 183:59
 - F-18-Fluorodeoxyglucose 183:329
 - Gamma-Transmission-Method 201:321
 - Gross-Alpha 194:403
 - Gross-Beta 194:403
 - Ground-Water 189:35
 - Hydrophobic 183:59
 - Implementation 193:81
 - Limit 192:195
 - Liquid-Scintillation-Counting 194:403
 - Loss 179:55
 - Moisture 201:321
 - Mud 201:321
 - Nuclear 183:59
 - Observed 183:59
 - Preloaded 179:55, 193:81
 - Press 201:321
 - Process-Control 183:329
 - Processor 179:55, 193:81
 - Pulse 179:55, 193:81
 - Pulse-Shape 194:403
 - Radium 189:35
 - Removal 189:35
 - Sand 189:35
 - Simultaneous-Determination 194:403
 - Solid 183:59
 - Station 189:35
 - Suppression 192:195
 - Synthesis 183:329
 - Trace-Element 192:195
 - Treatment 189:35
 - Unit 183:329
- Filter-Paper** 152:251
- Filtration** 191:115
- Final**
 - Brick 186:57
 - Copper 186:57
 - Factory 186:57
 - Iron 186:57
 - Irradiated 177:291
 - Lead 186:57
 - Manganese 186:57
 - Material 186:57
 - Matter 186:57
 - Particulate 186:57
 - Product 177:291
 - Purification 177:291
 - Radionuclide 186:57
 - Raw 186:57
 - Reprocessing 177:291
 - Rod 177:291
 - Thorium 177:291
 - Treatment 177:291
 - Uranium-233-Oxide 177:291
 - X-Ray-Fluorescence-Analysis 186:57
 - Zinc 186:57
- Fine-Grained-Material** 166:219
- Fine-Powder** 168:163
- Fine-Structure** 158:41
- Fingernail**
 - Canada 162:283
 - Cancer-Patient 195:43
 - Elemental-Content 195:43
 - Esophageal 195:43
 - Hair 162:283
 - Industrial-Worker 162:283
 - Instrumental-Neutron-Activation-Analysis 195:43
 - Ontario 162:283
 - Scalp 162:283
 - Trace-Element 162:283
- Fire**
 - Activation-Analysis 198:385
 - Assay 196:11, 198:385
 - Element 196:11, 198:385
 - Interference 198:385
 - Neutron-Activation-Analysis 196:11
 - Neutron-Induced-Nuclear-Reaction 198:385
 - Nickel-Sulfide 196:11, 198:385
 - Platinum-Group 196:11, 198:385
 - Preconcentration 196:11, 198:385
 - Rock 196:11
- Fire-Assay** 198:169
- Firing** 152:453
- Fish**
 - Activation-Analysis 188:9
 - Aluminum 192:321
 - Aquatic-Environment 182:63
 - Arsenic 170:299
 - Brachydanio-Rerio 182:63
 - Brazilian 200:497
 - Carassius-Auratus 182:63
 - Cesium-134 182:63
 - Cesium-137 182:63
 - Chromium 170:299
 - Clarias-Magur 188:9
 - Coast 200:497
 - Controlled 182:63
 - Diffusion 198:399
 - Dump 194:157
 - Fast-Neutron 188:9
 - Freshwater 188:9
 - Gill 192:321
 - Goldfish 182:63
 - Inductively-Coupled-Plasma-Mass-Spectrometry 192:321
 - Instrumental-Neutron-Activation-Analysis 192:321
 - Kinetics 182:63
 - Low-Level 194:157
 - Marine 170:299
 - Mercury 170:299
 - Neutron-Activation 170:299
 - Nga-Khu 188:9
 - Ocean 194:157
 - Otolith 198:399
 - Plutonium-239/240 194:157
 - Radioactive 194:157
 - Radon 198:399
 - Release 182:63
 - Selenium 170:299
 - Site 194:157
 - Strontium-90 200:497
 - Tropical 170:299
 - Uptake 182:63
 - Validation 192:321
 - Waste 194:157
 - Zebra 182:63

- Zinc 170:299
- Fissile** 161:561
- Fission**
 - (n,n') 176:295
 - Actinide 182:149
 - Anomalous 158:323
 - Antimony-130 166:187
 - Antimony-132 166:187
 - Californium-252 176:295
 - Carbonaceous-Chondrite 173:219
 - Charge-Distribution 158:41, 181:175
 - Closed-Shell 181:175
 - Comparison 182:149
 - Dating 173:219
 - Deuteron 158:323
 - Deuteron/Hydrogen-Ratio 158:323
 - Disintegration 158:323
 - Even-Number 181:175
 - Fine-Structure 158:41
 - Interference 168:153
 - Iodine-134 166:187
 - Iodine-136 166:187
 - Isomer 166:187
 - Low-Energy 158:41, 181:175
 - Mass-Distribution 158:41, 181:175
 - Naturally-Occurring 158:323
 - Neutron 176:295
 - Neutron-Activation-Analysis 168:153
 - Neutron-Induced 182:149
 - Nucleon 181:175
 - Photon-Induced 182:149
 - Plutonium-244 173:219
 - Possibility 158:323
 - Production 176:295
 - Reaction 158:323
 - Rock 168:153
 - Technetium-99m 176:295
 - Thermal-Neutron 166:187
 - Uranium 168:153
 - Uranium-235 166:187
 - Xenon 173:219
 - Yield 166:187
- Fission-Product**
 - Acidic 183:371
 - Alumina 177:321
 - Association 198:229
 - Barium-140 198:457
 - Branched-Chain 176:103
 - Cation-Exchange 152:219
 - Cesium-137 183:371
 - Complex 183:371
 - Complexing-Agent 172:87
 - Component 198:229
 - Coniferous-Plant 200:147
 - Deposition 200:147
 - Detection 194:7
 - Dialkylamide 176:103
 - Disintegration 162:187
 - Distribution 152:219
 - Dosimetry 162:187
 - Emulsion 163:113
 - Extraction 163:113, 176:103, 178:91, 178:99
 - Extraction-Behavior 159:167, 196:171
 - Gamma-Irradiated 159:167, 176:103
 - Gamma-Irradiation 178:91
 - Gamma-Pre-Irradiated 196:171
 - Gamma-Ray 178:99
 - Gamma-Spectroscopy 180:209
 - Inductively-Coupled-Plasma-Mass-Spectrometry 194:7
 - Inorganic-Exchanger 183:371
 - Iodine-127 198:229
 - Iodine-129 198:229
 - Ion-Chromatography 194:7
 - Ion-Exchange 177:321
 - Irradiation 178:99
 - Isotope 198:229
 - Lichen 200:147
 - Liquid-Membrane 163:113
 - Mixed-Solvent 198:467
 - Molybdenum 198:457
 - Molybdenum-99 172:87
 - N,N'-Dialkylamide 159:167
 - N,N'-Diethyl-Substituted-Amide 196:171
 - N,N-Disubstituted-Amide 178:99
 - n-Dodecane-Solution 196:171
 - Natural 198:229
 - Nitric-Acid 152:219, 178:99
 - Nitric-Acid-Medium 178:91
 - On-line 194:7
 - Organic-Acid 163:113
 - Plutonium 159:167, 176:103
 - Plutonium(IV) 196:171
 - Polyvalent 163:113
 - Pressure-Effect 152:219
 - Procedure 198:229
 - Promoted 163:113
 - Radiochemical-Neutron-Activation-Analysis 198:457
 - Radionuclide 177:321, 194:7, 200:147
 - Rare-Earth-Element 194:7
 - Rate 162:187
 - Removal 198:467
 - Ruthenium 198:467
 - Separation 172:87, 177:321, 183:371
 - Sequential-Extraction 198:229
 - Soil 198:229
 - Strong-Acid 152:219
 - Sulfonic-Acid-Type 152:219
 - Sulfoxide 178:91
 - Tellurium-132 172:87
 - Thiourea 172:87
 - Thorium(IV) 178:91, 178:99
 - Trace 198:457
 - Transportable 180:209
 - Tungsten 198:457
 - Turkey 200:147
 - Unsymmetrical 176:103
 - Uranium 159:167, 176:103, 198:457
 - Uranium(VI) 178:91, 178:99, 196:171
 - Waste 183:371
 - Zeolite 198:467
- Fission-Track** 201:481
- Fission-Track-Method** 191:381
- Fit** 180:65
- Fixation**
 - Actinide 173:331
 - Composite 155:243
 - Field 163:325
 - Flexcrete-Cement 173:331
 - Francium 155:243
 - Gamma-Radiation 163:325
 - Inorganic-Sorbent 155:243
 - Ion-Exchanger 155:243
 - Matrix 173:331
 - Mixed 155:243
 - Molecular 163:325
 - Nitrogen 163:325
 - Radium 155:243
 - Reduction 163:325
 - $\text{WH}_4(\text{PCH}_3\text{Ph})_4$ 163:325
 - $\text{WH}_4(\text{PC}_2\text{H}_5\text{Ph})_4$ 163:325
 - Zeolite 173:331
 - Zeotype 173:331
- Flameless** 191:257
- Flash-Photolysis** 191:337
- Flexcrete-Cement** 173:331
- Flood-Basalt** 154:215
- Floodplain** 179:251
- Flotation**
 - 8-Hydroxyquinoline 196:35
 - Adsorption 172:329
 - Aqueous-Solution 172:329
 - Cesium-134 191:53
 - Cobalt(II) 172:329, 174:13, 196:35
 - Cobalt-60 191:53
 - Colloid 172:329
 - Decanoic-Acid 174:13
 - Dilute 172:329
 - Ion 174:13
 - Liquid-Liquid-Extraction 174:13, 196:35
 - Precipitate 172:329, 174:13, 196:35
 - Radioactive-Process 191:53
 - Removal 191:53
 - Separation 172:329
 - Waste-Water 191:53
- Flow**
 - Characterization 165:1
 - Column 165:1
 - Dehydration 165:1
 - Dynamics 165:1
 - Laboratory 165:1
 - Liquid 165:1
 - Molecular-Sieve 165:1
 - Organic 165:1
 - Parameter 180:245
 - Pilot-Plant 165:1
 - Pipe 180:245
 - Radiotracer 165:1
 - Radiotracer-Technique 180:245
- Flow-Injection** 176:113
- Flow-Injection-Analysis**
 - Comment 201:251
 - Journal-of-Radioanalytical-and-Nuclear-Chemistry-Letters 201:251
 - Radiochemical-Technique 201:251, 201:257
 - Radiometric-Detection 187:117
 - Response 201:257
- Flow-Injection-Analysis** [Modified-Radiometric-»] 187:179
- Flow-Injection-Analysis** [Radiometric-»]
 - ASIA-(Ismatec)-Analyzer 187:345
 - Cesium 201:185
 - Cesium-137 201:97, 201:171
 - Cobalt 201:185
 - Cobalt-60 201:97, 201:171
 - Computer-Program 201:143
 - Experimental-Parameter 201:97
 - Iodine-131 201:171
 - Model 201:171
 - Multichannel-Analyzer 201:171, 201:185
 - Radioactive-Waste 201:171
 - Radiometric-Detection 187:117
 - Reverse 201:171
 - Simultaneous-Determination 201:171
 - Stopped-Flow 201:185
 - Water 201:171
- Flow-Injection-Analysis** [Reverse-Radiometric-»]
 - ASIA-(Ismatec)-Analyzer 187:351
 - Modified-Radiometric-Flow-Injection-Analysis 187:179
 - Radioactive 187:351
 - Waste-Water 187:351
- Flow-Injection-Analysis** [Sub/Super-Equivalence-»] 201:105
- Flow-Rate** 186:205
- Fluctuation** 180:163
- Fluorescence**
 - Absorption 188:133
 - Aqueous 199:385
 - Behavior 188:133
 - Copper(II)-Ion 188:133
 - Cytosine 188:133
 - Dosimeter 199:385
 - Irradiated 188:133
 - Low-Dose 199:385
 - Neutral 188:133
 - pH 188:133
 - Phenylacetic-Acid 199:385
- Fluoride**
 - Arsenazo(III) 188:291
 - Back-Extracted 188:291
 - Binding 201:135
 - Bismuth(III) 170:197
 - Chloride 158:91
 - Complex 170:197, 188:291
 - Content 158:91
 - Cyclic 179:27
 - Ebrié 158:91
 - Human-Nail 179:27
 - Humic-Acid 201:135
 - Instrumental-Neutron-Activation-Analysis 179:27
 - Ion-Selective 170:197
 - Ivory-Coast 158:91
 - Lagoon 158:91
 - Plutonium(III) 170:197
 - Potentiometry 158:91, 170:197
 - Samarium(III) 170:197
 - Spectrophotometry 188:291
 - Thorium(IV) 188:291
 - Underground 158:91
 - Water 158:91
 - X-Ray-Fluorescence-Analysis 158:91
- Fluoride-Ion** 172:357
- Fluorinated** 178:153
- Fluorine**
 - 14-MeV 172:357, 180:277
 - Barium 174:35
 - Baryte 174:35
 - Biological-Application 157:273
 - Boron 180:277

- Content 174:35
- Cyclic 161:71
- Detection 157:273
- Diet 161:71
- Distribution 179:349
- Element 179:349
- Elimination 151:63
- Equipment 174:35
- Extraction 172:357
- Fluoride-Ion 172:357
- Fluorspar 174:35
- Geological-Application 157:273
- Instrumental-Neutron-Activation-Analysis 161:71, 180:277
- Matrix-Effect 151:63
- Microprobe 157:273
- Multiple-Interference 180:277
- Neutron 172:357
- Neutron-Activation-Analysis 172:357
- Nuclear 157:273
- On-line 174:35
- Optimization 157:273
- Ore 174:35
- Oxygen 180:277
- Particle-Induced-Gamma-Ray-Emission 161:71
- Proton-Induced-Prompt-Gamma-Spectrometry 151:63
- Proton-Induced-Reaction 179:349
- Sample 161:71
- Separation 172:357
- Silicon 174:35
- Teeth 179:349
- Triphenyltin-Chloride 172:357
- Fluorine-18**
 - 2-(F-18)-FDG 173:239
 - Activity 182:237
 - Construction 182:445
 - Contribution 182:237, 182:445, 198:247
 - Cyclotron 182:237, 182:445, 198:247, 200:227
 - Deuteron-Induced-Reaction 198:247
 - Distribution 182:237
 - Gas 198:247
 - Gas-Target 182:237
 - IPEN-CNEN-SP 200:227
 - Lithium-Aluminosilicate 187:419
 - Material 182:445
 - Metal-Surface 182:445
 - Mexico 173:239
 - Natural-Water 200:227
 - Neon-23 198:247
 - Neutron-Irradiation 187:419
 - Nuclear-Reactor 173:239
 - Preliminary 173:239
 - Production 173:249, 182:445, 198:247, 200:227
 - Quantification 182:237
 - Recovery 173:249, 182:445
 - Sodium-21 198:247
 - Synthesis 173:239
 - Target 182:445, 200:227
 - Targetry 182:237, 198:247
 - Testing 182:445
 - TRIGA-MARK-III 173:239
 - Tritium 173:249
 - Yield 198:247
- Fluorine-20** 169:57
- Fluorodeoxyglucose (F-18- α)** 183:329
- Fluorometric-Determination** 166:413
- Fluorspar** 174:35
- Flux** 193:281
- Flux-Density** 186:227
- Fly-Ash**
 - Actinium-228 175:37
 - Certification 193:7
 - Coal 152:55
 - Coupled-Standard-Addition-Method 152:55
 - CSFR 175:37
 - Incinerator 167:331
 - Instrumental-Neutron-Activation-Analysis 193:7
 - Instrumental-Photon-Activation-Analysis 152:55
 - Internal-Standard-Addition-Method 152:55
 - Municipal 167:331
 - National-Institute-of-Standards-and-Technology 193:7
 - Potassium-40 175:37
 - Radiometry 175:37
 - Radium-226 175:37
 - Solid-Waste 167:331
 - Standard-Reference-Material 193:7
 - Trace-Element 167:331
- Foam** 157:105
- Foil**
 - 80-MeV/Nucleon 186:113
 - Alloy 192:91
 - Cobalt 192:91
 - Cobalt-57-Source 174:291
 - Cold-Fusion 154:153
 - Dedicated 192:91
 - Electrodeposition 174:291
 - Element 192:91
 - Gold 192:91
 - High-Accuracy 192:91
 - Ion 186:113
 - Iron 186:113
 - Irradiated 186:113
 - Lutetium 192:91
 - Monitor 192:91
 - Multitracer 186:113
 - Mössbauer-Experiment 174:291
 - Neutron-Activation-Analysis 192:91
 - Neutron-Spectrum 192:91
 - Palladium 154:153
 - Preparation 174:291, 186:113
 - Radioactive 186:113
 - Stainless-Steel 174:291
 - Thin 154:153
 - Wire 192:91
- Foliar** 173:377
- Foliary** 153:15
- Followed** 196:3
- Following**
 - Accident 188:305
 - Algae 177:51
 - Alpha-Decay 164:171
 - Artificial 188:305
 - Blood 158:293
 - Cesium-137 161:483
 - Change 158:293
 - Chernobyl-Accident 156:183, 177:51
 - Chernobyl-Fallout 161:483
 - Collected 188:305
 - Component 158:293
 - Content 158:293
 - Decay 186:471
 - Dust 163:313
 - Elemental-Composition 163:313
 - Fallout 156:183
 - Gamma-Ray 164:171
 - Human 158:293
 - Ibaraki-Japan 188:305
 - Israel 163:313
 - k-beta/k-alpha-Intensity-Ratio 186:471
 - Level 188:305
 - Low-Dose 158:293
 - Macro 177:51
 - Monaco 177:51
 - Mushroom 161:483
 - Neutron-Activation-Analysis 158:293, 163:313
 - Particle 163:313
 - Photoionization 186:471
 - Radioactive 186:471
 - Radionuclide 177:51, 188:305
 - Rain 188:305
 - Russia 188:305
 - Saharan 163:313
 - Selenium 158:293
 - Settling 163:313
 - Short-Term 158:293
 - Storm 163:313
 - Strontium-90 161:483
 - Supplementation 158:293
 - Tomsk-7 188:305
 - Transuranium-Element 156:183
 - Uranium 188:305
 - Uranium-233 164:171
 - Water 188:305
- Food**
 - Basket 196:89
 - Bauxite 194:379
 - Cartilage 161:455
 - Concentration 161:455
 - Contact 195:209
 - Contaminant 195:209
 - Contribution 196:89
 - Costal 161:455
 - Crop 194:379
 - Dietary 196:89
 - Dose 196:89
 - Estimation 161:455
 - Grown 194:379
 - Human-Tissue 161:455
 - Imported 196:89
 - Intake 196:89
 - Internal 196:89
 - Japanese 196:89
 - Market 196:89
 - Material 195:209
 - Mean-Residence-Time 161:455
 - Mining 194:379
 - Multielement-Analysis 167:139
 - Neutron-Activation-Analysis 195:209
 - Neutron-Capture 167:139
 - Organically-Bound 161:455
 - Prompt-Gamma-Ray-Activation-Analysis 167:139
 - Radionuclide 194:379
 - Residue 194:379
 - Soil 194:379
 - Sternum 161:455
 - Thorium-232 196:89
 - Tritium 161:455
 - Uptake 194:379
 - Uranium-238 196:89
- Food-Sample**
 - Alpha-Emission 201:459
 - Chernobyl-Accident 201:459
 - Content 201:459
 - Neutron-Activation 169:255
 - Radionuclide 201:459
 - Sea 169:255
 - Toxic-Element 169:255
 - Trace-Element 169:255
- Foodstuff**
 - Accuracy 153:365
 - Cesium-137 153:365
 - Chinese 151:277
 - Evaluation 151:277
 - Precision 153:365
 - Trace-Element 151:277
- Foreign** 190:375
- Forest**
 - Americium-241 170:243
 - Ecosystem 194:259
 - Mushroom 170:243
 - Plutonium-238 170:243
 - Plutonium-239/240 170:243
 - Poland 170:243
 - Post-Chernobyl 194:259
 - Radiomonitoring 194:259
 - Sample 170:243
 - Soil 170:243
 - Strontium-90 170:243
- Forestral** 164:157
- Form**
 - Chernobyl-Zone 201:371
 - Clinoptilolite 178:143
 - Distribution 201:371
 - Equilibrium 178:143
 - Factor 201:371
 - High-Specific-Activity 195:227
 - Irradiation-Method 195:227
 - Isotope 201:371
 - Layer 201:371
 - Mobile 201:371
 - Mordenite 178:143
 - No-Carrier-Added 195:227
 - Plutonium 201:371
 - Production 195:227
 - Radionuclide 195:227
 - Sodium 178:143
 - Soil-Profile 201:371
 - Thorium 178:143
- Formaldehyde-C-14** 176:491
- Formamide** 190:469
- Formation**
 - 77-K 173:67
 - Alkyl-Radical 173:67
 - Aqueous-Solution 173:23
 - Barium-Sulfate 173:23
 - Bedrock 180:5
 - Behavior 177:311
 - Chloramine-T 176:169
 - cis-Decalin-D₁₈/Bromoalkane-System 173:67
 - cis-Decalin-D₁₈/Chloroalkane-System 173:67
 - Coating 152:321
 - Color-Center 183:205

- Complex 199:217
- Conditioning 177:311
- Continuous-Method 152:321
- Conversion 152:321
- Copper-Containing 183:205
- Cross-Section 170:367
- Dimer 199:217
- EDDA 199:217
- EDTA 199:217
- Electron-Spin-Resonance-Spectrum 173:67
- ESR 164:255
- Extraction 177:311
- Gamma-Irradiation 173:67
- Gamma-Ray 183:205
- General-Method 173:67
- Geochemical-Analysis 180:5
- Glass 183:205
- High-Level 177:301, 177:311
- Iodate-Ion ($^{125}\text{IO}_3^-$) 176:169
- Iron-59-(n,gamma)-Iron-60-Reaction 170:367
- Iron-60 170:367
- Kinetic-Study 152:321
- KY 164:255
- Labeling 176:169
- Lead-Borate 183:205
- Liquid 177:301, 177:311
- Low-Concentration 177:301
- Mixture 176:169
- Mu-Oxo 199:217
- Mössbauer-Spectroscopy 164:255
- NaY 164:255
- Neutron 170:367
- Nitric-Acid 177:301
- Nitridotechnetium(VI) 199:217
- Phthalocyanineiron(II)-Pyridine-Adduct 164:255
- Physical-Analysis 180:5
- Powder 173:67
- Radioanalytical-Monitoring 173:23
- RbY 164:255
- Reactor 170:367
- Selective 173:67
- Simulated 177:301, 177:311
- Solid 177:301, 177:311
- Specific 173:67
- Supercage 164:255
- Technetium(III)-Adenosine-Diphosphate-Complex 201:1
- Technetium(III)-EDTA-Complex 153:283
- Transuranic-Element 177:311
- Waste 177:301, 177:311
- Wellsch-Valley-Site-SaskatchewanCanada 180:5
- Zeolite 164:255
- Formed** 172:201
- Former**
 - Characterization 177:161
 - Collected 173:313, 185:157
 - Concentration 185:157
 - Contamination 177:161
 - Elemental-Analysis 173:313
 - Freshwater-Sample 173:313, 185:157
 - Inductively-Coupled-Plasma-Mass-Spectrometry 173:313
 - Maralinga 177:161
 - Nuclear-Weapon 177:161
 - Plutonium 177:161
- Range 177:161
- South-Australia 177:161
- Testing 177:161
- Thorium 185:157
- Uranium 185:157
- USSR 173:313, 185:157
- Formic-Acid**
 - Carbon-13 183:301, 198:3
 - Decarbonylation 183:301, 198:3
 - Initiated 198:3
 - Isotopic-Composition 183:301, 198:3
 - Kinetic-Isotope-Effect 183:301, 198:3
 - Liquid 198:3
 - Natural 183:301, 198:3
 - Phosphoric-Acid-Medium 183:301
 - Phosphorus-Pentoxide 198:3
- Formulation**
 - Alkaline 199:507
 - Anoxic-Lacustrine-Sediment 156:129
 - Cesium-137 156:129
 - High-Radiochemical-Yield 199:507
 - Indigenous-Medicine 201:117
 - Khun-Hnit-par-Shaung-Myanmar 201:117
 - Kit 199:507
 - Neutron-Activation-Analysis 201:117
 - Release 156:129
 - Technetium-99m-MAG₃ 199:507
- Forthcoming** 179:141
- Fortuity** 192:255
- Forward/Backward-Symmetry** 195:321
- Fossil** 158:239
- Fourier-Transform-Infrared-Spectroscopy** 190:381
- Fraction** 200:25
- Fractional** 189:165
- Fractionation**
 - Assessment 181:309
 - Associated 181:309
 - Catchment 156:7
 - Cesium 156:7
 - Contaminated 156:7
 - Humic-Material 181:309
 - Hydrogen 170:9
 - Hydrogen-Dichloride-Anion 170:9
 - Isotope 156:7, 170:9
 - Lake 156:7
 - Mountain 156:7
 - Norwegian 156:7
 - Radionuclide 181:309
 - Run-Off 156:7
 - Snowmelt 156:7
 - Strontium-90 156:7
 - Tetraethylammonium-Salt 170:9
 - Tetramethylammonium-Salt 170:9
 - Ultrafiltration 181:309
 - Water 156:7
- Francium** 155:243
- Francium-221** 153:293
- Free**
 - Acidity 152:447, 176:205
 - Complexing-Agent 152:447
- Constant-Current 176:205
- Coulometry 176:205
- Electrolyte-Solution 155:419
- Electromigration 155:419
- Hydrolysis 155:419
- Pentavalent 155:419
- Potentiometry 152:447
- Quantity 155:419
- Radioelement 155:419
- Sulfate 152:447
- Tetravalent 155:419
- Trace 155:419
- Uranium 152:447, 176:205
- Uranyl-Nitrate-Solution 152:447
- Vanadium 155:419
- Free-Energy** 188:243
- Free-Radical**
 - Class 196:153
 - ESR 196:153
 - Gas-Phase 190:493
 - Hydrazone 196:153
 - Mu-Spin-Resonance 190:493
 - Terpenoid 196:153
- Freeze-Dried** 196:45
- French** 197:161
- Freshwater**
 - Activation-Analysis 188:9
 - Affecting 159:201
 - Clarias-Magur 188:9
 - Concentration 159:201
 - Contact-Time 159:201
 - Factor 159:201, 160:477
 - Fast-Neutron 188:9
 - Fish 188:9
 - Interaction 159:201
 - Nga-Khu 188:9
 - Radiocesium 159:201
 - Solid 159:201
 - Temperature 159:201
- Freshwater-Sample**
 - Collected 173:313, 185:157
 - Concentration 185:157
 - Elemental-Analysis 173:313
 - Former 173:313, 185:157
 - Inductively-Coupled-Plasma-Mass-Spectrometry 173:313
 - Thorium 185:157
 - Uranium 185:157
 - USSR 173:313, 185:157
- Fruit-Sample** 181:433
- Fuel**
 - Alternative 158:283, 159:301, 172:387
 - Asphaltene 158:283, 172:387
 - Asphaltol 159:301
 - Attenuation 188:1
 - Coal 158:283, 159:301, 172:387
 - DEHSO 162:391
 - Extractant 162:391
 - Extraction 162:391
 - Gamma 188:1
 - Gamma-Ray 172:387
 - Irradiation 172:387
 - Mix 188:1
 - Monitoring 188:1
 - Nitric-Acid-Medium 162:391
 - Radiation-Induced-Effect 158:283, 159:301, 172:387
 - Reprocessing 162:391
 - Spent 162:391
 - Thorium(IV) 162:391
 - Thorium-Uranium 162:391
- Uranium(VI) 162:391
- X-Ray-Irradiation 158:283, 159:301
- Fuel-Element** 164:71
- Fuel-Reprocessing** 156:65
- Fuel-Rod** 152:47
- Fugitive**
 - Air 173:365
 - Ambient 173:365
 - Cement 162:381
 - Central-India 162:381
 - Dust 162:381, 173:365
 - Elemental-Composition 173:365
 - Factory 162:381
 - Instrumental-Neutron-Activation-Analysis 173:365
 - Multielemental 162:381
 - Neutron-Activation-Analysis 162:381
 - Particulate 162:381, 173:365
 - Thermal-Power-Station 173:365
- Full-Energy** 170:27
- Function**
 - Capacity 157:245
 - Ceric-Oxide 157:245
 - Chloride-Ion 157:245
 - Component 157:245
 - Concentration 154:413
 - Decay 154:413
 - Diffusion 157:245
 - Dysprosium-160 154:413
 - Gelatin 154:413
 - Hydrous 157:245
 - Parameter 154:413
 - Particle 157:245
 - Perturbed-Angular-Correlation 154:413
 - Self-Diffusion 157:245
 - Sum-Peak-Method 154:413
 - Trace 157:245
 - Value 154:413
- Functional-Group** 194:117
- Fundamental-Study** 190:31
- Fungi** 165:345
- Fungicide** 189:319
- Fungus** 176:71
- Fusion**
 - Analytical-Chemistry 193:347
 - Classical 178:121
 - Collision-Theory 178:121
 - Collisional-Process 178:121
 - Controlled 193:347
 - Muon-Catalyzed 178:121
 - Thermonuclear 193:347
- Fusion-Reactors** 151:357
- Future**
 - Challenge 171:15
 - Design 161:541
 - Education 171:15
 - Laboratory 161:541
 - Neutron-Activation-Analysis 160:9, 160:31
 - Nuclear-Science 171:15
 - Past 160:9
 - Position 160:31
 - Present 160:9, 160:31
 - Radiological-Service 161:541
- Future-Development** 183:19
- Future-Prospect** 169:291
- Gabbro** 168:115
- Gabbroic-Rock** 161:245

Gadolinium

- 15-Crown-5 159:353
- 18-Crown-6 159:353
- Activated-Charcoal 159:155
- Adsorption 159:155
- Americium 159:353
- Aqueous-Solution 156:291, 159:155
- Cadmium 172:137
- Carrier-Mediated-Transport 159:219, 163:131, 170:51
- Cerium 159:219, 163:131, 170:51
- Coefficient 156:291
- Curium 156:291
- DEHPA 170:51
- Electrolyte 159:155
- Estimation 172:137
- Europium 159:219, 159:353, 163:131, 170:51
- Hafnium 172:137
- Isotopic-Measurement 175:427
- Liquid-Membrane 159:219, 163:131, 170:51
- Mercury 172:137
- Mixed 159:353
- n-Dodecane 159:219
- Perchlorate-Medium 159:353
- Radionuclide 159:353
- Rare-Earth-Element 159:219, 163:131, 170:51
- Scandium 159:219, 163:131, 170:51
- Self-Diffusion 156:291
- Structure 156:291
- Supported 159:219, 163:131, 170:51
- Surface-Ionization-Mass-Spectrometry 175:427
- Synergic-Extraction 159:353
- Thenoyltrifluoroacetone 159:353
- Thulium 159:219, 163:131, 170:51
- Transplutonium 156:291
- Transport 159:219, 163:131, 170:51
- Tri-n-Octylphosphine-Oxide 159:219
- Tributyl-Phosphate 163:131
- Trivalent 159:353
- Trivalent-Ion 156:291
- Uranium 172:137
- X-Ray-Fluorescence-Analysis 172:137
- Ytterbium 159:219, 163:131, 170:51
- Yttrium 159:219, 163:131, 170:51

Gadolinium(III) 196:369

Gadolinium-153

- Chemical-Process 160:505
- Decay 189:3
- Separation 160:505

Gadolinium³⁺-Ion 182:415

Galactic 169:13

Galena 176:45

Gallium

- Analytical-Investigation 168:477
- Biological-Material 157:265
- Bismuth 183:283
- Chromatography 157:265
- Cyclotron-Produced 168:477

- Environmental-Material 157:265
- Ion-Exchange 157:265
- Isotope 168:477
- Melting 183:283
- Neutron-Activation-Analysis 157:265
- Polonium 183:283
- Pre-irradiation 157:265
- Procedure 157:265
- Purification 183:283
- Separation 157:265
- Synthetic-Slag 183:283
- Vanadium 168:477

Gallium-67 195:279

Gallium-67-Citrate 166:181

Gallium-Arsenide

- Amount 151:75
- Arsenic 160:77
- Carbon 151:75
- Channeling 151:75
- Charged-Particle-Activation-Analysis 151:75
- High-Purity 160:77
- Impurity 168:449
- Instrumental-Neutron-Activation-Analysis 160:77
- Lattice 151:75
- Location 151:75
- Neutron-Activation-Analysis 168:449
- Phosphorus 168:457
- Radiochemical-Neutron-Activation-Analysis 168:457
- Theoretical-Calculation 151:75
- Trace 151:75, 168:449, 168:457

Gallium-Arsenide In-»

- Annealing-Process 174:167
- Annihilation 174:167
- Dissolution 182:257
- Irradiation-Induced-Defect 174:167
- Neutron-Activation-Analysis 182:257
- Potassium-Hydroxide 182:257
- Thermal-Neutron 174:167

Gallium-Phosphide 201:49

Gallium-Phosphide In-»

- 191:239

Gamma

- Attenuation 188:1
- Combined 152:161
- Enrichment 152:161
- Fuel 188:1
- Mix 188:1
- Monitoring 188:1
- Passive 152:161
- Total-Concentration 152:161
- Uranium-235 152:161
- X-Ray-Fluorescence-Analysis 152:161

Gamma-Detector 194:345

Gamma-Emission 170:443

Gamma-Gamma-Coincidence 160:253

Gamma-Irradiated

- 1,3-Dichloropropane 172:57
- 1-Chlorobutane 172:57
- 1-Chlorobutene-2 172:57
- 1-Chloropropane 172:57
- 2-Chloropropane 172:57
- Alkali-Silicate-Glass 163:267
- Ammonium-Halide 176:21

- Ammonium-Nitrate 155:79
- Aniline 165:127
- Annealing 155:351
- Aqueous 155:79
- Aqueous-Solution 176:21, 183:99
- Atmosphere 172:57, 177:415
- Branched-Chain 176:103
- Chemical 155:351
- Chemical-Effect 155:79
- Comparative-Study 178:351
- Complex 165:277
- Degradation 183:99
- Density 163:267
- Dialkylamide 176:103
- Dichloroethane 177:415
- Dichloromethane 177:415
- Efficiency 176:21
- Electrical-Conduction 154:285
- Emulsion 165:127
- Energy-Transfer 176:21
- Energy-Transfer-Reaction 178:351
- Extraction 176:103
- Extraction-Behavior 159:167
- Fission-Product 159:167, 176:103
- Gamma-Radiolysis 174:257, 178:351
- Hole 165:127
- Hydration 155:351
- Induced 155:79, 174:257, 178:351
- Iodide 176:21
- Kinetics 165:277
- Liquid-Chromatography 183:99
- Mandelhydroxamic-Acid 165:277
- Manganese-Doped 154:285
- Methyl-Orange 178:351
- Methyl-Red 174:257, 178:351
- MgAl₂O₄ 154:285
- Multicomponent 183:99
- N,N'-Dialkylamide 159:167
- Nitrate 176:21
- Nitrobenzene 183:99
- Oxygen-Free 172:57, 177:415
- Performance 183:99
- Phase-High 183:99
- Plutonium 159:167, 176:103
- Potassium-Bromide 165:127
- Potassium-Chloride 165:127
- Potassium-Iodide 165:127
- Product 172:57, 177:415
- Pure 154:285
- Radiation 172:57, 183:99
- Radiation-Damage 155:351
- Radical 177:415
- Radiolysis 172:57, 177:415
- Reaction 165:127, 174:257
- Refractive-Index 163:267
- Reverse 183:99
- Sodium-Chloride 174:257, 178:351
- Sodium-Sulfate 155:79
- Species 165:127
- Spinel 154:285
- Stable 172:57, 177:415
- Strontium-Bromate 155:351
- Thermal-Decomposition 165:277
- Unirradiated 154:285, 165:277
- Unsymmetrical 176:103

- Uranium 159:167, 176:103
- UV-VIS-Analysis 183:99
- Waste-Water 183:99
- Water 165:127
- Yield 172:57

Gamma-Irradiation

- 77-K 173:67
- Alkyl-Radical 173:67
- Annealing 176:345
- Argon 166:351
- Barium-Oxalate 181:441
- Barium-Perchlorate 177:357
- Behavior 189:319, 199:395
- Catalytic-Activity 164:229, 177:211, 178:3
- Catalytic-Dehydration 187:223
- Catalytic-Property 185:231
- cis-Decalin-D₁₈/Bromoalkane-System 173:67
- cis-Decalin-D₁₈/Chloroalkane-System 173:67
- Conversion 177:211, 178:3
- Co₃O₄ 185:231
- Crystallinity 164:229
- Damage 176:345
- Diol-Diisocyanate 176:77
- Dynamic 187:313
- Electron-Spin-Resonance-Spectrum 173:67
- Extraction 178:91
- Ferrocene 166:351
- Fission-Product 178:91
- Formation 173:67
- Fungicide 189:319
- Gamma-Alumina 177:211, 178:3
- General-Method 173:67
- Hemihydrate 181:441
- Induction 177:357
- Ion-Implantation 166:351
- Isopropanol 178:3, 187:223
- Lattice-Defect 176:345
- Lithium-Oxide-Doping 185:231
- Methanol 177:211
- Modification 166:351
- NdX 164:229
- NdY 164:229
- Neodymium-Y 187:223
- Nitric-Acid-Medium 178:91
- Nitrogenated 189:319
- Period 177:357
- Polymerization 176:77
- Potassium-Chlorate 175:173
- Powder 173:67
- Selective 173:67
- Selectivity 177:211, 178:3
- Solid 185:231
- Specific 173:67
- Strontium-Bromate 176:345, 188:73
- Sulfoxide 178:91
- Surface 166:351, 185:231
- Thermal-Decomposition 175:173, 177:357, 181:441, 187:313, 188:73
- Thermogravimetry 187:313
- Thorium(IV) 178:91
- Triazine 199:395
- Unloaded 185:231
- Uranium(VI) 178:91
- X-Zeolite 187:223
- Zeolite 164:229
- Zinc-Bromate 187:313

- Gamma-KX-Coincidence** 160:253
- Gamma-Line** 179:113
- Gamma-LX-Coincidence** 160:253
- Gamma-Monitoring-Technique** 197:115
- Gamma-Photon** 183:409
- Gamma-Pre-Irradiated**
- Europium(III) 201:125
 - Extraction-Behavior 196:171, 201:125
 - Fission-Product 196:171
 - N,N'-Dihexyl-Substituted-Amide 196:171
 - N,N'-Methylbutyl-Substituted-Amide 201:125
 - n-Dodecane 201:125
 - n-Dodecane-Solution 196:171
 - Plutonium(IV) 196:171, 201:125
 - Ruthenium(III) 201:125
 - Uranium(VI) 196:171, 201:125
 - Zirconium(IV) 201:125
- Gamma-Radiation**
- Acidic-Salt 158:3
 - Ammonium-Perchlorate 187:1
 - Biological-Distribution 196:45
 - Content 196:45
 - Diffusion 188:367
 - Drying 158:3
 - Dwelling 193:259
 - Elastomer 176:153, 187:1
 - Environmental-Pollution 186:175
 - Field 163:325
 - Fixation 163:325
 - Freeze-Dried 196:45
 - Gas 186:175
 - Glassy-Type 158:3
 - Hafnium-Titanium-Phosphate 158:3
 - Hydroxyl-Terminated 176:153, 187:1
 - Insoluble 158:3
 - Interaction 186:175
 - Iodide-Ion 152:261
 - Iodine-Doped 165:27
 - Kit 196:45
 - Langmuir-Blodgett-Film 186:175
 - Langmuir-Blodgett-Layer 166:343
 - Level 193:259
 - Loaded 187:1
 - Metal 158:3
 - Mexico-City 193:259
 - Mixed 158:3
 - Modified 188:367
 - Molecular 163:325
 - Nitrogen 163:325
 - Oxidation 152:261
 - Poly(3-Hexadecylthiophene) 166:343, 186:175
 - Poly(3-Pentylthiophene) 165:27
 - Poly(Alkylthiophene)S 188:367
 - Polybutadiene-Base 176:153, 187:1
 - Property 166:343, 176:153, 186:175
 - Radiochemical-Purity 196:45
 - Radon 193:259
 - Reduction 163:325
 - Role 152:261
 - Selected 186:175
 - Solid-Phase 152:261
 - Stability 196:45
 - Sulfur-Dioxide 188:367
 - Technetium-99m-Labelled 196:45
 - Temperature 158:3
 - Tetravalent 158:3
 - Tin(II) 196:45
 - Volume 188:367
 - $WH_4(PCH_3Ph)_4$ 163:325
 - $WH_4(PC_2H_5Ph)_4$ 163:325
- Gamma-Radiation-Induced-Structural-Change** 176:261
- Gamma-Radiolysis**
- 1-Propanol 157:373
 - Acrylic-Acid 198:191
 - Ammonium-Perchlorate 199:191
 - Anthraquinone 172:19
 - Aqueous 172:19
 - Aqueous-Solution 157:27, 157:373, 158:107, 198:191
 - Benzene 152:329
 - Carbon-Tetrachloride 174:103
 - Comparative-Study 178:351
 - Copper(II)-2-Methyl-5-Nitro-1H-Imidazol-1-Ethanol-Complex 191:337
 - Copper²⁺ 198:191
 - Dinitrobenzene 174:103
 - Double 178:429
 - Dye 172:19
 - Energy-Transfer-Reaction 178:351
 - Flash-Photolysis 191:337
 - Gamma-Irradiated 174:257, 178:351
 - Hydroxyalkyl-Radical 191:337
 - Induced 174:257, 178:351
 - Isobutanol 158:107
 - Isomer 174:103
 - Magnesium-Oxide 152:329
 - Main 174:103
 - Methanol 173:339
 - Methyl-Orange 178:351
 - Methyl-Red 174:257, 178:351
 - Microcrystalline 199:191
 - Molecule 173:339
 - Morin 153:5
 - Nickel(II)-2-Methyl-5-Nitro-1H-Imidazol-1-Ethanol-Complex 191:337
 - Nitrate 157:373, 158:107
 - Nitroaniline 174:103
 - Nitrobenzene 174:103
 - Nitrophenol 174:103
 - Oxygen 172:19
 - Polyacrylic-Acid 198:191
 - Potassium-Nitrate 178:429
 - Product 174:103
 - Quinizarin 173:339
 - Radiation-Chemical-Yield 174:103
 - Reaction 174:257, 191:337
 - Reduction 173:339
 - Sodium-Chloride 174:257, 178:351
 - Solid-State 178:429
 - Steady-State 191:337
 - Sulfate 178:429
 - Surface 152:329
 - Triton-X-100 157:27
 - Volatile 174:103
- Gamma-Radionuclidic-Impurity** 188:109
- Gamma-Ray**
- Abundance 153:51
 - Alpha-Decay 164:171
 - Alternative 172:387
 - Area 177:403
 - Asphaltene 172:387
 - Assay 194:221
 - Bismuth-207 153:51
 - Chain 157:367
 - Characterization 191:35
 - Chemisorption 191:35
 - Coal 172:387
 - Color-Center 183:205
 - Copper-Containing 183:205
 - Daughter 153:137
 - Decay 166:393
 - Detection 151:41, 157:15
 - Efficiency 151:41
 - Emission 153:137, 157:367, 194:221
 - Energy-Dependence 177:403
 - Equilibrium 153:137, 157:367
 - Expression 151:41
 - Extraction 178:99
 - Field 194:221
 - Fission-Product 178:99
 - Following 164:171
 - Formation 183:205
 - Fuel 172:387
 - Ge(Li)-Detector 151:41
 - Glass 183:205
 - Half-Life 153:51
 - High-Resolution 157:15
 - Induced 191:35
 - Instrument 194:221
 - Intensity 153:137, 157:367, 166:393
 - Irradiation 172:387, 178:99
 - $LaMnO_3$ 191:35
 - Lanthanum-Manganate 191:35
 - Lead-Borate 183:205
 - N,N-Disubstituted-Amide 178:99
 - Nitric-Acid 178:99
 - Oxygen 191:35
 - PASS 194:221
 - Peak 177:403
 - Performance-Test 194:221
 - Plutonium 194:221
 - Product 153:137
 - Progeny 157:367
 - Protactinium-234m 166:393
 - Radiation-Induced-Effect 172:387
 - Radionuclide 194:221
 - Radium-226 153:137
 - Rapid 194:221
 - Rectilinear 157:15
 - Scanner 157:15
 - Secular 157:367
 - Tailing 177:403
 - Thorium(IV) 178:99
 - Thorium-232 157:367
 - Uranium(VI) 178:99
 - Uranium-233 164:171
 - Uranium-235 157:367
 - Uranium-238 157:367
 - Utilizing 157:15
 - X-Ray 177:403
 - XPS 191:35
- Gamma-Ray-Absorptiometry** [Soft-» 152:67
- Gamma-Ray-Induced-Decomposition** 171:339
- Gamma-Ray-Source** 185:101
- Gamma-Ray-Spectrometer** 153:151
- Gamma-Ray-Spectrometry**
- ASPRO-NUC 193:195
 - Assay 170:17, 201:165
 - Beaker 193:133
 - Cake 170:17
 - Calibration 186:361
 - Conversion 170:17, 201:165
 - Crude 170:17, 201:165
 - Curve 186:361
 - Data 193:195
 - Diuranate 170:17
 - Efficiency 186:361
 - Grade 201:165
 - Identification 193:195
 - Input 201:165
 - Isotope 193:195
 - Magnesium-Fluoride 170:17
 - Management 193:195
 - Marinelli 193:133
 - Material 201:165
 - Matrix 186:361
 - Natural 170:17, 201:165
 - Neutron-Activation-Analysis 193:195
 - Nuclear 201:165
 - Plant 170:17, 201:165
 - Radioactive 193:133
 - Routine 193:195
 - Sample 186:361, 193:133
 - Slag 170:17
 - Software 193:195
 - Uranium 170:17
 - Uranium-Metal 201:165
 - Uranium-Tetrafluoride 201:165
- Gamma-Ray-Spectroscopy**
- Aluminum 153:383
 - Chernobyl-Fallout 180:109
 - Cross-Section 160:387
 - Edible 180:109
 - Elemental-Assay 174:115
 - Energetic 160:387
 - Inelastic-Scattering 160:387
 - Material 174:115
 - Monitoring 174:115
 - Mushroom 180:109
 - Natural-Radioactivity 153:383
 - Neutron 160:387
 - Neutron-Activation 174:115
 - Neutron-Flux 174:115
 - Planetary 160:387
 - Production 160:387
 - Standard 174:115
- Gamma-Ray-Spectrum**
- Automatic-Analysis 193:187
 - Data 198:55
 - DECHAOS 193:187
 - Instrumental-Neutron-Activation-Analysis 198:55
 - Interactive 193:187
 - Library 198:55
 - PC-Based-System 198:55
 - Program 193:187, 198:55
 - Reduction 198:55
 - SPECTRA 198:55
- Gamma-Spectrometry**
- (n, alpha)-Reaction 151:357
 - 100-kC/s-Throughput 168:513

- Activation 151:357
- Axial 156:323
- Barrier 168:513
- Breeder 151:357
- Bulk 200:191
- Calibration 200:191
- Candidate 151:357
- Ceramic-Material 151:357
- Coaxial 156:323
- Comparison 156:323
- Direct 175:325
- Efficiency 200:191
- Enrichment 186:157
- Evaluation 151:357
- Fusion-Reactors 151:357
- Geochemical 178:375
- High-Accuracy 179:61
- High-Count-Rate 179:61
- High-Rate 160:395, 179:45
- High-Resolution 156:323
- Hostrock 178:375
- Kanawa 178:375
- Linear-Relation 200:191
- Lithium-6 151:357
- Liver-Autopsy-Sample 175:325
- Low-Length-to-Diameter-HPGe-Detector 156:323
- Neutron-Activation-Analysis 175:325, 179:61
- Neutron-Irradiation 151:357
- Nigeria 178:375
- Nuclide 151:357
- Occurrence 178:375
- Ore 178:375
- Planar 156:323
- Radionuclide 156:323
- Refining 179:45
- Review 186:157
- Sample 200:191
- Shatter 168:513
- Status-Report 160:395
- Thorium 175:325
- Transuranic 156:323
- Tritium 151:357
- Uranium 178:375, 186:157
- Gamma-Spectroscopy**
 - Accuracy 160:233
 - Area 193:211
 - Construction 176:315
 - Detectability 160:233
 - Element 176:315
 - Fission-Product 180:209
 - Material 176:315
 - Multiplet 193:211
 - Natural-Radioactivity 176:315
 - Neutron-Activation-Analysis 176:315
 - Problem 193:211
 - Program 160:233, 193:211
 - Track-Registration-Technique 176:315
 - Transportable 180:209
 - Verification 160:233, 193:211
- Gamma-Spectrum**
 - ANA 176:199
 - Automation 160:289
 - Evaluation 176:199
 - Expert-System 160:245, 193:219
 - High-Resolution 160:289
 - Identification 160:245, 193:219
 - Including 160:289, 193:179
 - Interactive 160:289
 - Interpretation 160:245
 - Macro 160:289
 - Neutron-Activation-Analysis 193:179
 - Nuclide 160:245, 193:219
 - Program 176:199
 - SAMPO 193:179
 - SAMPO-90 160:289
 - Window 193:179
- Gamma-Transmission-Method** 201:321
- Gamma-X-Detector** 169:419
- Garden** 180:25
- Gas**
 - Activity 199:9
 - Affected 176:243
 - Carrier 193:291
 - Chemistry 183:261
 - Clay 193:291
 - Comparison 161:325
 - Contribution 198:247
 - Cyclotron 198:247
 - Deuteron-Induced-Reaction 198:247
 - Environmental-Pollution 186:175
 - Evidence 193:291
 - Experimental-Design 161:313
 - Faulted 193:291
 - Fluorine-18 198:247
 - Gamma-Radiation 186:175
 - Grain-Size 161:325
 - Hydrogen 159:145
 - Interaction 186:175
 - Isotope-Exchange 159:145
 - Italy 193:291
 - Langmuir-Blodgett 176:243
 - Langmuir-Blodgett-Film 186:175
 - Layer 176:243
 - Methane 159:145
 - Mixed 159:145
 - Moisture 161:325
 - Monitoring 161:313
 - Neon-23 198:247
 - On-line 183:261
 - Permeability 161:325
 - Poly(3-Hexadecylthiophene) 176:243, 186:175
 - Production 198:247
 - Property 176:243, 186:175
 - Radon 161:313, 161:325, 193:291
 - Reaction-Rate 159:145
 - Rock 161:325
 - Selected 186:175
 - Socket 199:9
 - Sodium-21 198:247
 - Soil 161:313, 161:325
 - Sorting 161:325
 - Stearic-Acid 176:243
 - Surface-Treatment 176:243
 - Targetry 198:247
 - Thorium-232-Series 199:9
 - Transactinide-Element 183:261
 - Transport 193:291
 - Tritium 159:145
 - Type 161:325
 - Yield 198:247
- Gas-Adsorption** 192:139
- Gas-Chromatography**
 - Analytical-Technique 155:15
 - Aqueous 155:15
 - Benzene-Solution 155:15
 - High-Performance-Liquid-Chromatography 155:15
 - Identification 160:449
 - Index 160:449
 - n-Butanol 199:197
 - Nitrobutane 199:197
 - Peak 160:449
 - Radiation-Chemical-Yield 199:197
 - Radiolysis 155:15
 - Radiolytic-Degradation 199:197
 - Retention 160:449
 - Sodium-Nitrate 155:15
 - Temperature-Dependence 155:15
 - Tentative 160:449
 - Tributyl-Phosphate/Nitric-Acid-System 199:197
 - Unknown 160:449
- Gas-Chromatography-Fourier-Transform-Infrared-Spectroscopy** 173:395
- Gas-Chromatography-Fourier-Transform-Infrared-Spectroscopy-MS**
 - Carbon-Tetrachloride 175:359
 - Carbon-Tetrachloride-Solution 176:185
 - Nitroaniline 176:185
 - Nitrophenol-Solution 175:359
 - Product 175:359
 - Radiolysis 175:359, 176:185
 - Radiolytic-Product 176:185
 - Volatile 175:359, 176:185
- Gas-Chromatography-Mass-Spectrometry** 173:395
- Gas-Flow** 154:241
- Gas-Liquid** 174:133
- Gas-Phase**
 - Chromatography 160:327
 - Competitive-Reaction 164:285
 - Elements-104,105 160:327
 - Free-Radical 190:493
 - Halide 160:327
 - Mu-Spin-Resonance 190:493
 - Protonating-Agent 164:285
 - Radiolysis 164:285
 - Role 164:285
- Gas-Production** 170:117
- Gas-Solid-System**
 - Ammonium-Halide 188:331
 - Comparison 188:331
 - Hydrogen 188:331
 - Isotope-Exchange-Reaction 188:331
 - Nuclear-Technique 198:69
 - Numerical-Simulation 198:69
 - Reactivity 188:331
 - Vertical-Flow 198:69
- Gas-Target** 182:237
- Gaseous**
 - Air 174:43
 - Ammonia 186:205
 - Ammonium-Uranate 186:205
 - Atmospheric 174:43
 - Composition 186:205
 - Flow-Rate 186:205
 - Iodine-129 174:43
 - Neutron-Activation-Analysis 174:43
 - Particulate 174:43
 - Structure 186:205
- Gaseous-Hydrogen** 185:219
- Ga_{1-x}Al_xAs** 189:277
- GC(EC)** 195:67
- Ge(Li)-Detector**
 - Calibration 157:115
 - Detection 151:41
 - Efficiency 151:41, 157:115
 - Expression 151:41
 - Gamma-Ray 151:41
 - Geometry 157:115
 - Physical-Property 157:115
 - Sample 157:115
- Geiger-Müller-Counter** 181:413
- Geiger-Müller-System** 173:55
- Gelatin** 154:413
- Gelation** 165:203
- General** 181:395
- General-Method** 173:67
- General-Population** 156:401
- Generalized** 172:231
- Generated** 159:83
- Generating** 178:73
- Generation**
 - 22-GeV 189:191
 - 44-GeV 189:191
 - Aerosol 161:101
 - Aqueous-Sample 179:211
 - Arsenic 174:133
 - Arsenic(III) 179:211
 - Arsenic(V) 179:211
 - Atomic-Absorption-Spectrometry 161:101, 174:133
 - Automatable 179:211
 - Carbide 153:409
 - Carbon-Ion 189:191
 - Cloud 161:101
 - Combination 179:211
 - Copper-Target 189:191
 - Cryotrapping 179:211
 - Dependence 153:409
 - Dimethylarsinic-Acid 179:211
 - Examination 174:133
 - Gas-Liquid 174:133
 - Hydride 161:101, 174:133, 179:211
 - Instrumental-Neutron-Activation-Analysis 161:101
 - Irradiation 189:191
 - Massive 189:191
 - Monomethylarsonic-Acid 179:211
 - Mössbauer-Spectroscopy 153:409
 - Neutron 189:191
 - Phase 153:409
 - Precipitation 153:409
 - Preconcentration 179:211
 - Pressure 153:409
 - Procedure 179:211
 - Radiotracer 174:133
 - Selective 179:211
 - Separator 174:133
 - Shock-Wave 153:409
 - Speciation 174:133, 179:211
 - Steel 153:409
 - Trace-Element 161:101
 - Water 161:101
- Generator**
 - Concentration 193:301
 - Field 166:279
 - Industrial-Analysis 168:393
 - Long-Life 168:393
 - Negative-Ion 193:301

- Neutron 166:279, 168:393
- Occupied 193:301
- Possibility 168:393
- Radon-Progeny 193:301
- Residence 193:301
- Sealed-Tube 166:279, 168:393
- Thoron-Progeny 193:301
- Genetically-Obese** 160:159
- Geochemical**
 - Chernobyl 197:331
 - Environmental-Sample 197:331
 - Gamma-Spectrometry 178:375
 - Hostrock 178:375
 - Kanawa 178:375
 - Nigeria 178:375
 - Occurrence 178:375
 - Ore 178:375
 - Radioactivity 197:331
 - Uranium 178:375
- Geochemical-Analysis** 180:5
- Geochemical-Aspect** 161:389
- Geochemical-Association** 156:119
- Geochemical-Contamination** 170:225
- Geochemical-Exploration** 179:165
- Geochemical-Modelling** 182:359
- Geochemical-Samples** 168:47
- Geochemical-Study** 168:69
- Geochemistry**
 - Comparison 180:285
 - Environment 168:93
 - Holocene 168:83
 - Inductively-Coupled-Plasma-Mass-Spectrometry 180:285
 - Instrumental-Neutron-Activation-Analysis 168:93, 180:285
 - Later 168:83
 - Okstindan-Mountain-Norway 168:83
 - Palaeosol 168:83
 - Petroleum 180:285
 - Pleistocene 168:83
 - Trace-Element 180:285
 - Xizang-Tibet-Plateau-China 168:93
- Geographic-Distribution** 187:423
- Geographic-Parameter** 177:101
- Geographical** 161:135
- Geological**
 - Chemical-Separation 182:295
 - Copper 182:295
 - Detection 161:339
 - Fault 161:339
 - Indium 182:295
 - Meteoritic-Sample 182:295
 - Neighboring 182:367
 - Neutron-Activation-Analysis 182:295
 - Nuclear-Method 161:339
 - Nuclear-Track-Detector 182:367
 - Rapid 182:295
 - Site 182:367
 - Solid-State 182:367
 - Stratigraphical 182:367
 - Trace 182:295
 - Zinc 182:295
- Geological-Application** 157:273
- Geological-Material**
 - Coupled 168:133
 - k_0 -Standardization 168:133
 - Neutron-Activation-Analysis 168:133
 - Pseudocyclic-Activation-Analysis 151:47
 - Short-Lived-Isotope 168:133
 - Spectrometry 168:133
- Geological-Reference-Material** 174:229
- Geological-Sample**
 - 5-(2'-Carboxyphenyl)Azo-8-Quinolinol 196:363
 - Adapted 198:179
 - Calculational-Method 198:179
 - Cesium 159:293
 - Chromatography 159:293
 - Clinoptilolite 159:293
 - Content 198:179
 - Experimental-Condition 198:179
 - Extractive 196:363
 - Gold 187:67
 - In-Pool-Irradiation 167:177
 - Large-Sample 167:177
 - Mineral 182:247
 - Multiple 167:177
 - Neutron-Activation-Analysis 167:177
 - Palladium 187:67
 - Platinum 187:67
 - Precipitation 159:293
 - Radiochemical-Neutron-Activation-Analysis 159:293, 187:67
 - Rare-Earth 182:247
 - Reagent 196:363
 - Rubidium 159:293
 - Sensitive 196:363
 - Silver 187:67
 - Slowpoke-2-Reactor 167:177
 - Sodium-Tetraphenylborate 159:293
 - Spectrophotometry 196:363
 - Thorium 198:179
 - Uranium 196:363, 198:179
 - Zeolite 159:293
- Geological-Study** 168:69
- Geology**
 - Air-Pollutant 167:237
 - Bias 167:237
 - Enrichment-Factor 167:237
 - Indicator 167:237
 - Natural 167:237
 - Natural-Radionuclide 189:289
 - Particle-Size 189:289
 - Soil 189:289
 - Surface-Area/Volume-Activity-Ratio 189:289
- Geometrical-Factor** 166:211
- Geometry**
 - Calibration 157:115, 169:463
 - Close 169:463
 - Compensation 198:253
 - Count-Rate 170:27
 - Counting 198:253
 - Decay 198:253
 - Detector 169:463
 - Efficiency 157:115, 169:463
 - Far 169:463
 - Full-Energy 170:27
 - Ge(Li)-Detector 157:115
 - HPGe 169:463
- Neutron-Activation-Analysis 198:253
- Parametric-Normalization 170:27
- Peak 170:27
- Physical-Property 157:115
- Radioactive 198:253
- Sample 157:115
- Short-Lived-Nuclide 198:253
- Variation 198:253
- Geophagia** 179:341
- Georgian-Bay** 196:255
- Geothermal-Field** 161:365
- Germanium**
 - Above-ground 160:297
 - Accurate 153:151
 - Background 160:297
 - Bottom-Line 160:355, 193:61
 - Calibrating 160:305
 - Calibration 153:151, 157:47, 193:71
 - Coincidence 193:71
 - Correcting 193:71
 - Detector 157:47, 160:297, 160:305, 193:71
 - Efficiency 153:151, 157:47, 193:71
 - Gamma-Ray-Spectrometer 153:151
 - Internal-Standard 157:47
 - Low-Activity 153:151
 - Low-Background 160:355, 193:61
 - Non-conventional-Method 160:305
 - Phosphorus 168:465
 - Preparing 153:151
 - Procedure 153:151
 - Pure 168:465
 - Radiochemical-Neutron-Activation 168:465
 - Reliable 153:151
 - Spectrometry 160:355, 193:61
 - Standard 153:151
 - Summing 193:71
 - Ultra-Low 160:297
- Germanium-77** 200:223
- Germanium-Detector**
 - Conversion 169:209
 - Diameter 169:209
 - Efficiency 169:209
 - Extension 169:209
 - EXTSANGLE 169:209
 - High-Purity 178:301
 - Larger 169:209
 - Lead-210 178:301
 - Low-Level 178:301
 - Non-destructive 178:301
 - Ordinary 178:301
 - Program 169:209
 - Radium-226 178:301
 - SOLANG 169:209
 - Source 169:209
- Germanium-Iodide**
 - Bone-Seeking 200:291
 - Chromatography 199:347, 200:291
 - Comparative 200:291
 - Composition 199:347
 - Crystal-Growth 176:1
 - Eluent 199:347
 - Kinetic-Study 176:1
 - Metal-Tungstate 200:211
 - Molybdenum-99 170:293
- Molybdophosphate-Mo-99 170:293
- Quality-Control 200:291
- Radioisotopic-Labeling 176:1
- Radiopharmaceutical 200:291
- Silica-Titania-Mixed-Hydroxide 190:155
- Sorption 190:155
- Technetium-99m 170:293, 200:291
- Technetium-99m-(Sn)-Methylene-Diphosphonate 199:347
- Tungsten-188-Rhenium-188-Generator 188:267, 200:211
- Uranyl-Ion 190:155
- Zirconium 170:293
- Zirconium-Tungstate 188:267
- Germanium-Spectrometry** 158:343
- Germany**
 - Educational-Program 171:101
 - Mainz 171:101
 - Mechanical-Engineering 160:141
 - Nuclear-Chemistry 171:101
 - Radiochemistry 171:101
 - Radionuclide-Technique 160:141
 - University 171:101
- Gill** 192:321
- Glass**
 - Activation-Analysis 155:427
 - Alpha-Spectrometry 187:409
 - Annealing 180:139
 - Behavior 161:503
 - Boron 187:409, 188:15
 - Characteristics 180:139
 - Color-Center 183:205
 - Composition 161:503
 - Copper-Containing 183:205
 - Crystallization 190:381
 - Detector 180:139
 - Excreta 155:427
 - Formation 183:205
 - Fourier-Transform-Infrared-Spectroscopy 190:381
 - Gamma-Ray 183:205
 - Groundwater 161:503
 - Highly-Functional 190:381
 - Image 188:15
 - Instrumental-Neutron-Activation-Analysis 155:55
 - Iron-57-Mössbauer-Effect 182:451
 - Leaching 161:503
 - Lead-Borate 183:205
 - Mössbauer-Spectroscopy 190:381
 - Neutron-Activation 161:503
 - Nuclear-Track 180:139
 - Nuclear-Track-Technique 188:15
 - Optical-Absorption-Spectroscopy 180:139
 - Oxide 182:451
 - Quartz 155:427
 - Reference-Material 155:55
 - Sand 155:55
 - Scanner 188:15
 - Significance 155:427
 - Sodium-Borosilicate 161:503
 - Surface-Area/Volume-Ratio 161:503

- Temperature 161:503
- Thorium 155:427
- Tin-119-Mössbauer-Effect 182:451
- Tungstate 190:381
- UNS-SPS 155:55
- Vanadate 190:381
- XRD 190:381
- Glassy-Type**
 - Acidic-Salt 158:3
 - Drying 158:3
 - Gamma-Radiation 158:3
 - Hafnium-Titanium-Phosphate 158:3
 - Insoluble 158:3
 - Metal 158:3
 - Mixed 158:3
 - Rare-Earth-Metal-Ion 154:23
 - Selectivity 154:23
 - Temperature 158:3
 - Tetravalent 158:3
 - Zirconium-Titanium-Phosphate 154:23
- Global-Ecology** 174:73
- Glucosylase** 158:383
- Glutamate** 155:9
- Glycol** 174:153
- Glycol-Nitrobenzene-Carbon-Tetrachloride-Cyclohexane diamine** 187:285
- GOG-I** 168:115
- Goiânia-Accident** 177:193
- Goiânia-City** 182:91
- Gold**
 - Alloy 192:91
 - Biological-Material 160:85, 174:49
 - Cesium 199:375
 - Cobalt 192:91
 - Colloidal 167:445
 - Dedicated 192:91
 - Detection 160:85
 - Electrode 199:375
 - Electrolyte 160:85
 - Electrolytic-Separation 174:49
 - Element 192:91
 - Foil 192:91
 - Geological-Sample 187:67
 - High-Accuracy 192:91
 - Immunoassay 167:445
 - Indigenous-Medicine 201:269
 - Limit 160:85
 - Lutetium 192:91
 - Matrix 199:375
 - Monitor 192:91
 - Myanmar 201:269
 - Neutron-Activation-Analysis 167:445, 192:91, 199:375, 201:269
 - Neutron-Spectrum 192:91
 - Ore-Sample 170:259
 - Palladium 187:67, 199:375
 - Particle 167:445
 - Platinum 160:85, 174:49, 187:67, 199:375
 - Radiochemical-Neutron-Activation-Analysis 160:85, 174:49, 187:67
 - Separation 160:85
 - Silver 187:67
 - Sol 167:445
 - Wire 192:91
 - X-Ray-Fluorescence-Analysis 170:259
- Gold-Ore-Sample** 168:329
- Goldfish** 182:63
- Grade** 201:165
- Gradient** 200:457
- Grain**
 - Background-Level 194:359
 - Canadian 194:359
 - Granite 185:273
 - Individual 185:273
 - Light-Element 185:273
 - Mineral 185:273
 - Oil 194:359
 - Particle-Induced-Gamma-Ray-Emission-Spectrometry 185:273
 - Radioactivity 194:359
 - Seed 194:359
- Grain-Size** 161:325
- Granite** 185:273
- Granular** 174:279
- Granulated**
 - Cesium 152:359
 - Radioisotope 152:359
 - Removal 152:359, 162:339
 - Strontium-Ion 162:339
 - Zeolite 152:359, 162:339
- Granulite** 169:81
- Graphite**
 - Battery 168:413
 - Crucible 159:83
 - Dry 168:413
 - Electrode 168:413
 - Generated 159:83
 - Inert-Gas/Vacuum-Fusion-Technique 159:83
 - Instrumental-Neutron-Activation-Analysis 168:413
 - Plutonium 159:83
 - Recovery 159:83
- Graphite-Furnace**
 - Atomic-Absorption-Spectrometry 172:117, 195:83
 - Graphite-Tube 172:117
 - High-Purity 172:117
 - Human-Bone 195:83
 - In-Situ 172:117
 - Lead 195:83
 - Multiple-Injection 172:117
 - Particle-Induced-X-Ray-Emission 195:83
 - Preconcentration 172:117
 - Trace-Metal 172:117
 - Water 172:117
- Graphite-Tube** 172:117
- Grass-Sample** 155:115
- Gravimetry** 176:175
- Gravitation** 170:171
- Greece**
 - Antimony 179:231
 - Exploratory-Study 183:159
 - Gulf 167:369, 179:231
 - Heavy-Metal 183:159
 - Instrumental-Neutron-Activation-Analysis 167:369, 179:231
 - Metaxade 183:159
 - Pollution 167:369, 179:231
 - Saronikos 167:369, 179:231
 - Sediment 167:369
 - Silver 179:231
 - Thrace 183:159
 - Uptake 183:159
 - Zeoliferous-Rock 183:159
- Greek-South-Aegean-Islands** 168:297
- Green**
 - Aliquot 188:189
 - Alternative 190:13
 - Ceramics 188:189
 - Dating 188:189
 - Dose 190:13
 - Equivalent 190:13
 - Light-Emitting-Diode 188:189, 190:13
 - Luminescence 188:189, 190:13
 - Optical 188:189
 - Optical-Stimulation 190:13
 - Quartz 188:189
 - Revisited 188:189
 - Single 188:189
 - Stimulated 188:189
 - Thermoluminescence 188:189
 - Unstable 190:13
- Green-Alga** 154:37
- Gross**
 - Alpha-Activity 178:11
 - Alpha-Radioactivity 161:465
 - Alpha-Spectrometry 178:11
 - Atmospheric 161:465
 - Lanthanum-Fluoride 178:11
 - Microprecipitation 178:11
 - Polonium-210 161:465
 - Urine 178:11
- Gross-Alpha** 194:403
- Gross-Beta** 194:403
- Ground-State** 200:223
- Ground-Water** 189:35
- Groundwater**
 - Actinide 180:201
 - Behavior 161:503
 - Chemical-Speciation 194:237
 - Composition 161:503
 - Electrodeposition 180:201
 - Glass 161:503
 - Identification 182:11
 - Isotopic-Ratio 182:11
 - Leaching 161:503
 - Migrating 194:237
 - Natural-Radionuclide 156:235
 - Neutron-Activation 161:503
 - Pollution 182:11
 - Radionuclide 194:237
 - Radium 182:11
 - Radon 193:253
 - Saline 180:201
 - Sodium-Borosilicate 161:503
 - Source 182:11
 - Surface-Area/Volume-Ratio 161:503
 - Temperature 161:503
 - Tool 182:11
- Group** 161:201
- Group-I** 186:233
- Group-II** 186:233
- Group-III** 186:233
- Grown**
 - Agent 178:359
 - Bauxite 194:379
 - Carbon-Steel 178:359
 - Chemical-Dissolution 178:359
 - Classical 178:359
 - Component 178:359
 - Crop 194:379
 - Food 194:379
 - Heat-Transfer 178:359
 - Mining 194:379
 - Nuclear-Power-Plant 178:359
- Oxide-Layer 178:359
- Radionuclide 194:379
- Residue 194:379
- Soil 194:379
- Surface 178:359
- Uptake 194:379
- Growth**
 - Aerosol 192:215
 - Antimony 192:215
 - Area 192:215
 - Arsenic 192:215
 - Bearing 192:215
 - Cobalt-60 176:333
 - Dissolution 178:261
 - Distribution 176:333
 - Host 178:261
 - Instrumental-Neutron-Activation-Analysis 192:215
 - Kinetics 178:261
 - Model 178:261
 - Ore 178:261
 - Particle 192:215
 - Potential 178:261
 - Processing 178:261
 - Selenium 192:215
 - Size-Spectrum 192:215
 - Solid 178:261
 - Surface 178:261
 - Trichoderma-Viride 176:333
 - Uranium 178:261
 - Washington-DC 192:215
 - Zinc 192:215
- Groznya** 152:99
- GSJ** 158:115
- Guaiaacal** 154:331
- Guanidine-I-131-Iodide** 13-(Iodophenyl)methyl-» 158:183
- Gubrunde** 178:365
- Guided-Beam** 193:171
- Guideline** 192:339
- Gulf**
 - Antimony 179:231
 - Greece 167:369, 179:231
 - Instrumental-Neutron-Activation-Analysis 167:369, 179:231
 - Pollution 167:369, 179:231
 - Saronikos 167:369, 179:231
 - Sediment 167:369
 - Silver 179:231
- Hafnium**
 - Acidic-Medium 162:289
 - Aliquot-336 162:289
 - Beach 199:51
 - Cadmium 172:137
 - Chromium 161:245
 - Cobalt 161:245
 - Cogenetic 199:51
 - Decontamination 186:233
 - Distribution 161:245
 - Element 186:233
 - Estimation 172:137
 - Extraction 162:289
 - Gabbroic-Rock 161:245
 - Gadolinium 172:137
 - Group-I 186:233
 - Group-II 186:233
 - Group-III 186:233
 - HDEHP 163:213
 - Liquid-Liquid-Extraction 181:157
 - Mercury 172:137

- Microquantity 170:353, 186:233
- Mixture 162:289
- Monazite 199:51
- Neutron-Activation-Analysis 199:51
- Niobium 162:289, 163:213
- Profile 161:245
- Rare-Earth-Element 199:51
- REE 170:353
- Reversed-Phase-Chromatographic-Separation 163:213
- Sand 199:51
- Scandium 161:245, 199:51
- Separation 162:289
- Serpa-Portugal 161:245
- Tantalum 161:245
- Thiocyanate 162:289
- Thorium 161:245, 199:51
- Trace-Level 181:157
- Tracer 163:213
- Tri-n-Octylphosphine-Oxide 162:289
- Triocytamine 181:157
- Uranium 172:137, 199:51
- Weathering 161:245
- X-Ray-Fluorescence-Analysis 172:137
- Zircon 199:51
- Zirconium 162:289, 163:213, 181:157, 199:51
- Hafnium(IV)** 178:173
- Hafnium-Nuclide** 187:9
- Hafnium-Titanium-Phosphate** 158:3
- Hair**
 - Arsenic 168:249
 - Assessing 167:413
 - Body 167:413
 - Brazilian 179:369
 - Burden 167:413
 - Canada 162:283
 - Children 155:383, 181:33
 - Chlorine 181:33
 - Co-ordinated-Research-Program 167:413
 - Concentration 186:385
 - Concern 171:365
 - Content-Level 175:139
 - Copper 155:383
 - Criminal 160:21
 - Cystic-Fibrosis 181:33
 - Discrimination 175:139
 - Disease 160:21
 - Distinguishing 175:139
 - Element 171:365, 186:385
 - Environmental-Pollutant 167:413
 - Fingernail 162:283
 - GC(EC) 195:67
 - Head 179:369, 195:67
 - Healthy 181:33
 - IAEA 167:413
 - Industrial-Worker 162:283
 - Instrumental-Neutron-Activation-Analysis 168:249, 179:357
 - Internal 167:413
 - Level 181:33
 - Living 155:383
 - Maximum 175:139
 - Mercury 179:369, 186:385, 195:67
 - Metal 160:21
 - Mine 155:383
 - Mineral-Analysis 167:413
 - Moonrock 160:21
 - Mother 195:67
 - Mouse 171:365
 - Murder-Case 168:249
 - Nail 181:33
 - Naso-Pharyngeal-Cancer-Patient 175:139
 - Neutron-Activation-Analysis 179:369, 195:67
 - Newborn-Infant 179:357, 195:67
 - Normal 186:385
 - Nuclear-Analytical-Chemistry 160:21
 - Ontario 162:283
 - Person 186:385
 - Polluted 186:385
 - Polluters 160:21
 - Populational-Group 179:369
 - Probable 175:139
 - Profile 171:365
 - Repository 171:365
 - Scalp 162:283
 - Significance 167:413
 - Sodium 181:33
 - Species 195:67
 - SRXRF 195:67
 - Timetable 171:365
 - Trace-Element 155:383, 162:283, 175:139, 179:357
 - Vicinity 155:383
 - Worker 155:383
- Hair-Sample**
 - Arsenic 179:365
 - Children 155:325
 - Date 155:325
 - Instrumental-Neutron-Activation-Analysis 155:325, 179:365
 - Sampling 155:325
 - Sectioned 179:365
 - Trace-Element 155:325
- Half-Life**
 - Abundance 153:51
 - Biological 153:327
 - Bismuth-207 153:51
 - Cesium-137 153:327
 - Gamma-Ray 153:51
 - Germanium-77 200:223
 - Ground-State 200:223
 - Manganese-56 164:303
 - Millisecond-Order 159:375
 - Multiple-Time-Interval-Analysis 159:375
 - Nuclide 159:375
 - Osmium-193 164:303
 - Palladium-109m 166:63
 - Platinum-197,199 164:303
 - Precise 164:303, 200:223
 - Principle 159:375
 - Radioactive 159:375
 - Radiochemical-Method 196:165
 - Reevaluation 166:63
 - Selenium-79 196:165
 - Single-Time-Interval-Analysis 159:375
 - Snail 153:327
 - Strontium-87m 166:63
 - Yttrium-90m 166:63
- Halide** 160:327
- Handling** 180:75
- Hanford**
 - 2-Heptanone 190:175
 - Acid-Dissolved-Sludge-Acidified-Supernate 194:117
 - Actual 194:25
 - Americium 161:533, 190:175, 194:191
 - Anion-Exchange-Resin 194:71, 194:117
 - Atomic-Harvest 187:169
 - Breakthrough 194:71
 - Cation-Exchange-Resin 194:117
 - Chromatography 194:191
 - Curium 194:191
 - Distribution 194:117
 - Double 194:71
 - Element 194:117
 - Extraction 194:191
 - Functional-Group 194:117
 - Highly-Radioactive-Waste 161:533, 180:197
 - HLW 194:117
 - Ion-Exchange 161:533
 - Iron-Hydroxide 190:175
 - Isotope 194:191
 - Liquid-Scintillation-Counting 180:197
 - Mixed 194:25
 - Neptunium 161:533, 190:175
 - Nickel-63 180:197
 - Organic-Analysis 194:25
 - Organic-Complexant 194:25
 - Plating 194:191
 - Plutonium 161:533, 190:175, 194:191
 - Precipitation 190:175, 194:191
 - Quantitative-Analysis 194:191
 - Rapid 194:191
 - REILLEX-HPQ 194:71
 - Revisited 187:169, 194:25
 - Sample 194:191
 - Separation 161:533
 - Sequential 161:533
 - Shell 194:71
 - Simulant 194:71
 - Simulated 190:175, 194:25
 - Simulation 194:117
 - Solvent-Extraction 190:175
 - Tank 194:71, 194:117
 - TcO_4^- 194:71
 - Total 190:175
 - Volume 194:71
 - Waste 190:175, 194:25
- Harargaj** 173:17
- Harmattan** 167:283
- Hawaii** [Kailua-Kona-]
 - Acknowledgement 192:7
 - International-Conference 192:5, 192:7
 - Introduction 192:5
 - Proceedings 192:5, 192:7
 - Radioanalytical-Chemistry 192:5, 192:7
- Hazardous** 193:49
- HDEHP**
 - Acid 178:173
 - Acid-Medium 157:105, 162:371
 - Actinide 157:105, 162:371
 - Americium(VI) 185:265
 - Biological-Material 156:165
 - Combined 156:165
 - Dichlorobenzene 157:105
 - Electrolyte-Solution 178:173
 - Environmental 156:165
 - Extraction 157:105, 162:371
 - Fast 196:287
 - Foam 157:105
 - Hafnium 163:213
 - Hafnium(IV) 178:173
 - Iridium 196:287, 201:191
 - Kinetics 185:265
 - Lanthanide 157:105, 162:371
 - Liquid-Membrane 185:265
 - Liquid-Scintillation-Counting 156:165
 - Mass-Transfer 185:265
 - Mixed 178:173
 - Niobium 163:213
 - Nitric-Acid-Solution 157:105, 162:371
 - Phosphoric-Acid 152:137
 - Plutonium(IV) 152:137
 - Polyurethane-Foam-Loaded-Acid 157:105, 162:371
 - Reversed-Phase-Chromatographic-Separation 163:213
 - Rhodium 196:287, 201:191
 - Ruthenium 196:287, 201:191
 - Separation 196:287
 - Solid 185:265
 - Solvent-Extraction 152:137, 156:165, 178:173, 196:287, 201:191
 - Strontium-90 156:165
 - Sulfuric-Acid-Medium 152:137
 - Supported 185:265
 - Synergistic-Extraction 162:371
 - Tracer 163:213
 - Uranium(VI) 157:105, 162:371
 - Zirconium 163:213
- Head**
 - Brazilian 179:369
 - GC(EC) 195:67
 - Hair 179:369, 195:67
 - Mercury 179:369, 195:67
 - Mother 195:67
 - Neutron-Activation-Analysis 179:369, 195:67
 - Newborn-Infant 195:67
 - Populational-Group 179:369
 - Species 195:67
 - SRXRF 195:67
- Health**
 - Chernobyl 198:487
 - Consequence 198:487
 - Disease 179:295
 - Human-Bone 179:295
 - Instrumental-Activation-X-Ray-Fluorescence-Analysis 179:295
 - Possible 198:487
 - Radioactivity 198:487
 - Tea 198:487
 - Turkish 198:487
- Healthy** 181:33
- Heat-Transfer** 178:359
- Heating** 198:23
- Heavy-Ion-Beam** 200:53
- Heavy-Metal**
 - Activated-Sludge 186:441
 - Air-Pollution 151:337
 - Allium-CEPA 187:137
 - Analytical-Technique 181:363

- Biocenose 186:441
- Cell 187:137
- Characterization 192:289
- Comparison 181:363
- Deposition 181:363
- Exploratory-Study 183:159
- Fertilizer 194:331
- Greece 183:159
- History 151:337
- Household 192:289
- Hydroxyapatite 201:529
- Industrial 186:441, 187:137
- Metaxade 183:159
- Monitor 151:337, 181:363
- Moss 181:363
- Multielement 181:363
- Neutron-Activation-Analysis 192:289
- Nigeria 166:401
- Phosphate 194:331
- Plastics 192:289
- Radioactivity 194:331
- Radionuclide 187:137
- Region 166:401
- Ring 151:337
- Root-Tip 187:137
- Selected 166:401
- Semi-arid 166:401
- Soil 166:401
- Sorption 201:529
- Thrace 183:159
- Tree 151:337
- Uptake 183:159
- Uranium 201:529
- Waste-Water 186:441, 187:137
- X-Ray-Fluorescence-Analysis 187:137
- Zeoliferous-Rock 183:159
- Heavy-Metal-Element** 201:431
- Hectogram** 167:161
- Helium** 174:205
- Helium-3** 161:443
- Helium-3-Induced-Activation** 151:379
- Helium-3+** 175:243
- Hemihydrate** 181:441
- Hemoglobin** 190:243
- Hemopathy** 151:261
- Hemoprotein** 189:175
- Heptane-Solution in-»** 171:371
- Heptanone 12-»** 190:175
- Heptavalent** 163:363
- Hermetic-Sealing** 164:71
- Heterocycle** 152:151
- Heterogeneous-Process**
 - Acetic-Acid 160:487
 - Adsorption 160:487
 - Carbon-14 160:487
 - ESR 157:385
 - Irradiated 157:385
 - Radiation 160:487
 - $\text{SiO}_2/\text{B}_2\text{O}_3+\text{H}_2\text{O}$ -System 157:385
 - Sodium-Montmorillonite 160:487
- Heterogeneous-System**
 - Disproportionation 187:151
 - Kinetic-Isotope-Effect 187:151
 - Pentavalent 187:151
 - Plutonium 187:151
 - Tritium/Hydrogen-Isotope-Exchange-Reaction 177:229
- Hexacyanoferrate** 185:57
- Hexacyanoferrate(II)**
 - Adsorption 170:321
 - Alkali 164:39
 - Alkaline 199:183
 - Alkaline-Earth-Metal-Ion 164:39
 - Aqueous-Solution 170:321
 - Cesium 159:335, 170:321
 - Characterization 159:335
 - Cobalt 164:39
 - Cobalt(II) 199:183
 - Copper 159:335
 - Copper-Nickel 170:321
 - Ion-Exchanger 159:335
 - Nickel 159:335
 - Potassium 159:335, 164:39, 170:321, 199:183
 - Preparation 159:335
 - Radiocesium 199:183
 - Radwaste 199:183
 - Removal 199:183
 - Salt-Loaded 199:183
 - Selectivity 164:39
 - Simulated 199:183
- Hexamethyleneimine-carbodithioate** 199:413
- Hexanethiol** 159:363
- Hexane in-»**
 - Cyclohexane 162:267
 - D2EHPA 162:267
 - Extraction 162:267
 - Liquid 190:457
 - Macroconcentration 162:267
 - Microconcentration 162:267
 - Mixture 162:267
 - Non-simple 190:457
 - Positron-Annihilation 190:457
 - Rare-Earth-Ion 162:267
 - Tributyl-Phosphate 162:267
- Hexavalent** 170:347
- Hg see Mercury**
- High-Accuracy**
 - Alloy 192:91
 - Botanical 160:41
 - Certification 160:41
 - Cobalt 192:91
 - Dedicated 192:91
 - Element 192:91
 - Foil 192:91
 - Gamma-Spectrometry 179:61
 - Gold 192:91
 - High-Count-Rate 179:61
 - Lutetium 192:91
 - Monitor 192:91
 - National-Institute-of-Standards-and-Technology 160:41
 - Neutron-Activation-Analysis 160:41, 179:61, 192:91
 - Neutron-Spectrum 192:91
 - Standard-Reference-Material 160:41
 - Wire 192:91
- High-Activity** 177:327
- High-Concentration** 185:387
- High-Count-Rate**
 - Gamma-Spectrometry 179:61
 - High-Accuracy 179:61
 - Instrumentation 160:363
 - Neutron-Activation-Analysis 179:61
 - Technological-Innovation 160:363
- High-Energy**
 - Characterization 193:107
- Chlorinated-Hydrocarbon 161:253
- Contribution 155:225
- Irradiation 161:253
- Particle-Induced-X-Ray-Emission 151:387
- Piggery 155:225
- Post-treatment 155:225
- Prompt-Analysis 151:387
- Radiation 155:225
- Rare-Earth 151:387
- Real-Time 193:107
- Selective 193:107
- Sensor 193:107
- Slurry 155:225
- Strontium-90 193:107
- Uranium-238 193:107
- High-Grade** 170:165
- High-Level**
 - Actinide 191:279
 - Americium 183:245
 - Bearing 191:279
 - Behavior 177:311
 - Characteristics 191:115
 - Chromatographic-Separation 191:279
 - CMPO 191:279
 - Conditioning 177:311
 - Denitration 191:115
 - Epithermal-Neutron-Activation-Analysis 194:61
 - Extractant 187:19
 - Extraction 177:311, 183:245, 191:279
 - Filtration 191:115
 - Formation 177:301, 177:311
 - Lanthanide 194:61
 - Liquid 177:301, 177:311, 191:115
 - Liquid-Scintillation-Counting 183:245
 - Low-Concentration 177:301
 - Minor 191:279
 - Neptunium 183:245
 - Nitric-Acid 177:301
 - Palladium 187:19
 - Plutonium 183:245
 - Radioactive-Waste 183:245, 187:19
 - Recovery 187:19
 - Salt-Solution 194:61
 - Selective 187:19
 - Simulated 177:301, 177:311, 191:115
 - Slurry 191:115
 - Solid 177:301, 177:311
 - Sulfate 191:279
 - Transuranic-Element 177:311
 - Uranium 194:61
 - Waste 177:301, 177:311, 191:115, 191:279
- High-Molecular-Weight**
 - Aliphatic-Monoamide 191:323
 - Amine 166:273
 - Chromium(III) 166:273
 - Cobalt(II) 166:273
 - Extraction 166:273, 191:323
 - Iron(III) 166:273
 - Manganese(II) 166:273
 - Nitric-Acid-Medium 191:323
 - Plutonium(IV) 191:323
 - Succinic-Acid-Medium 166:273
 - Uranium(VI) 191:323
- High-Performance-Liquid-Chromatography**
 - Aminomethylpyrrolidine-Cyclobutanedicarboxylato-Platinum(II) 164:123
 - Analytical-Technique 155:15
 - Aqueous 155:15
 - Benzene-Solution 155:15
 - Biological-Material 168:5
 - Carbon-Tetrachloride/Water-System 163:107
 - Column 183:19
 - Environmental-Sample 197:219
 - Future-Development 183:19
 - Gas-Chromatography 155:15
 - Monohydrate 164:123
 - Multielement-Analysis 168:5
 - Nitrobenzene 163:107
 - On-line 168:5
 - Packing 183:19
 - Platinum-195m-Radiolabeled 164:123
 - Present 183:19
 - Profiling 163:107
 - Promethium-147 197:219
 - Radiochemical-Neutron-Activation-Analysis 168:5
 - Radiolysis 155:15
 - Radiolytic-Product 163:107
 - Rapid-Method 197:219
 - Samarium-151 197:219
 - Separation 197:219
 - Sodium-Nitrate 155:15
 - State 183:19
 - Synthesis 164:123
 - Temperature-Dependence 155:15
 - Yield 168:5
- High-Performance-Liquid-Chromatography (Radio-»** 166:287
- High-Performance-Liquid-Chromatography (Reversed-Phase-»** 152:81
- High-Precision** 171:435
- High-Purity**
 - Activation-Analysis 158:463
 - Aluminum 160:425
 - Arsenic 160:77
 - Atomic-Absorption-Spectrometry 172:117
 - Cerium 187:237
 - Charged-Particle 158:463
 - Content 160:425
 - Elemental-Characterization 168:471
 - Gallium-Arsenide 160:77
 - Germanium-Detector 178:301
 - Graphite-Furnace 172:117
 - Graphite-Tube 172:117
 - Impurity 158:463, 164:321, 187:237, 191:75
 - In-Situ 172:117
 - Instrumental-Neutron-Activation-Analysis 160:77
 - Lanthanum-Oxide 164:321, 187:237
 - Lead-210 178:301
 - Low-Level 178:301
 - Material 158:463, 168:471, 191:75
 - Matrix 189:183
 - Multiple-Injection 172:117

- Neutron-Activation-Analysis 164:321, 168:471, 187:237, 189:183
- Non-destructive 178:301
- Ordinary 178:301
- Oxygen 158:463
- Pre-irradiation 168:471, 189:183
- Preconcentration 172:117
- Projectile 158:463
- Radiochemical-Neutron-Activation-Analysis 160:425
- Radium-226 178:301
- Rare-Earth 164:321
- Scandium 189:183
- Separation 168:471, 189:183
- Sub-ppb 160:425
- Thorium 160:425
- Trace 187:237, 191:75
- Trace-Element 189:183
- Trace-Metal 172:117
- Ultratrace 168:471
- Uranium 160:425
- Water 172:117
- High-Rate**
 - Gamma-Spectrometry 160:395, 179:45
 - Refining 179:45
 - Status-Report 160:395
- High-Resolution**
 - Automation 160:289
 - Axial 156:323
 - Coaxial 156:323
 - Comparison 156:323
 - Detection 157:15
 - Environmental-Sample 197:185
 - Gamma-Ray 157:15
 - Gamma-Spectrometry 156:323
 - Gamma-Spectrum 160:289
 - Including 160:289
 - Inductively-Coupled-Plasma-Mass-Spectrometry 197:185
 - Interactive 160:289
 - Low-Length-to-Diameter-HPGe-Detector 156:323
 - Low-Level 197:185
 - Macro 160:289
 - Planar 156:323
 - Radionuclide 156:323
 - Rectilinear 157:15
 - SAMPO-90 160:289
 - Scanner 157:15
 - Technetium-99 197:185
 - Transuranic 156:323
 - Utilizing 157:15
- High-Resolution-Delayed-X-Ray-Spectrometry** 153:313
- High-Resolution-Spectrometry**
 - Lanthanide 159:97
 - Noble-Metal 151:213
 - Proton-Induced-Prompt-Low-Energy-Photon 151:213, 159:97
- High-Spin** 200:443
- High-Temperature**
 - Activation-Analysis 153:301, 154:255
 - Anomalous 164:405
 - Antimony 176:361
 - BCS-Type 164:405
 - Bi-Pb-Cu-Sr-Ca-Sb-O 176:361
 - Catalysis 162:3
 - Ceramics 176:361
 - Change 164:405
 - Compound 176:361
 - Deuterium 162:3
 - Elemental-Analysis 176:361
 - Europium-151 190:401
 - Extraction 153:301
 - Film 155:91
 - Indication 164:405
 - Iridium 153:301
 - Iron-57 190:401
 - Isotope-Exchange 162:3
 - Material 176:361
 - Mercury 154:255
 - Mineral-Sample 154:255
 - Mössbauer-Parameter 164:405
 - Mössbauer-Spectroscopy 190:401
 - Neutron-Induced-Prompt-Gamma-Ray-Method 176:361
 - Quantitative 176:361
 - Solid-State 162:3
 - Superconductivity 155:91, 164:405, 176:361
 - Superconductor 190:401
 - Thallium-Containing 190:401
 - Tritium 162:3
 - T_c 164:405
 - Volatilization 154:255
 - Volcanic-Rock 153:301
 - X-Ray-Diffraction 190:401
 - X-Ray-Fluorescence-Analysis 155:91
- High-Temperature-Spectroscopy** 161:527
- High-Temperature-Superconducting-Material** 151:365
- High-Yield**
 - Labeling 196:113
 - Matrix 159:267
 - Polonium 159:267
 - Preparation 196:113
 - Protactinium 159:267
 - Separation 159:267
 - Thorium 159:267
 - Tritiated-Thymidine 196:113
 - Tritiated-Water 196:113
- Higher** 165:345
- Highly-Contaminated-Area** 154:111
- Highly-Functional** 190:381
- Hippurion** 158:239
- Hippuran** 174:3
- History** 151:337
- HLW** 194:117
- Hogdahl-Convention** 183:293
- Hole**
 - Aniline 165:127
 - Biological 171:443
 - Bovine 171:443
 - Emulsion 165:127
 - Evidence 171:443
 - Gamma-Irradiated 165:127
 - Positive 171:443
 - Possible 171:443
 - Potassium-Bromide 165:127
 - Potassium-Chloride 165:127
 - Potassium-Iodide 165:127
 - Protein 171:443
 - Reaction 165:127
 - Serum-Albumin 171:443
 - Species 165:127
 - Transport 171:443
- Water 165:127
- Hollow-Fiber-Supported**
 - Barium²⁺ 183:85
 - Calcium²⁺ 183:85
 - Cesium⁺ 183:85
 - Liquid-Membrane 175:287, 183:85
 - Potassium⁺ 183:85
 - Sodium⁺ 183:85
 - Strontium-Cation 175:287
 - Strontium²⁺ 183:85
 - Transport 175:287, 183:85
- Holmium-166** 199:115
- Holocene** 168:83
- Homogeneity**
 - Combined 179:177
 - Cyclic-Neutron-Activation-Analysis 151:167
 - Evaluation 151:167
 - Matrix 179:177
 - Particle-Induced-X-Ray-Emission 179:177
 - Photon 179:177
 - Reference-Material 151:167
 - Representative-Sampling 179:177
 - Selenium 151:167
 - Testing 179:177
 - Tomography 179:177
 - Transmission 179:177
- Homogeneous**
 - Benzoic-Acid 162:179
 - Beta-Phenylpropionic-Acid 157:125
 - Catalyst 157:125, 162:179, 198:29
 - Copper(II)-Complex 162:253
 - Copper(II)-Oxime 162:253
 - Deuteriation 157:125, 162:179, 198:29
 - Electron-Exchange 165:167
 - Europium(III)/Europium(II)-System 165:167
 - Isotope-Exchange 162:253, 173:137
 - Mixture 165:167
 - Nickel(II) 173:137
 - Nickel(II)-Phenylhydrazone-Complex 173:137
 - Phenylacetic-Acid 198:29
 - Potassium-Tetrachloroplatinate(II) 157:125, 162:179
 - Rate 165:167
 - Solvent-Effect 165:167
 - Tetrachloroplatinate(II) 198:29
 - Water-DMF 165:167
- Honey**
 - Brand 201:401
 - Commercial 201:401
 - Instrumental-Neutron-Activation-Analysis 165:319
 - Minor-Element 201:401
 - Trace 201:401
 - Trace-Element 165:319
 - Turkey 165:319
- Honey-Sample** 199:465
- Hospital** 161:159
- Host**
 - Dissolution 178:261
 - Distribution 178:365
 - Element 178:365
 - Growth 178:261
 - Gubrunde 178:365
- Kinetics 178:261
- Model 178:261
- Nigeria 178:365
- Occurrence 178:365
- Ore 178:261
- Pattern 178:365
- Potential 178:261
- Processing 178:261
- REE 178:365
- Rock 178:365
- Solid 178:261
- Surface 178:261
- Uranium 178:261, 178:365
- Hostrock** 178:375
- Hot-Atom**
 - Annealing 172:249
 - Chemistry 172:249
 - Element 180:49
 - Leachability 180:49
 - Oscillatory 172:249
 - Solid-State 172:249
 - Solid-Waste 180:49
- Hot-Atom-Chemistry** 181:211
- Hot-Cell-Based** 194:35
- Hot-Particle**
 - Antimony-125 166:173
 - Chernobyl-Accident 181:25
 - Chernobyl-Fallout 166:173
 - Cobalt-60 166:173
 - Elemental-Composition 181:25
 - Isotopic-Ratio 181:25
 - Radioactive 166:173
 - Ruthenium 166:173
 - Uranium 181:25
- Household** 192:289
- HPGe** 169:463
- HPMBP** 152:401
- HPMTFP** 178:153
- HSA** 171:451
- HTO** 187:303
- HTTA-TBA** 164:1
- Hubbell** 199:57
- Huitzila-La-Lobera** 196:245
- Human**
 - Actinide 156:425
 - Age 200:205
 - Animal 156:425, 172:125
 - Bioassay 156:425
 - Blood 158:293
 - Body 161:11
 - Bone-Male 200:205
 - Category 200:205
 - Change 158:293
 - Commercial 172:125
 - Comparative-Study 172:125
 - Component 158:293
 - Concentration 161:11
 - Content 158:293
 - Data 156:425
 - Diet 197:271
 - Dosimetry 156:425
 - Endogenous 161:11
 - Exposure 156:425
 - Following 158:293
 - Individual 200:205
 - Instrumental-Neutron-Activation-Analysis 200:205
 - Interpret 156:425
 - Low-Dose 158:293
 - Milk-Sample 172:125
 - Minor-Element 172:125
 - Model 156:425
 - Neutron-Activation-Analysis 158:293, 161:11, 172:125

- Pool 161:11
- Rat 161:11
- Section 200:205
- Selenium 158:293, 161:11
- Short-Term 158:293
- Sodium/Calcium-Ratio 200:205
- Sprague-Dawley 161:11
- Supplementation 158:293
- Total 161:11
- Trace-Element 172:125
- Transfer 197:271
- Trimethylselenonium-Ion 161:11
- Tritium 197:271
- Undecalcified 200:205
- Urine 161:11
- Human-Activity** 155:97
- Human-Blood-Serum**
 - Assessment 196:145
 - Blood-Cell 168:243
 - Complex 151:261
 - Hemopathy 151:261
 - Instrumental-Neutron-Activation-Analysis 151:261
 - Mineral-Composition 151:261
 - Modification 151:261
 - Nitrogen 196:145
 - Packed 168:243
 - Particle-Induced-Gamma-Ray-Emission 196:145
 - Particle-Induced-X-Ray-Emission 151:261
 - Radiochemical-Neutron-Activation-Analysis 168:243
 - Strontium 168:243
- Human-Bone**
 - Ancient 196:267
 - Associated 196:267
 - Atomic-Absorption-Spectrometry 195:83
 - Disease 179:295
 - Graphite-Furnace 195:83
 - Health 179:295
 - Instrumental-Activation-X-Ray-Fluorescence-Analysis 179:295
 - Lead 195:83
 - Neutron-Activation-Analysis 196:267
 - Particle-Induced-X-Ray-Emission 195:83
 - Soil 196:267
 - Trace-Element 196:267
- Human-Brain** 156:341
- Human-Brain-Tissue** 169:269
- Human-Brain-Tumor**
 - Activation-Analysis 166:97
 - Instrumental-Neutron-Activation-Analysis 151:327
 - Preliminary-Study 151:327
 - Subcellular-Distribution 166:97
 - Tissue 151:327
 - Trace-Element 151:327, 166:97
- Human-Colorectal-Lesion** 174:23
- Human-Fingernail** 195:51
- Human-Gallstone** 174:29
- Human-Hair**
 - Canadian 161:201
 - Composition 174:73
 - Content 185:109
 - Disease 185:109
 - Distribution 151:301
 - Dosimeter 161:171
 - Element 151:301, 185:109
 - Environmental-Monitoring 161:201
 - Global-Ecology 174:73
 - Group 161:201
 - Human-Scalp 161:201
 - Indonesian 161:201
 - INNA 161:201
 - Instrumental-Neutron-Activation-Analysis 195:75
 - Internal-Organ 151:301
 - Japanese 157:37
 - Lead-210 157:37
 - Medicine 195:75
 - Neutron-Activation-Analysis 151:301
 - Pollutant 161:171
 - Polonium-210 157:37
 - Population 161:201
 - Relationship 185:109
 - Respiratory-System 185:109
- Human-Kidney-Stone** 169:269
- Human-Lung** 172:299
- Human-Nail**
 - Appearance 195:97
 - Clipper 158:251
 - Contamination 158:251
 - Cyclic 179:27
 - Dietary 158:251, 195:97
 - Enrichment 195:97
 - Epithermal-Neutron-Activation-Analysis 195:21
 - Fluoride 179:27
 - Instrumental-Neutron-Activation-Analysis 179:27
 - Iodine 195:21
 - Monitor 195:97
 - Selenium-76 195:97
 - Supplemental 195:97
- Human-Rib** 182:97
- Human-Scalp** 161:201
- Human-Thyrotropin** 200:337
- Human-Tissue**
 - Cartilage 161:455
 - Concentration 161:455
 - Costal 161:455
 - Diet 156:89
 - Estimation 161:455
 - Food 161:455
 - Japanese 156:89
 - Mean-Residence-Time 161:455
 - Organically-Bound 161:455
 - Sternum 161:455
 - Technetium-99 197:51
 - Tritium 161:455
 - Tritium-Level 156:89
- Human-Tissue-Analysis** 156:413
- Human-Tooth** 186:35
- Human-Urine**
 - Background-Level 156:407
 - Comparative-Analysis 195:315
 - Instrumental-Neutron-Activation-Analysis 195:109
 - Least-Squares-Method 195:315
 - Library 195:315
 - Neutron-Activation 182:53
 - Optimization 195:109
 - Personal-Computer 195:315
 - Potassium-40 195:315
 - Procedure 195:109
 - Thorium 182:53
 - Uranium 156:407
 - Zinc-65 195:315
- Humic-Acid** 201:135
- Humic-Material** 181:309
- Humidity** 153:57
- Hydrochloric-Acid-Solution** 190:37
- Hydrate** 165:9
- Hydrated**
 - Ammonia 158:273
 - Amount 192:163
 - Anion 190:369
 - AOT 189:175
 - Aqueous-Solution 158:273
 - Cation 190:375
 - Electron 189:175
 - Foreign 190:375
 - Hemoprotein 189:175
 - Induced 190:375
 - Ion-Exchange 158:273
 - Iron 190:375
 - Iron²⁺ 190:369
 - Iron³⁺ 190:369
 - Magnesium-Oxide 192:163
 - Micelle 189:175
 - Neutron-Activation-Analysis 192:163
 - Oxide 190:369, 190:375
 - Precipitation 190:369
 - Preconcentration 192:163
 - Rare-Earth-Element 192:163
 - Reaction 189:175
 - Reverse 189:175
 - Structural-Modification 190:375
 - Titanium-Dioxide 158:273
 - Trace 192:163
 - Transition-Metal-Cation 158:273
- Hydration**
 - Acetylacetone 163:59
 - Annealing 155:351
 - Chelate 163:59
 - Chemical 155:351
 - Delayed-Gamma-Ray 192:39
 - Elemental-Sensitivity 192:39
 - Equilibrium 163:59
 - Extractant 163:59
 - Gamma-Irradiated 155:351
 - Metal-Ion 163:59
 - Model 163:59
 - Monothioacetylacetone 163:59
 - Neutron-Activation-Analysis 192:39
 - Partition 163:59
 - Prompt-Gamma-Ray 192:39
 - Radiation-Damage 155:351
 - Strontium-Bromate 155:351
- Hydrazine** 186:89
- Hydrazone** 196:153
- Hydride**
 - Aerosol 161:101
 - Aqueous-Sample 179:211
 - Arsenic 174:133
 - Arsenic(III) 179:211
 - Arsenic(V) 179:211
 - Atomic-Absorption-Spectrometry 161:101, 174:133
 - Automatable 179:211
 - Chemical-Separation 174:57
 - Cloud 161:101
 - Combination 179:211
 - Cryotrapping 179:211
 - Dimethylarsinic-Acid 179:211
 - Examination 174:133
 - Gas-Liquid 174:133
 - Generation 161:101, 174:133, 179:211
 - Instrumental-Neutron-Activation-Analysis 161:101
 - Metal 174:57
 - Monomethylarsonic-Acid 179:211
 - Neutron-Activation 174:57
 - Phosphorus 174:57
 - Preconcentration 179:211
 - Procedure 179:211
 - Radiotracer 174:133
 - Selective 179:211
 - Separator 174:133
 - Speciation 174:133, 179:211
 - Trace-Element 161:101
 - Water 161:101
- Hydrocarbon** 198:89
- Hydrochloric-Acid** 185:251
- Hydrochloric-Acid-Solution**
 - Actinium 153:67
 - Antimony-125 195:243
 - Behavior 195:243
 - Carrier-Free 195:243
 - Extraction 153:67
 - Kinetic-Investigation 188:391
 - Nitric-Acid-Solution 153:67
 - Pertechetate 188:391
 - Reaction 188:391
 - Reduction 195:243
 - Thiourea 188:391
- Hydrochloric-Acid/HDEHP-Extraction-System** 199:159
- Hydrochloric-Acid/Tributyl-Phosphate-Extraction-System** 175:437
- Hydrofluoric-Acid-Solution** 178:41
- Hydrogen**
 - Absorption 178:73
 - Ammonium-Halide 188:331
 - Carbon 160:159
 - Cellulose 164:47
 - Chlorine 175:371
 - Coincident 188:55
 - Cold-Neutron 180:271, 181:321
 - Comparison 188:33, 188:331
 - CrSiO 175:389
 - ERD 188:55
 - Fractionation 170:9
 - Gas 159:145
 - Gas-Solid-System 188:331
 - Generating 178:73
 - Genetically-Obese 160:159
 - Helium 174:205
 - Isotope 170:9, 174:205
 - Isotope-Exchange 159:145, 175:371
 - Isotope-Exchange-Reaction 188:33, 188:331
 - Labile 164:47
 - Lean 160:159
 - Liquid-Solid-System 188:33
 - Methane 159:145
 - Mixed 159:145
 - N-Methylimidazolium-Chloride 175:371
 - Neutron 178:73
 - Neutron-Scattering 181:321

- Nitrogen 160:159
- Pig 160:159
- Preserved 164:47
- Profiling 188:55
- Prompt-Gamma-Activation-Analysis 180:271, 181:321
- Quadrupole-Mass-Spectrometry 174:205
- Reaction-Rate 159:145
- Reactivity 188:33, 188:331
- Reversible 178:73
- Tetraethylammonium-Salt 170:9
- Tetramethylammonium-Salt 170:9
- Thin-Film 175:389, 188:55
- Toluene-thiol 188:33
- Tritium 159:145, 164:47
- Tube 178:73
- Hydrogen-1** 153:439
- Hydrogen-1** ($^1\text{H}_2^+$)
 - 500-700-keV 200:85
 - Charge-Induced 189:283
 - Energy-Range 200:85
 - Enhancement 189:283, 200:85
 - Hydrogen-2 ($^2\text{H}_2^+$) 200:85
 - Ion-Beam 189:283
 - L-X-Ray 189:283
 - M-X-Ray 189:283
 - Molecule-Ion-Beam 200:85
 - Proton 189:283
 - X-Ray 200:85
 - Yield 189:283, 200:85
- Hydrogen-2** ($^2\text{H}_2^+$) 200:85
- Hydrogen-3** 166:69
- Hydrogen-Chloride**
 - Aqueous-Medium 178:179
 - Aqueous-Solution 187:9
 - Binary-Mixture 178:179
 - Dowex 187:9
 - Extractant 178:179
 - Hafnium-Nuclide 187:9
 - Microamount 187:9
 - Molybdenum(VI) 178:179
 - Organophosphinic-Acid 178:179
 - Phosphonic-Acid 178:179
 - Sorption 187:9
 - Tantalum-Nuclide 187:9
 - Uranium(VI) 178:179
- Hydrogen-Dichloride-Anion** 170:9
- Hydrogen-Peroxide** 201:495
- Hydrological-Study** 163:301
- Hydrolysis**
 - $(\text{UO}_2)_2(\text{OH})_2^{2+}$ 174:299
 - Actinium-225 164:103
 - Base 170:67
 - Electrolyte-Solution 155:419
 - Electromigration 155:419
 - Free 155:419
 - Involving 170:67
 - Pentavalent 155:419
 - Quantity 155:419
 - Radioelement 155:419
 - Ruthenium 170:67
 - Species 174:299
 - Spectroscopy 174:299
 - Technetium 170:67
 - Tetravalent 155:419
 - Trace 155:419
 - Trace-Quantity 164:103
 - tris(Acetylacetonato)Metal(III)-Complex 170:67
- Uranyl 174:299
- Vanadium 155:419
- Hydrophobic** 183:59
- Hydrous**
 - Adsorption 162:351, 170:133, 196:353
 - Anion-Exchange 188:219
 - Aqueous-Solution 170:133
 - Barium(II) 170:133
 - Barium(II)-Ion 196:353
 - Capacity 157:245
 - Ceric-Oxide 157:245
 - Chloride-Ion 157:245
 - Component 157:245
 - Cryptomelane-Type 172:145
 - Diffusion 157:245
 - Efficient 170:133
 - Function 157:245
 - Ion-Exchange 157:313
 - Ion-Exchanger 196:353
 - Iron-Oxide 162:351
 - Magnesium-Oxide 151:131
 - Management 196:353
 - Manganese-Dioxide 172:145
 - Manganese-Oxide 170:133
 - Neutron-Activation-Analysis 151:131
 - Oxide 188:219
 - Particle 157:245
 - Preconcentration 151:131
 - Radioactive-Waste 196:353
 - Radiochemical-Kinetics 157:313
 - Radiotracer 196:353
 - Radiotracer-Technique 170:133
 - Removal 170:133
 - Self-Diffusion 157:245
 - Separation 172:145
 - Strontium(II)-Ion 196:353
 - Thorium 172:145
 - Thorium-Oxide 196:353
 - Titanium-Dioxide 157:313
 - Trace 157:245
 - Uranium 172:145
 - Zinc(II) 162:351
- Hydroxamic-Acid** 198:349
- Hydroxide** 190:321
- Hydroxy-1-Naphthaldehyde** 12-» 175:1
- Hydroxy-alpha-Methylbutyrate** 1Alpha-» 154:73
- Hydroxyalkyl-Radical** 191:337
- Hydroxyapatite** 201:529
- Hydroxyethylethylenediamine-triacetic-Acid** 12-» 162:35
- Hydroxyl-Radical** 172:201
- Hydroxyl-Terminated**
 - Ammonium-Perchlorate 187:1
 - Elastomer 176:153, 187:1
 - Gamma-Radiation 176:153, 187:1
 - Loaded 187:1
 - Polybutadiene-Base 176:153, 187:1
 - Property 176:153
- Hydroxylalkyl-Radical** 172:201
- Hydroxylamine** 182:171
- Hydroxypropiophenone** 10-» 175:185
- Hydroxyquinoline** 18-»
 - Acetylacetone 166:531
 - Chloroform 166:531
 - Chromium(III) 166:531
- Chromium-51 166:531
- Cobalt(II) 196:35
- Cobalt $^{2+}$ 152:461
- Complex-Forming 201:65
- Condition 201:65
- Dodecane 176:273
- Europium(III) 176:273
- Extraction 152:461, 176:273
- Flotation 196:35
- Liquid-Liquid-Extraction 196:35
- Mixed-Ligand 166:531
- Perchlorate-Medium 176:273
- Phenanthroline 152:461
- Phosphoric-Acid 176:273
- Precipitate 196:35
- Radiochemical-Solvent-Extraction 166:531
- Technetium-99m 201:65
- Thenoyltrifluoroacetone 152:461
- Thermodynamics 152:461
- Tracer 166:531
- Hyperfine**
 - Dilute 190:413
 - Distribution 153:423
 - Europium 190:413
 - Field 190:413
 - Instability 190:413
 - Iron 190:413
 - Magnetic-Field 153:423
 - Magnetic-Phase-Transition 190:413
 - Multiple 190:413
 - Mössbauer-Spectroscopy 153:423
 - Pyrrhotite 153:423
 - Rare-Earth 190:413
 - $\text{RMn}_2\text{Si}_2\text{xGe}_\text{x}$ 190:413
 - Valence 190:413
- Hypokinesia** 169:307
- $\text{H}_2\text{O}_2/\text{Na}_2\text{SO}_4/\text{H}_2\text{SO}_4$ -HSS-System** 200:169
- IAEA**
 - Action 194:229
 - Assessing 167:413
 - Body 167:413
 - Burden 167:413
 - Co-ordinated-Research-Program 167:413
 - Environmental-Pollutant 167:413
 - Hair 167:413
 - Instrumental-Neutron-Activation-Analysis 162:63
 - Internal 167:413
 - Iraq 194:229
 - Marine-Sediment 162:63
 - Mineral-Analysis 167:413
 - Nuclear-Analytical-Chemistry 194:229
 - Representativeness 162:63
 - Sampling 162:63
 - Significance 167:413
 - Team 194:229
- IAEA-NBS** 196:125
- IBR-2**
 - Fast-Reactor 167:11
 - Pulsed 167:11
 - Pulsed-Fast-Reactor 192:17
 - Radioanalytical-Method 167:11, 192:17
- ICRP**
 - Actinide 197:41
- Bioassay 156:55, 197:41
- Critical-Review 197:41
- Light 197:41
- Metabolic-Model 156:55
- Monitoring 156:55, 197:41
- Recommendation 197:41
- Relevance 156:55
- Thorium 156:55
- Identification**
 - Air 179:187
 - Alpha-Contamination 194:185
 - Americium-241 194:185
 - Artificial-Neural-Network 190:439
 - ASPRO-NUC 193:195
 - Black 186:489
 - Calculation 160:269
 - Chemical-Separation 175:207
 - Code 160:269
 - Computer 160:269
 - Concentration 160:269
 - Crystalline-Structure 190:439
 - Data 193:195
 - Drug 166:55
 - Element 166:55
 - Elemental-Concentration 179:187
 - Expert-System 160:245, 193:219
 - Gamma-Ray-Spectrometry 193:195
 - Gamma-Spectrum 160:245, 193:219
 - Gas-Chromatography 160:449
 - Gas-Chromatography-Fourier-Transform-Infrared-Spectroscopy 173:395
 - Gas-Chromatography-Mass-Spectrometry 173:395
 - Geophagia 179:341
 - Groundwater 182:11
 - Index 160:449
 - Infusion 166:55
 - Interpretation 160:245
 - Iodoorganic-Compound 182:385
 - Iron(III)-Carboxylate 199:443
 - Isotope 175:207, 186:489, 193:195
 - Isotopic-Ratio 182:11
 - Kerosene 182:385
 - k_0 -Concept 160:269
 - Langkawi 186:489
 - Management 193:195
 - Matter 179:187
 - Mössbauer-Parameter 190:439
 - Mössbauer-Spectroscopy 199:443
 - Neutron-Activation-Analysis 160:269, 179:341, 186:489, 193:195
 - Nigerian 179:187
 - Nuclear-Fuel 182:385
 - Nuclear-Track-Detector 194:185
 - Nuclide 160:245, 160:269, 193:219
 - Particulate 179:187
 - Peak 160:449
 - Plant 166:55
 - Platinum-202 175:207
 - Plutonium-239 194:185
 - Pollution 182:11
 - Preliminary-Study 179:187

- Product 199:443
- Radiolytic-Product 173:395
- Radium 182:11
- Reprocessing 182:385
- Retention 160:449
- ROMOS 160:269
- Routine 193:195
- Sand 186:489
- Site 179:187
- Software 193:195
- Source 179:187, 182:11
- Tentative 160:449
- Thermal-Decomposition 199:443
- Tool 182:11
- Unknown 160:449
- Volatile 173:395
- Water 166:55
- Water/Nitrobenzene/Carbon-Tetrachloride-System 173:395
- X-Ray-Fluorescence-Analysis 166:55
- Identify** 192:73
- Identifying** 151:239
- IgG2A** 172:267
- Image** 188:15
- Imaging** 167:197
- Imaging-Agent**
 - Brain 198:215
 - Cuprous-Ion 186:333
 - L-6-(I-123)-Iodo-M-Tyrosine 198:215
 - Labeling 186:333
 - Potential 198:215
 - Radiopharmaceutical-Preparation 198:215
 - Skeletal 186:333
 - SPECT 198:215
 - Technetium-99m 186:333
- Imbalance** 168:223
- Immersion** 175:467
- Immission** 161:429
- Immobilization**
 - Butadiene 158:383
 - Cement 198:281
 - Cement-Based 198:287
 - Glucoamylase 158:383
 - Latex 158:383
 - Leaching-Behavior 198:287
 - Membrane 158:383
 - Model 198:287
 - Nitrile 158:383
 - Prediction 198:287
 - Radionuclide 198:287
 - Radium-226 198:281, 198:287
 - Solid 198:287
 - Solidification 198:281
 - Waste 198:281
- Immobilized**
 - Cement 199:405
 - Cesium-137 199:405
 - Comparative 199:405
 - Interpretation 199:405
 - Leaching 199:405
 - Polyhydroxybenzene 178:319
 - Radwaste 199:405
 - Recovery 178:319
 - Sludge 199:405
 - Uranium 178:319
- Immunoassay** 167:445
- Immunochemical** 189:77
- Immunoglobulin** 189:25
- Immunoglobulin-G** 201:273
- Immunoradiometric-Assay** 181:263
- Immunosorbent** 181:263
- Impact**
 - Citation 163:3
 - Containment 180:237
 - Iodine 180:237
 - Journal-of-Radioanalytical-and-Nuclear-Chemistry 163:3
 - Nuclear-Reactor 180:237
 - Organic-Compound 180:237
 - Structure 180:237
 - Volatility 180:237
- Implanted**
 - Aluminum-Ion 190:299
 - Coral 169:339, 174:93
 - Diffusion 169:339
 - Element 169:339
 - Film 190:299
 - In-Vivo 169:339
 - Iron-Si-Al 190:299
 - Kinetics 169:339
 - Magnetic-Structure 190:299
 - Mineralization 174:93
 - Neutron-Activation 169:339
 - Radioactive-Tracer 174:93
- Implementation**
 - Cold-Fusion 162:99
 - Digital 193:81
 - Filter 193:81
 - Preloaded 193:81
 - Probability 162:99
 - Processor 193:81
 - Pulse 193:81
 - Synergetic-Hypothesis 162:99
- Implication**
 - Actinide 156:413
 - Bioassay 197:229
 - Biokinetic-Model 156:413
 - Boundary 151:201
 - Chemical-Species 151:201
 - Clay 151:201
 - Comparative-Study 200:443
 - Cretaceous-Tertiary 151:201
 - Crystallization 200:443
 - Ferric-Compound 200:443
 - Ferrous-Compound 200:443
 - High-Spin 200:443
 - Human-Tissue-Analysis 156:413
 - Interpretation 197:229
 - Iridium 151:201
 - Low-Spin 200:443
 - Model 197:229
 - Modified 197:229
 - Mössbauer-Spectrum 200:443
 - Postmortem 156:413
 - Respiratory-Tract 197:229
 - Role 200:443
 - Trace-Element 151:201
 - Uranium 197:229
 - Water 200:443
- Importance** 172:29
- Important** 193:377
- Imported** 196:89
- Impregnated**
 - Anion-Exchange-Resin 201:509
 - Carrier-Mediated-Transport 163:145
 - Cesium 201:509
 - Composite 201:509
 - Cupric-Ferrocyanide 201:509
 - Cycle 201:509
- Ion-Exchanger 201:509
- Liquid-Membrane 163:145
- Macroporous 201:509
- Nucleoporous 163:145
- Organophosphorus-Agent 163:145
- Pertraction 163:145
- Rare-Earth-Element 163:145
- Redox-Type 201:509
- REE 163:145
- Separation 201:509
- Sorption-Desorption-Regeneration 201:509
- Stability 163:145
- Strongly-Basic-Type 201:509
- Support 163:145
- Improved** 192:55
- Improvement**
 - Airborne-Particulate 167:219
 - Analytical-Sensitivity 167:219
 - Antimony 167:219
 - Arsenic 167:219
 - Biological-Tissue 195:117
 - Cadmium 167:219
 - Correction 155:231
 - Decontamination 182:171
 - Epithermal-Neutron-Activation-Analysis 167:219
 - Hydroxylamine 182:171
 - Indium 167:219
 - Iodine 167:219
 - Matrix-Effect 155:231
 - Matter 167:219
 - Mercury 195:117
 - Molybdenum 167:219
 - Neutron-Activation-Analysis 195:117
 - Nuclear-Fuel 189:59
 - Optimum 155:231
 - Palladium 189:59
 - Pretreatment 182:171
 - Recovery 189:59
 - Relation 155:231
 - Reprocessing 189:59
 - Ruthenium 182:171
 - Sensitivity 195:117
 - Silicon 167:219
 - Spent 189:59
 - Uranium 167:219
 - Waste 189:59
 - X-Ray-Fluorescence-Analysis 155:231
- Improving** 153:375
- Impurity**
 - Activation-Analysis 158:463
 - Cerium 187:237
 - Charged-Particle 158:463
 - Component 169:113
 - Element 169:113
 - Gallium-Arsenide 168:449
 - High-Purity 158:463, 164:321, 187:237, 191:75
 - Instrumental-Neutron-Activation-Analysis 151:373
 - Ion 190:215
 - Lanthanum-Oxide 164:321, 187:237
 - Local-Structure 190:215
 - Material 158:463, 191:75
 - Metal 179:81
 - Mössbauer-Emission-Spectroscopy 190:215
- Neutron-Activation-Analysis 155:343, 164:321, 168:449, 169:113, 187:237
- Niobium 155:343, 179:81
- Nuclear-Fuel 169:113
- Oxide 190:215
- Oxygen 158:463
- Projectile 158:463
- Radiochemical-Neutron-Activation-Analysis 168:497, 179:81, 192:155
- Rare-Earth 164:321
- Sample 155:343
- Semiconductor-Grade 151:373
- Silicon 151:373
- Tantalum 155:343, 168:497
- TDPAC 190:215
- Titanium 192:155
- Titanium-Oxide 192:155
- Trace 168:449, 187:237, 191:75
- Valence 190:215
- X-Ray 155:343
- In-Pool-Irradiation** 167:177
- In-Situ**
 - Atomic-Absorption-Spectrometry 172:117
 - Catalytic-Property 190:407
 - Ferrisilicate 190:407
 - Graphite-Furnace 172:117
 - Graphite-Tube 172:117
 - High-Purity 172:117
 - Iron-Containing 190:407
 - MFI 190:407
 - Multiple-Injection 172:117
 - Mössbauer-Spectroscopy 190:407
 - Preconcentration 172:117
 - Relation 190:407
 - Trace-Metal 172:117
 - Water 172:117
- In-Vivo**
 - Aluminum 166:359, 166:363
 - Background-Measurement 151:293
 - Comment 166:359
 - Coral 169:339
 - Diffusion 169:339
 - Element 169:339
 - Factor 151:293
 - Implanted 169:339
 - Kinetics 169:339
 - Limb 169:325
 - Meat 169:333
 - Monitoring 166:359, 166:363
 - Neutron-Activation 169:339
 - Neutron-Activation-Analysis 151:293, 169:325
 - Nitrogen 151:293, 169:333
 - Pork 169:333
 - Prompt-Gamma-Ray-Activation-Technique 169:333
 - Protein 169:325
 - Response 166:363
 - Skeletal 166:359, 166:363
- INAA** see **Instrumental-Neutron-Activation-Analysis**
- Inactive** 168:385
- Incineration** 179:205
- Incinerator**
 - Atmospheric 161:159
 - Contribution 161:159

- Fly-Ash 167:331
- Hospital 161:159
- Municipal 167:331
- Solid-Waste 167:331
- Toxic-Metal 161:159
- Trace-Element 167:331
- Including**
 - Automation 160:289
 - Gamma-Spectrum 160:289, 193:179
 - High-Resolution 160:289
 - Interactive 160:289
 - Macro 160:289
 - Neutron-Activation-Analysis 193:179
 - SAMPO 193:179
 - SAMPO-90 160:289
 - Window 193:179
- Incorporated**
 - Antimony-125 170:3
 - Aqueous-Solution 170:3
 - Bitumen 166:109
 - Carrying 163:169
 - Cement 166:109
 - Cesium-137 166:109
 - Chemical-Effect 159:363
 - Cytolytic-Protein 163:169
 - Decay 159:363
 - Hexanethiol 159:363
 - Ion-Exchange-Resin 166:109
 - Ion-Transport 163:169
 - Leaching 166:109
 - Lipid-Membrane 163:169
 - Model 163:169
 - Molecule 159:363
 - Molybdenum-99 170:3
 - Polyamine 170:3
 - Polysaccharide 170:3
 - Radioisotope 170:3
 - Removal 170:3
 - Selectivity 163:169
 - Sulfur-35 159:363
 - Toxin 163:169
 - Tungsten-185 170:3
- Incorporation**
 - Estimation 182:35
 - Ferritin 190:237
 - Iron 190:237
 - Mössbauer-Spectroscopy 190:237
 - Natural-Radionuclide 161:421
 - Plant 161:421
 - Rare-Earth-Element 161:421
 - Salt 161:421
 - Thoron 182:35
 - Tolerant 161:421
 - Tritium 197:195
 - Wrist-Watch 197:195
- Increasing** 161:429
- Index** 160:449
- India**
 - Ancient 186:393
 - Coastal 182:5
 - Coin 186:393
 - Current 171:33
 - Education 171:33
 - Instrumental-Neutron-Activation-Analysis 186:393
 - Marine-Environment 182:5
 - Neptunium-237 182:5
 - Nuclear 182:5
 - Nuclear-Science 171:33
 - Punchmark 186:393
 - Site 182:5
 - Status 171:33
 - Training 171:33
- Indian**
 - Characteristics 195:161
 - Cigarette 195:161
 - Environmental-Pollution 192:307
 - Industrial 192:307
 - Instrumental-Neutron-Activation-Analysis 192:307, 195:161
 - Metropolitan-City 192:307
 - Smoke 163:349
 - Surrounding 192:307
 - Tobacco 163:349, 195:161
 - Tobacco-Sample 166:365
 - Toxic-Element 163:349
 - Trace 166:365
 - Trace-Element 163:349, 195:161
 - Uranium 166:365
- India |Central-»** 162:381
- India |South-West-Coastal-Region-»** 178:245
- Indication** 164:405
- Indicator**
 - Air-Pollutant 167:237
 - Availability 182:75
 - Bias 167:237
 - Biological 182:75
 - Character 181:335
 - Concentration-Level 182:75
 - Content 181:335
 - Enrichment-Factor 167:237
 - Environment 182:75
 - Environmental 181:335
 - Geology 167:237
 - Morro-Do-Ferro 182:75
 - Natural 167:237
 - Plant 182:75
 - Rare-Earth-Element 182:75
 - Taiwan 181:335
 - Thorium 182:75
 - Transuranium-Element 182:75
 - Tritium 181:335
- Indigenous** 176:211
- Indigenous-Medicine**
 - Arsenic 187:399
 - Copper 188:127
 - Formulation 201:117
 - Gold 201:269
 - Khun-Hnit-par-Shaung-Myanmar 201:117
 - Myanmar 187:399, 188:127, 201:269
 - Neutron-Activation-Analysis 187:399, 188:127, 201:117, 201:269
- Indirect** 156:83
- Indirect-Method** 189:25
- Indium**
 - Airborne-Particulate 167:219
 - Analytical-Sensitivity 167:219
 - Antimony 167:219
 - Arsenic 167:219
 - Cadmium 167:219
 - Chemical-Separation 182:295
 - Copper 182:295
 - Epithermal-Neutron-Activation-Analysis 167:219
 - Geological 182:295
 - Improvement 167:219
 - Iodine 167:219
 - Matter 167:219
 - Meteoritic-Sample 182:295
 - Molybdenum 167:219
 - Neutron-Activation-Analysis 158:149, 182:295
 - Potassium-Ethyl-Xanthate 154:249
 - Rapid 182:295
 - Silicon 167:219
 - Substoichiometric-Reagent 154:249
 - Trace 182:295
 - Uranium 167:219
 - Utilization 154:249
 - Zinc 182:295
- Indium-113m** 159:3
- Indium-Complex** 199:357
- Indium-EDTA** 163:301
- Indium-Ion** 153:101
- Indium³⁺** 201:89
- Individual**
 - Age 200:205
 - Bone-Male 200:205
 - Category 200:205
 - Constant 198:359
 - Dicarbolylcobaltate-Anion 198:359
 - Extraction 198:359
 - Grain 185:273
 - Granite 185:273
 - Human 200:205
 - Instrumental-Neutron-Activation-Analysis 200:205
 - Light-Element 185:273
 - Mineral 185:273
 - Monazite 176:383
 - Particle-Induced-Gamma-Ray-Emission-Spectrometry 185:273
 - Radiochemical-Neutron-Activation-Analysis 176:383
 - Rare-Earth-Element 176:383
 - Section 200:205
 - Sodium/Calcium-Ratio 200:205
 - Undecalcified 200:205
 - Vietnamese 176:383
 - Water/Nitrobenzene-System 198:359
- Indonesian** 161:201
- Indoor**
 - Atmosphere 164:247
 - Building-Material 180:163
 - Charged-Particle 164:247
 - Fluctuation 180:163
 - Nuclear-Track-Detector 161:307
 - Overview 161:265
 - Radon 161:265, 161:307, 180:163
 - Radon-222 164:247
 - Ratio 164:247
 - Real-Situation 180:163
 - Reduction 161:265
 - Risk 161:265
 - Solid-State 161:307
 - United-States 161:265
- Induced**
 - Ammonium-Nitrate 155:79
 - Aqueous 155:79
 - Beta-Emission 170:443
 - Cation 190:375
 - Characterization 191:35
 - Chemical-Effect 155:79
 - Chemisorption 191:35
 - Comparative-Study 178:351
 - Energy-Transfer-Reaction 178:351
 - Foreign 190:375
 - Gamma-Emission 170:443
 - Gamma-Irradiated 155:79, 174:257, 178:351
 - Gamma-Radiolysis 174:257, 178:351
 - Gamma-Ray 191:35
 - Hydrated 190:375
 - Iron 190:375
 - LaMnO₃ 191:35
 - Lanthanum-Manganate 191:35
 - Methyl-Orange 178:351
 - Methyl-Red 174:257, 178:351
 - Oxide 190:375
 - Oxygen 191:35
 - Radionuclide 170:443
 - Reaction 174:257
 - Role 170:443
 - Secondary-Radiation 170:443
 - Sodium-Chloride 174:257, 178:351
 - Sodium-Sulfate 155:79
 - Sorption 170:443
 - Structural-Modification 190:375
 - XPS 191:35
- Induced-Emission** 160:203
- Induction** 177:357
- Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry**
 - Aluminum 175:25
 - Anadara-Granosa 195:203
 - Analytical-Technique 195:203
 - Bivalve 195:203
 - Body-Weight 195:203
 - Comparison 168:115
 - Composition 168:115
 - Data 168:115
 - Gabbro 168:115
 - GOG-1 168:115
 - Instrumental-Neutron-Activation-Analysis 153:221, 195:203
 - Marine 195:203
 - Multielement-Analysis 175:25
 - Neutron-Activation-Analysis 168:115, 175:25
 - Organic-Solution 158:23
 - Phosphate 153:221
 - Rare-Earth-Element 153:221
 - REE 168:115
 - Reference-Sample 168:115
 - Relation 195:203
 - Rock 153:221
 - Surface-Ionization-Mass-Spectrometry 168:115
 - Trace-Element-Content 195:203
 - Updating 168:115
 - Uranium 158:23
- Inductively-Coupled-Plasma-Mass-Spectrometry**
 - Aluminum 192:321
 - Anion-Exchange-Resin 191:67
 - Atomic 160:341
 - Biological-Material 157:239
 - Collected 173:313
 - Comparison 157:239, 160:341, 180:285, 192:29
 - Concentration 164:13

- Deposition 190:31
- Detection 160:341, 194:7
- Dried-Up 190:31
- Dry 197:409
- Elemental-Analysis 173:313
- Environmental-Sample 177:149, 197:149, 197:185
- Fallout 197:409
- Fish 192:321
- Fission-Product 194:7
- Former 173:313
- Freshwater-Sample 173:313
- Fundamental-Study 190:31
- Geochemistry 180:285
- Gill 192:321
- High-Resolution 197:185
- Initial 191:67
- Instrumental-Neutron-Activation-Analysis 180:285, 192:321
- Iodine-127 197:149
- Iodine-129 197:149
- Ion-Chromatography 194:7
- Isotopic-Ratio 201:71
- Leachate 194:133
- Lead 175:129
- Long-Lived-Actinide 194:133
- Low-Level 197:185
- Meteorite 164:13
- Molybdenum 191:67
- Neptunium-237 177:149
- Neutron-Activation-Analysis 157:239, 192:29, 197:149
- On-line 194:7
- Petroleum 180:285
- Prior 191:67
- Radiation 160:341
- Radionuclide 160:341, 194:7
- Rain 197:409
- Rapid-Method 201:71
- Rare-Earth-Element 194:7
- Sample 190:31
- Separation 191:67
- Significance 191:67
- Soil 194:133
- Source 175:129
- Tap 175:129
- Technetium 191:67
- Technetium-99 177:149, 190:31, 197:185, 197:409
- Trace-Element 164:13, 180:285
- Trace-Element-Analysis 157:239, 192:29
- Ultra-Trace-Element-Analysis 192:29
- Uranium 201:71
- USSR 173:313
- Validation 192:321
- Water 175:129
- Industrial**
 - Activated-Sludge 186:441
 - Allium-CEPA 187:137
 - Assessment 197:161
 - Biocenose 186:441
 - Cell 187:137
 - Dosimetry 197:161
 - Effluent 200:509
 - Environmental-Pollution 192:307
 - Experience 197:161
 - Extraction 200:509
 - Field 197:161
 - French 197:161
 - Heavy-Metal 186:441, 187:137
 - Indian 192:307
 - Instrumental-Neutron-Activation-Analysis 192:307
 - Internal 197:161
 - Mercury 200:509
 - Metropolitan-City 192:307
 - Nuclear 197:161
 - Radionuclide 187:137
 - Root-Tip 187:137
 - Separation 200:509
 - Surrounding 192:307
 - Tetrahydro-Trimethyl-7-Substituted-Pyrimido-Benzimidazole-Thiol 200:509
 - Uranium-Dioxide 197:161
 - Waste-Water 186:441, 187:137
 - Workplace 197:161
 - X-Ray-Fluorescence-Analysis 187:137
- Industrial-Analysis** 168:393
- Industrial-Application** 169:93
- Industrial-Area**
 - Atmosphere 166:465, 201:347
 - Cerium 201:347
 - Chromium 201:347
 - Longitudinal-Distribution 166:465
 - Major 201:347
 - Neutron-Activation-Analysis 166:465, 201:347
 - Punjab-Pakistan 201:347
 - Selenium 201:347
 - Trace-Element 166:465
 - Urban 201:347
 - Ytterbium 201:347
- Industrial-Product** 196:377
- Industrial-Reactor** 154:241
- Industrial-Source** 197:15
- Industrial-Waste** 166:373
- Industrial-Worker** 162:283
- Industry**
 - Characterization 169:105
 - Electronics 169:105
 - Material 169:105
 - Mineral 151:397
 - Neutron-Activation-Analysis 151:397
 - Nuclear-Related-Technique 169:105
 - Product 151:397
 - Rare-Earth-Element 151:397
 - Raw-Material 151:397
- Inelastic-Scattering** 160:387
- Inert-Gas/Vacuum-Fusion-Technique** 159:83
- Infant**
 - Activation-Analysis 169:317
 - Criterion 195:139
 - Dual-Energy 195:139
 - Evaluation 195:139
 - Neutron-Activation-Analysis 195:139
 - Postmortem 169:317
 - Potassium 161:61
 - Preliminary-Observation 169:317
 - Preterm 169:317
 - Total-Body 161:61
 - X-Ray-Absorptiometry 195:139
- Information-System** 167:31
- Information-Theory** 169:347
- Information-Transfer** 163:37
- Infrared-Spectrometry** 155:371
- Infusion** 166:55
- Inhabiting** 188:313
- Inhaled**
 - Actinide 197:309
 - Animal 197:309
 - Assessing 197:309
 - Biological-Excretion 156:65
 - Dust 197:309
 - Fuel-Reprocessing 156:65
 - Intake 197:309
 - Occupational-Worker 156:65
 - Plant 156:65
 - Plutonium 156:65
- Initial**
 - Abundance 158:437, 173:229
 - Anion-Exchange-Resin 191:67
 - Carbonaceous-Chondrite 173:229
 - Dating 158:437, 173:229
 - Inductively-Coupled-Plasma-Mass-Spectrometry 191:67
 - Iodine-129 173:229
 - Lunar-Sample 158:437
 - Molybdenum 191:67
 - Plutonium-244 158:437, 173:229
 - Prior 191:67
 - Separation 191:67
 - Significance 191:67
 - Technetium 191:67
 - Uranium-235 158:437
- Initial-Ratio**
 - Achondrite 157:217
 - Chondrite 152:409
 - Dating 152:99, 152:409, 157:217
 - Groznaya 152:99
 - Meteorite 152:99
 - Mokoia 152:99
 - Ordinary 152:409
 - Plutonium-244 152:99, 152:409, 157:217
 - Renazzo 152:99
 - Uranium 152:99, 152:409, 157:217
- Initiated** 198:3
- Injected** 153:101
- INNA**
 - Canadian 161:201
 - Correlation 161:39
 - Environmental-Monitoring 161:201
 - Exposure 161:39
 - Group 161:201
 - Human-Hair 161:201
 - Human-Scalp 161:201
 - Indonesian 161:201
 - Interelement 161:39
 - Mercuric-Chloride 161:39
 - Population 161:201
 - Rat 161:39
- Inorganic**
 - Coastal-Atmosphere 196:295
 - Dust 170:171
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 170:171
 - Gravitation 170:171
 - Iodine 196:295
 - Japan 196:295
 - Organic 196:295
 - Particulate 196:295
 - Pollutant 170:171
 - Sediment 170:171
- Inorganic-Element** 164:265
- Inorganic-Exchanger**
 - Acidic 183:371
 - Calcium-Strontium 161:413
 - Cesium-137 183:371
 - Complex 183:371
 - Environmental-Sample 161:413
 - Fission-Product 183:371
 - Novel-Approach 161:413
 - Separation 161:413, 183:371
 - Strontium-90 161:413
 - Waste 183:371
- Inorganic-Impurity** 168:403
- Inorganic-Ion**
 - Clinoptilolite 201:293
 - Equilibrium 201:293
 - Exchanger 199:1
 - Plutonium 199:1
 - Sodium-Carbonate-Medium 199:1
 - Sorption 199:1, 201:293
 - Water-Solution 201:293
- Inorganic-Ion-Exchanger**
 - Cesium-137 174:279
 - Granular 174:279
 - Mass-Transfer 166:321
 - Shell-Core 166:321
 - Sorption 174:279
 - TIP⁽¹⁾ 166:321
 - Titanium-Hydroxophosphate 174:279
 - Zirconium-Hydroxophosphate 174:279
- Inorganic-Sorbent**
 - Composite 155:243
 - Fixation 155:243
 - Francium 155:243
 - Ion-Exchanger 155:243
 - Mineral 157:3
 - Mixed 155:243
 - Natural 157:3
 - Radium 155:243
 - Sorption 157:3
 - Technetium 157:3
- Inorganic-Species** 183:139
- Input**
 - Assay 201:165
 - Biological 196:125
 - Certified 196:125
 - Conversion 201:165
 - Crude 201:165
 - Gamma-Ray-Spectrometry 201:165
 - Grade 201:165
 - IAEA-NBS 196:125
 - Instrumental-Neutron-Activation-Analysis 196:125
 - Material 201:165
 - Missing 196:125
 - Natural 201:165
 - Nuclear 201:165
 - Plant 201:165
 - Reference-Material 196:125
 - Trace-Element 196:125
 - Uranium-Metal 201:165
 - Uranium-Tetrafluoride 201:165
- INS** 192:73
- Insoluble**
 - Acidic-Salt 158:3
 - Additive 153:399
 - Cesium 153:399, 185:57

- Copper 185:57
- Cycle 185:57
- Drying 158:3
- Ferrocyanide 153:399
- Gamma-Radiation 158:3
- Glassy-Type 158:3
- Hafnium-Titanium-Phosphate 158:3
- Hexacyanoferrate 185:57
- Ion-Exchanger 185:57
- Metal 158:3
- Mixed 158:3
- Nitric-Acid-Medium 153:399
- Redox-Type 185:57
- Separation 153:399, 185:57
- Sorbent 153:399
- Sorption-Desorption-Regeneration 185:57
- Temperature 158:3
- Tetravalent 158:3
- Instability** 190:413
- Installation**
 - Analytical-Process-Control 199:453
 - Celeste 199:453
 - Control 161:429
 - Emission 161:429
 - Immission 161:429
 - Increasing 161:429
 - IPEN-CNEN-SP 199:453
 - Liquid-Scintillation-Counting 161:429
 - Nuclear 161:429
 - Plutonium-241 161:429
 - R&D 199:453
 - Sensitivity 161:429
- Instant-Soup** 151:245
- Institute-of-Nuclear-Energy-Research** 168:29
- Instrument**
 - Assay 194:221
 - Cold-Neutron 160:315
 - Depth 160:315
 - Emission 194:221
 - Field 194:221
 - Gamma-Ray 194:221
 - National-Institute-of-Standards-and-Technology 160:315
 - PASS 194:221
 - Performance-Test 194:221
 - Plutonium 194:221
 - Profiling 160:315
 - Radionuclide 194:221
 - Rapid 194:221
- Instrumental**
 - Biological-Sample 161:5
 - Cadmium 161:5
 - Comment 201:541
 - Compton-Suppression-System 161:5
 - Epithermal-Neutron-Activation-Analysis 161:5
 - Nanogram-Level 161:5
 - Reply 201:543
- Instrumental-Activation-Analysis** 169:429
- Instrumental-Analysis** 168:385
- Instrumental-Charged-Particle-Activation-Analysis** 198:125
- Instrumental-Photon-Activation-Analysis** 152:55
- Instrumentation**
 - Automation 182:497
 - Bibliography 182:497
 - High-Count-Rate 160:363
 - Nuclear 182:497
 - Technological-Innovation 160:363
- Intake**
 - Actinide 197:309
 - Animal 197:309
 - Assessing 197:309
 - Australian 161:21
 - Basket 196:89
 - Breast-Fed-Infant 161:21
 - Contribution 196:89
 - Dietary 196:89
 - Dose 196:89
 - Dust 197:309
 - Food 196:89
 - Imported 196:89
 - Inhaled 197:309
 - Internal 196:89
 - Japanese 196:89
 - Market 196:89
 - Selenium 161:21
 - Thorium-232 196:89
 - Uranium-238 196:89
- Intake-Level** 178:81
- Integral**
 - 4-MeV 176:285
 - Arsenic-75 189:51
 - Cesium-134 189:51
 - Cross-Section 176:285, 189:51
 - Plutonium 153:111
 - Resonance 189:51
 - Selenium-74 189:51
 - Technetium-99-
(gamma,gamma')-
Technetium-99m-Reaction 176:285
 - Thermal-Neutron 189:51
 - Uranium-238 189:51
 - Work 153:111
 - Zirconium-94 189:51
- Integral-Counting-Method** 187:367
- Integrated** 162:111
- Integrating** 180:75
- Integration** 158:139
- Intensity**
 - Alteration 199:265
 - Beta-Radiation 199:265
 - Chain 157:367
 - Change 199:265
 - Daughter 153:137
 - Decay 166:393
 - Emission 153:137, 157:367
 - Energy-Spectrum 199:265
 - Equilibrium 153:137, 157:367
 - Gamma-Ray 153:137, 157:367, 166:393
 - Ion-Transport-Process 199:265
 - Product 153:137
 - Progeny 157:367
 - Protactinium-234m 166:393
 - Radiotracer-Method 199:265
 - Radium-226 153:137
 - Secular 157:367
 - Thorium-232 157:367
 - Uranium-235 157:367
 - Uranium-238 157:367
- Intensive** 171:219
- Inter-Laboratory** 197:357
- Interaction**
 - 1.6-GeV 169:13
 - Affecting 159:201
 - Aqueous-Solution 152:337, 181:201
 - Bilirubin 171:451
 - Calcium-Carbonate 155:263
 - Carbon-14 155:263
 - Clayey 155:359
 - Cobalt²⁺-Ion 181:201
 - Concentration 159:187, 159:201
 - Contact-Time 159:201
 - Copper²⁺-Ion 181:201
 - Cosmic-Ray 169:13
 - Distribution 171:451
 - EDTA 155:263
 - Environmental-Pollution 186:175
 - Factor 159:201
 - Freshwater 159:201
 - Galactic 169:13
 - Gamma-Radiation 186:175
 - Gas 186:175
 - HSA 171:451
 - Iron-59 155:263
 - Iron-59(III)-Polyphosphate 155:359
 - Irradiation 169:13
 - Kinetic-Parameter 185:15
 - Kinetics 159:175, 159:187, 185:15
 - Langmuir-Blodgett-Film 186:175
 - Meadow 155:359
 - Metal-Oxide 152:337
 - Migration 159:175, 159:187, 185:15
 - Modeling 159:175, 159:187, 185:15
 - Parameter 159:175
 - Poly(3-Hexadecylthiophene) 186:175
 - Positronium-Ion 181:201
 - Property 186:175
 - Proton 169:13
 - Radiocesium 159:201
 - Radionuclide 159:175, 159:187, 185:15
 - Rare-Earth-Element 152:337
 - Rat 171:451
 - River 159:175, 159:187, 185:15
 - Selected 186:175
 - Simulation 169:13
 - Soil 155:263, 155:359
 - Solid 159:187, 159:201
 - Stony 169:13
 - Suspended-Solid 159:175, 159:187, 185:15
 - Target 169:13
 - Technetium-99m-HIDA 171:451
 - Technetium-99m-iodide 171:451
 - Temperature 159:187, 159:201
 - Thick 169:13
 - Variability 185:15
- Interactive**
 - Automatic-Analysis 193:187
 - Automation 160:289
 - Computer-Program 169:471
 - DECHAOS 193:187
 - Epithermal-Proton-Activation-Analysis 169:471
 - Gamma-Ray-Spectrum 193:187
 - Gamma-Spectrum 160:289
 - High-Resolution 160:289
 - Including 160:289
 - Macro 160:289
 - Neutron-Activation-Analysis 169:471
 - Program 193:187
 - Relative-Method 169:471
 - SAMPO-90 160:289
- Intercalate** 196:311
- Intercalation** 190:167
- Intercomparison**
 - Apple 168:169
 - ASTM 168:169
 - European 151:149
 - Instrumental-Neutron-Activation-Analysis 151:149
 - Leaf 168:169
 - Moss 192:371
 - Multielement-Technique 192:371
 - National-Institute-of-Standards-and-Technology 168:169
 - Non-spectrochemical-Technique 151:149
 - Nuclear-Method 168:169
 - Pasture 171:303
 - Peach 168:169
 - Radiocesium 171:303
 - Reference-Material 192:371
 - Sampling 171:303
 - Soil 171:303
 - Standard-Reference-Material 151:149, 168:169
 - Upland 171:303
 - Vegetal 151:149
- Interelement** 161:39
- Interest** 195:237
- Interface**
 - Adsorption 174:83
 - Aqueous-Solution 174:83
 - Cadmium-Oxide 174:83
 - Distribution 185:83
 - Phosphorus 185:83
 - Precipitation-Process 174:83
 - Region 185:83
 - SiO₂-Si 185:83
 - Sodium-Sulfate 174:83
 - Substoichiometric-Analysis 185:83
- Interfacial-Activity** 183:63
- Interference**
 - Activation 167:45
 - Activation-Analysis 198:385
 - Assay 198:385
 - Element 198:385
 - Epithermal-Technique 167:45
 - Fire 198:385
 - Fire-Assay 198:169
 - Fission 168:153
 - Neutron-Activation 198:169
 - Neutron-Activation-Analysis 168:153
 - Neutron-Induced-Nuclear-Reaction 198:385
 - Nickel-Sulfide 198:169, 198:385
 - Platinum 198:169
 - Platinum-Group 198:385
 - Plutonium(III) 152:207
 - Preconcentration 198:385
 - Resolve 167:45
 - Rock 168:153

- Spectrophotometric-Assay 152:207
- Tellurium 198:169
- Ultratrace 198:169
- Uranium 168:153
- Interfusion** 195:321
- Interlaboratory**
 - Analytical-Method 182:21
 - Comparison 182:21
 - Isotope 182:21
 - Natural 182:21
 - NORM 198:323
 - Nuclide 198:323
 - Oil-and-Gas-Production 198:323
 - Potential 198:323
 - Programme 198:323
 - Rock-Sample 182:21
 - Sample 198:323
 - Series 182:21
 - Standardization-Method 198:323
 - State-of-the-Art 198:323
 - Test 198:323
 - Thorium 182:21
 - Uranium 182:21
 - Validation 198:323
- Intermediate**
 - Accuracy 158:409
 - Emission-Transmission-Method 158:409
 - Energy 160:181
 - Nuclear-Collision 160:181
 - Radioanalytical-Technique 160:181
 - Relativistic 160:181
 - Sample 158:409
 - Thickness 158:409
 - Ultrarelativistic 160:181
 - X-Ray-Fluorescence-Analysis 158:409
- Internal**
 - Assessing 167:413
 - Assessment 197:161
 - Basket 196:89
 - Body 167:413
 - Burden 167:413
 - Co-ordinated-Research-Program 167:413
 - Contribution 196:89
 - Dietary 196:89
 - Dose 196:89
 - Dosimetry 197:161
 - Environmental-Pollutant 167:413
 - Experience 197:161
 - Field 197:161
 - Food 196:89
 - French 197:161
 - Hair 167:413
 - IAEA 167:413
 - Imported 196:89
 - Industrial 197:161
 - Intake 196:89
 - Japanese 196:89
 - Market 196:89
 - Mineral-Analysis 167:413
 - Nuclear 197:161
 - Significance 167:413
 - Thorium-232 196:89
 - Uranium-238 196:89
 - Uranium-Dioxide 197:161
 - Workplace 197:161
- Internal-Organ** 151:301
- Internal-Standard** 157:47
- Internal-Standard-Addition-Method** 152:55
- International-Conference**
 - Acknowledgement 192:7
 - Actinide 197:7, 197:9
 - Activation-Analysis 151:5
 - Aomori-City-Japan 197:7, 197:9
 - Beijing-China 151:5
 - Biological-Sample 197:7, 197:9
 - Environmental-Sample 197:7, 197:9
 - Introduction 192:5
 - Ionic-Solute 163:9
 - Kailua-Kona-Hawaii 192:5, 192:7
 - Long-Lived-Radionuclide 197:7, 197:9
 - Low-Level-Measurement 197:7, 197:9
 - Message 197:9
 - Participant 197:9
 - Preface 151:5, 163:9
 - Proceedings 151:5, 163:9, 192:5, 192:7, 197:7, 197:9
 - Radioanalytical-Chemistry 192:5, 192:7
 - Separation 163:9
 - Smolenice-Czechoslovakia 163:9
- Interpret** 156:425
- Interpretation**
 - Artificial 169:201
 - Bioassay 156:389, 177:121, 197:67, 197:229
 - Cement 165:377, 199:405
 - Cesium-137 165:377, 199:405
 - Cobalt-60 165:377
 - Comparative 165:377, 199:405
 - Data 177:121
 - Expert-System 160:245
 - Exposure 156:389
 - Gamma-Spectrum 160:245
 - Identification 160:245
 - Immobilized 199:405
 - Implication 197:229
 - Introduction 169:201
 - k_0 169:201
 - k_1 -Concept 169:201
 - Leach 165:377
 - Leaching 199:405
 - Matrix-Effect 165:377
 - Model 197:229
 - Modified 197:229
 - Neutron-Activation-Analysis 169:201
 - Nuclide 160:245
 - Peak 169:201
 - Plutonium 197:67
 - Problem 156:389
 - Radwaste 199:405
 - Rate 165:377
 - Respiratory-Tract 197:229
 - Sludge 199:405
 - Thorium 156:389, 177:121
 - Uranium 197:229
- Interrelationship** 173:179
- Interrogation** 192:73
- Interstitial-Site** 189:277
- Intertidal**
 - Anomaly 197:369
 - Coastal-Sediment 170:333
 - Element 170:333
 - Estuarine 170:333
 - Estuary 197:369
 - Irish-Sea 170:333, 197:369
 - Neptunium-237 197:369
 - Radioisotope 170:333
 - Ribble 197:369
 - Sediment 197:369
- Intertidal-Coastal-Sediment** 154:299
- Intestinal-Absorption** 170:433
- Introduction**
 - Artificial 169:201
 - International-Conference 192:5
 - Interpretation 169:201
 - Kailua-Kona-Hawaii 192:5
 - k_0 169:201
 - k_1 -Concept 169:201
 - Neutron-Activation-Analysis 169:201
 - Peak 169:201
 - Proceedings 192:5
 - Radioanalytical-Chemistry 192:5
- Introductory-Course** 171:137
- Inventory**
 - Characterization 193:377
 - Cladding 163:235
 - Correlation 193:377
 - Disposal 193:377
 - Important 193:377
 - Key 193:377
 - Nuclear-Fuel 163:235
 - Radionuclide 193:377
 - Safety 193:377
 - Sorption-Behavior 163:235
 - Spent 163:235
 - Storage 193:377
 - Stream 193:377
 - Surface 163:235
 - Typical 193:377
 - Waste 193:377
- Involvement** 193:165
- Involving** 170:67
- Iodate-Ion** ($^{125}\text{IO}_3^-$) 176:169
- Iodide**
 - Adsorption 200:351
 - Ammonium-Halide 176:21
 - Aqueous-Solution 157:193, 176:21
 - Arsenic(III) 157:193
 - Benzene 157:193
 - Bromide 171:407
 - Catalysis 162:57
 - Chemical-Pretreatment 200:351
 - Clinoptilolite 200:351
 - Efficiency 176:21
 - Energy-Transfer 176:21
 - Gamma-Irradiated 176:21
 - Iodine 155:391
 - Ion-Adsorption 171:407
 - Kinetic 162:57
 - Nitrate 176:21
 - Phosphomolybdic-Acid 162:57
 - Plant 155:391
 - Precipitate 171:407
 - Radioactive-Tracer-Technique 171:407
 - Radiochemical-Extraction 157:193
 - Reaction 162:57
 - Silver-Sulfide 171:407
 - Spectrophotometry 157:193
 - Surface 200:351
 - Trilaurylamine-Oxide 157:193
 - Uptake 155:391
 - Uranium(IV) 162:57
 - Water-Sample 157:193
- Iodide-Ion**
 - 2-Benzylpyridine 159:13
 - Aqueous-Solution 159:13
 - Benzene 159:13
 - Extraction 159:13
 - Gamma-Radiation 152:261
 - Mercury(II) 159:13
 - Mineral-Acid 159:13
 - Oxidation 152:261
 - Role 152:261
 - Selective 159:13
 - Solid-Phase 152:261
- Iodide-Anion** 163:301
- Iodide-Anion** 153:37
- Iodination** 162:199
- Iodine**
 - 4-I-127-Iodoantipyrine 153:201
 - Accident 161:121
 - Airborne-Particulate 167:219
 - Analytical-Sensitivity 167:219
 - Antimony 167:219
 - Arsenic 167:219
 - Atom 190:425
 - Behavior 161:121, 180:225, 192:239
 - Bromine 164:59
 - Cadmium 167:219
 - Chlorine 164:59
 - Coastal-Atmosphere 196:295
 - Condition 161:121
 - Containment 180:237
 - Defect 190:425
 - Drinking 164:373
 - Environment 192:239
 - Epithermal-Instrumental-Neutron-Activation-Analysis 195:57
 - Epithermal-Neutron-Activation-Analysis 167:219, 195:21
 - Evaluation 164:373
 - Facility 180:225
 - Human-Nail 195:21
 - Impact 180:237
 - Improvement 167:219
 - Indium 167:219
 - Inorganic 196:295
 - Iodide 155:391
 - Ion-Exchange 164:59
 - Isotope-Exchange 153:201, 164:373
 - Japan 196:295
 - Ligand 190:425
 - Matter 167:219
 - Molybdenum 167:219
 - Mössbauer-Spectroscopy 190:425
 - Neutron-Activation-Analysis 164:373, 169:73
 - Nuclear-Reactor 161:121, 180:237
 - Organic 196:295
 - Organic-Compound 180:237
 - Organic-Medium 153:201
 - Particulate 196:295
 - Plant 155:391
 - Radioanalytical 192:239
 - Radiochemical 161:121

- Radiochemical-Analysis 180:225
- Radiochemical-Separation 164:59
- Radioiodine 180:225
- Rapid 164:59
- Relevant 161:121
- Separation 164:373
- Silicon 167:219
- Silver 190:425
- Sodium-Iodide 153:201
- Sodium-Iodide-131 153:201
- Soil 169:73
- Structure 180:237
- Test 180:225
- Tin-119 190:425
- University-of-Missouri-Research-Reactor 195:57
- Uptake 155:391
- Uranium 167:219
- Urine 195:57
- Volatility 180:237
- Water 164:373
- Water-Sample 164:59
- Well 164:373
- Iodine-123** 175:75
- Iodine-125**
 - Bilateral 200:109
 - Carrier-Free 166:15
 - Chemical 196:77
 - Column-Method 196:77
 - Comparison 200:109
 - Condition 187:277
 - Effluent 196:77
 - ENEA-Italy 200:109
 - INP-Albania 200:109
 - Iodogen 187:277
 - Ion-Selective 166:15
 - Labeling 187:277
 - Membrane-Electrode 166:15
 - Potentiometry 166:15
 - Removal 196:77
 - Simple 166:15
 - Soil 196:77
 - Specific-Activity 166:15
 - Standardization 200:109
 - Sum-Peak-Method 200:109
 - Synkavit 187:277
- Iodine-125-Labeled** 177:261
- Iodine-127**
 - Association 198:229
 - Component 198:229
 - Deer 188:401
 - Environment 188:401
 - Environmental-Sample 197:149
 - Fission-Product 198:229
 - Inductively-Coupled-Plasma-Mass-Spectrometry 197:149
 - Inductively-Coupled-Plasma-Mass-Spectrometry 197:149
 - Iodine-129 188:401, 197:149, 198:229
 - Isotope 198:229
 - Natural 188:401, 198:229
 - Neutron-Activation-Analysis 197:149
 - Nuclear-Facility 188:401
 - Nuclear-Fuel 188:401
 - Nuclear-Plant 155:115
 - Nuclear-Reprocessing 155:115
 - Particulate 174:43
 - Plant 188:401
 - Plutonium-244 173:229
 - Procedure 198:229
 - Radioactive-Waste 194:15
 - Radiochemical-Instrumental-Neutron-Activation-Analysis 194:15
 - Remote 188:401
 - Reprocessing 188:401
 - Separation 158:75
 - Sequential 158:75
 - Sequential-Extraction 198:229
 - Simultaneous 156:21
 - Site 188:401
 - Small 188:401
 - Soil 198:229
 - Soil-Sample 155:115
 - Strontium 156:21
 - Technetium-99 158:75
 - Thyroid 188:401
 - Vegetation 156:21
 - Waste-Sample 158:75
- Iodine-129/127-Isotopic-Ratio** 182:157
- Iodine-131**
 - Cesium-137 201:171
 - Cobalt-60 201:171
 - Copper(I) 174:3
 - Diazepam 200:75
 - Hippuran 174:3
 - Labeling 200:75
 - Site 188:401
 - Small 188:401
 - Soil 198:229
 - Thyroid 188:401
- Iodine-129**
 - Abundance 173:229
 - Actinide 156:21
 - Air 174:43
 - Association 198:229
 - Atmospheric 174:43
 - Carbonaceous-Chondrite 173:229
 - Component 198:229
 - Dating 173:229
 - Deer 188:401
 - Environment 188:401
 - Environmental-Sample 197:149
 - Enzymatic-Degradation 156:21
 - Fission-Product 198:229
 - Gaseous 174:43
 - Grass-Sample 155:115
 - Inductively-Coupled-Plasma-Mass-Spectrometry 197:149
 - Inductively-Coupled-Plasma-Mass-Spectrometry 197:149
 - Initial 173:229
 - Iodine-127 188:401, 197:149, 198:229
 - Ion-Exchange-Resin 180:179
 - Isotope 198:229
 - Large-Sample 156:21
 - Low-Level 194:15
 - LWR 180:179
 - Mixed-Bed 180:179
 - Natural 188:401, 198:229
 - Neutron-Activation-Analysis 174:43, 180:179, 197:149
 - Nuclear-Facility 188:401
 - Nuclear-Fuel 188:401
 - Nuclear-Plant 155:115
 - Nuclear-Reprocessing 155:115
 - Particulate 174:43
 - Plant 188:401
 - Plutonium-244 173:229
 - Procedure 198:229
 - Radioactive-Waste 194:15
 - Radiochemical-Instrumental-Neutron-Activation-Analysis 194:15
 - Remote 188:401
 - Reprocessing 188:401
 - Separation 158:75
 - Sequential 158:75
 - Sequential-Extraction 198:229
 - Simultaneous 156:21
 - Site 188:401
 - Small 188:401
 - Soil 198:229
 - Soil-Sample 155:115
 - Strontium 156:21
 - Technetium-99 158:75
 - Thyroid 188:401
 - Vegetation 156:21
 - Waste-Sample 158:75
- Iodine-134**
 - Antimony-130 166:187
 - Antimony-132 166:187
 - Fission 166:187
 - Iodine-136 166:187
 - Isomer 155:299, 166:187
 - Photofission 155:299
 - Ratio 155:299
 - Thermal-Neutron 166:187
 - Thorium-232 155:299
 - Uranium-235 166:187
 - Uranium-238 155:299
 - Yield 155:299, 166:187
- Iodine-136** 166:187
- Iodine-Doped** 165:27
- Iodoantipyrine** 14-I-127-» 153:201
- Iodododecane** 183:219
- Iodogen** 187:277
- Iodoorganic-Compound**
 - Identification 182:385
 - Kerosene 176:251, 182:385
 - Nuclear-Fuel 176:251, 182:385
 - Removal 176:251
 - Reprocessing 176:251, 182:385
- Ion**
 - 80-MeV/Nucleon 186:113
 - Barium-Carbonate 187:123
 - Betas 201:521
 - Chromatography 194:51
 - Cobalt(II) 174:13
 - Coolant 194:51
 - Decanoic-Acid 174:13
 - Defect 190:513
 - Desorption 159:37
 - Emission 194:51
 - Expectation 163:123
 - Flotation 174:13
 - Foil 186:113
 - Impurity 190:215
 - Iron 186:113
 - Irradiated 186:113
 - Kinetics 159:37
 - Liquid-Liquid-Extraction 174:13
 - Liquid-Membrane 163:123
 - Local-Structure 190:215
 - Luminescence 187:123
 - Mica 159:37
 - Mobility 201:521
 - Monocrystal 190:513
 - Mu-Spin-Resonance 190:513
 - Multitracer 186:113
 - Mössbauer-Emission-Spectroscopy 190:215
 - Non-gamma 194:51
 - On-line 194:51
 - Oxide 190:215
 - Point-Like 190:513
 - Precipitate 174:13
 - Preparation 186:113
- Quartz 159:37, 190:513
- Radical 187:123
- Radioactive 186:113
- Radionuclide 194:51
- Reactivity 190:513
- Role 187:123
- Scintillation-Counting 194:51
- Separation 163:123
- Substituent 190:513
- Surface 159:37
- TDPAC 190:215
- Thermal-Stimulation 187:123
- Tritium 201:521
- Uranium-Doped-System 187:123
- Valence 190:215
- Ion-Adsorption** 171:407
- Ion-Beam**
 - Charge-Induced 189:283
 - Compound 160:203
 - Enhancement 189:283
 - Europium 160:203
 - Hydrogen-1 ($^1\text{H}_2^+$) 189:283
 - Induced-Emission 160:203
 - L-X-Ray 189:283
 - M-X-Ray 189:283
 - Proton 189:283
 - Solid 160:203
 - Yield 189:283
- Ion-Chromatography**
 - Biological-Material 169:229
 - Chromium 169:229
 - Detection 194:7
 - Fission-Product 194:7
 - Inductively-Coupled-Plasma-Mass-Spectrometry 194:7
 - On-line 169:229, 194:7
 - Radiochemical-Neutron-Activation-Analysis 169:229
 - Radionuclide 194:7
 - Rare-Earth-Element 194:7
 - Yield 169:229
- Ion-Exchange**
 - Alumina 177:321
 - Americium 161:533
 - Ammonia 158:273
 - Aqueous-Solution 158:273, 198:77
 - Arsenazo(III) 198:77
 - Biological-Material 157:265
 - Bromine 164:59
 - Cation-Exchange 181:351
 - Cesium⁺ 165:175
 - Characteristics 165:175
 - Characterization 189:89
 - Chelex-100 198:77
 - Chlorine 164:59
 - Chromatography 157:265, 165:209
 - Clinoptilolite 165:175
 - Cobalt²⁺ 165:175
 - Comparative-Study 183:171
 - Dowex 198:77
 - Environmental-Material 157:265
 - Equilibrium 181:351, 189:89
 - Fission-Product 177:321
 - Gallium 157:265
 - Hanford 161:533
 - Highly-Radioactive-Waste 161:533
 - Hydrated 158:273
 - Hydrous 157:313
 - Iodine 164:59

- Kinetics 181:351
- Neptunium 161:533
- Neutron-Activation-Analysis 157:265
- Pertechneate 183:171
- Physical 165:175
- Plutonium 161:533, 165:209
- Pre-irradiation 157:265
- Procedure 157:265
- Property 188:323
- Radiochemical-Kinetics 157:313
- Radiochemical-Separation 164:59
- Radionuclide 177:321
- Rapid 164:59
- Rare-Earth-Element 154:435
- Reduction 183:171
- Removal 165:209
- Separation 154:435, 157:265, 161:533, 177:321
- Sequential 161:533
- Sodium-Hydroxide-Treated 165:175
- Solvent-Extraction 154:435, 183:171
- Spectrophotometry 183:171
- Synthesis 188:323, 189:89
- Ternary 181:351
- Thiourea 183:171
- Thorium(IV) 198:77
- Tin(IV)-Antimonate 189:89
- Titanium-Dioxide 157:313, 158:273
- Transition-Metal-Cation 158:273
- UO_2^{2+} - Na^+ - H^+ 181:351
- Uranium 154:435
- Water-Sample 164:59
- Zirconium-Molybdoarsenate 188:323
- ZrMAs 188:323
- Ion-Exchange-Behavior** 198:375
- Ion-Exchange-Resin**
 - Bitumen 166:109
 - Bruce-Nuclear-Generating-Station-A 185:69, 200:365
 - Carbon-12/Carbon-14-Ratio 200:365
 - Carbon-14 185:69
 - Cement 166:109
 - Cesium-137 166:109
 - Chlorine-36 200:365
 - Incorporated 166:109
 - Iodine-129 180:179
 - Leaching 166:109
 - LWR 180:179
 - Mixed-Bed 180:179
 - Moderator 185:69, 200:365
 - Neutron-Activation-Analysis 180:179
 - Spent 185:69, 200:365
- Ion-Exchanger**
 - Adsorption 162:299, 196:353
 - Anion-Exchange-Resin 201:509
 - Barium(II)-Ion 196:353
 - Biological-Material 164:115
 - Cesium 159:335, 185:57, 201:509
 - Characterization 159:335
 - Composite 155:243, 164:115, 183:27, 201:509
 - Copper 159:335, 185:57
 - Cupric-Ferrocyanide 201:509
 - Cycle 185:57, 201:509
 - Fixation 155:243
 - Francium 155:243
 - Hexacyanoferrate 185:57
 - Hexacyanoferrate(II) 159:335
 - Hydrous 196:353
 - Impregnated 201:509
 - Inorganic-Sorbent 155:243
 - Insoluble 185:57
 - Macroporous 201:509
 - Management 162:299, 196:353
 - Mineralizate 164:115
 - Mixed 155:243
 - Neutron-Activation-Analysis 164:115
 - Nickel 159:335
 - Nuclear 183:27
 - Potassium 159:335
 - Preparation 159:335
 - Prospective 183:27
 - Radioactive-Waste 162:299, 196:353
 - Radiotracer 162:299, 196:353
 - Radium 155:243
 - Redox-Type 185:57, 201:509
 - Removal 164:115
 - Separation 185:57, 201:509
 - Sodium-Titanate 162:299
 - Sorption-Desorption-Regeneration 185:57, 201:509
 - Strongly-Basic-Type 201:509
 - Strontium(II)-Ion 196:353
 - Strontium-Ion 162:299
 - Thorium-Oxide 196:353
- Ion-Implantation** 166:351
- Ion-Implanted** 190:225
- Ion-Microprobe** 178:55
- Ion-Movement** 195:321
- Ion-Pair** 152:87
- Ion-Selective**
 - Bismuth(III) 170:197
 - Carrier-Free 166:15
 - Complex 170:197
 - Fluoride 170:197
 - Iodine-125 166:15
 - Membrane-Electrode 166:15
 - Plutonium(III) 170:197
 - Potentiometry 166:15, 170:197
 - Samarium(III) 170:197
 - Simple 166:15
 - Specific-Activity 166:15
- Ion-Transport**
 - Carrying 163:169
 - Coupled 189:207
 - Cytolytic-Protein 163:169
 - Incorporated 163:169
 - Lipid-Membrane 163:169
 - Liquid-Membrane 189:207
 - Model 163:169
 - Nitrate 189:207
 - Selectivity 163:169
 - Toxin 163:169
 - Tributyl-Phosphate/Kerosene-Oil-Supported 189:207
 - Uranyl-Ion 189:207
- Ion-Transport-Process** 199:265
- Ion-Tube-Neutron-Source** 192:73
- Ionic** 187:99
- Ionic-Medium** 170:389
- Ionic-Solute**
 - Aqueous-Solution 163:11
 - International-Conference 163:9
 - Preface 163:9
 - Proceedings 163:9
 - Separation 163:9
 - Smolenice-Czechoslovakia 163:9
 - Solvent-Extraction 163:11
- Ionic-Strength** 186:129
- Ionic-Strength [High-]**
 - Actinide 194:95
 - Corrosion 194:95
 - Nuclear-Reprocessing 159:285
 - Radioiodine 159:285
 - Separation 159:285
 - Sorption 194:95
 - Speciation 194:95
- Ionization** 201:303
- Ionizing-Radiation**
 - D-alpha-Alanine 183:379
 - DL-alpha-Alanine 183:379
 - L-alpha-Alanine 183:379
 - Laboratory-System 156:313
 - National 156:313
 - Poly(3-Pentylthiophene) 166:485
 - Response 183:379
 - Secondary 156:313
 - Surface-Treatment 166:485
- Ionogenic-Compound** 163:87
- IPEN-CNEN-SP**
 - Analytical-Process-Control 199:453
 - Celeste 199:453
 - Cyclotron 175:75, 200:227
 - Fluorine-18 200:227
 - Installation 199:453
 - Iodine-123 175:75
 - Natural-Water 200:227
 - Production 175:75, 200:227
 - Quality-Control 172:313
 - R&D 199:453
 - Target 200:227
 - Thallium-201-Chloride 172:313
- Iraq** 194:229
- Iraqi** 159:29
- Iridium**
 - Activation-Analysis 153:301, 192:101
 - Boundary 151:107, 151:201, 168:125
 - Charged-Particle-Activation-Analysis 168:337
 - Chelating-Resin 151:107
 - Chemical-Species 151:201
 - Clay 151:201, 168:125
 - Cretaceous-Tertiary 151:201
 - Extraction 153:301
 - Fast 196:287
 - HDEHP 196:287, 201:191
 - High-Temperature 153:301
 - Implication 151:201
 - Metallic 168:337
 - Meteoritic-Sample 185:3
 - Molecular 192:101
 - Neutron-Activation-Analysis 168:337, 185:3
 - Osmium 185:3
 - Platinum 168:337
 - Precambrian-Cambrian 151:107
- Radiochemical-Neutron-Activation-Analysis 151:107
- Radiochemical-Procedure 185:3
- Rhenium 185:3
- Rhodium 168:337, 196:287, 201:191
- Ruthenium 196:287, 201:191
- Sample 151:107
- Selenium 168:125
- Separation 151:107, 196:287
- Simple 185:3
- Simultaneous-Determination 168:125, 185:3
- Solvent-Extraction 196:287, 201:191
- Thiourea-Type 151:107
- Trace 151:107
- Trace-Element 151:201
- Volcanic-Rock 153:301
- Volcanic-Sublimate 168:125
- Irish** 165:79
- Irish-Sea**
 - Americium-241 156:201
 - Anomaly 197:369
 - Behavior 156:201
 - Chemical-Leaching-Behavior 154:299
 - Coastal 156:201
 - Coastal-Sediment 170:333
 - Distribution 156:201
 - Element 170:333
 - Estuarine 156:201, 170:333
 - Estuary 197:369
 - Intertidal 170:333, 197:369
 - Intertidal-Coastal-Sediment 154:299
 - Isotopic-Composition 198:113
 - Mass-Spectrometry 198:113
 - Neptunium-237 154:299, 156:201, 197:369
 - Plutonium 198:113
 - Plutonium-239/240 156:201
 - Radioisotope 170:333
 - Ribble 197:369
 - Sediment 156:201, 197:369, 198:113
 - Technetium-99 156:201
- Iron**
 - 80-MeV/Nucleon 186:113
 - Alpha-Benzoinomix 185:347
 - Antimony 165:57
 - Brick 186:57
 - Cation 190:375
 - Cobalt 158:455
 - Cobalt-60 165:57
 - Cobalt-o-Hydroxybenzaldehyde 165:57
 - Content 158:455
 - Conversion 190:289
 - Copper 186:57
 - Degradation 190:289
 - Dilute 190:413
 - Electron 190:289
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 152:251
 - Estimation 152:251, 181:433
 - Europium 190:413
 - Extracting-Agent 185:347
 - Factory 186:57
 - Family 185:347
 - Ferritin 190:237
 - Field 190:413

- Filter-Paper 152:251
- Final 186:57
- Foil 186:113
- Foreign 190:375
- Fruit-Sample 181:433
- Higher-Oxidation-State 157:401
- Hydrated 190:375
- Hyperfine 190:413
- Incorporation 190:237
- Induced 190:375
- Instability 190:413
- Ion 186:113
- Irradiated 186:113
- Isonicotinoyl-Hydrazine 165:57
- Isotope 201:225
- Layer 190:289
- Lead 186:57
- Magnetic-Phase-Transition 190:413
- Malonic-Anilide 181:433
- Manganese 186:57
- Material 186:57
- Matter 186:57
- Mercury 158:455
- Microdroplet 152:251
- Molybdenum(VI) 185:347
- Multiple 190:413
- Multitracer 186:113
- Mössbauer-Spectroscopy 157:401, 190:237, 190:289
- Neutron-Activation-Analysis 201:225
- Oxide 190:375
- Oxocompound 157:401
- Particulate 186:57
- Passive 190:289
- Preparation 186:113
- Radioactive 186:113
- Radiochemical-Displacement 165:57
- Radionuclide 186:57
- Rare-Earth 190:413
- Raw 186:57
- $\text{RMn}_2\text{Si}_{2-x}\text{Ge}_x$ 190:413
- Selenium 158:455
- Structural-Modification 190:375
- Stoichiometric-Extraction 181:433
- Titanium 152:251
- Transition-Metal 185:347
- Tungsten(VI) 185:347
- Uranium 152:251
- Uranium(VI) 185:347
- Valence 190:413
- X-Ray-Fluorescence-Analysis 186:57
- Yeast-Cell 158:455
- Zinc 158:455, 186:57
- Iron(II)** 176:117
- Iron(III)**
 - 3,5-Dichlorophenol 157:255
 - Acetylacetone 157:255
 - Amine 166:273
 - Chelate 157:255, 199:317
 - Chromium(III) 166:273
 - Cobalt(II) 166:273
 - Donor 157:255
 - Enhancement 157:255
 - Extraction 157:255, 166:273
 - High-Molecular-Weight 166:273
 - Kinetic-Exchange 199:317
 - Manganese(II) 166:273
 - Metal-Ion 199:317
 - Proton 157:255
 - Substitution 199:317
 - Succinic-Acid-Medium 166:273
 - Uranium-Dioxide-EDTA 199:317
- Iron(III)-1,2-Dihydroxyanthraquinone-Complex** 196:57
- Iron(III)-Bromide** 157:185
- Iron(III)-Carboxylate** 199:443
- Iron(III)-Containing-System** 190:321
- Iron(III)-Substituted** 190:347
- Iron-55** 193:119
- Iron-57**
 - Atom 173:107
 - Cobalt-57-Labeled 173:107
 - Cobalt-Iron-Carboxylate 173:107
 - Emission 173:107
 - Europium-151 190:401
 - High-Temperature 190:401
 - Mixed-Valence-State 173:107
 - Mössbauer-Spectroscopy 173:107, 190:401
 - Superconductor 190:401
 - Thallium-Containing 190:401
 - Trinuclear 173:107
 - X-Ray-Diffraction 190:401
- Iron-57-Mössbauer-Effect** 182:451
- Iron-59** 155:263
- Iron-59(III)-Polyphosphate** 155:359
- Iron-59-(n,gamma)-Iron-60-Reaction** 170:367
- Iron-60** 170:367
- Iron-Al** 190:263
- Iron-Alumina** 190:341
- Iron-Containing** 190:407
- Iron-Dextran-Complex** 190:449
- Iron-Hydroxide**
 - 2-Heptanone 190:175
 - Americium 190:175
 - Hanford 190:175
 - Mössbauer-Spectroscopy 181:189
 - Neptunium 190:175
 - Plutonium 190:175
 - Precipitation 181:189, 190:175
 - Product 181:189
 - Radioactive-Waste 181:189
 - Simulated 190:175
 - Solvent-Extraction 190:175
 - Total 190:175
 - Treatment 181:189
 - Waste 190:175
- Iron-Meteorite** 151:185
- Iron-Oxide** 162:351
- Iron-Samarium-Mixed-Oxide-System** 186:455
- Iron-Si-Al** 190:299
- Iron/PVA** 190:315
- Iron²⁺** 190:369
- Iron³⁺** 190:369
- Irradiated**
 - 80-MeV/Nucleon 186:113
 - Absorption 188:133
 - Actinide 170:359
 - Behavior 170:359, 188:133, 199:173
 - Characteristics 199:173
 - Chelating 161:549
 - Chemical-Aspect 189:71
 - Column 199:173
 - Complexing-Agent 161:549
 - Copper(II)-Ion 188:133
 - Cytosine 188:133
 - Degradation 161:549
 - Distribution 181:109
 - Dose 181:109
 - EPR 176:65
 - ESR 157:385
 - Final 177:291
 - Fluorescence 188:133
 - Foil 186:113
 - Heterogeneous-Process 157:385
 - Ion 186:113
 - Iron 186:113
 - Matrix 199:173
 - Microbiological-Aspect 189:71
 - Mixed 161:549
 - Molybdenum-99-Technetium-99m-Generator 199:173
 - Multitracer 186:113
 - Neptunium 170:359, 172:107
 - Neutral 188:133
 - Non-doped 176:65
 - Particularity 181:109
 - pH 188:133
 - Plastic 181:109
 - Polyacetylene 176:65
 - Preparation 186:113
 - Product 177:291
 - Purification 177:291
 - Radioactive 186:113
 - Reprocessing 177:291
 - Rod 177:291
 - Separation 170:359, 172:107
 - Simulated 161:549
 - $\text{SiO}_2/\text{B}_2\text{O}_3+\text{H}_2\text{O}$ -System 157:385
 - Target 170:359, 172:107
 - Thorium 177:291
 - Titanium-Molybdate 199:173
 - Treatment 177:291
 - Tubing 181:109
 - Uranium 172:107
 - Uranium-233-Oxide 177:291
 - Vanilla-Bean 189:71
 - Waste 161:549
- Irradiation**
 - 1.6-GeV 169:13
 - 22-GeV 189:191
 - 44-GeV 189:191
 - Activation-Rate 195:263
 - Alternative 172:387
 - Aluminum 192:131
 - Asphaltene 172:387
 - Biological-Tissue 192:131
 - Blue 153:57
 - Capsule 158:343
 - Carbon-Ion 189:191
 - Cesium-137 175:297
 - Characterization 201:481
 - Chemical 195:263
 - Chlorinated-Hydrocarbon 161:253
 - Coal 172:387
 - Commitment 175:297
 - Condition 168:403
 - Container 157:301
 - Copper-67 195:263
 - Copper-Target 189:191
 - Cosmic-Ray 169:13
 - Cáceres-Spain 175:297
 - Dating 201:481
 - Depth 175:297
 - Direct 167:383
 - Distribution 175:297
 - Dose 175:297
 - Dosimeter 153:57
 - Enrichment 195:263
 - Environmental 167:383
 - Epithermal-Neutron-Activation-Analysis 158:343
 - External 175:297
 - Extraction 178:99
 - Facility 192:131
 - Fallout 175:297
 - Feasibility-Study 158:343
 - Fission-Product 178:99
 - Fission-Track 201:481
 - Fuel 172:387
 - Galactic 169:13
 - Gamma-Ray 172:387, 178:99
 - Generation 189:191
 - Germanium-Spectrometry 158:343
 - High-Energy 161:253
 - Humidity 153:57
 - Inorganic-Impurity 168:403
 - Interaction 169:13
 - k_0 157:301
 - Lena-Triga-Mark-II-Reactor 201:481
 - Low-Energy 195:263
 - Massive 189:191
 - Microelectronic-Application 168:403
 - N,N-Disubstituted-Amide 178:99
 - Neutron 189:191
 - Neutron-Activation-Analysis 157:301, 168:403
 - Neutron-Flux 157:301
 - Nitric-Acid 178:99
 - Novel-Approach 192:131
 - Operation 158:343
 - Pair 192:131
 - Parameter 157:301
 - Photon-Activation-Analysis 167:383
 - Plastic 158:343
 - Plastics 168:403
 - PMMA 153:57
 - Pneumatic-Tube 192:131
 - Position 201:481
 - Proton 169:13, 195:263
 - Radiation-Induced-Effect 172:387
 - Recovery 195:263
 - Response 153:57
 - Simulation 169:13
 - Soil 175:297
 - Spice 185:401
 - Stony 169:13
 - Strontium-90 175:297
 - Surface 175:297
 - Target 169:13, 195:263
 - Temperature 153:57
 - Testing 185:401
 - Thermoluminescence 185:401
 - Thick 169:13
 - Thorium(IV) 178:99
 - Trace 168:403

- Uranium(VI) 178:99
- Variation 157:301
- Water-Sample 167:383
- Well-Type 158:343
- Zinc-70 195:263
- Irradiation-Induced-Defect** 174:167
- Irradiation-Method** 195:227
- Irradiator** 161:51
- Island** 161:293
- Isobutanol** 158:107
- Isolated** 164:365
- Isolation** 175:47
- Isomer**
 - Antimony-130 166:187
 - Antimony-132 166:187
 - Carbon-Tetrachloride 174:103
 - Dinitrobenzene 174:103
 - Fission 166:187
 - Gamma-Radiolysis 174:103
 - Iodine-134 155:299, 166:187
 - Iodine-136 166:187
 - Main 174:103
 - Nitroaniline 174:103
 - Nitrobenzene 174:103
 - Nitrophenol 174:103
 - Photofission 155:299
 - Product 174:103
 - Radiation-Chemical-Yield 174:103
 - Ratio 155:299
 - Thermal-Neutron 166:187
 - Thorium-232 155:299
 - Uranium-235 166:187
 - Uranium-238 155:299
 - Volatile 174:103
 - Yield 155:299, 166:187
- Isomer-Ratio** 172:155
- Isomerization**
 - Carbon-12/Carbon-13-Isotopomer 170:107
 - Classification 170:107, 170:373
 - Cyclic-C₇ 170:107
 - C₈ 170:373
 - D_{2D} 170:373
 - Isotopomer 170:373
 - p-tert-Butyltoluene 154:421
 - Radiation-Induced-Gas-Phase-Dealkylation 154:421
- Isocotinoyl-Hydrazone**
 - 2-Hydroxy-1-Naphthaldehyde 175:1
 - Amount 175:1
 - Antimony 165:57
 - Cobalt-60 165:57
 - Cobalt-o-Hydroxybenzaldehyde 165:57
 - Iron 165:57
 - O-Hydroxypropiophenone 175:185
 - Radiochemical-Displacement 165:57
 - Sensitive 175:1, 175:185
 - Spectrophotometry 175:1, 175:185
 - Trace 175:1
 - Trace-Amount 175:185
 - Uranium(VI) 175:1, 175:185
- Isopropanol**
 - Catalytic-Activity 178:3
 - Catalytic-Dehydration 187:223
 - Conversion 178:3
 - Gamma-Alumina 178:3
 - Gamma-Irradiation 178:3, 187:223
 - Neodymium-Y 187:223
 - Selectivity 178:3
 - X-Zeolite 187:223
- Isotope**
 - 14.7-MeV 166:493
 - 4-tert-Butylbenzo-15-Crown-5 187:25
 - Activation 151:255
 - Added 177:365
 - Adsorption 181:291
 - Air 199:27
 - Alpha-Spectrometry 191:3, 194:163
 - Americium 194:191
 - Amorphous 182:335
 - Analytical-Factor 179:113
 - Analytical-Investigation 168:477
 - Analytical-Method 182:21
 - ASPRO-NUC 193:195
 - Association 198:229
 - Bioavailability 151:255
 - Bismuth 201:303
 - Black 186:489
 - Catchment 156:7
 - Cement-Composite 182:335
 - Cerium 175:437
 - Cesium 156:7, 182:335
 - Charcoal 181:291
 - Chemical-Separation 175:207
 - Chernobyl-Accident 182:349
 - Chernobyl-Zone 201:371
 - Chromatography 194:191
 - Comparison 182:21
 - Component 198:229
 - Contaminated 156:7
 - Cross-Section 166:493
 - Curium 194:191
 - Cyclotron-Produced 168:477
 - Data 193:195
 - Deposition 182:349
 - Derived 182:349
 - Distribution 201:371
 - Dynamic 181:291
 - Electrodeposition 177:365
 - Environmental-Sample 161:437, 191:3
 - Estuarine 183:395
 - Evaporation 201:303
 - Extraction 194:191
 - Extractive 187:25
 - Factor 201:371
 - Fission-Product 198:229
 - Form 201:371
 - Fractionation 156:7, 170:9
 - Gallium 168:477
 - Gamma-Line 179:113
 - Gamma-Ray-Spectrometry 193:195
 - Hanford 194:191
 - Helium 174:205
 - Hydrochloric-Acid/Tributyl-Phosphate-Extraction-System 175:437
 - Hydrogen 170:9, 174:205
 - Hydrogen-Dichloride-Anion 170:9
 - Identification 175:207, 186:489, 193:195
 - Instrumental-Neutron-Activation-Analysis 168:257
 - Interlaboratory 182:21
 - Iodine-127 198:229
 - Iodine-129 198:229
 - Ionization 201:303
 - Iron 201:225
 - Japan 182:349
 - Krypton 181:291
 - k₀ 179:113
 - k_i 179:113
 - Lake 156:7
 - Langkawi 186:489
 - Layer 201:371
 - Leaching 182:335
 - Lead 201:303
 - Lithium 187:25
 - Management 193:195
 - Mass-Spectrometry 201:303
 - Mobile 201:371
 - Mountain 156:7
 - Natural 182:21, 198:229
 - Neutron 166:493, 168:257
 - Neutron-Activation-Analysis 151:255, 179:113, 186:489, 193:195, 201:225
 - Norwegian 156:7
 - Optimization 161:437
 - Oxygen 168:257
 - Partition 175:437
 - Plating 194:191
 - Platinum 177:365
 - Platinum-202 175:207
 - Plutonium 182:349, 194:191, 199:27, 201:371
 - Precipitation 194:191
 - Procedure 198:229
 - Property 181:291
 - Pulsed-Laser 201:303
 - Quadrupole-Mass-Spectrometry 174:205
 - Quantitative-Analysis 194:191
 - Radioactive-Waste 182:335
 - Radioanalytical-Procedure 161:437
 - Radium 177:365, 183:395, 191:3, 194:163
 - Rapid 194:191
 - Rapid-Determination 194:163
 - Reactor 168:257
 - Resonance 201:303
 - Revisited 168:257
 - Rhodium 198:41
 - Rock-Sample 182:21
 - Routine 193:195
 - Run-Off 156:7
 - Sample 194:191
 - Sand 186:489
 - Separation 187:25
 - Sequential-Extraction 198:229
 - Series 182:21
 - Silver 198:41
 - Site 199:27
 - Snowmelt 156:7
 - Software 193:195
 - Soil 198:229
 - Soil-Profile 201:371
 - Southwestern-Spain 183:395
 - Strontium 182:335
 - Strontium-90 156:7, 182:349
 - Surface 199:27
 - Suspended-Matter 183:395
 - Tetraethylammonium-Salt 170:9
 - Tetramethylammonium-Salt 170:9
 - Thorium 182:21, 191:3
 - Time-of-Flight 201:303
 - Tracer 151:255
 - Treatment 182:335
 - Uranium 161:437, 182:21
 - Vanadium 168:477
 - Vinca-Belgrade 199:27
 - Water 156:7
 - Xenon 181:291
 - Zinc 151:255
 - Zirconium-Phosphate 182:335
 - Isotope-Dilution**
 - Cyclic-3',5'-Adenosine-Monophosphate 155:145
 - Labeled 155:145
 - Pu-Zr-Al-Alloy 158:13
 - Sub-equivalence 155:145
 - Super-equivalence 155:145
 - Thermal-Ionization-Mass-Spectrometry 158:13
 - U-Zr-Al-Alloy 158:13
 - Zirconium 158:13
 - Isotope-Dilution-Analysis**
 - 3,5,3'-Triiodothyronine 155:155
 - Radioanalytical-Application 160:417
 - Sub-equivalence 155:155, 155:279, 155:289, 160:417
 - Subvariant 155:279, 155:289
 - Super-equivalence 155:155, 155:279, 155:289, 160:417
 - Theoretical-Error 155:279, 155:289
 - Thyroxine 155:155
 - Variant 155:279, 155:289
 - Isotope-Exchange**
 - 3-(Iodophenyl)methyl-Guanidine-I-131-Iodide 158:183
 - 4-I-127-Iodoantipyrine 153:201
 - Aqueous/Organic-Phase 199:499
 - Carbon 176:339
 - Catalysis 162:3
 - Chlorine 175:371
 - Copper(II)-Complex 162:253
 - Copper(II)-Oxime 162:253
 - Dating 176:339
 - Deuterium 162:3
 - Drinking 164:373
 - Evaluation 164:373
 - Extraction 158:163
 - Gas 159:145
 - Gaseous-Hydrogen 185:219
 - High-Temperature 162:3
 - Homogeneous 162:253, 173:137
 - Hydrogen 159:145, 175:371
 - Iodine 153:201, 164:373
 - Kinetics 158:183, 185:219
 - Liquid 185:219
 - Methane 159:145
 - Mixed 159:145
 - N-Methylimidazolium-Chloride 175:371
 - Neutron-Activation-Analysis 164:373
 - Nickel(II) 173:137
 - Nickel(II)-Phenylhydrazone-Complex 173:137
 - Organic-Medium 153:201
 - Pyrrole 185:219
 - Radiocarbon 176:339

- Reaction-Rate 159:145
- Separation 158:163, 164:373
- Separation-Factor 199:499
- Sodium-Iodide 153:201
- Sodium-Iodide-131 153:201
- Solid-State 162:3
- Tritium 159:145, 162:3, 185:219
- Uranium(III)/Uranium(IV) 199:499
- Uranium(IV) 158:163
- Uranium(VI) 158:163
- Uranium-238/Uranium-235-System 199:499
- Water 164:373
- Well 164:373
- Isotope-Exchange-Reaction**
 - Ammonium-Halide 188:331
 - Chloride-36 162:71, 164:141
 - Chlorine 162:71, 164:141
 - Comparison 188:33, 188:331
 - Gas-Solid-System 188:331
 - Hydrogen 188:33, 188:331
 - Kinetics 162:71, 164:141
 - Liquid-Solid-System 188:33
 - Mixed-Solvent 162:71, 164:141
 - Reactivity 188:33, 188:331
 - Sodium 162:71, 164:141
 - Toluene-thiol 188:33
 - Triphenyltin-Chloride 162:71, 164:141
- Isotope-Separation**
 - Azacrown 189:219
 - Chemical-Exchange 189:219
 - Compound 189:219
 - Europium 199:159
 - Hydrochloric-Acid/HDEHP-Extraction-System 199:159
 - Lithium 189:219
 - Polymer-Bound 189:219
- Isotopic**
 - Abundance 201:381
 - Equilibration-Time 175:155
 - Liquid-Scintillation-Counting 201:381
 - Lithium-6 201:381
 - Low-Background 201:381
 - Neutron-Activation-Analysis 201:381
 - Seawater 175:155
 - Thorium-234 175:155
- Isotopic-Analysis**
 - Delayed-Neutron-Counting 179:35
 - Neutron-Activation 179:35
 - Non-destructive 179:35
 - Radiochemical-Procedure 157:65
 - Rapid 179:35
 - Sequential 157:65
 - Soil 157:65
 - Thorium 157:65
 - Uranium 157:65, 179:35
- Isotopic-Composition**
 - Alpha-Spectrometry 177:73
 - Belarus 199:325
 - Burnup 155:107
 - Carbon-13 174:243, 183:301, 198:3
 - Chernobyl-Fallout 199:325
 - Decarbonylation 174:243, 183:301, 198:3
 - Estimation 155:107
 - Formic-Acid 183:301, 198:3
 - Human-Lung 172:299
 - Initiated 198:3
 - Irish-Sea 198:113
 - Kinetic-Isotope-Effect 174:243, 183:301, 198:3
 - Lactic-Acid 174:243
 - Liquid 198:3
 - Mass-Spectrometry 198:113
 - National-Institute-of-Standards-and-Technology 172:299
 - Natural 174:243, 183:301, 198:3
 - Natural-Nuclear-Reactor 155:107
 - Oklo 155:107
 - Phosphoric-Acid-Medium 174:243, 183:301
 - Phosphorus-Pentoxide 198:3
 - Plutonium 172:299, 198:113
 - Radiogeochemical-Region 199:325
 - Ruthenium 155:107
 - Sediment 198:113
 - Standard-Reference-Material 172:299
 - Uranium 177:73
 - Urine 177:73
- Isotopic-Exchange** 191:229
- Isotopic-Measurement** 175:427
- Isotopic-Ratio**
 - Chernobyl-Accident 181:25
 - Elemental-Composition 181:25
 - Groundwater 182:11
 - Hot-Particle 181:25
 - Identification 182:11
 - Inductively-Coupled-Plasma-Mass-Spectrometry 201:71
 - Pollution 182:11
 - Radium 182:11
 - Rapid-Method 201:71
 - Source 182:11
 - Tool 182:11
 - Uranium 181:25, 201:71
- Isotopomer**
 - Buckingham-Liu-Rule 153:439
 - Classification 170:373
 - C₈ 170:373
 - Deuterium-2 153:439
 - D₂D 170:373
 - Hydrogen-1 153:439
 - Isomerization 170:373
 - Tritium-3 153:439
 - Validity 153:439
 - Water-Dimer 153:439
- Israel** 163:313
- Italy** 193:291
- Italy IENE-A-»** 200:109
- Italy INorthern-Latium-»** 161:365
- Italy IStromboli-»** 165:61
- Ivory-Coast** 158:91
- JAERI** 197:295
- Japan**
 - Chernobyl-Accident 182:349
 - Coast 188:313
 - Coastal-Atmosphere 196:295
 - Comparative-Study 188:313
 - Deposition 182:349
 - Derived 182:349
 - Energy 171:95
 - Environmental-Radioactivity 188:313
 - Inhabiting 188:313
 - Inorganic 196:295
 - Iodine 196:295
 - Iodine-129/127-Isotopic-Ratio 182:157
 - Isotope 182:349
 - Korea 188:313
 - Kyushu 171:95
 - Mammalian 182:157
 - Museum 171:95
 - Nuclear-Science 171:95
 - Organic 196:295
 - Particulate 196:295
 - Plutonium 182:349
 - Public-Education 171:95
 - Shellfish 188:313
 - Strontium-90 182:349
 - Thyroid-Gland 182:157
- Japanese**
 - Basket 196:89
 - Behavior 156:349, 197:343
 - Cesium-137 197:343
 - Coast 197:343
 - Coastal 156:349
 - Concentration 156:175, 197:343
 - Concentration-Level 156:349
 - Contribution 196:89
 - Crassostrea-Gigas 197:343
 - Daily-Intake 185:183
 - Diet 156:89, 185:183
 - Dietary 196:89
 - Distribution 197:343
 - Dose 196:89
 - Fallout 156:175
 - Food 196:89
 - Human-Hair 157:37
 - Human-Tissue 156:89
 - Imported 196:89
 - Intake 196:89
 - Intake-Level 178:81
 - Internal 196:89
 - Lead-210 157:37, 197:343
 - Marine 178:81
 - Marine-Environment 156:349
 - Market 196:89
 - Nuclide 156:349
 - Organisms 178:81
 - Oyster 197:343
 - Plutonium 156:175
 - Polonium-210 157:37, 178:81
 - Radionuclide 197:343
 - Relation 197:343
 - Sample 156:175, 185:183
 - Sea-Water 197:343
 - Silver-108m 197:343
 - Thorium-232 196:89
 - Tissue 156:175
 - Total 185:183
 - Transuranium 156:349
 - Tritium-Level 156:89
 - Uranium 185:183
 - Uranium-238 196:89
- Japanese-University** 171:83
- Japan IAomori-City-»**
 - Actinide 197:7, 197:9
 - Biological-Sample 197:7, 197:9
 - Conference 197:9
 - Environmental-Sample 197:7, 197:9
 - International-Conference 197:7, 197:9
 - Long-Lived-Radionuclide 197:7, 197:9
 - Low-Level-Measurement 197:7, 197:9
 - Message 197:9
 - Participant 197:9
 - Proceedings 197:7, 197:9
 - Japan IFukuoka-»** 197:245
 - Japan IBaraki-»** 188:305
 - Japan IUnzen-Area-»** 183:235
 - Jaslovské-Bohunice**
 - Atomic-Power-Station 175:41, 183:167
 - Dudvák 183:167
 - Environmental-Sample 175:41, 183:167
 - Manivier 183:167
 - Plutonium-239/240 175:41, 183:167
 - River 183:167
 - Surrounding 175:41, 183:167
- JINR** 190:505
- Journal-of-Radioanalytical-and-Nuclear-Chemistry-Letters** 201:251
- Journal-of-Radioanalytical-and-Nuclear-Chemistry**
 - Citation 163:3
 - Citation-Impact 166:1
 - Impact 163:3
- Jurak** 194:371
- K** see **Potassium**
- k-beta/k-alpha-Intensity-Ratio** 185:193
- k-beta/k-alpha-X-Ray-Intensity-Ratio** 185:193
- K-Capture** 166:131
- Kanawa** 178:375
- Kaolinite**
 - Alumina 182:375
 - Barium²⁺-Ion 182:375
 - Cobalt(II) 173:303
 - Cobalt²⁺-Ion 182:375
 - Complexing-Agent 173:303
 - Magnesite 182:375
 - Sorption 173:303
 - Sorption-Behavior 182:375
 - Surfactant 173:303
 - Zinc²⁺-Ion 182:375
- Kerosene**
 - Identification 182:385
 - Iodoorganic-Compound 176:251, 182:385
 - Nuclear-Fuel 176:251, 182:385
 - Removal 176:251
 - Reprocessing 176:251, 182:385
- Ketone** 157:159
- Key** 193:377
- KFUPM** 181:131
- Kindergarten** 175:103
- Kinetic**
 - Analyzer 156:223
 - Ascite 195:155
 - Catalysis 162:57
 - Copper 195:155
 - Distribution 195:155
 - Iodide 162:57
 - Mouse 195:155
 - Nanogram 156:223
 - Period 195:155

- Phosphomolybdic-Acid 162:57
- Phosphorescence 156:223
- Quantity 156:223
- Rapid-Method 156:223
- Reaction 162:57
- Selenium 195:155
- Tumor-Bearing 195:155
- Uranium 156:223
- Uranium(IV) 162:57
- Urine 156:223
- Zinc 195:155
- Kinetic-Aspect** 186:477
- Kinetic-Behavior** 165:115
- Kinetic-Characteristics**
 - Alpha-Propionic-Acid 166:143
 - Cycloalkyl-Radical 201:39
 - Cyclohexane 166:143
 - Liquid-Phase 201:39
 - Methyl-Ester 166:143
 - Radical 166:143
 - Spectral 166:143, 201:39
 - Water 166:143
- Kinetic-Exchange** 199:317
- Kinetic-Investigation** 188:391
- Kinetic-IR-Study** 180:145
- Kinetic-Isotope-Effect**
 - Abundance-Level 159:305
 - Activation 191:361
 - Carbon-13 159:305, 174:243, 183:301, 191:369, 198:3
 - Carbon-14 162:25
 - Decarbonylation 159:305, 162:25, 174:243, 183:301, 191:369, 198:3
 - Disproportionation 187:151, 191:361
 - Formic-Acid 183:301, 198:3
 - Heterogeneous-System 187:151
 - Initiated 198:3
 - Isotopic-Composition 174:243, 183:301, 198:3
 - Kinetics 191:361
 - Lactic-Acid 159:305, 174:243
 - Lactic-Acid(I-C-14) 162:25
 - Liquid 198:3
 - Natural 159:305, 174:243, 183:301, 198:3
 - Oxalic-Acid 191:369
 - Pentavalent 187:151, 191:361
 - Phosphoric-Acid-Medium 174:243, 183:301
 - Phosphorus-Pentoxide 198:3
 - Plutonium 187:151, 191:361
 - Power 191:361
 - Ultrasound 191:361
- Kinetic-Parameter** 185:15
- Kinetic-Study**
 - Chromium(VI) 157:75
 - Coating 152:321
 - Continuous-Method 152:321
 - Conversion 152:321
 - Crystal-Growth 176:1
 - Formation 152:321
 - Germanium-Iodide 176:1
 - Manganese(IV)-Oxide 157:75
 - Nitric-Acid-Solution 188:177
 - Oxidation 188:177
 - Radioisotopic-Labeling 176:1
 - Sorption 157:75
 - Uranium(IV) 188:177
- Kinetics**
 - 3-(Iodophenyl)Methyl-Guanidine-I-131-Iodide 158:183
 - Activation 191:361
 - Aluminum-Hydroxide 154:61
 - Ambient-Temperature 189:65
 - Americium(III) 181:165
 - Americium(VI) 185:265
 - Amorphous 187:33
 - Aquatic-Environment 182:63
 - Aqueous-Medium 181:165
 - Brachydanio-Rerio 182:63
 - Breaking 195:321
 - Carassius-Auratus 182:63
 - Cation-Exchange 181:351
 - Cesium-134 182:63
 - Cesium-137 182:63
 - Chemical-Yield 154:61
 - Chloride-36 162:71, 164:141
 - Chlorine 162:71, 164:141
 - Chloroform 181:165
 - Complex 165:277
 - Concentration 159:187
 - Contact 189:65
 - Contamination 189:65
 - Controlled 182:63
 - Coral 169:339
 - Crystallization 187:33
 - Desorption 159:37
 - Diffusion 169:339
 - Diffusion-Potential 195:321
 - Disproportionation 191:361
 - Dissolution 178:261
 - Distribution 181:165
 - Electrochemical-Property 182:213
 - Electrodeposition 182:213
 - Electrolyte 195:321
 - Electron-Paramagnetic-Resonance-Spectroscopy 154:61
 - Element 169:339
 - Equilibrium 181:351
 - Europium(III) 181:165
 - Extraction 157:185, 170:235
 - Fe₈₃P₁₇-Alloy 187:33
 - Fish 182:63
 - Forward/Backward-Symmetry 195:321
 - Gamma-Irradiated 165:277
 - Gaseous-Hydrogen 185:219
 - Goldfish 182:63
 - Growth 178:261
 - HDEHP 185:265
 - Host 178:261
 - Hydrochloric-Acid-Solution 190:37
 - Implanted 169:339
 - In-Vivo 169:339
 - Interaction 159:175, 159:187, 185:15
 - Interfusion 195:321
 - Ion 159:37
 - Ion-Exchange 181:351
 - Ion-Movement 195:321
 - Iron(III)-Bromide 157:185
 - Isotope-Exchange 158:183, 185:219
 - Isotope-Exchange-Reaction 162:71, 164:141
 - Kinetic-Isotope-Effect 191:361
 - Kinetic-Parameter 185:15
 - Lactones 182:213
 - Liquid 185:219
 - Liquid-Membrane 185:265
 - Mandelhydroxamic-Acid 165:277
 - Mass-Transfer 185:265
 - Mechanism 163:245, 181:165
 - Mica 159:37
 - Migration 159:175, 159:187, 185:15
 - Mixed-Solvent 162:71, 164:141
 - Mixture 181:165
 - Model 178:261
 - Modeling 159:175, 159:187, 185:15
 - Neutron-Activation 169:339
 - Nitrate 181:165
 - Ore 178:261
 - Oxalate-Solution 163:245
 - Oxidation-Reduction-Reaction 190:37
 - Paramagnetic-Center 154:61
 - Parameter 159:175
 - Pentavalent 191:361
 - Phosphate 157:185
 - Photoaccelerated-Isotope-Exchange 163:245
 - Plutonium 191:361
 - Potential 178:261
 - Power 191:361
 - Processing 178:261
 - Pyrrole 185:219
 - Quartz 159:37
 - Radiation 154:61
 - Radioactive 189:65
 - Radionuclide 159:175, 159:187, 185:15
 - Release 182:63
 - Revisited 195:321
 - River 159:175, 159:187, 185:15
 - Sodium 162:71, 164:141
 - Solid 159:187, 178:261, 185:265
 - Stainless-Steel 189:65
 - Supported 185:265
 - Surface 159:37, 178:261
 - Suspended-Solid 159:175, 159:187, 185:15
 - Temperature 159:187
 - Ternary 181:351
 - Thenoyltrifluoroacetone 181:165
 - Thermal-Decay 154:61
 - Thermal-Decomposition 165:277
 - Titanium(III) 190:37
 - Tracer 195:321
 - Tributyl-Phosphate 170:235
 - Triphenylarsine-Oxide 181:165
 - Triphenyltin-Chloride 162:71, 164:141
 - Tritium 185:219
 - Ultrasound 191:361
 - Unirradiated 165:277
 - UO₂²⁺-Na⁺-H⁺ 181:351
 - Uptake 182:63
 - Uranium 178:261, 182:213
 - Uranium(IV) 163:245
 - Uranium(VI) 163:245, 190:37
 - Variability 185:15
 - X-Ray-Irradiation 154:61
 - Zebra 182:63
 - Zinc(II)-Chloride 170:235
- Kit**
 - Alkaline 199:507
 - Biological-Distribution 196:45
 - Content 196:45
 - Formulation 199:507
 - Freeze-Dried 196:45
 - Gamma-Radiation 196:45
 - High-Radiochemical-Yield 199:507
 - Radiochemical-Purity 196:45
 - Stability 196:45
 - Technetium-99m-Labelled 196:45
 - Technetium-99m-MAG₃ 199:507
 - Tin(II) 196:45
- Korea** 188:313
- Krypton**
 - Adsorption 181:291
 - Bromine-75 153:417
 - Bromine-77 153:417
 - Charcoal 181:291
 - Dynamic 181:291
 - Enrichment 153:417
 - Excitation-Function 153:417
 - Isotope 181:291
 - Production 153:417
 - Property 181:291
 - Xenon 181:291
- Krypton-85** 194:411
- KY** 164:255
- Kyushu** 171:95
- k₀**
 - Analytical-Factor 179:113
 - Artificial 169:201
 - Catalogue 191:387
 - Coal 169:219
 - Comparison 191:387
 - Container 157:301
 - Counting 169:219
 - Direct 179:105
 - Environmental-Sample 169:219
 - Gamma-Line 179:113
 - Instrumental-Neutron-Activation-Analysis 191:387
 - Interpretation 169:201
 - Introduction 169:201
 - Irradiation 157:301
 - Isotope 179:113
 - k₁-Concept 169:201
 - k_f 179:113
 - LEPD 169:219
 - Monitor 179:105
 - Neutron-Activation-Analysis 157:301, 169:201, 169:219, 179:105, 179:113
 - Neutron-Flux 157:301
 - Parameter 157:301
 - Peak 169:201
 - Power-Station 169:219
 - REE 169:219
 - Single-Comparator-Method 191:387
 - Standardization 191:387
 - Variation 157:301
 - Zinc 191:387
- k₀-Concept** 160:269
- k₀-Factor**
 - Assurance 179:87
 - Neutron-Activation-Analysis 179:87
 - Quality 179:87
 - Q₀-Factor 169:159

- Short-Lived-Nuclide 155:169, 169:159
- Thermal-Neutron-Activation 155:169
- Utilization 179:87
- k₀-Method** 152:435
- k₀-Standardization**
 - Affair 179:93
 - Ceramic-Material 168:417
 - Comparison 152:507
 - Correction 160:253
 - Counting 160:253
 - Coupled 168:133
 - Extension 169:125
 - Gamma-Gamma-Coincidence 160:253
 - Gamma-KX-Coincidence 160:253
 - Gamma-LX-Coincidence 160:253
 - Geological-Material 168:133
 - Instrumental-Neutron-Activation-Analysis 152:507, 169:177
 - k_{Zn}-Standardization 152:507
 - LEPD 160:253
 - Material 169:177
 - Modified-Westcott-Formalism 179:93
 - Neutron-Activation-Analysis 160:253, 168:133, 168:417, 169:125, 179:93
 - Procedure 152:507
 - Prospect 169:125
 - Reference 169:177
 - Routine 152:507
 - Sediment 169:177
 - Short-Lived-Isotope 168:133
 - Spectrometry 168:133
 - State 179:93
- k₁-Concept** 169:201
- k₁** 179:113
- k_{Zn}-Standardization** 152:507
- Labeled**
 - Biodistribution 155:253
 - Cobalt-57 154:95
 - CoFe₂O₄(CH₃CO₂)₆(H₂O)₃ 154:95
 - Coincidence 154:95
 - Cyclic-3',5'-Adenosine-Monophosphate 155:145
 - Ethylene-bis(alpha-Alanine) 155:253
 - Ethylene-bis(Valine) 155:253
 - Isotope-Dilution 155:145
 - Mössbauer-Spectroscopy 154:95
 - On-line 165:327
 - Oxygen-15 165:327
 - Preliminary 155:253
 - Preparation 188:417
 - Production 165:327
 - Remote-Control 165:327
 - Salicylidene-Aminate 188:417
 - Species 165:327
 - Sub-equivalence 155:145
 - Super-equivalence 155:145
 - Technetium-99m 155:253, 188:417
- Labeling**
 - Antibody 170:471, 172:267
 - Chloramine-T 176:169
 - Condition 172:267, 187:277
 - Cuprous-Ion 186:333
 - Decay 164:221
 - Diazepam 200:75
 - Exchange-Reaction 163:255
 - Formation 176:169
 - High-Yield 196:113
 - Iodate-Ion (¹²⁵IO₃⁻) 176:169
 - IgG2A 172:267
 - Imaging-Agent 186:333
 - Immunoglobulin-G 201:273
 - Iodine-125 187:277
 - Iodine-131 200:75
 - Iodogen 187:277
 - Low-Specific-Activity 170:471
 - Mixture 176:169
 - Mouse 172:267
 - Multitracer 201:273
 - Polyaminomacrocyclic-Ligand 163:255
 - Preparation 170:471, 196:113
 - Radon-222 164:221
 - Reduction 163:255
 - Rhenium-186 170:471
 - Rhenium-186-DTPA-Complex 170:471
 - Short-Lived-Product 164:221
 - Skeletal 186:333
 - Solid 164:221
 - Stability 172:267
 - Surface 164:221
 - Synkavit 187:277
 - Technetium-99m 172:267, 186:333
 - Technetium-99mO₄⁻ 163:255
 - Tritiated-Thymidine 196:113
 - Tritiated-Water 196:113
 - Yttrium-90 172:267
- Labile** 164:47
- Laboratory**
 - Accreditation 179:141
 - Adsorption-Behavior 156:215
 - Americium 156:215
 - Characterization 165:1
 - Column 165:1
 - Dehydration 165:1
 - Design 161:541
 - Dynamics 165:1
 - Ecole-Polytechnique-de-Montréal 180:347
 - Flow 165:1
 - Forthcoming 179:141
 - Future 161:541
 - Liquid 165:1
 - Migration-Experiment 180:97
 - Molecular-Sieve 165:1
 - Neutron-Activation-Analysis 179:141, 180:347
 - Organic 165:1
 - Pilot-Plant 165:1
 - Prerequisite 179:141
 - Radioanalytical-Aspect 180:97
 - Radiochemistry 171:213
 - Radiological-Service 161:541
 - Radionuclide 180:97
 - Radiotracer 165:1
 - Textbook 171:213
 - World-Student-Project 171:213
- Laboratory-System** 156:313
- Lactic-Acid**
 - Abundance-Level 159:305
 - Carbon-13 159:305, 174:243
 - Decarbonylation 159:305, 174:243
 - Isotopic-Composition 174:243
 - Kinetic-Isotope-Effect 159:305, 174:243
 - Natural 159:305, 174:243
 - Phosphoric-Acid-Medium 174:243
- Lactic-Acid(1-C-14)** 162:25
- Lactones** 182:213
- Lagoon** 158:91
- Lake**
 - Acigol 200:169
 - Aswan-High-Dam 186:143
 - Availability 161:239
 - Bottom 161:239
 - Catchment 156:7
 - Cesium 156:7
 - Cesium-137 186:143
 - Contaminated 156:7
 - Distribution 186:143
 - Efficiency 200:169
 - Element 151:159
 - Fractionation 156:7
 - H₂O₂/Na₂SO₄/H₂SO₄-HSS-System 200:169
 - Isotope 156:7
 - Leaching 200:169
 - Mountain 156:7
 - Neutron-Activation-Analysis 151:159
 - Norwegian 156:7
 - Nuclear-Technique 161:239
 - Phosphorus 161:239
 - Radium-228 186:143
 - Run-Off 156:7
 - Sediment 151:159, 161:239, 186:143
 - Snowmelt 156:7
 - Strontium-90 156:7
 - Uranium 200:169
 - Water 156:7, 200:169
- Lake-Sediment** 200:95
- LaMnO₃** 191:35
- Langkawi** 186:489
- Langmuir-Blodgett** 176:243
- Langmuir-Blodgett-Film** 186:175
- Langmuir-Blodgett-Layer** 166:343
- Lanthanide**
 - 1-Phenyl-3-Methyl-4-Benzoyl-pyrazolone-5 198:367
 - 18-Crown-6 163:81, 189:229
 - Acid-Medium 157:105, 162:371
 - Actinide 157:105, 162:171, 162:371, 198:367, 199:35
 - Activated-Charcoal 165:243
 - Adsorption 162:171, 165:243
 - Alkali-Metal 165:243
 - Alkaline-Earth-Metal 165:243
 - Aquaion 173:47
 - Aqueous-Solution 165:243
 - Beta-Diketone 152:373, 155:201, 172:81
 - Chelate 152:373, 155:201, 172:81, 198:367
 - Chemical-Vapor-Deposition 152:373, 155:201, 172:81
 - Chromosorb 162:171
 - CIRUS-Reactor 201:355
 - Dehydration 173:47
 - Dicarbollide 163:81
 - Dichlorobenzene 157:105
 - Difluorodichloromethane 172:81
 - Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 162:171, 198:367
 - Divalent-Cation 171:339
 - Double 171:339
 - Electronic-Configuration 199:35
 - Epithermal-Neutron-Activation-Analysis 194:61
 - Extraction 157:105, 162:371, 163:81, 173:47, 189:229, 198:367
 - Film 155:201
 - Foam 157:105
 - Gamma-Ray-Induced-Decomposition 171:339
 - HDEHP 157:105, 162:371
 - High-Level 194:61
 - High-Resolution-Spectrometry 159:97
 - Human-Colorectal-Lesion 174:23
 - Instrumental-Neutron-Activation-Analysis 201:355
 - Light 189:229
 - Mixed-Ligand 198:367
 - Nitrate 171:339
 - Nitric-Acid 162:171
 - Nitric-Acid-Solution 157:105, 162:371
 - Nitrobenzene-Solution 163:81
 - Perfluorooctanoate 189:229
 - Plasma 174:23
 - Polyurethane-Foam-Loaded-Acid 157:105, 162:371
 - Potential 199:35
 - Preparation 152:373, 155:201
 - Proton-Induced-Prompt-Low-Energy-Photon 159:97
 - Redox 199:35
 - Salt-Solution 194:61
 - Selective 189:229
 - Sulfide 155:201
 - Synergistic-Extraction 162:371
 - Thermal-Neutron-Source 201:355
 - Thorium-Oxide-Film 152:373
 - Tissue-Level 174:23
 - Tributyl-Phosphate/Iso-thiocyanate-System 173:47
 - Trivalent 198:367
 - Univalent 171:339
 - Uptake 162:171
 - Uranium 165:243, 194:61
 - Uranium(VI) 157:105, 162:371
 - Uranium-Oxide-Film 152:373
- Lanthanoid**
 - 18-Crown-6 159:63
 - Combined 172:305
 - Extraction 159:63
 - Liquid-Membrane-Transport 181:281
 - Macro-Alga 172:305
 - Marine 172:305
 - Nanogram-Level 172:305
 - Neutron-Activation-Analysis 172:305
 - Organophosphinic-Acid 181:281
 - Precipitation 172:305
 - Selective 172:305
 - Separation 172:305
 - Solvent 159:63

- Synergic-Extraction 172:239
- Terpyridine 172:239
- Thenoyltrifluoroacetone 172:239
- Trichloroacetate 159:63
- Lanthanum**
 - 2-Hydroxyethylethylene-diaminetriacetic-Acid 162:35
 - Amine 162:35
 - Complexing-Agent 162:35
 - Extraction 162:35
 - Ionic 187:99
 - Liquid 187:99
 - Molecular 187:99
 - Organic 187:99
 - Phosphatoantimonic-Acid 182:193
 - Polyantimonic-Acid 182:193
 - Rare-Earth-Element 162:35
 - Samarium 162:35
 - Separation 162:35, 187:99
 - Sorption 182:193
 - Strontium 182:193
 - Uranium 187:99
- Lanthanum(III)** 164:91
- Lanthanum-Fluoride** 178:11
- Lanthanum-Manganate** 191:35
- Lanthanum-Oxide**
 - Cerium 187:237
 - High-Purity 164:321, 187:237
 - Impurity 164:321, 187:237
 - Neutron-Activation-Analysis 164:321, 187:237
 - Rare-Earth 164:321
 - Trace 187:237
- Lanthanum-Phosphate** 176:471
- Large-Area** 193:99
- Large-Sample**
 - Actinide 156:21, 156:243
 - Calibration 200:299
 - Challenge 167:169
 - Coral 156:243
 - Detector 200:299
 - Enzymatic-Degradation 156:21
 - Geological-Sample 167:177
 - In-Pool-Irradiation 167:177
 - Iodine-129 156:21
 - Long-Lived-Radionuclide 156:243
 - Multiple 167:177
 - Neutron-Activation-Analysis 167:169, 167:177
 - Radiation 200:299
 - Simultaneous 156:21
 - Slowpoke-2-Reactor 167:177
 - Strontium 156:21
 - Trace-Element 167:169
 - Vegetation 156:21
- Large-Scale**
 - Chernobyl 194:253
 - City 187:243
 - Contamination 194:253
 - Copper 187:243
 - Environment 194:253
 - Learning 194:253
 - Mine 187:243
 - Monitoring 194:253
 - Neutron-Activation-Analysis 155:1
 - Northern-Chile 187:243
 - Particle 187:243
 - Suspended 187:243
 - Trace-Element 187:243
- Universal-Comparator-Method 155:1
- Large-Volume** 173:323
- Larger** 169:209
- Laser** 165:255
- Laser-Desorption** 160:153
- Laser-Fluorometry** 200:95
- Laser-Microprobe-Mass-Spectrometry**
 - Alzheimer's-Disease 195:7
 - Comparison 195:7
 - LMMS 195:7
 - Micro-Particle-Induced-X-Ray-Emission 195:7
 - Nuclear-Method 160:191
 - Plaque 195:7
 - Preliminary-Study 195:7
 - Quantitation 160:191
 - Senile 195:7
- Late** 156:269
- Later** 168:83
- Latera** 161:365
- Lateritic-Mineral** 158:201
- Latex** 158:383
- Lattice**
 - Amount 151:75
 - Carbon 151:75
 - Carbon-Atom 189:277
 - Channeling 151:75
 - Charged-Particle-Activation-Analysis 151:75
 - Gallium-Arsenide 151:75
 - $Ga_{1-x}Al_xAs$ 189:277
 - Interstitial-Site 189:277
 - Location 151:75
 - MO-VPE 189:277
 - Occupancy 189:277
 - Theoretical-Calculation 151:75
 - Trace 151:75
 - Trace-Level 189:277
- Lattice-Defect** 176:345
- Laumontite** 154:265
- Lauroyl-L-Glutamic-alpha/gamma-Dibutylamide** $ln \rightarrow$ 165:203
- Lawn** 180:25
- Layer**
 - Affected 176:243
 - Chernobyl-Zone 201:371
 - Cobalt 170:381
 - Condition 170:381
 - Conversion 190:289
 - Degradation 190:289
 - Diffusion-Coefficient 170:381
 - Direct 170:381
 - Distribution 201:371
 - Electron 190:289
 - Factor 201:371
 - Form 201:371
 - Gas 176:243
 - Iron 190:289
 - Isotope 201:371
 - Langmuir-Blodgett 176:243
 - Material 153:273
 - Mobile 201:371
 - Mössbauer-Spectroscopy 190:289
 - Near-Surface 153:273
 - Passive 190:289
 - Plutonium 201:371
 - Poly(3-Hexadecylthiophene) 176:243
 - Property 176:243
 - Silica-Gel 170:381
- Soil-Profile 201:371
- Stearic-Acid 176:243
- Strontium 170:381
- Sulfur-32-(He-3,p)-Chlorine-34m-Nuclear-Reaction 153:273
- Surface-Treatment 176:243
- Leach** 165:377
- Leachability**
 - Affecting 180:45
 - Chemical-Phenomena 180:45
 - Element 169:39, 180:45, 180:49
 - Hot-Atom 180:49
 - Physical-Phenomena 180:45
 - Solid-Waste 161:181, 169:39, 180:45, 180:49
 - Toxic-Element 161:181
- Leachate**
 - Ash 192:265
 - Coal 192:265
 - Elemental-Characterization 192:265
 - Inductively-Coupled-Plasma-Mass-Spectrometry 194:133
 - Long-Lived-Actinide 194:133
 - Sequential-Extraction 192:265
 - Soil 194:133
- Leached** 200:25
- Leaching**
 - Acigol 200:169
 - Amorphous 182:335
 - Behavior 161:503
 - Bitumen 166:109
 - Cement 166:109, 199:405
 - Cement-Composite 182:335
 - Cesium 182:335
 - Cesium-137 166:109, 199:405
 - Comparative 199:405
 - Composition 161:503
 - Efficiency 200:169
 - Glass 161:503
 - Groundwater 161:503
 - $H_2O_2/Na_2SO_4/H_2SO_4$ -HSS-System 200:169
 - Immobilized 199:405
 - Incorporated 166:109
 - Interpretation 199:405
 - Ion-Exchange-Resin 166:109
 - Isotope 182:335
 - Lake 200:169
 - Neutron-Activation 161:503
 - Phosphate 201:313
 - Radioactive-Waste 182:335
 - Radwaste 199:405
 - Rock 201:313
 - Sludge 199:405
 - Sodium-Borosilicate 161:503
 - Strontium 182:335
 - Surface-Area/Volume-Ratio 161:503
 - Temperature 161:503
 - Treatment 182:335
 - Uranium 200:169, 201:313
 - Water 200:169
 - Zirconium-Phosphate 182:335
- Leaching-Behavior**
 - Cement 154:309
 - Cement-Based 198:287
 - Cesium-137 154:309
 - Immobilization 198:287
 - Model 198:287
 - Prediction 198:287
 - Radionuclide 198:287
- Radium-226 198:287
- Solid 198:287
- Leaching-Experiment** 181:11
- Lead**
 - Active 186:1
 - Airborne 186:23
 - Aqueous-Solution 186:1
 - Atmospheric-Particulate 191:257
 - Atomic-Absorption-Spectrometry 191:257, 195:83
 - Barium 186:1
 - Bismuth 201:303
 - Bone 164:381
 - Bratislava-Tmava-Highway 175:33, 176:451
 - Brick 186:57
 - Cadmium 189:333
 - Commercial 186:1
 - Concentration 186:23
 - Content 175:33, 176:451
 - Copper 175:33, 176:451, 186:57
 - Debrecen 186:23
 - Environmental-Sample 189:333
 - Evaluation 164:381
 - Evaporation 201:303
 - Factory 186:57
 - Final 186:57
 - Flameless 191:257
 - Graphite-Furnace 195:83
 - Human-Bone 195:83
 - Inductively-Coupled-Plasma-Mass-Spectrometry 175:129
 - Inductively-Coupled-Plasma-Mass-Spectrometry 175:129
 - Ionization 201:303
 - Iron 186:57
 - Isotope 201:303
 - L-X-Ray-Fluorescence-Analysis 164:381
 - Manganese 186:57
 - Manganese-Dioxide 186:1
 - Mass-Spectrometry 201:303
 - Material 186:57
 - Matter 186:57
 - Neutron-Activation-Analysis 189:333
 - Nickel 175:33, 176:451
 - Particle 186:23
 - Particle-Induced-X-Ray-Emission 195:83
 - Particulate 186:57
 - Precipitated 186:1
 - Pulsed-Laser 201:303
 - Radionuclide 175:33, 176:451, 186:57
 - Raw 186:57
 - Resonance 201:303
 - Seasonal-Variation 186:23
 - Separation 186:1
 - Site 186:23
 - Soil 175:33
 - Source 175:129
 - Strontium 176:451, 186:1
 - Tap 175:129
 - Taraxacum-Officinale 176:451
 - Thallium 189:333
 - Time-of-Flight 201:303
 - Water 175:129
 - X-Ray-Fluorescence-Analysis 175:33, 176:451, 186:57

- Zinc 175:33, 176:451, 186:57
- Lead-210**
 - Actinide 177:5
 - Americium-241 156:361
 - Ash 177:5
 - Behavior 197:343
 - Bone 177:5
 - Cesium-134 156:361
 - Cesium-137 156:361, 181:447, 197:343
 - Chromatography 200:385
 - Coast 197:343
 - Concentration 197:343
 - Crassostrea-Gigas 197:343
 - Dating-Nuclide 173:283
 - Distribution 197:343
 - Dose 182:119
 - Environmental-Sample 182:165
 - Estimation 182:119
 - Extraction 200:385
 - Fallout 181:447
 - Germanium-Detector 178:301
 - High-Purity 178:301
 - Human-Hair 157:37
 - Japanese 157:37, 197:343
 - Low-Level 178:301
 - Man 182:119
 - Mediterranean-Sea 181:447
 - Mid-latitude 156:361
 - Natural 181:447
 - Non-destructive 178:301
 - Ombrogenous-Mire 156:361
 - Ordinary 178:301
 - Oyster 197:343
 - Plutonium-238 156:361
 - Plutonium-239 156:361
 - Plutonium-240 156:361
 - Plutonium-241 156:361
 - Polonium-210 157:37, 177:5, 182:119
 - Radiochronology 181:447
 - Radionuclide 197:343
 - Radium-226 173:283, 178:301, 182:165
 - Radium-228 182:165
 - Relation 197:343
 - Sea-Water 197:343
 - Sediment 181:447, 200:385
 - Sequential-Method 182:165
 - Silver-108m 197:343
 - Standard 177:5
 - Strontium-90 177:5
 - Thorium-228 182:165
 - Thorium-230 182:165
 - Thorium-232 182:165
 - Tobacco 182:119
 - Uranium 177:5
 - Uranium-234 182:165
 - Uranium-238 182:165
 - Vertical-Distribution 156:361
- Lead-Borate** 183:205
- Lead-Dioxide**
 - Adsorption 170:309, 181:117, 186:63
 - Aqueous-Solution 170:309, 181:117
 - Cerium 170:309, 186:63
 - Radiocobalt 181:117
 - Thermodynamics 186:63
- Lead-Glazed** 196:207
- Lead-Isotope** 196:65
- Leaf**
 - Airborne 167:309
- Apple 168:169
- ASTM 168:169
- Bioindicator 188:149
- Certification 179:149
- Element 179:149
- Environmental-Pollution 188:149
- Feasibility 167:309
- Instrumental-Neutron-Activation-Analysis 179:149
- Intercomparison 168:169
- Monitor 167:309
- Multielement-Analysis 160:101
- National-Institute-of-Standards-and-Technology 160:101, 168:169
- Nuclear-Method 168:169
- Oak 167:309, 188:149
- Peach 160:101, 168:169
- Pollution 167:309
- Prompt-Gamma-Ray-Activation-Analysis 179:149
- Radiochemical-Neutron-Activation-Analysis 179:149
- Standard-Reference-Material 160:101, 168:169, 179:149
- Tomato 179:149
- Leakage** 163:181
- Lean** 160:159
- Learning** 194:253
- Least-Squares-Method**
 - Beta-Emitter 200:247
 - Comparative-Analysis 195:315
 - Human-Urine 195:315
 - Library 195:315
 - Liquid-Scintillation 200:247
 - Low-Activity 200:247
 - Mixture 200:247
 - Personal-Computer 195:315
 - Potassium-40 195:315
 - Radioassay 200:247
 - Zinc-65 195:315
- Lena-Triga-Mark-II-Reactor** 201:481
- LEPD**
 - Coal 169:219
 - Correction 160:253
 - Counting 160:253, 169:219
 - Environmental-Sample 169:219
 - Gamma-Gamma-Coincidence 160:253
 - Gamma-KX-Coincidence 160:253
 - Gamma-LX-Coincidence 160:253
 - k_0 169:219
 - k_0 -Standardization 160:253
 - Neutron-Activation-Analysis 160:253, 169:219
 - Power-Station 169:219
 - REE 169:219
- LET**
 - Cycloalkane 164:29
 - Cyclopentane 165:385
 - Radiolysis 164:29, 165:385
- Level**
 - Accident 188:305
 - Actinium-225 153:293
 - Alpha-Decay 153:293
 - Artificial 188:305
 - Artificial-Radioactivity 201:31
 - Assessment 188:439
 - Atropine 188:439
 - Bangladeshi 152:3
 - Behavior 197:173
 - Beverage 166:195
 - Cesium 187:435
 - Children 181:33
 - Chlorine 181:33
 - Cigarette 194:371
 - Collected 188:305
 - Comparison 194:371
 - Concentration 197:295
 - Cystic-Fibrosis 181:33
 - Dwelling 193:259
 - Eastern-Black-Sea-Turkey 187:435, 201:31
 - Environmental-Sample 197:295
 - Fed 153:293
 - Fertilizer 197:173
 - Following 188:305
 - Francium-221 153:293
 - Gamma-Radiation 193:259
 - Hair 181:33
 - Healthy 181:33
 - Ibaraki-Japan 188:305
 - JAERI 197:295
 - Jurak 194:371
 - Marine 188:65
 - Meat-Product 152:3
 - Mexico-City 193:259
 - Minor-Element 152:3
 - Moasel 194:371
 - Moss 187:435
 - Nail 181:33
 - Natural-Radioactivity 197:173, 201:31
 - Permeation 188:439
 - Phosphate 197:173
 - Plant 197:173
 - Polonium-210 166:195, 188:65
 - Radioactivity 194:371
 - Radionuclide 187:435, 188:305
 - Radon 193:259
 - Rain 188:305
 - Russia 188:305
 - Scopolamine 188:439
 - Sediment 201:31
 - Sodium 181:33
 - South-Atlantic-Ocean 188:65
 - Species 188:65
 - Tobacco 166:195, 194:371
 - Tokai 197:295
 - Tomsk-7 188:305
 - Trace-Element 152:3
 - Transdermal 188:439
 - Tritium 197:295
 - Uranium 188:305
 - Vicinity 197:173
 - Water 188:305
- Library**
 - Comparative-Analysis 195:315
 - Data 198:55
 - Gamma-Ray-Spectrum 198:55
 - Human-Urine 195:315
 - Instrumental-Neutron-Activation-Analysis 198:55
 - Least-Squares-Method 195:315
 - PC-Based-System 198:55
 - Personal-Computer 195:315
 - Potassium-40 195:315
 - Program 198:55
 - Reduction 198:55
 - SPECTRA 198:55
- Zinc-65 195:315
- Lichen**
 - Argentina 198:437
 - Atmospheric 192:229
 - Coniferous-Plant 200:147
 - Deposition 192:229, 200:147
 - Elemental-Composition 198:437
 - Elemental-Content 192:229
 - Fission-Product 200:147
 - Material 169:47
 - Monitoring 192:229
 - Moss 192:229
 - Nahuel-Huapi-National-Park 198:437
 - Needle 192:229
 - Neutron 192:229
 - Patagonia 198:437
 - Pine 192:229
 - Preparation 169:47
 - Radionuclide 200:147
 - Reference 169:47
 - Resonance 192:229
 - Turkey 200:147
- Life** 197:99
- Lifetime**
 - Alpha-Radionuclide 173:87
 - Analytical-Application 198:151
 - Binary 198:151
 - Characterization 198:151
 - Dependence 186:375
 - Detection 173:87
 - Millisecond 173:87
 - Molecular-Weight 186:375
 - Order 173:87
 - Parameter 186:375
 - PEEK 186:375
 - Positron 186:375, 198:151
 - Sample 186:375
 - Sensitivity 173:87
 - Solid-Solution 198:151
 - Spectroscopy 198:151
 - Time-Interval-Analysis 173:87
- Ligand**
 - (TcNCl₄)⁻ 175:113
 - Aqueous-Solution 164:211
 - Atom 190:425
 - Complex 186:291, 195:237
 - Defect 190:425
 - Electrolytic-Formation 186:291
 - Ethylenediamine-N,N'-Diacetic-Acid 175:113
 - Interest 195:237
 - Iodine 190:425
 - Mössbauer-Spectroscopy 190:425
 - Pharmacological 195:237
 - Pi-Acceptor 186:291
 - Radium 164:211
 - Reaction 175:113
 - Removal 164:211
 - Silver 190:425
 - Supported 164:211
 - Technetium 186:291, 195:237
 - Tin-119 190:425
- Ligand-Exchange-Reaction** 185:133
- Light**
 - 18-Crown-6 189:229
 - Actinide 197:41
 - Aqueous 200:521
 - Bioassay 197:41
 - Coumarin 200:521

- Critical-Review 197:41
- Dosimeter 200:521
- Extraction 189:229
- ICRP 197:41
- Lanthanide 189:229
- Monitoring 197:41
- Perfluorooctanoate 189:229
- Recommendation 197:41
- Response 200:521
- Selective 189:229
- Temperature 200:521
- Light-Element**
 - Activation 175:243
 - Activation-Analysis 167:81, 168:377
 - Charged-Particle 167:81, 168:377
 - Cyclotron-Accelerated 155:25
 - Grain 185:273
 - Granite 185:273
 - Helium-3+ 175:243
 - Individual 185:273
 - Mineral 185:273
 - Particle 155:25
 - Particle-Induced-Gamma-Ray-Emission-Spectrometry 185:273
 - Routine 168:377
 - Sub-ppb-Level 167:81
- Light-Emitting-Diode**
 - Aliquot 188:189
 - Alternative 190:13
 - Ceramics 188:189
 - Dating 188:189
 - Dose 190:13
 - Equivalent 190:13
 - Green 188:189, 190:13
 - Luminescence 188:189, 190:13
 - Optical 188:189
 - Optical-Stimulation 190:13
 - Quartz 188:189
 - Revisited 188:189
 - Single 188:189
 - Stimulated 188:189
 - Thermoluminescence 188:189
 - Unstable 190:13
- Light-Ion** 172:3
- Light-Ion-Beam** 200:53
- Light-Water-Reactor** 198:203
- Lignite** 171:287
- Limb** 169:325
- Limestone**
 - Clay 152:453
 - Concentration 164:131
 - Delayed-Neutron-Analysis 164:131
 - Diffractometry 152:453
 - Dominican-Republic 152:453
 - Firing 152:453
 - Mineralogical-Analysis 152:453
 - Mixture 152:453
 - Mössbauer-Spectroscopy 152:453
 - Neutron-Activation-Analysis 164:131
 - Temperature 152:453
 - Thorium 164:131
 - Uranium 164:131
 - West-Malaysia 164:131
 - X-Ray-Powder 152:453
- Limit**
 - Aerosol 192:195
 - Biological-Material 160:85
 - Compton 192:195
 - Counting 192:195
 - Detection 155:435, 160:85, 192:195
 - Electrolyte 160:85
 - Epithermal-Irradiation-Technique 192:195
 - Filter 192:195
 - Gold 160:85
 - Molybdenum 155:435
 - Platinum 160:85
 - Radioactivation-Analysis 155:435
 - Radiochemical-Neutron-Activation-Analysis 160:85
 - Separation 160:85
 - Suppression 192:195
 - Technetium-99-(gamma,gamma')-Technetium-99m 155:435
 - Trace-Element 192:195
- LINAC-Based** 193:369
- Line** 172:29
- Linear** 188:243
- Linear-Relation** 200:191
- Linhchi** 155:451
- Lipid-Membrane** 163:169
- Lipophilic** 154:41
- Liposomal** 200:475
- Liquefaction**
 - Bagasse 200:305
 - Coal 175:383
 - Direct 175:383
 - Pre-irradiation 200:305
 - Preirradiation 175:383
 - Sugar-Cane 200:305
 - X-Ray 175:383, 200:305
- Liquid**
 - Argon-41 167:209
 - Behavior 177:311
 - Carbon-13 198:3
 - Characteristics 191:115
 - Characterization 165:1
 - Chelating-Resin 159:239
 - Column 165:1
 - Conditioning 177:311
 - Correct 167:209
 - Crown-Ether 159:239
 - Decarbonylation 198:3
 - Dehydration 165:1
 - Denitration 191:115
 - Double-Dilution-Method 173:9
 - Dynamics 165:1
 - Extraction 177:311
 - Filtration 191:115
 - Flow 165:1
 - Formation 177:301, 177:311
 - Formic-Acid 198:3
 - Gaseous-Hydrogen 185:219
 - High-Level 177:301, 177:311, 191:115
 - Initiated 198:3
 - Ionic 187:99
 - Isotope-Exchange 185:219
 - Isotopic-Composition 198:3
 - Kinetic-Isotope-Effect 198:3
 - Kinetics 185:219
 - Laboratory 165:1
 - Lanthanum 187:99
 - Low-Concentration 177:301
 - Milk 159:239
 - Molecular 187:99
 - Molecular-Sieve 165:1
 - n-Hexane 190:457
 - Natural 198:3
 - Nitric-Acid 177:301
 - Non-simple 190:457
 - Organic 165:1, 187:99
 - Phosphorus-Pentoxide 198:3
 - Photopeak 167:209
 - Pilot-Plant 165:1
 - Positron-Annihilation 190:457
 - Pyrrole 185:219
 - Radiotracer 165:1
 - Rapid-Method 159:239
 - Sample 167:209, 191:315
 - Separation 159:239, 187:99
 - Simulated 177:301, 177:311, 191:115
 - Slurry 191:115
 - Solid 177:301, 177:311
 - Specimen 173:9
 - Strontium 159:239
 - Strontium-90 191:315
 - Transuranic-Element 177:311
 - Treatment 159:239
 - Tritium 185:219
 - Uranium 187:99
 - Variation 167:209
 - Volume 167:209
 - Waste 177:301, 177:311, 191:115
 - X-Ray-Fluorescence-Analysis 173:9
- Liquid-Chromatography** 183:99
- Liquid-Liquid-Distribution** 154:227
- Liquid-Liquid-Extraction**
 - 8-Hydroxyquinoline 196:35
 - Cobalt(II) 174:13, 196:35
 - Counter-Ion 201:281
 - Cryptand-222 201:281
 - Cyanex-301/Alamine-308-Mixture 181:3
 - Decanoic-Acid 174:13
 - Eosin 201:281
 - Flotation 174:13, 196:35
 - Hafnium 181:157
 - Ion 174:13
 - Molybdenum(VI) 152:21
 - N-Phenyl-3-Styrylacrylohydroxamic-Acid 170:79
 - Precipitate 174:13, 196:35
 - PSAHA 170:79
 - Spectrophotometry 170:79
 - Trace-Level 181:157
 - Tributyl-Phosphate/DDSO-Speciation 181:3
 - Triocetylamine 181:157
 - Uranium 170:79
 - Uranium(VI) 152:21, 181:3, 201:281
 - Zirconium 181:157
- Liquid-Liquid-System** 186:99
- Liquid-Membrane**
 - Acid-Carbon-Tetrachloride-Supported 157:143
 - Actinide 183:181
 - Americium(VI) 185:265
 - Barium²⁺ 183:85
 - Calcium²⁺ 183:85
 - Carrier-Mediated-Transport 155:311, 159:219, 163:131, 163:145, 170:51, 183:181
 - Cerium 159:219, 163:131, 170:51
 - Cesium⁺ 183:85
 - Coupled 185:387, 189:207
 - D2EHPA-Tributyl-Phosphate-Kerosene-Oil-Supported 185:369
 - DEHPA 170:51
 - Emulsion 163:113, 163:181
 - Environmental-Sample 186:341
 - Europium 159:219, 163:131, 170:51
 - Europium(III) 178:63
 - Expectation 163:123
 - Extraction 163:113, 178:63, 185:369
 - Fission-Product 163:113
 - Gadolinium 159:219, 163:131, 170:51
 - HDEHP 185:265
 - High-Concentration 185:387
 - Hollow-Fiber-Supported 175:287, 183:85
 - Impregnated 163:145
 - Ion 163:123
 - Ion-Transport 189:207
 - Kinetics 185:265
 - Leakage 163:181
 - Luminescence 186:341
 - Mass-Transfer 185:265
 - n-Dodecane 155:311, 159:219
 - Neptunium 186:341
 - Nitrate 189:207
 - Nucleoporous 163:145
 - Organic-Acid 163:113
 - Organophosphinic-Acid 178:63
 - Organophosphorus-Agent 163:145
 - Pertraction 163:145
 - Plasticized 183:181
 - Polyvalent 163:113
 - Potassium 163:181
 - Potassium⁺ 183:85
 - Preconcentration 186:341
 - Promoted 163:113
 - Rare-Earth-Element 159:219, 163:131, 163:145, 170:51, 183:181
 - REE 163:145
 - Scandium 159:219, 163:131, 170:51
 - Separation 163:123
 - Sodium⁺ 183:85
 - Solid 185:265
 - Stability 163:145, 163:181
 - Stripping 185:369
 - Strontium-Cation 175:287
 - Strontium-Ion 185:369
 - Strontium²⁺ 183:85
 - Support 163:145
 - Supported 155:311, 159:219, 163:131, 170:51, 185:265, 186:341
 - Technetium-99m 172:371
 - Thulium 159:219, 163:131, 170:51
 - Titanium(IV)-Ion 157:143
 - Transport 157:143, 159:219, 163:131, 170:51, 172:371, 175:287, 178:63, 183:85, 185:387
 - Tri-n-Octylphosphine-Oxide 155:311, 159:219
 - Tributyl-Phosphate 163:131

- Tributyl-Phosphate/Kerosene-Oil-Supported 172:371, 185:387, 189:207
- Uranium(VI)-Ion 185:387
- Uranyl-Ion 189:207
- Ytterbium 159:219, 163:131, 170:51
- Yttrium 159:219, 163:131, 170:51
- Yttrium(III) 155:311
- Liquid-Membrane-Transport** 181:281
- Liquid-Phase** 201:39
- Liquid-Scintillation**
 - Absorbent 173:323
 - Alpha-beta-Separation 172:341
 - Alpha-Emission 194:173
 - Aqueous-Sample 172:341
 - Beta-Emitter 200:247
 - Bioassay 194:177
 - Cadmium-109 155:129
 - Carbon-14 173:323
 - Carbon-Dioxide 173:323
 - Characteristics 155:129, 185:91
 - Cherenkov-Counting 155:129
 - Cocktail 172:341
 - Combination 173:323
 - Counter 173:323
 - Counting-Technique 194:337
 - Direct-Extraction 194:337
 - Electrolytical 196:15
 - Enrichment 196:15
 - Environmental-Material 173:323
 - Environmental-Sample 194:173
 - Evaluation 194:337
 - Large-Volume 173:323
 - Least-Squares-Method 200:247
 - Low-Activity 200:247
 - Low-Background 173:323
 - Mixture 152:227, 200:247
 - Monitoring 194:173
 - Multiple 152:227
 - Nuclide 194:173
 - Plutonium 194:177
 - Probable 152:227
 - Radioassay 152:227, 200:247
 - Radionuclide 152:227
 - Radon 185:91
 - Revised 196:15
 - Sample 196:15
 - Theory 152:227
 - Transuranium 194:173
 - Tritium 196:15
 - Uranium 194:337
 - Value 152:227
 - Water 185:91, 194:337
- Liquid-Scintillation-Counting**
 - Absolute 187:367
 - Abundance 201:381
 - Activity 194:403
 - Adsorption 186:237
 - Air 194:403
 - Alpha-Beta-Discrimination 181:97
 - Americium 183:245
 - Biological-Material 156:165
 - Bismuth-210 177:219
 - Cadmium-109 186:237
 - Calcium-45 187:367
 - Charcoal 193:337
 - Combined 156:165
 - Comparison 193:337
 - Container 186:237
 - Control 161:429
 - Daughter 181:97
 - Discrimination 194:403
 - Drinking-Water 161:357
 - Emission 161:429
 - Environmental 156:165, 186:119
 - Experience 193:337
 - Extraction 183:245
 - Field 193:337
 - Filter 194:403
 - Gelation 165:203
 - Gross-Alpha 194:403
 - Gross-Beta 194:403
 - Hanford 180:197
 - HDEHP 156:165
 - High-Level 183:245
 - Highly-Radioactive-Waste 180:197
 - Immission 161:429
 - Increasing 161:429
 - Installation 161:429
 - Integral-Counting-Method 187:367
 - Isotopic 201:381
 - Lithium-6 201:381
 - Low-Background 201:381
 - Low-Level 161:357, 186:119
 - Low-Specific-Activity 165:203
 - Modified 187:367
 - n-Lauroyl-L-Glutamic-alpha/gamma-Dibutylamide 165:203
 - Needle 177:219
 - Neptunium 183:245
 - Neutron-Activation-Analysis 201:381
 - Nickel-63 180:197
 - Nuclear 161:429
 - Phosphorus-35 165:203
 - Pine 177:219
 - Plutonium 183:245
 - Plutonium-241 161:429
 - Polonium-210 177:219
 - Pulse-Shape 194:403
 - Pulse-Shape-Analysis 186:119
 - Radioactive-Waste 183:245
 - Radon 193:337
 - Radon-222 161:357, 186:119
 - Sensitivity 161:429
 - Simultaneous-Determination 177:219, 194:403
 - Solvent-Extraction 156:165, 177:219
 - Spiking 186:237
 - Strontium-90 156:165
 - Sulfur-35 165:203, 187:367
 - Survey 193:337
 - Uranium 181:97
 - Water 186:119
- Liquid-Scintillation-Counting** [Alpha-» 177:373
- Liquid-Scintillation-Spectrometer** 155:183
- Liquid-Scintillation-Spectrometry** 154:319
- Liquid-Scintillation** [Biphasic-» 177:27
- Liquid-Solid-System** 188:33
- Literature** 171:465
- Lithium**
 - 4-tert-Butylbenzo-15-Crown-5 187:25
 - Azacrown 189:219
 - Chemical-Exchange 189:219
 - Compound 189:219
 - Extractive 187:25
 - Isotope 187:25
 - Isotope-Separation 189:219
 - Low-Level 172:289
 - Neutron-Activation-Analysis 172:289
 - Polymer-Bound 189:219
 - Separation 187:25
 - Water-Sample 172:289
- Lithium-6**
 - (n, alpha)-Reaction 151:357
 - Abundance 201:381
 - Activation 151:357
 - Breeder 151:357
 - Candidate 151:357
 - Ceramic-Material 151:357
 - Evaluation 151:357
 - Fusion-Reactors 151:357
 - Gamma-Spectrometry 151:357
 - Isotopic 201:381
 - Liquid-Scintillation-Counting 201:381
 - Low-Background 201:381
 - Neutron-Activation-Analysis 201:381
 - Neutron-Irradiation 151:357
 - Nuclide 151:357
 - Tritium 151:357
- Lithium-6-D** 179:13
- Lithium-7-Hydroxide** 199:365
- Lithium-Aluminium-Hydride** 176:491
- Lithium-Aluminosilicate** 187:419
- Lithium-Niobate** 164:327
- Lithium-Oxide-Doping** 185:231
- Lithium-tris(Malonato)Ferrate(III)-Tetrahydrate** 188:279
- Liver**
 - Affected 176:11
 - Area 176:11
 - Ascite 171:383
 - Blood 171:383
 - Byelorussia 176:11
 - Chernobyl-Fallout 176:11
 - Elemental-Analysis 171:383
 - Lung 176:11
 - Mouse 171:383
 - Person 176:11
 - Photon-Activation-Analysis 195:145
 - Pig 195:145
 - Plutonium 176:11
 - Spleen 195:145
 - Trace-Metal 195:145
 - Tumor-Bearing 171:383
- Liver-Autopsy-Sample** 175:325
- Living** 155:383
- Ljubljana** 175:103
- LMMS** 195:7
- Ln(III)** 176:371
- Loaded**
 - Ammonium-Perchlorate 187:1
 - Antimony(III,V) 196:3
 - Cerium(IV) 166:153
 - Dibenzoylmethane 162:227
 - Elastomer 187:1
 - Extraction 162:227, 166:153
 - Followed 196:3
 - Gamma-Radiation 187:1
 - Hydroxyl-Terminated 187:1
 - Natural-Water 196:3
 - Neutron-Activation-Analysis 196:3
 - Non-plasticized-Polyurethane-Foam 162:227
 - Polybutadiene-Base 187:1
 - Polyurethane-Foam 166:153
 - Preconcentration 196:3
 - Resin 196:3
 - Selective 166:153
 - Separation 196:3
 - Sorbent 162:227
 - Thenoyltrifluoroacetone 166:153
 - Thionalide 196:3
 - Tri-n-Butyl-Phosphate 166:153
 - Tributyl-Phosphate-Plasticized-Polyurethane-Foam 162:227
 - Uranium(VI) 162:227
- Loading** 165:219
- Local**
 - Bermuda 193:309
 - Distant 193:309
 - Elemental-Analysis 157:381
 - Instrumental-Neutron-Activation-Analysis 157:381
 - Mauna-Loa 193:309
 - Radon-222 193:309
 - Soda-Sample 157:381
 - Source 193:309
- Local-Area** 187:47
- Local-Area-Network** 169:443
- Local-Structure** 190:215
- Localizing** 152:47
- Location**
 - Airborne-Particulate 167:283
 - Amount 151:75
 - Carbon 151:75
 - Channeling 151:75
 - Charged-Particle-Activation-Analysis 151:75
 - Elemental-Characterization 167:283
 - Gallium-Arsenide 151:75
 - Harmattan 167:283
 - Lattice 151:75
 - Nigerian 167:283
 - Season 167:283
 - Theoretical-Calculation 151:75
 - Trace 151:75
- Long-Chain** 191:403
- Long-Life** 168:393
- Long-Lived-Actinide**
 - Assay 157:281
 - Environmental-Matrix 157:281
 - Inductively-Coupled-Plasma-Mass-Spectrometry 194:133
 - Leachate 194:133
 - Neptunium 157:281
 - Soil 194:133
- Long-Lived-Radionuclide**
 - Actinide 156:243, 197:7, 197:9
 - Aomori-City-Japan 197:7, 197:9
 - Biological-Sample 197:7, 197:9
 - Boreon 164:157
 - Chernobyl-Accident 164:157
 - Conference 197:9
 - Coral 156:243

- Deposition 164:157
- Distribution 161:389
- Environmental-Sample 158:367, 197:7, 197:9
- Forestal 164:157
- Geochemical-Aspect 161:389
- International-Conference 197:7, 197:9
- Large-Sample 156:243
- Literature 171:465
- Low-Level-Measurement 197:7, 197:9
- Marine-Sediment 161:389
- Massif 164:157
- Message 197:9
- Non-conventional-Measurement-Technique 171:465
- Nuclear-Fuel 171:465
- Palomare 161:389
- Participant 197:9
- Proceedings 197:7, 197:9
- Semivolatiles 158:367
- Simultaneous 158:367
- Survey 171:465
- Long-Living** 190:475
- Long-Term-Behavior**
 - Cesium-134 194:277
 - Cesium-137 194:277
 - Naturally-Occurring 194:283
 - Potassium-40 194:277
 - Radionuclide 194:277, 194:283
 - Spruce 194:277, 194:283
 - Tree-Ring 194:277, 194:283
 - Uptake 194:277, 194:283
- Longitudinal-Distribution** 166:465
- Los-Alamos-Medical-Radioisotope-Program** 195:287
- Los-Trancos** 188:231
- Loss**
 - Ashing 155:335, 193:33
 - Cadmium 193:33
 - Copper 159:9
 - Copper-64 159:9
 - Correction 179:55
 - Counting 179:55
 - Dry 155:335, 193:33
 - Environmental-Sample 176:303
 - Enzymatic-Activity 159:9
 - Filter 179:55
 - Material 193:33
 - Native 159:9
 - Plant 193:33
 - Preloaded 179:55
 - Procedure 176:303
 - Processor 179:55
 - Pulse 179:55
 - Replacement 159:9
 - Seaweed 155:335
 - Step 176:303
 - Superoxide-Dismutase 159:9
 - Technetium 176:303
 - Technetium-99 155:335
 - Wet 193:33
- Low-Activity**
 - Accurate 153:151
 - Beta-Emitter 200:247
 - Calibration 153:151
 - Efficiency 153:151
- Gamma-Ray-Spectrometer 153:151
- Germanium 153:151
- Least-Squares-Method 200:247
- Liquid-Scintillation 200:247
- Mixture 200:247
- Preparing 153:151
- Procedure 153:151
- Radioassay 200:247
- Reliable 153:151
- Standard 153:151
- Low-Background**
 - Absorbent 173:323
 - Abundance 201:381
 - Bottom-Line 160:355, 193:61
 - Carbon-14 173:323
 - Carbon-Dioxide 173:323
 - Combination 173:323
 - Concentration 181:413
 - Counter 173:323
 - Detector 193:247
 - Environmental-Material 173:323
 - Evaluation 181:413
 - Geiger-Müller-Counter 181:413
 - Germanium 160:355, 193:61
 - Isotopic 201:381
 - Large-Volume 173:323
 - Liquid-Scintillation 173:323
 - Liquid-Scintillation-Counting 201:381
 - Lithium-6 201:381
 - Microgram/Gram-Level 181:413
 - Monte-Carlo 193:247
 - Neutron-Activation-Analysis 201:381
 - Rock 181:413
 - Simulation 193:247
 - Spectrometry 160:355, 193:61
 - Uranium 181:413
- Low-Background-Counting-System**
 - Boron 194:351
 - Cesium-137 194:351
 - Maple-Syrup 194:351
 - Potassium 194:351
 - Prompt-Gamma-Ray-Activation-Analysis 194:351
- Low-Concentration** 177:301
- Low-Cost** 162:15
- Low-Detection-Limit** 182:111
- Low-Dose**
 - Aqueous 199:385
 - Blood 158:293
 - Change 158:293
 - Component 158:293
 - Content 158:293
 - Dosimeter 199:385
 - Fluorescence 199:385
 - Following 158:293
 - Human 158:293
 - Neutron-Activation-Analysis 158:293
 - Phenylacetic-Acid 199:385
 - Selenium 158:293
 - Short-Term 158:293
 - Supplementation 158:293
- Low-Energy**
 - Activation-Rate 195:263
 - Charge-Distribution 158:41, 181:175
 - Chemical 195:263
 - Closed-Shell 181:175
 - Copper-67 195:263
 - Enrichment 195:263
 - Even-Number 181:175
 - Fine-Structure 158:41
 - Fission 158:41, 181:175
 - Irradiation 195:263
 - Mass-Distribution 158:41, 181:175
 - Nucleon 181:175
 - Proton 195:263
 - Recovery 195:263
 - Target 195:263
 - Zinc-70 195:263
- Low-Energy-Photon-Spectrometer** 156:83
- Low-Length-to-Diameter-HPGe-Detector** 156:323
- Low-Level**
 - Actinide 197:133
 - Activity 196:345
 - Adsorption 180:145
 - Americium-241 163:225
 - Aqueous-Solution 180:145
 - Beta-Proportional-Counting 163:225
 - Bismuth-Trioxide 180:145
 - Chernobyl-Fallout 163:225
 - Chromium-51(VI) 180:145
 - Co-precipitation 197:133
 - Comparison 163:225
 - Concentration 194:411
 - Drinking-Water 161:357
 - Dump 194:157
 - Effluent 156:75
 - Environment 194:411
 - Environmental 186:119
 - Environmental-Sample 161:443, 197:185
 - Estimation 156:75
 - Extracting 177:127
 - Fish 194:157
 - Germanium-Detector 178:301
 - Helium-3 161:443
 - High-Purity 178:301
 - High-Resolution 197:185
 - Inductively-Coupled-Plasma-Mass-Spectrometry 197:185
 - Iodine-129 194:15
 - Kinetic-IR-Study 180:145
 - Krypton-85 194:411
 - L-X-Ray-Spectroscopy 161:401
 - Lead-210 178:301
 - Liquid-Scintillation-Counting 161:357, 186:119
 - Lithium 172:289
 - Mass-Spectrometry 161:443
 - Natural 156:75
 - Neodymium-Fluoride 197:133
 - Neutron-Activation-Analysis 172:289
 - Non-destructive 178:301
 - Ocean 194:157
 - Optimization 196:345
 - Ordinary 178:301
 - Oxidation 197:133
 - Plant 156:75
 - Plutonium 161:401, 177:127
 - Plutonium-239/240 194:157
 - Plutonium-241 163:225
 - Present 196:345
 - Processing 156:75, 177:127
 - Pulse-Shape-Analysis 186:119
 - Radioactive 194:157
 - Radioactive-Waste 194:15
 - Radiochemical-Instrumental-Neutron-Activation-Analysis 194:15
 - Radium-226 178:301
 - Radon-222 161:357, 186:119
 - Reduction 197:133
 - Sample 163:225, 196:345
 - Selective 197:133
 - Semiautomated-Approach 177:127
 - Separation 197:133
 - Site 194:157
 - Soil 177:127
 - Spike 196:345
 - Technetium-99 197:185
 - Thorium 156:75
 - Tritium 161:443
 - Waste 194:157
 - Water 186:119
 - Water-Sample 172:289
 - Xenon-133 194:411
- Low-Level-Measurement**
 - Actinide 197:7, 197:9
 - Aomori-City-Japan 197:7, 197:9
 - Biological-Sample 197:7, 197:9
 - Conference 197:9
 - Environmental-Sample 197:7, 197:9
 - International-Conference 197:7, 197:9
 - Long-Lived-Radionuclide 197:7, 197:9
 - Message 197:9
 - Participant 197:9
 - Proceedings 197:7, 197:9
- Low-Level-Medium** 199:493
- Low-Level-Waste**
 - Activation 198:161
 - Americium 200:31
 - Cerium 200:31
 - Corrosion 198:161
 - Curium 200:31
 - Europium 200:31
 - Plutonium 200:31
 - Power-Reactor 198:161, 200:31
 - Product 198:161
 - Radioisotope 200:31
 - Scaling-Factor 198:161
- Low-Polarity-Solvent** 183:33
- Low-Power** 180:325
- Low-Spin** 200:443
- Low-Temperature**
 - Argon 164:365
 - Fe(CO)₄(C₂H₄) 199:95
 - Isolated 164:365
 - Matrix 164:365, 199:95, 199:477, 201:417
 - Molecular-Orbital-Calculation 199:95, 199:477, 201:417
 - Mössbauer-Parameter 199:95, 199:477, 201:417
 - Photochemical-Reaction 164:365
 - Photoproduct 201:417
 - Sn(CH₃)₃H_{4-n} 201:417
 - Tetramethylstannane 164:365
 - Tin-Compound 199:477
- Lowering** 176:267

LSC

- Concrete 193:119, 193:127
- Environmental-Sample 193:113, 193:127
- Fast 193:119
- Iron-55 193:119
- Nickel-63 193:127
- Procedure 193:113, 193:119, 193:127
- Sensitive 193:113, 193:119, 193:127
- Steel 193:119, 193:127
- Technetium-99 193:113

Luminescence

- Aliquot 188:189
- Alternative 190:13
- Barium-Carbonate 187:123
- Benzene-Derivative 188:243
- Ceramics 188:189
- Dating 188:189
- Decay 175:81
- Dose 190:13
- Environmental-Sample 186:341
- Equivalent 190:13
- Free-Energy 188:243
- Green 188:189, 190:13
- Ion 187:123
- Light-Emitting-Diode 188:189, 190:13
- Linear 188:243
- Liquid-Membrane 186:341
- Neptunium 186:341
- Optical 188:189
- Optical-Stimulation 190:13
- Phosphoric-Acid-Solution 175:81
- Preconcentration 186:341
- Quartz 188:189
- Quenching 188:243
- Radical 187:123
- Related-Compound 188:243
- Relationship 188:243
- Revisited 188:189
- Role 187:123
- Single 188:189
- Stimulated 188:189
- Supported 186:341
- Thermal-Stimulation 187:123
- Thermoluminescence 188:189
- Unstable 190:13
- Uranium-Doped-System 187:123
- Uranyl 175:81
- Uranyl-Ion 188:243

Luminol

- Alkaline-Metal-Hydroxide 166:451
- Amine 177:345
- Aqueous 166:451, 177:345
- Lyoluminescence 166:451, 177:345

Lunar 159:281**Lunar-Sample** 158:437**Lung** 176:11**Lutetium** 192:91**Lutetium(III)**

- 2-Ethylhexylphosphonic-Acid 172:167
- Computer-Aided-Analysis 163:335
- Erbium(III) 172:167
- Mono-2-Ethylhexyl-Ester 172:167

- Reagent 172:167
- Solvent-Extraction 172:167
- Synergistic-Solvent-Extraction 163:335

Lutetium-177 185:305**LWR** 180:179**Lymph** 191:25**Lymphoma** 165:309**Lyoluminescence**

- Alkaline-Metal-Hydroxide 166:451
- Amine 177:345
- Aqueous 166:451, 177:345
- Luminol 166:451, 177:345

Macro

- Algae 177:51
- Animal-Study 156:401
- Automation 160:289
- Chernobyl-Accident 177:51
- Comparison 156:401
- Distribution 156:401
- Femur 156:401
- Following 177:51
- Gamma-Spectrum 160:289
- General-Population 156:401
- High-Resolution 160:289
- Including 160:289
- Interactive 160:289
- Monaco 177:51
- Occupational-Case 156:401
- Plutonium 156:401
- Radionuclide 177:51
- SAMPO-90 160:289

Macro-Alga 172:305**Macro-Alga-Sample** 159:121**Macro-constituent** 165:363**Macroconcentration** 162:267**Macroelement** 175:401**Macroflotation** 173:141**Macroporous**

- Analytical 187:57
- Anion-Exchange-Resin 187:57, 201:509
- Aqueous-Solution 187:57
- Cesium 201:509
- Composite 201:509
- Cupric-Ferrocyanide 201:509
- Cycle 201:509
- Impregnated 201:509
- Ion-Exchanger 201:509
- Phosphate-Containing 187:57
- Plutonium 187:57
- Recovery 187:57
- Redox-Type 201:509
- Separation 201:509
- Sorption-Desorption-Regeneration 201:509
- Strongly-Basic-Type 201:509
- Waste 187:57

Macrosample 190:59**Macroscopic-Measurement** 194:197**Magnesite** 182:375**Magnesium** 186:415**Magnesium-28** 159:233**Magnesium-Fluoride** 170:17**Magnesium-Oxide**

- Amount 192:163
- Benzene 152:329
- Gamma-Radiolysis 152:329
- Hydrated 192:163
- Hydrous 151:131
- Neutron-Activation-Analysis 151:131, 192:163

- Preconcentration 151:131, 192:163
- Rare-Earth-Element 192:163
- Surface 152:329
- Trace 192:163

Magnetic 181:263**Magnetic-Field** 153:423**Magnetic-Phase-Transition** 190:413**Magnetic-Property** 190:347**Magnetic-Structure** 190:299**Magnetite**

- Mössbauer-Spectroscopy 190:357, 199:289

Natural 190:357**Sand** 190:357**Synthetic** 199:289**X-Ray** 190:357**Main** 174:103**Mainz** 171:101**Major**

- Atmosphere 201:347
- Cation 187:197
- Cerium 201:347
- Cesium-137 187:197
- Chromium 201:347
- Desorption 187:197
- Evaluation-Method 181:395
- General 181:395
- Industrial-Area 201:347
- Plutonium 187:197
- Metabolite 181:395
- Minor 181:395
- Neutron-Activation-Analysis 181:395, 201:347
- Punjab-Pakistan 201:347
- Sea-Water 187:197
- Selenium 201:347
- Separation 181:395
- Trimethylselenonium-Ion 181:395
- Urban 201:347
- Ytterbium 201:347

Major-Component

- Aerosol 172:181
- Canadian 161:215
- Chinese 161:215
- Comparison 161:215
- Emission 172:181
- Longuimay-Volcano-Chile 172:181
- Soil 161:215
- Trace-Component 161:215

Major-Element

- Atmospheric 179:195, 188:199
- Bone 169:259
- Cement 179:195
- Crude 198:17
- Debreceen 188:199
- Deposition 179:195, 188:199
- Factory 179:195
- Instrumental-Neutron-Activation-Analysis 159:29
- Iraqi 159:29
- Minor-Element 159:29, 179:195
- Neutron-Activation-Analysis 198:17
- Particle-Induced-Gamma-Ray-Emission 169:259
- Particle-Induced-X-Ray-Emission 169:259
- Petroleum 198:17
- Simultaneous 169:259

- Trace 188:199
- Trace-Element 159:29, 169:259, 179:195, 198:17
- Vegetable-Sample 159:29

Major-Element-Analysis 183:235**Malaysian** 195:173**Malonic-Anilide**

- Estimation 181:433
- Fruit-Sample 181:433
- Iron 181:433
- Mercury 200:491
- Substoichiometric-Extraction 181:433, 200:491

Mammalian 182:157**Man**

- Americium-241 156:33
- Baboon 156:33
- Bone 156:33
- Dose 182:119
- Dosimetry 156:33
- Estimation 182:119
- Lead-210 182:119
- Plutonium-239 156:33
- Polonium-210 182:119
- Skeleton 156:33
- Tobacco 182:119
- Volume 156:33

Man-Made-Radionuclide 194:269**Management**

- Adsorption 162:299, 196:353
- ASPRO-NUC 193:195
- Barium(II)-Ion 196:353
- Cement-Waste-Composite 157:95
- Data 193:195
- Gamma-Ray-Spectrometry 193:195
- Hydrous 196:353
- Identification 193:195
- Ion-Exchanger 162:299, 196:353
- Isotope 193:195
- Mathematical-Modeling 157:95
- Neutron-Activation-Analysis 193:195
- Physico-chemical-Characteristics 157:95
- Radioactive-Waste 157:95, 162:299, 196:353
- Radiotracer 162:299, 196:353
- Routine 193:195
- Sodium-Titanate 162:299
- Software 193:195
- Strontium(II)-Ion 196:353
- Strontium-Ion 162:299
- Thorium-Oxide 196:353

Mancini-Method 201:199**Mandelhydroxamic-Acid** 165:277**Manganese**

- Americium-Beryllium 201:25
- Australian 163:195
- Brick 186:57
- Copper 186:57
- Diet 163:195
- Factory 186:57
- Final 186:57
- Instrumental-Neutron-Activation-Analysis 201:25
- Iron 186:57
- Lead 186:57

- Material 186:57
- Matter 186:57
- Myanmar 187:113
- Neutron-Activation-Analysis 163:195, 187:113
- Neutron-Source 201:25
- Northwestern-Nigeria 201:25
- Ore 187:113
- Ore-Deposit 201:25
- Particulate 186:57
- Pyrolusite 187:113
- Radionuclide 186:57
- Raw 186:57
- Routine 201:25
- Status 163:195
- X-Ray-Fluorescence-Analysis 186:57
- Zinc 186:57
- Manganese(II)**
 - Amine 166:273
 - Chromium(III) 166:273
 - Cobalt(II) 166:273, 178:153
 - Extraction 166:273, 178:153
 - Fluorinated 178:153
 - High-Molecular-Weight 166:273
 - HPMTFP 178:153
 - Iron(III) 166:273
 - Mercury(II) 178:153
 - Pyrazolone 178:153
 - Selenium(IV) 178:153
 - Succinic-Acid-Medium 166:273
 - Synergic-Effect 178:153
 - TPPO 178:153
 - Triphenylphosphine-Oxide 178:153
- Manganese(IV)-Oxide** 157:75
- Manganese-53** 200:457
- Manganese-56** 164:303
- Manganese-Dioxide**
 - Active 186:1
 - Adsorption 170:157
 - Aqueous-Solution 186:1
 - Barium 186:1
 - Characteristics 193:269
 - Commercial 186:1
 - Cryptomelane-Type 172:145
 - Dynamic 193:269
 - Hydrous 172:145
 - Lead 186:1
 - Oxidation-State 166:299
 - Plutonium 166:299
 - Precipitated 186:1
 - Radium-226 193:269
 - Removal 170:157
 - Separation 172:145, 186:1
 - Sorption 193:269
 - Strontium 186:1
 - Thorium 172:145
 - Uranium 172:145
 - Uranium-Hydrogen-Carbonate-Solution 170:157
 - Zirconium 170:157
- Manganese-Doped** 154:285
- Manganese-Oxide** 170:133
- Manganese-PAN-Complex** 164:193
- Manganese²⁺-Ion** 173:153
- Mango-Tree** 182:71
- Manivier** 183:167
- Maple-Syrup** 194:351
- Mapping** 200:457
- Maralinga** 177:161
- Marble** 168:273
- Marine**
 - Activation-Analysis 159:121
 - Anadara-Granosa 195:203
 - Analytical-Technique 195:203
 - Arsenic 170:299, 179:277
 - Bivalve 195:203
 - Body-Weight 195:203
 - Calcium 159:121
 - Chlorine 159:121
 - Chromium 170:299
 - Combined 172:305
 - Comparative 159:121
 - Ecosystem 156:151
 - Elemental-Analysis 174:145
 - Fish 170:299
 - Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 195:203
 - Instrumental-Neutron-Activation-Analysis 174:145, 195:203
 - Intake-Level 178:81
 - Japanese 178:81
 - Lanthanoid 172:305
 - Level 188:65
 - Macro-Alga 172:305
 - Macro-Alga-Sample 159:121
 - Material 174:145
 - Mercury 170:299
 - MESS 174:145
 - Multielement 159:121
 - Nanogram-Level 172:305
 - Neutron-Activation 170:299
 - Neutron-Activation-Analysis 172:305
 - Non-destructive 159:121
 - Organisms 178:81
 - PACS 174:145
 - Phosphorus 159:121
 - Polonium-210 178:81, 188:65
 - Precipitation 172:305
 - Reference 174:145
 - Reference-Material 159:121
 - Relation 195:203
 - Seawater 179:277
 - Sediment 174:145
 - Selective 172:305
 - Selenium 170:299
 - Separation 172:305
 - South-Atlantic-Ocean 188:65
 - Spanish 156:151
 - Speciation 179:277
 - Species 179:277, 188:65
 - Standard 159:121
 - Synthetic 159:121
 - Trace-Element-Content 195:203
 - Transfer 156:151
 - Transuranics 156:151
 - Tropical 170:299
 - Zinc 170:299
- Marine-Environment**
 - Aspect 161:489
 - Behavior 156:349
 - Coastal 156:349, 182:5
 - Concentration-Level 156:349
 - India 182:5
 - Japanese 156:349
 - Neptunium-237 182:5
 - Nuclear 182:5
 - Nuclide 156:349
 - Palomare 161:489
 - Site 182:5
 - Transfer 161:489
 - Transuranics 161:489
- Marine-Sediment**
 - Cation 187:197
 - Cesium-137 187:197, 187:207
 - Desorption 187:197, 187:207
 - Distribution 161:389
 - Geochemical-Aspect 161:389
 - IAEA 162:63
 - Instrumental-Neutron-Activation-Analysis 162:63
 - Long-Lived-Radionuclide 161:389
 - Major 187:197
 - Mode 187:207
 - Palomare 161:389
 - Representativeness 162:63
 - Sampling 162:63
 - Sea-Water 187:197, 187:207
- Marinelli** 193:133
- Marker** 151:191
- Market** 196:89
- Marl**
 - Comment 166:167
 - Nickel 164:389, 166:167, 166:171
 - Response 166:171
 - Sorption 164:389, 166:167, 166:171
- Marrakechi** 190:51
- Marshall-Islands (Republic-of-the-)** 194:197
- Mass**
 - Biomembrane 163:37
 - Catalyst 163:37
 - CN 161:293
 - Coastal 161:293
 - Complementary 161:293
 - Energy 163:37
 - Hectogram 167:161
 - Information-Transfer 163:37
 - Instrumental-Neutron-Activation-Analysis 167:161
 - Island 161:293
 - Microgram 167:161
 - Polluted-Air 161:293
 - Radon 161:293
 - Sample 167:161
 - Site 161:293
 - Tracer 161:293
- Mass-Balance** 181:11
- Mass-Distribution**
 - Charge-Distribution 158:41, 181:175
 - Closed-Shell 181:175
 - Even-Number 181:175
 - Fine-Structure 158:41
 - Fission 158:41, 181:175
 - Low-Energy 158:41, 181:175
 - Nucleon 181:175
- Mass-Spectrometry**
 - Bismuth 201:303
 - Environmental-Sample 161:443
 - Evaporation 201:303
 - Helium-3 161:443
 - Hot-Cell-Based 194:35
 - Ionization 201:303
 - Irish-Sea 198:113
 - Isotope 201:303
 - Isotopic-Composition 198:113
 - Lead 201:303
 - Low-Level 161:443
- Plutonium 198:113
- Pulsed-Laser 201:303
- Resonance 201:303
- Sediment 198:113
- Time-of-Flight 194:35, 201:303
- Tritium 161:443
- Mass-Transfer**
 - Americium(VI) 185:265
 - HDEHP 185:265
 - Inorganic-Ion-Exchanger 166:321
 - Kinetics 185:265
 - Liquid-Membrane 185:265
 - Shell-Core 166:321
 - Solid 185:265
 - Supported 185:265
 - TIP⁽¹⁾ 166:321
- Massif**
 - Boreon 164:157
 - Chernobyl-Accident 164:157
 - Deposition 164:157
 - Forestal 164:157
 - Granulite 169:81
 - Long-Lived-Radionuclide 164:157
 - Radiochemical-Neutron-Activation-Analysis 169:81
 - Saxonian 169:81
 - Ultramafic-Rock 169:81
- Massive** 189:191
- Material**
 - Ablation 160:153
 - Abundance 183:351
 - Accumulation 161:561
 - Activation-Analysis 158:463, 169:57
 - Active 161:561
 - Antimony 176:361
 - Aqueous 154:265
 - Ashing 193:33
 - Assay 201:165
 - Bi-Pb-Cu-Sr-Ca-Sb-O 176:361
 - Brick 186:57
 - Cadmium 193:33
 - Ceramics 176:361
 - Characterization 160:153, 161:575, 169:105
 - Charged-Particle 158:463
 - Chromatography 161:575
 - Combined-Method 160:153
 - Compound 176:361
 - Concentration 161:561
 - Construction 176:315, 182:445
 - Contact 195:209
 - Contaminant 195:209
 - Contribution 182:445
 - Conversion 201:165
 - Copper 186:57
 - Crude 201:165
 - Cyclotron 182:445
 - Distribution 183:351
 - Dry 193:33
 - Electronics 169:105
 - Element 176:315
 - Elemental-Analysis 174:145, 176:361
 - Elemental-Assay 174:115
 - Elemental-Characterization 168:471
 - Extraction 161:575
 - Factory 186:57
 - Feature 161:561
 - Final 186:57

- Fissile 161:561
- Fluorine-18 182:445
- Fluorine-20 169:57
- Food 195:209
- Gamma-Ray-Spectrometry 201:165
- Gamma-Ray-Spectroscopy 174:115
- Gamma-Spectroscopy 176:315
- Grade 201:165
- High-Purity 158:463, 168:471, 191:75
- High-Temperature 176:361
- Impurity 158:463, 191:75
- Industry 169:105
- Input 201:165
- Instrumental-Neutron-Activation-Analysis 169:177, 174:145
- Iron 186:57
- k_0 -Standardization 169:177
- Laser-Desorption 160:153
- Laumontite 154:265
- Layer 153:273
- Lead 186:57
- Lichen 169:47
- Loss 193:33
- Manganese 186:57
- Marine 174:145
- Matter 186:57
- MESS 174:145
- Metal-Surface 182:445
- Monitoring 161:561, 174:115
- Natural 154:265, 201:165
- Natural-Radioactivity 176:315
- Near-Surface 153:273
- Neon-20-(d, alpha)-Fluorine-18 182:445
- Neutron-Activation 174:115
- Neutron-Activation-Analysis 168:471, 176:315, 195:209
- Neutron-Counting 161:561
- Neutron-Flux 174:115
- Neutron-Induced-Prompt-Gamma-Ray-Method 176:361
- Nuclear 201:165
- Nuclear-Analysis 160:153
- Nuclear-Related-Technique 169:105
- Nuclear-Reprocessing 161:561
- Nuclear-Waste 154:265
- Oxygen 158:463
- PACS 174:145
- Particulate 186:57
- Passive 161:561
- Pattern 183:351
- Plant 183:351, 193:33, 201:165
- Potential 154:265
- Pre-irradiation 168:471
- Preparation 169:47
- Production 182:445
- Projectile 158:463
- Quantitative 176:361
- Radioactive-Waste 161:575
- Radionuclide 186:57
- Rare-Earth-Element 183:351
- Raw 186:57
- Recovery 182:445
- Reference 169:47, 169:177, 174:145
- Safety 161:561
- Sediment 169:177, 174:145
- Separation 168:471
- Short-Time 169:57
- Standard 169:57, 174:115
- Sulfur-32-(He-3, p)-Chlorine-34m-Nuclear-Reaction 153:273
- Superconductivity 176:361
- Target 182:445
- Testing 182:445
- Trace 191:75
- Track-Registration-Technique 176:315
- Treatment 154:265
- Ultratrace 168:471
- Uranium-Metal 201:165
- Uranium-Tetrafluoride 201:165
- Wet 193:33
- X-Ray-Fluorescence-Analysis 186:57
- Zeolite 154:265
- Zinc 186:57
- Mathematical-Modeling 157:95**
- Matrix**
 - 12-Molybdocerate 183:339
 - 12-Molybdocerate-Mo-99 173:185
 - Actinide 173:331, 194:41
 - Alpha-Spectrometry 189:115
 - Argon 164:365
 - Behavior 199:173
 - Biological 194:297
 - Calcium-Carbonate 194:297
 - Calibration 186:361
 - Cement 166:373, 200:25
 - Cesium 199:375
 - Cesium-137 200:25
 - Characteristics 199:173
 - Column 173:185, 183:339, 199:173
 - Combined 179:177
 - Conditioning 166:373
 - Curing-Time 200:25
 - Curve 186:361
 - Efficiency 186:361
 - Electrode 199:375
 - $\text{Fe}(\text{CO})_4(\text{C}_2\text{H}_4)$ 199:95
 - Fixation 173:331
 - Flexcrete-Cement 173:331
 - Fraction 200:25
 - Gamma-Ray-Spectrometry 186:361
 - Gold 199:375
 - High-Purity 189:183
 - High-Yield 159:267
 - Homogeneity 179:177
 - Industrial-Waste 166:373
 - Irradiated 199:173
 - Isolated 164:365
 - Leached 200:25
 - Low-Temperature 164:365, 199:95, 199:477, 201:417
 - Micro-Column 194:41
 - Molecular-Orbital-Calculation 199:95, 199:477, 201:417
 - Molybdenum-99-Technetium-99m-Generator 199:95, 199:477, 201:417
 - Mössbauer-Parameter 199:95, 199:477, 201:417
 - Neutron-Activation-Analysis 189:183, 199:375
 - Neutron-Irradiation 183:339
 - Origin 194:297
 - Palladium 199:375
 - Particle-Induced-X-Ray-Emission 179:177
 - Photochemical-Reaction 164:365
 - Photon 179:177
 - Photoproduct 201:417
 - Platinum 199:375
 - Polonium 159:267
 - Pre-irradiation 189:183
 - Precipitate 173:185
 - Protactinium 159:267
 - Radiostrontium 194:297
 - Radium 189:115
 - Rare-Earth-Element 194:41
 - Representative-Sampling 179:177
 - Rock 189:115
 - Sample 186:361
 - Scandium 189:183
 - Separation 159:267, 189:115, 189:183, 194:297
 - $\text{Sn}(\text{CH}_3)_2\text{H}_4$ 201:417
 - Solid-Phase-Extraction 194:41
 - Technetium-99m-Generator 173:185, 183:339
 - Testing 179:177
 - Tetramethylstannane 164:365
 - Thorium 159:267, 189:115
 - Tin-Compound 199:477
 - Titanium-Molybdate 199:173
 - Tomography 179:177
 - Trace-Element 189:183
 - Transmission 179:177
 - Zeolite 173:331
 - Zeotype 173:331
- Matrix-Effect**
 - Cement 165:377
 - Cesium-137 165:377
 - Cobalt-60 165:377
 - Comparative 165:377
 - Correction 155:231
 - Elimination 151:63
 - Fluorine 151:63
 - Improvement 155:231
 - Interpretation 165:377
 - Leach 165:377
 - Optimum 155:231
 - Proton-Induced-Prompt-Gamma-Spectrometry 151:63
 - Rate 165:377
 - Relation 155:231
 - X-Ray-Fluorescence-Analysis 155:231
- Matter**
 - Air 179:187
 - Airborne-Particulate 167:219
 - Analytical-Sensitivity 167:219
 - Antimony 167:219
 - Arsenic 167:219
 - Brick 186:57
 - Cadmium 167:219
 - Copper 186:57
 - Elemental-Concentration 179:187
 - Epithermal-Neutron-Activation-Analysis 167:219
 - Factory 186:57
 - Final 186:57
 - Identification 179:187
 - Improvement 167:219
 - Indium 167:219
 - Iodine 167:219
 - Iron 186:57
- Lead 186:57
- Manganese 186:57
- Material 186:57
- Molybdenum 167:219
- Nigerian 179:187
- Particulate 179:187, 186:57
- Preliminary-Study 179:187
- Radionuclide 186:57
- Raw 186:57
- Silicon 167:219
- Site 179:187
- Source 179:187
- Uranium 167:219
- X-Ray-Fluorescence-Analysis 186:57
- Zinc 186:57
- Mauna-Loa 193:309**
- Maximum 175:139**
- MCC 182:281**
- McMaster-University-Nuclear-Reactor 180:313**
- Meadow 155:359**
- Mean-Residence-Time 161:455**
- Mean-Squared 181:343**
- Meat 169:333**
- Meat-Product 152:3**
- Mechanical-Engineering 160:141**
- Mechanism**
 - Americium(III) 181:165
 - Aqueous-Medium 181:165
 - Chloroform 181:165
 - Distribution 181:165
 - Europium(III) 181:165
 - Kinetics 163:245, 181:165
 - Mixture 181:165
 - Nitrate 181:165
 - Oxalate-Solution 163:245
 - Pertechnate 178:237, 191:99
 - Photoaccelerated-Isotope-Exchange 163:245
 - Solvent-Extraction 178:237, 191:99
 - Tetraphenylarsonium-Chloride 178:237, 191:99
 - Thenoyltrifluoroacetone 181:165
 - Triphenylarsine-Oxide 181:165
 - Uranium(IV) 163:245
 - Uranium(VI) 163:245
- Mechanochemical-Synthesis 190:341**
- Medical-Application 200:43**
- Medical-Aspect 177:193**
- Medical-Consequence 156:269**
- Medicinal**
 - Active 169:483
 - Concentration 169:483
 - Constituent 169:483
 - E.-Rostratus-Schlecht 169:483
 - Eucalyptus-Camaldulensis-Dehnh 169:483
 - Neutron-Activation-Analysis 195:185
 - Plant 169:483
 - Plant-Extract 195:185
 - Statistical-Analysis 169:483
 - Trace-Element 169:483
- Medicinal-Plant**
 - Heavy-Metal-Element 201:431
 - Malaysian 195:173
 - Trace-Element 195:173
 - X-Ray-Fluorescence-Analysis 201:431

Medicine

- Ash 169:277
- Human-Hair 195:75
- Instrumental-Neutron-Activation-Analysis 195:75
- Neutron-Activation-Analysis 169:277

- Tropical-Wood 169:277

Medieval 169:27**Mediterranean** 173:79**Mediterranean-Sea** 181:447**Medium-Level** 177:335**Medium-Lived-Radionuclide** 179:155**Melting** 183:283**Membrane**

- Aqueous-Medium 175:455
- Butadiene 158:383
- Glucoamylase 158:383
- Immobilization 158:383
- Latex 158:383
- Metal-Containing 175:455
- Nitrile 158:383
- Polonium 175:455

Membrane-Electrode 166:15**Membraneless** 186:99**Memointerference** 190:199**Memory** 168:481**Mendelevium** 154:73**Mercapto-acetyltriglycine** 186:189**Mercuric-Chloride** 161:39**Mercury**

- Activation-Analysis 154:255
- Antimony 168:185, 181:385
- Arsenic 168:185, 170:299, 181:385
- Biological-Reference-Material 168:185
- Biological-Sample 156:103, 182:205
- Biological-Tissue 195:117
- Brazilian 179:369, 181:385
- Cadmium 165:229, 168:185, 172:137, 181:385
- Chemical-Separation 166:521
- Chromatography 166:521
- Chromium 170:299, 181:385
- Cobalt 158:455
- Concentration 181:385, 186:385
- Content 158:455
- Copper 168:185, 181:385
- Diet 181:385
- Effluent 200:509
- Element 186:385
- Environmental-Sample 182:205
- Estimation 172:137
- Extraction 166:521, 200:509
- Fish 170:299
- Gadolinium 172:137
- GC(EC) 195:67
- Hafnium 172:137
- Hair 179:369, 186:385, 195:67
- Head 179:369, 195:67
- High-Temperature 154:255
- Improvement 195:117
- Industrial 200:509
- Ion-Microprobe 178:55
- Iron 158:455
- Malonic-Anilide 200:491
- Marine 170:299
- Mineral-Sample 154:255

- Molybdenum 168:185
- Mother 195:67
- Neutron-Activation 170:299
- Neutron-Activation-Analysis 179:305, 179:369, 182:205, 195:67, 195:117
- Newborn-Infant 195:67
- Normal 186:385
- Osmium 178:55
- Person 186:385
- Polluted 186:385
- Populational-Group 179:369
- Potassium-Benzyl-Xanthate 166:23
- Preparation 178:55
- Radiochemical-Neutron-Activation-Analysis 168:185, 181:385
- Radiochemical-Solvent-Extraction 165:229
- Reagent 165:229
- Regional 181:385
- Sample 178:55
- Selenium 158:455, 168:185, 170:299, 181:385
- Sensitivity 195:117
- Separation 200:509
- Single 165:229
- Soil 179:305
- Species 195:67
- SRXRF 195:67
- Substoichiometric-Extraction 200:491
- Substoichiometric-Neutron-Activation-Analysis 156:103
- Substoichiometric-Radiochemical-Determination 166:23
- Suitable 178:55
- Tetrahydro-Trimethyl-7-Substituted-Pyrimido-Benzimidazole-Thiol 200:509
- Thallium 166:521
- Thionalide 165:229
- Trace-Element 179:305
- Trace-Level 182:205
- Tropical 170:299
- Uranium 172:137
- Volatilization 154:255
- X-Ray-Fluorescence-Analysis 172:137
- Yeast-Cell 158:455
- Zinc 158:455, 170:299

Mercury(II)

- 2-Benzylpyridine 159:13
- Aqueous-Solution 159:13, 189:247
- Benzene 159:13
- Cobalt(II) 178:153
- Efficient 189:247
- Extraction 159:13, 178:153
- Fluorinated 178:153
- HPMTFP 178:153
- Iodide-Ion 159:13
- Manganese(II) 178:153
- Mineral-Acid 159:13
- Potassium-Hexa-Titanate 189:247
- Pyrazolone 178:153
- Radiotracer 189:247
- Rapid 189:247
- Removal 189:247
- Selective 159:13

- Selenium(IV) 178:153
- Synergic-Effect 178:153
- TPPO 178:153
- Triphenylphosphine-Oxide 178:153
- Mercury(II)-Sulfoxide 191:331
- Merocyanine-540 190:97
- Mesa-Verde 196:215
- MESS 174:145
- Message 197:9
- Metabolic-Model 156:55
- Metabolite 181:395
- Metal
 - Acidic-Salt 158:3
 - Activation-Analysis 173:125, 192:139
 - B.E.T. 192:139
 - Ceramic-Material 192:139
 - Chemical 183:5
 - Chemical-Separation 174:57
 - Criminal 160:21
 - Dicarbollide 187:185
 - Disease 160:21
 - Drying 158:3
 - Environmental-Matrix 183:5
 - Exchange-Reaction 164:193
 - Extraction 173:125, 187:185
 - Gamma-Radiation 158:3
 - Gas-Adsorption 192:139
 - Glassy-Type 158:3
 - Hafnium-Titanium-Phosphate 158:3
 - Hair 160:21
 - Hydride 174:57
 - Impurity 179:81
 - Insoluble 158:3
 - Manganese-PAN-Complex 164:193
 - Mixed 158:3
 - Moonrock 160:21
 - Neutron-Activated 161:585
 - Neutron-Activation 174:57
 - Niobium 179:81
 - Nuclear-Analytical-Chemistry 160:21
 - Nuclear-Power 161:585
 - Oxide-Film 192:139
 - Phosphorus 174:57
 - Polluters 160:21
 - Preliminary-Screening 192:275
 - Radiochemical-Neutron-Activation-Analysis 179:81
 - Radiological-Characterization 161:585
 - Radionuclide 183:5
 - Research 187:185
 - Selected 192:275
 - Separation-Method 183:5
 - Site 192:275
 - Speciation 183:5
 - Station 161:585
 - Temperature 158:3
 - Tetravalent 158:3
 - Thickness 192:139
 - Waste 161:585, 192:275
 - Zinc-EDTA-Complex 164:193
- Metal-Alloy 152:199
- Metal-Containing 175:455
- Metal-Element 165:61
- Metal-Fluoride 178:387
- Metal-Ion
 - Acetylacetone 163:59
 - Americium(III) 153:267
 - Bismuth-Phosphate 153:267

- Chelate 163:59, 199:317
- Coprecipitation 153:267
- Distribution 195:305
- Equilibrium 163:59
- Extractant 163:59
- Hydration 163:59
- Iron(III) 199:317
- Kinetic-Exchange 199:317
- Model 163:59
- Monothioacetylacetone 163:59
- Multitracer 195:305
- Partition 163:59
- Plant 195:305
- Plutonium(IV) 153:267
- Substitution 199:317
- Transport 195:305
- Uranium-Dioxide-EDTA 199:317
- Metal-Oxide 152:337
- Metal-Salt 188:453
- Metal-Surface 182:445
- Metal-Tungstate 200:211
- Metallic 168:337
- Metallic-Impurity 152:117
- Metallocene-Cyclodextrin-Inclusion-Compound 166:123
- Metallofullerene 192:81
- Metallomesogen 190:333
- Metallotoxicological-Study 160:493
- Metastable 190:363
- Metaxade 183:159
- Meteorite
 - Concentration 164:13
 - Dating 152:99
 - Groznaya 152:99
 - Inductively-Coupled-Plasma-Mass-Spectrometry 164:13
 - Initial-Ratio 152:99
 - Mokoia 152:99
 - Plutonium-244 152:99
 - Renazzo 152:99
 - Trace-Element 164:13
 - Uranium 152:99
- Meteoritic-Sample
 - Chemical-Separation 182:295
 - Copper 182:295
 - Geological 182:295
 - Indium 182:295
 - Iridium 185:3
 - Neutron-Activation-Analysis 182:295, 185:3
 - Osmium 185:3
 - Radiochemical-Procedure 185:3
 - Rapid 182:295
 - Rhenium 185:3
 - Simple 185:3
 - Simultaneous-Determination 185:3
 - Trace 182:295
 - Zinc 182:295
- Meteorological-Condition 161:351
- Meter 155:403
- Methane 159:145
- Methanol
 - Active-Center 195:355
 - Catalyst 195:355
 - Catalytic-Activity 177:211
 - Conversion 177:211
 - Ethylene 195:355
 - Gamma-Alumina 177:211

- Gamma-Irradiation 177:211
- Gamma-Radiolysis 173:339
- Molecule 173:339
- Polymerization 195:355
- Quenching-Method 195:355
- Quinizarin 173:339
- Reduction 173:339
- Selectivity 177:211
- Tritiated 195:355
- Methanol-Solution** 190:97
- Methoxyisobutylisonitrile** [2-» 188:409
- Methyl-Ester** 166:143
- Methyl-Orange** 178:351
- Methyl-Red**
 - Comparative-Study 178:351
 - Energy-Transfer-Reaction 178:351
- Gamma-Irradiated 174:257, 178:351
- Gamma-Radiolysis 174:257, 178:351
- Induced 174:257, 178:351
- Methyl-Orange 178:351
- Reaction 174:257
- Sodium-Chloride 174:257, 178:351
- Methylbutylmalonamide** 186:47
- Methylimidazolium-Chloride** [N-» 175:371
- Methyltyrosine** [L-alpha-» 196:303
- Metropolitan-City** 192:307
- Mexican**
 - Cigarette 200:137
 - Cobalt-60 200:259, 201:155
 - Montmorillonite 200:259, 201:155
 - Multielement-Measurement 200:137
 - Retention 201:155
 - Sorption-Desorption 200:259
 - Tobacco 200:137
- Mexico** 173:239
- Mexico-City** 193:259
- Mexico** [Southern-Sierra-Madre-Occidental-» 196:245
- MFI** 190:407
- MgAl₂O₄** 154:285
- Mica** 159:37
- Micellar-Enhanced** 183:109
- Micellar-System** 191:201
- Micelle**
 - AOT 189:175
 - Electron 189:175
 - Extraction 183:115
 - Hemoprotein 189:175
 - Hydrated 189:175
 - Modified 183:115
 - Preconcentration 183:115
 - Reaction 189:175
 - Reverse 189:175
 - Solid-Phase 183:115
 - Strontium 183:115
- Micro-Column** 194:41
- Micro-Particle-Induced-X-Ray-Emission** 195:7
- Microamount**
 - 2-(2-Hydroxy-3,6-Disulfo-1-Naphthylazo)-Benzene-arsonic-Acid 188:341
 - Aqueous-Solution 187:9
 - Chromogenic-Reagent 188:341
 - Disodium-Salt 188:341
 - Dowex 187:9
 - Hafnium-Nuclide 187:9
 - Hydrogen-Chloride 187:9
 - Platinum 183:93
 - Silver 183:93
 - Sorption 187:9
 - Spectrophotometry 188:341
 - Tantalum-Nuclide 187:9
 - Thorin 188:341
 - Thorium 188:341
- Microanalysis** 191:381
- Microbiological-Aspect** 189:71
- Microbiological-Estimation** 185:167
- Microcalorimetry** 190:167
- Microcolloid** 191:25
- Microcomputer**
 - 14-MeV 160:169
 - Data 169:453
 - Fast-Neutron-Activation-Analysis 160:169
 - Multiscaling 160:169
 - Neutron-Activation-Analysis 169:453
 - Oxygen 160:169
 - PC 160:169
 - Processing 169:453
 - Program 169:453
- Microconcentration** 162:267
- Microcrystalline**
 - Ammonium-Perchlorate 199:191
 - Gamma-Radiolysis 199:191
 - Long-Living 190:475
 - Oxide 190:475
 - Positron 190:475
 - Positronium 190:475
 - State 190:475
 - Zeolite 190:475
- Microdroplet** 152:251
- Microelectronic-Application** 168:403
- Microelectronic-Material-Research** 192:65
- Microfiltration** 183:109
- Microgram** 167:161
- Microgram/Gram-Level** 181:413
- Microprecipitation** 178:11
- Microprobe** 157:273
- Microquantity**
 - Decontamination 186:233
 - Element 186:233
 - Group-I 186:233
 - Group-II 186:233
 - Group-III 186:233
 - Hafnium 170:353, 186:233
 - REE 170:353
- Microscopic-Measurement** 194:197
- Microstructural-Peculiarity** 190:449
- Microtron** 168:503
- Microwave-Oven** 190:59
- Mid-latitude** 156:361
- Migrating** 194:237
- Migration**
 - Adsorption 171:347
 - Column-Method 163:373
 - Concentration 159:187
 - Dispersion-Coefficient 163:373
 - Interaction 159:175, 159:187, 185:15
 - Kinetic-Parameter 185:15
 - Kinetics 159:175, 159:187, 185:15
 - Mineral 171:347
 - Modeling 159:175, 159:187, 185:15
 - Natural 171:347
 - On-line-Method 163:373
 - Parameter 159:175
 - Radionuclide 159:175, 159:187, 163:373, 185:15
 - Radium 171:347
 - River 159:175, 159:187, 185:15
 - Solid 159:187
 - Suspended-Solid 159:175, 159:187, 185:15
 - Temperature 159:187
 - Variability 185:15
- Migration-Experiment** 180:97
- Migration-Process** 154:121
- Mild-Steel** 175:467
- Milk**
 - Chelating-Resin 159:239
 - Crown-Ether 159:239
 - Liquid 159:239
 - Plant 175:317
 - Radiochemical-Analysis 175:317
 - Rapid-Method 159:239
 - Separation 159:239
 - Soil 175:317
 - Solvent-Extraction 175:317
 - Strontium 159:239
 - Strontium-90 175:317
 - Treatment 159:239
- Milk-Pectin**
 - Aqueous-System 186:9, 186:99
 - Cesium 186:9
 - Dialysis 186:99
 - Distribution 186:9
 - Europium 186:9
 - Liquid-Liquid-System 186:99
 - Membraneless 186:99
 - Speciation 186:9
 - Strontium 186:9, 186:99
- Milk-Sample** 172:125
- Mill** 193:319
- Milligram** 154:103
- Millisecond** 173:87
- Millisecond-Order**
 - Environmental-Sample 197:99
 - Half-Life 159:375
 - Life 197:99
 - Multiple-Time-Interval-Analysis 159:375
 - Natural-Alpha-Radionuclide 197:99
 - Nuclide 159:375
 - Principle 159:375
 - Radioactive 159:375
 - Single-Time-Interval-Analysis 159:375
 - Time-Interval-Analysis 197:99
- Millstone** 180:37
- Mine**
 - Children 155:383
 - City 187:243
 - Copper 155:383, 187:243
 - Hair 155:383
 - Large-Scale 187:243
 - Living 155:383
 - Northern-Chile 187:243
 - Particle 187:243
 - Suspended 187:243
 - Trace-Element 155:383, 187:243
 - Vicinity 155:383
 - Worker 155:383
- Mine-Mill** 156:253
- Mineral**
 - Adsorption 171:347
 - Europium 157:347
 - Geological-Sample 182:247
 - Grain 185:273
 - Granite 185:273
 - Individual 185:273
 - Industry 151:397
 - Inorganic-Sorbent 157:3
 - Light-Element 185:273
 - Migration 171:347
 - Mixture 157:347
 - Natural 157:3, 171:347
 - Neutron-Activation-Analysis 151:397
 - Particle-Induced-Gamma-Ray-Emission-Spectrometry 185:273
 - Product 151:397
 - Radium 171:347
 - Rare-Earth 182:247
 - Rare-Earth-Element 151:397
 - Raw-Material 151:397
 - Removal 157:347
 - Sorption 157:3
 - Technetium 157:3
- Mineral-Acid** 159:13
- Mineral-Analysis** 167:413
- Mineral-Composition** 151:261
- Mineral-Sample**
 - Activation-Analysis 154:255, 192:97
 - Argon 192:97
 - Dating 192:97
 - High-Temperature 154:255
 - Mercury 154:255
 - Volatilization 154:255
- Mineralizate** 164:115
- Mineralization** 174:93
- Mineralogical-Analysis** 152:453
- Minerals** 171:483
- Miniature-Neutron-Source-Reactor** 198:393
- Minimization** 195:287
- Mining**
 - Associated 182:127
 - Bauxite 194:379
 - Conventional 182:127
 - Crop 194:379
 - Exposure 182:127
 - Food 194:379
 - Grown 194:379
 - Radionuclide 194:379
 - Residue 194:379
 - Soil 194:379
 - Thorium 182:127
 - Uptake 194:379
 - Uranium 182:127
- Minor**
 - Acidic 191:291
 - Actinide 191:279, 191:291
 - Bearing 191:279
 - Chromatographic-Separation 191:279, 191:291
 - CMPO 191:279
 - Evaluation-Method 181:395

- Extraction 191:279
- General 181:395
- High-Level 191:279
- Major 181:395
- Metabolite 181:395
- Neutron-Activation-Analysis 181:395
- Nitrate 191:291
- Partition 191:291
- Purex 191:291
- Reversed-Phase 191:291
- Separation 181:395
- Sulfate 191:279
- Sulfoxide 191:291
- Trimethylselenonium-Ion 181:395
- Waste 191:279, 191:291
- Minor-Element**
 - Animal 172:125
 - Atmospheric 179:195
 - Bangladeshi 152:3
 - Brand 201:401
 - Cement 179:195
 - Commercial 172:125, 201:401
 - Comparative-Study 172:125
 - Deposition 179:195
 - Factory 179:195
 - Honey 201:401
 - Human 172:125
 - Instrumental-Neutron-Activation-Analysis 159:29
 - Iraqi 159:29
 - Level 152:3
 - Major-Element 159:29, 179:195
 - Meat-Product 152:3
 - Milk-Sample 172:125
 - Neutron-Activation-Analysis 172:125, 179:195, 192:183
 - Speciation 192:183
 - Trace 201:401
 - Trace-Element 152:3, 159:29, 172:125, 179:195, 192:183
 - Vegetable-Sample 159:29
 - Volcanic-Exhalation 192:183
- Misinterpretation** 194:213
- Missing** 196:125
- Mission** 196:207
- Missouri-University-Research-Reactor** 180:301
- Mix** 188:1
- Mixed**
 - 15-Crown-5 159:353
 - 18-Crown-6 159:353
 - Acetate-Buffer-Solution 157:159
 - Acetylacetone 157:159
 - Acid 178:173
 - Acidic-Salt 158:3
 - Actual 194:25
 - Alcohol 157:159
 - Americium 159:353
 - Chelating 161:549
 - Chemical-Composition 181:373
 - Cobalt(III) 157:159
 - Complexing-Agent 161:549
 - Composite 155:243
 - Degradation 161:549
 - Drying 158:3
 - Electrolyte-Solution 178:173
 - Ether 157:159
 - Europium 159:353
 - Fixation 155:243
 - Francium 155:243
 - Gadolinium 159:353
 - Gamma-Radiation 158:3
 - Gas 159:145
 - Glassy-Type 158:3
 - Hafnium(IV) 178:173
 - Hafnium-Titanium-Phosphate 158:3
 - Hanford 194:25
 - HDEHP 178:173
 - Hydrogen 159:145
 - Inorganic-Sorbent 155:243
 - Insoluble 158:3
 - Ion-Exchanger 155:243
 - Irradiated 161:549
 - Isotope-Exchange 159:145
 - Ketone 157:159
 - Metal 158:3
 - Methane 159:145
 - Organic-Analysis 194:25
 - Organic-Complexant 194:25
 - Organic-Ligand 181:373
 - Perchlorate-Medium 159:353
 - Photolysis 181:373
 - Product 181:373
 - Radionuclide 159:353
 - Radium 155:243
 - Reaction-Rate 159:145
 - Revisited 194:25
 - Simulated 161:549, 194:25
 - Sol-Gel-Method 190:419
 - Solvent-Extraction 178:173
 - Structural-Analysis 190:419
 - Synergic-Extraction 159:353
 - Synergistic-Solvent-Extraction 157:159
 - Temperature 158:3
 - Tetravalent 158:3
 - Thenoyltrifluoroacetone 159:353
 - Tin-Oxide 190:419
 - Tributyl-Phosphate 157:159
 - Tritium 159:145
 - Trivalent 159:353
 - Waste 161:549, 181:373, 194:25
- Mixed-Bed** 180:179
- Mixed-Crystal** 181:211
- Mixed-Ligand**
 - 1-Phenyl-3-Methyl-4-Benzoyl-pyrazolone-5 198:367
 - 8-Hydroxyquinoline 166:531
 - Acetylacetone 166:531
 - Actinide 198:367
 - Beta-Diketonato-Tc(III)-Complex 178:311
 - Chelate 198:367
 - Chloroform 166:531
 - Chromium(III) 166:531
 - Chromium-51 166:531
 - Complexation 164:1
 - Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 198:367
 - Dysprosium(III) 164:1
 - Extraction 164:1, 198:367
 - HTTA-TBA 164:1
 - Lanthanide 198:367
 - Radiochemical-Solvent-Extraction 166:531
 - Samarium(III) 164:1
 - Synergic-System 164:1
 - Synthesis 178:311
 - Tracer 166:531
- Trivalent 198:367
- Mixed-Ligand-Complex** 180:187
- Mixed-Solvent**
 - Anion-Exchange 189:141
 - Chloride-36 162:71, 164:141
 - Chlorine 162:71, 164:141
 - Fission-Product 198:467
 - Isotope-Exchange-Reaction 162:71, 164:141
 - Kinetics 162:71, 164:141
 - Natural-Sample 189:141
 - Radioactive 189:141
 - Removal 198:467
 - Ruthenium 198:467
 - Separation 189:141
 - Sodium 162:71, 164:141
 - Strontium 189:141
 - Triphenyltin-Chloride 162:71, 164:141
 - Zeolite 198:467
- Mixed-Valence-State** 173:107
- Mixer** 189:257
- Mixer-Settler-Model** 189:257
- Mixture**
 - Acidic-Medium 162:289
 - Alamine-310 173:161
 - Aliquat-336 162:289, 163:277
 - Americium 165:219, 188:157
 - Americium(III) 152:127, 181:165
 - Aqueous-Medium 181:165
 - Aqueous-Solution 173:161
 - Benzene 152:127
 - Beta-Emitter 200:247
 - Carbon-Dioxide 162:83
 - Cement-Wood 162:83
 - Cerium(III) 171:329
 - Chloramine-T 176:169
 - Chloroform 181:165
 - Clay 152:453
 - CMPO 188:157
 - Cyclohexane 162:267
 - D2EHPA 162:267
 - Dialkyl-Sulfoxide 171:329
 - Dicarbollide 188:157
 - Diffractometry 152:453
 - Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 152:127
 - Distribution 181:165
 - Dominican-Republic 152:453
 - Effluent 165:219
 - Electron-Exchange 165:167
 - Equilibrium 170:89
 - Europium 157:347, 188:157
 - Europium(III) 178:109, 181:165
 - Europium(III)/Europium(II)-System 165:167
 - Extractant 178:109
 - Extraction 152:127, 162:267, 162:289, 170:89, 188:157
 - Firing 152:453
 - Formation 176:169
 - Hafnium 162:289
 - Homogeneous 165:167
 - Iodate-Ion ($^{125}\text{I}\text{O}_3^-$) 176:169
 - Kinetics 181:165
 - Labeling 176:169
 - Least-Squares-Method 200:247
 - Limestone 152:453
 - Liquid-Scintillation 152:227, 200:247
 - Loading 165:219
 - Low-Activity 200:247
 - Macroconcentration 162:267
 - Mechanism 181:165
 - Microconcentration 162:267
 - Mineral 157:347
 - Mineralogical-Analysis 152:453
 - Molybdenum(VI) 173:161
 - Multinuclide 176:391
 - Multiple 152:227
 - Mössbauer-Spectroscopy 152:453
 - n-Hexane 162:267
 - Neodymium 163:277
 - Niobium 162:289
 - Nitrate 181:165
 - Nitrate-Medium 163:277
 - Nitric-Acid-Solution 152:127
 - Octyl(Phenyl)-N,N-Diisobutylcarbamoylmethylphosphine-Oxide 165:219
 - Organophosphorus 178:109
 - Phosphoric-Acid 173:161
 - Plutonium 165:219
 - Praseodymium 163:277
 - Probable 152:227
 - Purification 165:219
 - Radioassay 152:227, 200:247
 - Radionuclide 152:227
 - Radiotracer-Method 162:83
 - Rare-Earth-Ion 162:267
 - Rate 165:167
 - Removal 157:347
 - Separation 162:289
 - Solvent-Effect 165:167
 - Solvent-Extraction 173:161
 - Spectrum-Unfolding-Method 176:391
 - Standardization 176:391
 - Sulfoxide 170:89
 - Synergic-Liquid-Liquid-Extraction 163:277
 - Synergistic-Solvent-Extraction 171:329, 178:109
 - Tail-End 165:219
 - Temperature 152:453
 - Terbium(III) 178:109
 - Thenoyltrifluoroacetone 171:329, 181:165
 - Theory 152:227
 - Thiocyanate 162:289
 - Tri-n-Butyl-Phosphate 165:219
 - Tri-n-Octylphosphine-Oxide 162:289
 - Tributyl-Phosphate 152:127, 162:267, 163:277
 - Triphenylarsine-Oxide 181:165
 - Uptake 162:83
 - Uranium(VI) 173:161
 - Value 152:227
 - Water-DMF 165:167
 - X-Ray-Powder 152:453
 - Ytterbium(III) 170:89
 - Zirconium 162:289
- MO-VPE** 189:277
- Moasel** 194:371
- Mobile** 201:371
- Mobility**
 - Americium-241 199:143
 - Atomic 190:279
 - Betas 201:521
 - Cluster 190:279
 - Ion 201:521

- Mössbauer-Spectroscopy 190:279
- Sodium-Humate 199:143
- Thermodynamics 190:279
- Tritium 201:521
- Ultrafine 190:279
- Modality** 169:239
- Mode** 187:207
- Model**
 - Acetylacetone 163:59
 - Actinide 156:425
 - Animal 156:425
 - Bioassay 156:425, 197:229
 - Carrying 163:169
 - Cement-Based 198:287
 - Cesium-137 201:171
 - Chelate 163:59
 - Cobalt-60 201:171
 - Cobalt-Dicarbollide 172:213
 - Concentrating 172:213
 - Cytolytic-Protein 163:169
 - Data 156:425
 - Dissolution 178:261
 - Dosimetry 156:425
 - Drinking 172:213
 - Equilibrium 163:59
 - Exposure 156:425
 - Extractant 163:59
 - Fallout 172:213
 - Growth 178:261
 - Host 178:261
 - Human 156:425
 - Hydration 163:59
 - Immobilization 198:287
 - Implication 197:229
 - Incorporated 163:169
 - Interpret 156:425
 - Interpretation 197:229
 - Iodine-131 201:171
 - Ion-Transport 163:169
 - Kinetics 178:261
 - Leaching-Behavior 198:287
 - Lipid-Membrane 163:169
 - Metal-Ion 163:59
 - Modified 197:229
 - Monothioacetylacetone 163:59
 - Multichannel-Analyzer 201:171
 - Ore 178:261
 - Partition 163:59
 - Potential 178:261
 - Prediction 198:287
 - Processing 178:261
 - Radioactive-Waste 201:171
 - Radiometric-Flow-Injection-Analysis 201:171
 - Radionuclide 198:287
 - Radiostrontium 172:213
 - Radium-226 198:287
 - Rapid 172:213
 - Respiratory-Tract 197:229
 - Reverse 201:171
 - Selectivity 163:169
 - Simultaneous-Determination 201:171
 - Slovafof-909 172:213
 - Solid 178:261, 198:287
 - Solvent-Extraction 172:213
 - Surface 178:261
 - Technological 172:213
 - Toxin 163:169
 - Uranium 178:261, 197:229
 - Water 172:213, 201:171
- Model-Experiment** 186:353
- Model-System** 183:63
- Modeling**
 - Concentration 159:187
 - Interaction 159:175, 159:187, 185:15
 - Kinetic-Parameter 185:15
 - Kinetics 159:175, 159:187, 185:15
 - Migration 159:175, 159:187, 185:15
 - Parameter 159:175
 - Radionuclide 159:175, 159:187, 185:15
 - River 159:175, 159:187, 185:15
 - Solid 159:187
 - Suspended-Solid 159:175, 159:187, 185:15
 - Temperature 159:187
 - Variability 185:15
- Moderator**
 - Bruce-Nuclear-Generating-Station-A 185:69, 200:365
 - Carbon-12/Carbon-14-Ratio 200:365
 - Carbon-14 185:69
 - Chlorine-36 200:365
 - Ion-Exchange-Resin 185:69, 200:365
 - Spent 185:69, 200:365
- Modification**
 - Argon 166:351
 - Capillary 182:179
 - Cesium-137 182:179
 - Complex 151:261
 - Diffusion 182:179
 - Ferrocene 166:351
 - Fiber 153:29
 - Gamma-Irradiation 166:351
 - Hemopathy 151:261
 - Human-Blood-Serum 151:261
 - Instrumental-Neutron-Activation-Analysis 151:261
 - Ion-Implantation 166:351
 - Mineral-Composition 151:261
 - Particle-Induced-X-Ray-Emission 151:261
 - Polypropylene 153:29
 - Preirradiation 153:29
 - Radionuclide 182:179
 - Soil 182:179
 - Surface 166:351
 - Thin-Layer-Method 182:179
 - Trace-Element 182:179
- Modified**
 - Ability 164:109
 - Absolute 187:367
 - Bioassay 197:229
 - Calcium-45 187:367
 - Cation 164:109
 - Characterization 165:287
 - Clinoptilolite 164:109, 165:287
 - Diffusion 188:367
 - Extraction 183:115
 - Gamma-Radiation 188:367
 - Implication 197:229
 - Integral-Counting-Method 187:367
 - Interpretation 197:229
 - Liquid-Scintillation-Counting 187:367
 - Micelle 183:115
 - Model 197:229
- Poly(Alkylthiophene)S 188:367
- Preconcentration 183:115
- Respiratory-Tract 197:229
- Solid-Phase 183:115
- Sorption 164:109
- Strontium 183:115
- Sulfur-35 187:367
- Sulfur-Dioxide 188:367
- Uranium 197:229
- Volume 188:367
- Modified-Westcott-Formalism**
 - (n,gamma)-Reaction 183:293
 - Affair 179:93
 - Behavior 183:293
 - Cross-Section 183:293
 - Hogdahl-Convention 183:293
 - k_0 -Standardization 179:93
 - Neutron-Activation-Analysis 179:93
 - Pure 183:293
 - Relation 183:293
 - State 179:93
- Moisture**
 - Comparison 161:325
 - Filter 201:321
 - Gamma-Transmission-Method 201:321
 - Gas 161:325
 - Grain-Size 161:325
 - Mud 201:321
 - Permeability 161:325
 - Press 201:321
 - Radon 161:325
 - Rock 161:325
 - Soil 161:325
 - Sorting 161:325
 - Type 161:325
- Mokoia** 152:99
- Molecular**
 - Activation-Analysis 192:101
 - Field 163:325
 - Fixation 163:325
 - Gamma-Radiation 163:325
 - Ionic 187:99
 - Iridium 192:101
 - Lanthanum 187:99
 - Liquid 187:99
 - Nitrogen 163:325
 - Organic 187:99
 - Reduction 163:325
 - Separation 187:99
 - Uranium 187:99
 - $\text{WH}_4(\text{PCH}_3\text{Ph}_2)_4$ 163:325
 - $\text{WH}_4(\text{PC}_2\text{H}_5\text{Ph}_2)_4$ 163:325
- Molecular-Crystal** 165:369
- Molecular-Orbital-Calculation**
 - $\text{Fe}(\text{CO})_4(\text{C}_2\text{H}_4)$ 199:95
 - $\text{Fe}(\text{CO})_5$ 188:83
 - Low-Temperature 199:95, 199:477, 201:417
 - Matrix 199:95, 199:477, 201:417
 - Mössbauer-Parameter 188:83, 199:95, 199:477, 201:417
 - Photofragment 188:83
 - Photoproduct 201:417
 - $\text{Sn}(\text{CH}_3)_n\text{H}_{4-n}$ 201:417
 - Tin-Compound 199:477
- Molecular-Rocket-Reaction** 166:123
- Molecular-Sieve**
 - Aqueous-Solution 190:103
 - Characterization 165:1
- Column 165:1
- Dehydration 165:1
- Dynamics 165:1
- Flow 165:1
- Laboratory 165:1
- Liquid 165:1
- Organic 165:1
- Pilot-Plant 165:1
- Powder 190:103
- Radiotracer 165:1
- Thorium-Ion 190:103
- Uptake 190:103
- Molecular-Weight** 186:375
- Molecule**
 - Chemical-Effect 159:363
 - Decay 159:363
 - Gamma-Radiolysis 173:339
 - Hexanethiol 159:363
 - Incorporated 159:363
 - Methanol 173:339
 - Quinizarin 173:339
 - Reduction 173:339
 - Sulfur-35 159:363
- Molecule-Ion-Beam** 200:85
- Molybdenum**
 - Age-Related 179:331
 - Airborne-Particulate 167:219
 - Analytical-Sensitivity 167:219
 - Anion-Exchange-Resin 191:67
 - Antimony 167:219, 168:185, 170:225
 - Arsenic 167:219, 168:185, 170:225, 179:331
 - Barium-140 198:457
 - Biological-Material 158:313, 192:117
 - Biological-Reference-Material 168:185
 - Cadmium 158:313, 167:219, 168:185, 179:331
 - Chromium 158:313
 - CNS 179:331
 - Cobalt 158:313
 - Contribution 170:225
 - Control 168:489
 - Copper 168:185, 179:331
 - Crystal 199:333
 - Detection 155:435
 - Diisodecylphosphoric-Acid 185:173
 - Epithermal-Neutron-Activation-Analysis 167:219
 - Extraction-Behavior 185:173
 - Fission-Product 198:457
 - Geochemical-Contamination 170:225
 - Improvement 167:219
 - Indium 167:219
 - Inductively-Coupled-Plasma-Mass-Spectrometry 191:67
 - Initial 191:67
 - Instrumental-Neutron-Activation-Analysis 168:489
 - Iodine 167:219
 - Limit 155:435
 - Matter 167:219
 - Mercury 168:185
 - Neurodegenerative-Disease 179:331
 - Neutron-Activation-Analysis 170:225, 192:117
 - Nitric-Acid-Solution 185:173
 - Prior 191:67
 - Pure 201:177

- Radioactivation-Analysis 155:435
- Radiochemical-Determination 201:177
- Radiochemical-Neutron-Activation-Analysis 158:313, 168:185, 179:331, 198:457
- Radiochemical-Scheme 192:117
- Selenium 168:185, 170:225
- Separation 191:67
- Significance 191:67
- Silicon 167:219
- Substoichiometric-Radiochemical-Determination 199:333
- Technetium 191:67
- Technetium-99-(gamma,gamma)-Technetium-99m 155:435
- Technology 168:489
- Tissue 179:331
- Trace 198:457
- Tungsten 168:489, 198:457, 201:177
- Uranium 167:219, 192:117, 198:457
- Violet 199:333
- Zirconium 185:173
- Molybdenum(VI)**
 - Alamine-310 173:161
 - Alpha-Benzoinomix 185:347
 - Aqueous-Medium 178:179
 - Aqueous-Solution 173:161
 - Binary-Mixture 178:179
 - Extractant 178:179
 - Extracting-Agent 185:347
 - Family 185:347
 - Hydrogen-Chloride 178:179
 - Iron 185:347
 - Liquid-Liquid-Extraction 152:21
 - Mixture 173:161
 - Organophosphinic-Acid 178:179
 - Phosphonic-Acid 178:179
 - Phosphoric-Acid 173:161
 - Solvent-Extraction 173:161
 - Transition-Metal 185:347
 - Tungsten(VI) 185:347
 - Uranium(VI) 152:21, 173:161, 178:179, 185:347
- Molybdenum-99**
 - Antimony-125 170:3
 - Aqueous-Solution 170:3
 - Chromatographic-Separation 189:345
 - Complexing-Agent 172:87
 - Extraction 189:345
 - Fission-Product 172:87
 - Germanium-Iodide 170:293
 - Incorporated 170:3
 - Molybdophosphate-Mo-99 170:293
 - Non-fissioned 178:417
 - Polyamine 170:3
 - Polysaccharide 170:3
 - Production 178:417
 - Radioisotope 170:3
 - Recovery 178:417
 - Removal 170:3
 - Separation 172:87
 - Technetium-99m-Generator 170:293
 - Tellurium-132 172:87
 - Thiourea 172:87
 - Treatment 178:417
 - Trioctylamine 189:345
 - Tungsten-185 170:3
 - Tungsten-187 189:345
 - Uranium 178:417
 - Zirconium 170:293
- Molybdenum-99(V) 153:171**
- Molybdenum-99(VI) 153:171**
- Molybdenum-99-Technetium-99m-Generator**
 - Behavior 199:173
 - Characteristics 199:173
 - Column 199:173
 - Desorption 199:89
 - Eluate 152:81
 - Feasibility 198:393
 - Irradiated 199:173
 - Matrix 199:173
 - Miniature-Neutron-Source-Reactor 198:393
 - Pertechetate 152:81
 - Rapid 152:81
 - Reversed-Phase-High-Performance-Liquid-Chromatography 152:81
 - Sensitive 152:81
 - Spent 199:89
 - Titanium-Molybdate 199:173
- Molybdocerate-Mo-99 112:» 173:185**
- Molybdocerate 112:» 183:339**
- Molybdophosphate-Mo-99 170:293**
- Monaco 177:51**
- Monazite**
 - Beach 199:51
 - Cogenetic 199:51
 - Hafnium 199:51
 - Individual 176:383
 - Neutron-Activation-Analysis 199:51
 - Radiochemical-Neutron-Activation-Analysis 176:383
 - Rare-Earth-Element 176:383, 199:51
 - Sand 199:41, 199:51
 - Scandium 199:51
 - Thorium 199:51
 - Uranium 199:51
 - Uranium(VI) 199:41
 - Vietnamese 176:383
 - Zircon 199:51
 - Zirconium 199:51
- Mongolian 185:27**
- Monitor**
 - Actinide 194:107
 - Air-Pollution 151:337
 - Airborne 167:309
 - Alloy 192:91
 - Analytical-Technique 181:363
 - Appearance 195:97
 - Atmospheric 161:147
 - BGO 180:131
 - Cobalt 192:91
 - Comparison 181:363
 - Concentration 180:131
 - Contaminated 194:107
 - Dedicated 192:91
 - Deposition 181:363
 - Detector 180:131
 - Dietary 195:97
 - Direct 179:105
 - Element 192:91
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 194:107
 - Enrichment 195:97
 - Environmental-Material 158:417
 - Feasibility 167:309
 - Foil 192:91
 - Gold 192:91
 - Heavy-Metal 151:337, 181:363
 - High-Accuracy 192:91
 - History 151:337
 - Human-Nail 195:97
 - k_0 179:105
 - Leaf 167:309
 - Lutetium 192:91
 - Moss 161:147, 181:363
 - Multielement 181:363
 - Neutron-Activation-Analysis 179:105, 192:91
 - Neutron-Spectrum 192:91
 - Nitrogen-16 180:131
 - Oak 167:309
 - On-line 194:107
 - Pollution 167:309
 - Pool 180:131
 - Reactor 180:131
 - Rhodium 158:417
 - Ring 151:337
 - Selenium-76 195:97
 - Spanish 161:147
 - Stream 194:107
 - Supplemental 195:97
 - Technetium-99 158:417
 - Trace-Element 161:147
 - Tree 151:337
 - Waste 194:107
 - Wire 192:91
 - Yield 158:417
- Monitoring**
 - Accumulation 161:561
 - Actinide 197:41
 - Active 161:561
 - Air 177:81
 - Alpha-Emission 194:173
 - Aluminum 166:359, 166:363
 - Atmospheric 192:229
 - Attenuation 188:1
 - Automated-System 182:133
 - Bioassay 156:55, 197:41
 - Cherenkov 194:253
 - Chromatography 182:103
 - Chromium-39 182:133
 - Column 182:103
 - Comment 166:359
 - Concentration 161:561
 - Contamination 194:253
 - Critical-Review 197:41
 - Daughter 182:133
 - Deposition 192:229
 - Elemental-Assay 174:115
 - Elemental-Content 192:229
 - Environment 194:253
 - Environmental-Radioactivity 190:59
 - Environmental-Sample 194:173
 - Experimental-Design 161:313
 - Exposure 177:81
 - Extraction 182:103
 - Feature 161:561
 - Fissile 161:561
 - Fuel 188:1
 - Gamma 188:1
 - Gamma-Ray-Spectroscopy 174:115
 - Gas 161:313
 - ICRP 156:55, 197:41
 - In-Vivo 166:359, 166:363
 - Large-Scale 194:253
 - Learning 194:253
 - Lichen 192:229
 - Light 197:41
 - Liquid-Scintillation 194:173
 - Macrosample 190:59
 - Material 161:561, 174:115
 - Metabolic-Model 156:55
 - Microwave-Oven 190:59
 - Mix 188:1
 - Moss 192:229
 - Needle 192:229
 - Neutron 192:229
 - Neutron-Activation 174:115
 - Neutron-Counting 161:561
 - Neutron-Flux 174:115
 - Nuclear-Reprocessing 161:561
 - Nuclide 194:173
 - Occupational 177:81
 - Oil-Lubricated-System 180:121
 - Passive 161:561
 - Pine 192:229
 - Polypropylene 182:103
 - Pretreatment 190:59
 - QFDA 180:121
 - Quantitative-Filter-Debris-Analysis 180:121
 - Radon 161:313, 182:133
 - Recommendation 197:41
 - Relevance 156:55
 - Resonance 192:229
 - Response 166:363
 - Safety 161:561
 - Skeletal 166:359, 166:363
 - Soil 161:313
 - Standard 174:115
 - Thorium 156:55, 177:81
 - Track 182:133
 - Transuranium 194:173
 - Tri-n-Octylphosphine-Oxide-Supported 182:103
 - Urine 182:103
 - Wear 180:121
- Mono-2-Ethylhexyl-Ester**
 - 2-Ethylhexylphosphonic-Acid 172:167, 174:271
 - Cerium(III) 174:271
 - Complexing-Agent 174:271
 - Erbium(III) 172:167
 - Extraction 174:271
 - Lutetium(III) 172:167
 - Neodymium(III) 174:271
 - Reagent 172:167
 - Solvent-Extraction 172:167
 - Water-Soluble 174:271
- Monoclonal-Antibody 189:45**
- Monocrystal 190:513**
- Monohydrate 164:123**
- Monomethylarsonic-Acid 179:211**
- Monothioacetylacetone 163:59**
- Monte-Carlo 193:247**
- Montmorillonite**
 - Cobalt-60 200:259, 201:155
 - Mexican 200:259, 201:155

- Retention 201:155
- Sorption-Desorption 200:259
- Montreal** 161:351
- Montréal École-Polytechnique-**
de-» 180:347
- Monument** 168:273
- Moonrock** 160:21
- Mordenite**
 - Cesium 185:319
 - Clinoptilolite 178:143
 - Equilibrium 178:143
 - Evaluation 185:319
 - Form 178:143
 - Natural 185:319
 - Sodium 178:143
 - Sorption 185:319
 - Thorium 178:143
- Morin** 153:5
- Morphological-Change** 198:303
- Morro-Do-Ferro** 182:75
- Moss**
 - Analytical-Technique 181:363
 - Area 175:9
 - Atmospheric 161:147, 192:229
 - Black-Sea 175:9
 - Cesium 187:435
 - Chernobyl-Derived 175:9
 - Comparison 181:363
 - Deposition 181:363, 192:229
 - Eastern-Black-Sea-Turkey 187:435
 - Elemental-Content 192:229
 - Heavy-Metal 181:363
 - Intercomparison 192:371
 - Level 187:435
 - Lichen 192:229
 - Monitor 161:147, 181:363
 - Monitoring 192:229
 - Multielement 181:363
 - Multielement-Technique 192:371
 - Needle 192:229
 - Neutron 192:229
 - Pine 192:229
 - Radiocesium 175:9
 - Radionuclide 187:435
 - Reference-Material 192:371
 - Resonance 192:229
 - Spanish 161:147
 - Trace-Element 161:147
- Mother** 195:67
- Mountain** 156:7
- Mouse**
 - Antibody 172:267
 - Ascite 171:383, 195:155
 - Atomic-Absorption-Spectrometry 166:383
 - Blood 171:383
 - Bromine 165:309
 - Change 166:383
 - Concentration 166:383
 - Concern 171:365
 - Condition 172:267
 - Copper 195:155
 - Distribution 153:101, 195:155
 - Element 171:365
 - Elemental-Analysis 171:383
 - Hair 171:365
 - IgG2A 172:267
 - Indium-Ion 153:101
 - Injected 153:101
 - Kinetic 195:155
 - Labeling 172:267
 - Liver 171:383
 - Lymphoma 165:309
 - Period 195:155
 - Profile 171:365
 - Repository 171:365
 - Selenium 195:155
 - Selenium-Compound 153:101
 - Skin 166:383
 - Stability 172:267
 - Technetium-99m 172:267
 - Timetable 171:365
 - Trace-Metal 166:383
 - Tumor-Bearing 171:383, 195:155
 - Variation 165:309
 - X-Ray-Irradiated 166:383
 - Yttrium-90 172:267
 - Zinc 153:101, 195:155
- Mu-Oxo** 199:217
- Mu-Spin-Resonance**
 - Defect 190:513
 - Free-Radical 190:493
 - Gas-Phase 190:493
 - Ion 190:513
 - Monocrystal 190:513
 - Point-Like 190:513
 - Quartz 190:513
 - Reactivity 190:513
 - Substituent 190:513
- Mud** 201:321
- Multichannel-Analyzer**
 - Cesium 201:185
 - Cesium-137 201:171
 - Cobalt 201:185
 - Cobalt-60 201:171
 - Configuration 162:15
 - Iodine-131 201:171
 - Low-Cost 162:15
 - Model 201:171
 - Multifunctional 162:15
 - Personal-Computer 162:15
 - Radioactive-Waste 201:171
 - Radiometric-Flow-Injection-Analysis 201:171, 201:185
 - Reverse 201:171
 - Simple 162:15
 - Simultaneous-Determination 201:171
 - Stopped-Flow 201:185
 - Water 201:171
- Multicomponent**
 - Aqueous-Solution 183:99
 - Degradation 183:99
 - Distribution 166:219
 - Fine-Grained-Material 166:219
 - Gamma-Irradiated 183:99
 - Liquid-Chromatography 183:99
 - Nitrobenzene 183:99
 - Performance 183:99
 - Phase-High 183:99
 - Positron 166:219
 - Radiation 183:99
 - Reverse 183:99
 - UV-VIS-Analysis 183:99
 - Waste-Water 183:99
- Multidisciplinary-Center** 180:319
- Multielectrolyte** 158:171
- Multielement**
 - Activation-Analysis 159:121
 - Aluminum-Oxide 168:163
 - Analytical-Technique 181:363
 - Blood 153:257
 - Brand 159:105
 - Calcium 159:121
 - Chinese 159:105
 - Chlorine 159:121
 - Cigarette 159:105
 - Comparative 159:121
 - Comparison 181:363, 192:351
 - Cyclic 185:35
 - Deposition 181:363
 - Dilated-Cardiomyopathy 153:257
 - Fast-Neutron-Activation-Analysis 185:35
 - Fine-Powder 168:163
 - Heavy-Metal 181:363
 - Instrumental-Neutron-Activation-Analysis 192:351
 - Macro-Alga-Sample 159:121
 - Marine 159:121
 - Monitor 181:363
 - Moss 181:363
 - Neutron-Activation-Analysis 169:187
 - Non-destructive 159:121
 - Patient 153:257
 - Phosphorus 159:121
 - Potential 185:35
 - Preparation 168:163
 - Rare-Earth-Element 168:163
 - Reference-Material 159:121, 192:351
 - Silicon-Dioxide 168:163
 - Standard 159:121, 168:163, 169:187
 - Synthetic 159:121
 - X-Ray-Fluorescence-Analysis 153:257
- Multielement-Analysis**
 - Aluminum 175:25
 - Biological-Material 168:5
 - Food 167:139
 - High-Performance-Liquid-Chromatography 168:5
 - Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 175:25
 - Leaf 160:101
 - National-Institute-of-Standards-and-Technology 160:101
 - Neutron-Activation-Analysis 175:25
 - Neutron-Capture 167:139
 - On-line 168:5
 - Peach 160:101
 - Prompt-Gamma-Ray-Activation-Analysis 167:139
 - Radiochemical-Neutron-Activation-Analysis 168:5
 - Standard-Reference-Material 160:101
 - Yield 168:5
- Multielement-Clustering-Technique** 196:377
- Multielement-Measurement** 200:137
- Multielement-Technique** 192:371
- Multielemental**
 - Automated-System 168:329
 - Bremsstrahlung 168:503
 - Cement 162:381
 - Central-India 162:381
 - Copper-Molybdenum 168:503
 - Dust 162:381
 - Factory 162:381
 - Fugitive 162:381
 - Gold-Ore-Sample 168:329
 - Instrumental-Neutron-Activation-Analysis 168:329
 - Microtron 168:503
 - Neutron-Activation-Analysis 162:381
 - Ore 168:503
 - Particulate 162:381
 - Photon-Activation-Analysis 168:503
 - Processing 168:503
 - Product 168:503
- Multielemental-Analysis**
 - Ash 191:181
 - Bituminous-Coal 191:181
 - Coal 191:181
 - Fast-Neutron-Activation 198:475
 - Instrumental-Neutron-Activation-Analysis 191:181
 - Nigerian 191:181
 - Soil-Sample 198:475
- Multielemental-Determination** 156:341
- Multifunctional** 162:15
- Multigeometry** 161:51
- Multilabelling** 195:327
- Multilayer** 190:263
- Multinuclide** 176:391
- Multiparameter** 167:103
- Multiple**
 - Dilute 190:413
 - Europium 190:413
 - Field 190:413
 - Geological-Sample 167:177
 - Hyperfine 190:413
 - In-Pool-Irradiation 167:177
 - Instability 190:413
 - Iron 190:413
 - Large-Sample 167:177
 - Liquid-Scintillation 152:227
 - Magnetic-Phase-Transition 190:413
 - Mixture 152:227
 - Neutron-Activation-Analysis 167:177
 - Probable 152:227
 - Radioassay 152:227
 - Radionuclide 152:227
 - Rare-Earth 190:413
 - $\text{RMn}_2\text{Si}_{2-x}\text{Ge}_x$ 190:413
 - Slowpoke-2-Reactor 167:177
 - Theory 152:227
 - Valence 190:413
 - Value 152:227
- Multiple-Injection** 172:117
- Multiple-Interference** 180:277
- Multiple-Mixture** 155:183
- Multiple-Spectral-Model** 193:207
- Multiple-Time-Interval-Analysis** 159:375
- Multiplet** 193:211
- Multirole** 180:339
- Multiscaling** 160:169
- Multitechnique** 168:223
- Multitracer**
 - 80-MeV/Nucleon 186:113
 - Distribution 195:305
 - Feature 195:297
 - Foil 186:113
 - Immunoglobulin-G 201:273
 - Ion 186:113

- Iron 186:113
- Irradiated 186:113
- Labeling 201:273
- Metal-Ion 195:305
- Plant 195:305
- Preparation 186:113
- Principle 195:297
- Radioactive 186:113
- Tracer-Technique 195:297
- Transport 195:305
- Multivariate-Analysis** 169:363
- Multivariate** 173:179
- Multivariate-Statistical-Treatment** 151:319
- Municipal** 167:331
- Muon-Catalyzed** 178:121
- Murder-Case** 168:249
- Mururoa** 177:107
- Mururoa-Lagoon** 197:387
- Museum** 171:95
- Mushroom**
 - Americium-241 170:243
 - Austrian 200:315
 - Biological-Monitor 155:451, 161:113
 - Cesium-137 155:451, 161:483, 200:315
 - Chernobyl-Fallout 161:483, 180:109
 - Distribution 200:315
 - Edible 180:109
 - Environment 161:113
 - Following 161:483
 - Forest 170:243
 - Gamma-Ray-Spectroscopy 180:109
 - Linhchi 155:451
 - Plutonium-238 170:243
 - Plutonium-239/240 170:243
 - Poland 170:243
 - Pollution 155:451
 - Sample 170:243
 - Soil 170:243
 - Strontium-90 161:483, 170:243
 - Toxic-Element 200:315
 - Trace-Element 161:113, 200:315
- Mustard** 154:427
- Mutual-Diffusion** 198:423
- Myanmar**
 - Activation-Analysis 188:299
 - Arsenic 187:399
 - Copper 188:127
 - Gold 201:269
 - Indigenous-Medicine 187:399, 188:127, 201:269
 - Manganese 187:113
 - Neutron-Activation-Analysis 187:113, 187:399, 188:127, 201:269
 - Ore 187:113
 - Pyrolusite 187:113
 - Seaweed 188:299
- Myanmar (Kalewa-»** 187:175
- Myanmar (Khun-Hnit-par-Shaung-»** 201:117
- Mycobacterium-Smegmatis** 166:431
- Mössbauer-Effect** 169:435
- Mössbauer-Emission-Spectroscopy** 190:215
- Mössbauer-Experiment** 174:291
- Mössbauer-Parameter**
 - Anomalous 164:405
 - Artificial-Neural-Network 190:439
 - BCS-Type 164:405
 - Cation 165:191
 - Change 164:405
 - Crystalline-Structure 190:439
 - Dependence 165:191
 - $\text{Fe}(\text{CO})_4(\text{C}_2\text{H}_5)$ 199:95
 - $\text{Fe}(\text{CO})_5$ 188:83
 - High-Temperature 164:405
 - Identification 190:439
 - Indication 164:405
 - Low-Temperature 199:95, 199:477, 201:417
 - Matrix 199:95, 199:477, 201:417
 - Molecular-Orbital-Calculation 188:83, 199:95, 199:477, 201:417
 - Nitroprusside 165:191
 - Outer 165:191
 - Photofragment 188:83
 - Photoproduct 201:417
 - $\text{Sn}(\text{CH}_3)_n\text{H}_{4-n}$ 201:417
 - Superconductivity 164:405
 - Tin-Compound 199:477
 - T_2 164:405
- Mössbauer-Spectroscopy**
 - Acrylonitrile-Alkyl-Acrylate-Copolymer 171:417
 - Alkali-Metal-Hexakis-(Trimethylacetato)-Ferrate(III)-Complex 155:211
 - Analytical 186:463
 - Anomalous 165:115
 - Approach 186:463
 - Atom 173:107, 190:425
 - Atomic 190:279
 - Austenite-Formation 165:115
 - Barium-Chlorofluoride 190:431
 - Carbide 153:409
 - Catalytic-Property 190:407
 - Cesium 201:57
 - Characterization 190:431
 - Chloroacetate 190:257
 - Clay 152:453
 - Cluster 190:279
 - Cobalt-57 154:95
 - Cobalt-57-Labeled 173:107
 - Cobalt-Iron-Carboxylate 173:107
 - $\text{CoFe}_2\text{O}(\text{CH}_3\text{CO}_2)_6(\text{H}_2\text{O})_3$ 154:95
 - Coincidence 154:95
 - Conversion 186:447, 190:289, 190:327
 - Corrosion 165:107, 175:467
 - Crystal-Structure 190:257
 - Crystallization 190:381
 - Defect 190:425
 - Degradation 190:289
 - Deionized 175:467
 - Dependence 153:409
 - Diffractometry 152:453
 - Distribution 153:423
 - Dominican-Republic 152:453
 - Electrochemical-Deposition 190:327
 - Electron 186:447, 190:289, 190:327
 - Emission 173:107
 - ESR 154:197, 164:255
 - Europium-151 190:401
 - Exposure 165:107
 - Fe-Ni-Cr-Alloy 190:327
 - Ferric-Chloride 171:417
 - Ferrisilicate 190:407
 - Ferritin 190:237
 - Firing 152:453
 - Formation 164:255
 - Fourier-Transform-Infrared-Spectroscopy 190:381
 - Generation 153:409
 - Glass 190:381
 - Hemoglobin 190:243
 - High-Temperature 190:401
 - Higher-Oxidation-State 157:401
 - Highly-Functional 190:381
 - Hyperfine 153:423
 - Identification 199:443
 - Immersion 175:467
 - In-Situ 190:407
 - Incorporation 190:237
 - Iodine 190:425
 - Iron 157:401, 190:237, 190:289
 - Iron(III)-Carboxylate 199:443
 - Iron-57 173:107, 190:401
 - Iron-Containing 190:407
 - Iron-Dextran-Complex 190:449
 - Iron-Hydroxide 181:189
 - Iron-Samarium-Mixed-Oxide-System 186:455
 - Kinetic-Behavior 165:115
 - KY 164:255
 - Labeled 154:95
 - Layer 190:289
 - Ligand 190:425
 - Limestone 152:453
 - Magnetic-Field 153:423
 - Magnetite 190:357, 199:289
 - Memointerference 190:199
 - MFI 190:407
 - Microstructural-Peculiarity 190:449
 - Mild-Steel 175:467
 - Mineralogical-Analysis 152:453
 - Mixed-Valence-State 173:107
 - Mixture 152:453
 - Mobility 190:279
 - Natural 190:357
 - NaY 164:255
 - Ordering 190:327
 - Oxo-Centered 190:257
 - Oxocompound 157:401
 - Passive 190:289
 - Phase 153:409
 - Phenomenon 190:199
 - Phthalocyanineiron(II)-Pyridine-Adduct 164:255
 - Phthalocyanineiron(II) 154:197
 - Polishing 186:447
 - Positron-Annihilation 190:243, 190:449
 - Precipitation 153:409, 181:189
 - Pressure 153:409
 - Product 155:211, 166:309, 181:189, 186:213, 199:443
 - Prolonged 175:467
 - Pyridine-Inactive 154:197
 - Pyrolysis 186:213
 - Pyrrhotite 153:423
 - Radioactive-Waste 166:309, 181:189
 - RbY 164:255
 - Relation 190:407
 - Samana-Bay-Dominican-Republic 200:483
 - Sand 190:357
 - Sea-Water 165:107
 - Sediment 200:483
 - Shock-Wave 153:409
 - Short-Range 190:327
 - Silver 190:425
 - Sodium-Ferrate 162:239
 - SS-304 165:107
 - Stabilization 190:431
 - Stainless-Steel-Sample 186:447
 - Stannous-Ion 190:431
 - Steel 153:409, 165:115
 - Structural-Modification 190:243
 - Structure 190:431
 - Supercage 154:197, 164:255
 - Superconductor 190:401
 - Synthesized 186:213
 - Synthetic 199:289
 - Temperature 152:453
 - Thallium-Containing 190:401
 - Thermal-Decomposition 155:211, 199:443, 201:57
 - Thermal-Treatment 186:455
 - Thermodynamics 190:279
 - Tin-119 190:425, 190:431
 - Ti^{2+} 190:431
 - Treatment 166:309, 181:189
 - Trinuclear 173:107
 - Trinuclear-Complex 190:257
 - tris(1,10-Phenanthroline)-Iron(II)-Ion 186:213
 - tris(Oxalato)Ferrate(III)-Dihydrate 201:57
 - Tungstate 190:381
 - Ultrafine 190:279
 - Unhybridized 190:431
 - Vanadate 190:381
 - Water 175:467
 - X-Ray 190:357
 - X-Ray-Diffraction 190:401
 - X-Ray-Fluorescence-Analysis 200:483
 - X-Ray-Powder 152:453
 - XPS 186:447
 - XRD 190:381
 - Zeolite 154:197, 164:255
 - Zeolite-Y 186:213
 - Mössbauer-Spectrum** 200:443
 - N-Substitution** 175:161
 - Na** see **Sodium**
 - NAA** see **Neutron-Activation-Analysis**
 - NADA** 160:277
 - NADA92** 180:55
 - Nahuel-Huapi-National-Park** 198:437
 - Nail** 181:33
 - Nanocermet** 190:341
 - Nanogram** 156:223
 - Nanogram-Level**
 - Biological-Sample 161:5
 - Cadmium 161:5
 - Combined 172:305
 - Compton-Suppression-System 161:5

- Epithermal-Neutron-Activation-Analysis 161:5
- Instrumental 161:5
- Lanthanoid 172:305
- Macro-Alga 172:305
- Marine 172:305
- Neutron-Activation-Analysis 172:305
- Precipitation 172:305
- Selective 172:305
- Separation 172:305
- Narrow** 187:265
- Naso-Pharyngeal-Cancer-Patient** 175:139
- National** 156:313
- National-Institute-of-Standards-and-Technology**
 - Apple 168:169
 - ASTM 168:169
 - Botanical 160:41
 - Certification 160:41, 193:7
 - Cold-Neutron 160:315, 167:121, 180:263
 - Comparison 179:155
 - Depth 160:315
 - Fly-Ash 193:7
 - Gradient 200:457
 - High-Accuracy 160:41
 - Human-Lung 172:299
 - Instrument 160:315
 - Instrumental-Neutron-Activation-Analysis 193:7
 - Intercomparison 168:169
 - Isotopic-Composition 172:299
 - Leaf 160:101, 168:169
 - Manganese-53 200:457
 - Mapping 200:457
 - Medium-Lived-Radionuclide 179:155
 - Multielement-Analysis 160:101
 - Neutron-Activation-Analysis 160:41, 179:155, 200:457
 - Neutron-Capture 167:121
 - Neutron-Flux 200:457
 - Nuclear-Method 168:169
 - Optimization 200:457
 - Peach 160:101, 168:169
 - Plutonium 172:299
 - Profiling 160:315
 - Progress-Report 180:263
 - Prompt-Gamma-Activation-Analysis 180:263
 - Prompt-Gamma-Ray-Activation-Analysis 167:121
 - Reactor 200:457
 - Research-Facility 167:121
 - Soil 179:155
 - Standard-Reference-Material 160:41, 160:101, 168:169, 172:299, 179:155, 193:7
- Native**
 - Copper 159:9, 191:145
 - Copper-64 159:9
 - Enzymatic-Activity 159:9
 - Instrumental-Neutron-Activation-Analysis 191:145
 - Loss 159:9
 - Replacement 159:9
 - Superoxide-Dismutase 159:9
- Natural**
 - (alpha-pxn)-Reaction 162:145
 - 27-MeV 187:143
 - Abundance-Level 159:305
 - Adsorption 166:41, 171:347
 - Air-Pollutant 167:237
 - Alpha-Induced-Reaction 165:295
 - Alpha-Particle 187:143
 - Analytical-Method 182:21
 - Aqueous 154:265
 - Aqueous-Solution 187:431
 - Assay 170:17, 201:165
 - Association 198:229
 - Bentonite 162:325
 - Bias 167:237
 - Cake 170:17
 - Carbon-13 159:305, 174:243, 183:301, 198:3
 - Carrier-Free 185:305
 - Cesium 185:319
 - Cesium-137 181:447
 - Chemical 187:441
 - Clay 187:431
 - Clinoptilolite 159:317
 - Cobalt 166:41
 - Cobalt-60²⁺ 187:431
 - Comparative 187:431
 - Comparison 182:21
 - Component 198:229
 - Contact 187:431
 - Conversion 170:17, 201:165
 - Crude 170:17, 201:165
 - CSFR 166:41
 - Decarbonylation 159:305, 174:243, 183:301, 198:3
 - Deer 188:401
 - Diuranate 170:17
 - Drug 170:265
 - Effluent 156:75
 - Enrichment-Factor 167:237
 - Environment 188:401
 - Erbium 165:295
 - Estimation 156:75
 - Evaluation 185:319
 - Fallout 181:447
 - Feasibility 168:61
 - Fission-Product 198:229
 - Formic-Acid 183:301, 198:3
 - Gamma-Ray-Spectrometry 170:17, 201:165
 - Geology 167:237
 - Grade 201:165
 - Indicator 167:237
 - Initiated 198:3
 - Inorganic-Sorbent 157:3
 - Input 201:165
 - Instrumental-Neutron-Activation-Analysis 168:61, 170:265
 - Interlaboratory 182:21
 - Iodine-127 188:401, 198:229
 - Iodine-129 188:401, 198:229
 - Isotope 182:21, 198:229
 - Isotopic-Composition 174:243, 183:301, 198:3
 - Kinetic-Isotope-Effect 159:305, 174:243, 183:301, 198:3
 - Lactic-Acid 159:305, 174:243
 - Laumontite 154:265
 - Lead-210 181:447
 - Liquid 198:3
 - Low-Level 156:75
 - Lutetium-177 185:305
 - Magnesium-Fluoride 170:17
 - Magnetite 190:357
 - Material 154:265, 201:165
 - Mediterranean-Sea 181:447
 - Migration 171:347
 - Mineral 157:3, 171:347
 - Mordenite 185:319
 - Mössbauer-Spectroscopy 190:357
 - Neon 187:143
 - Neutron-Activation-Analysis 187:441
 - Neutron-Irradiation 185:305
 - Nuclear 201:165
 - Nuclear-Facility 188:401
 - Nuclear-Fuel 188:401
 - Nuclear-Waste 154:265
 - Occurring 166:41
 - Phosphoric-Acid-Medium 174:243, 183:301
 - Phosphorus-Pentoxide 198:3
 - Plant 156:75, 170:17, 188:401, 201:165
 - Potential 154:265
 - Pre-collection 187:441
 - Procedure 198:229
 - Processing 156:75
 - Radioactive-Waste 162:325
 - Radiochronology 181:447
 - Radium 171:347
 - Remote 188:401
 - Removal 159:317
 - Reprocessing 188:401
 - Rock-Sample 182:21
 - Ruthenium-Oxide 159:317
 - Samarium 162:145
 - Sand 190:357
 - Sediment 181:447
 - Selenium(IV) 187:441
 - Selenium(VI) 187:441
 - Separation 185:305
 - Sequential-Extraction 198:229
 - Series 182:21
 - Site 188:401
 - Slag 170:17
 - Small: 188:401
 - Sodium-22 187:143
 - Soil 168:61, 198:229
 - Sorption 157:3, 185:319
 - Structural-Stability 187:431
 - Syrian 162:325
 - Target 185:305, 187:143
 - Technetium 157:3
 - Thick 187:143
 - Thorium 156:75, 182:21
 - Thyroid 188:401
 - Trace-Element 168:61, 170:265
 - Treatment 154:265, 162:325
 - Uranium 170:17, 182:21
 - Uranium-Metal 201:165
 - Uranium-Tetrafluoride 201:165
 - Vapor 159:317
 - Water-Sample 187:441
 - X-Ray 190:357
 - Yield 187:143
 - Ytterbium 185:305
 - Zeolite 154:265, 166:41, 187:431
- Natural-Crystal** 189:147
- Natural-Law** 192:255
- Natural-Nuclear-Reactor** 155:107
- Natural-Radioactivity**
 - Aluminum 153:383
 - Artificial-Radioactivity 201:31
 - Ash 201:333
 - Behavior 197:173
 - Building-Material 199:229
 - Coal 201:333
 - Collected 199:229
 - Construction 176:315
 - Eastern-Black-Sea-Turkey 201:31
 - Element 176:315
 - Enhancement 155:97
 - Fertilizer 197:173
 - Gamma-Ray-Spectroscopy 153:383
 - Gamma-Spectroscopy 176:315
 - Guadalquivir-River-South-Spain 178:337
 - Human-Activity 155:97
 - Level 197:173, 201:31
 - Lusaka-Zambia 199:229
 - Material 176:315
 - Neutron-Activation-Analysis 176:315
 - Phosphate 197:173
 - Plant 197:173
 - River 155:97
 - Sediment 201:31
 - Southwestern-Spain 155:97
 - Track-Registration-Technique 176:315
 - Vicinity 197:173
 - Zambian 201:333
- Natural-Sample** 189:141
- Natural-Source** 197:15
- Natural-Water**
 - Antimony(III, V) 196:3
 - Cyclotron 200:227
 - Dibenzoylmethane-Loaded 172:319
 - Fluorine-18 200:227
 - Followed 196:3
 - IPEN-CNEN-SP 200:227
 - Loaded 196:3
 - Neutron-Activation-Analysis 196:3
 - Polyurethane-Foam 172:319
 - Preconcentration 172:319, 196:3
 - Production 200:227
 - Resin 196:3
 - Separation 196:3
 - Spectrophotometry 172:319
 - Target 200:227
 - Thionalide 196:3
 - Tributyl-Phosphate-Plasticized 172:319
 - Uranium: 172:319
- Naturally-Occurring**
 - Anomalous 158:323
 - Deuteron 158:323
 - Deuteron/Hydrogen-Ratio 158:323
 - Disintegration 158:323
 - Fission 158:323
 - Long-Term-Behavior 194:283
 - Possibility 158:323
 - Radionuclide 194:283
 - Reaction 158:323
 - Spruce 194:283
 - Tree-Ring 194:283
 - Uptake 194:283
- Nature**
 - Abundance 192:255
 - Conformity 192:255
 - Elemental 192:255
 - Fortuity 192:255

- Multirole 180:339
- Natural-Law 192:255
- Royal-Military-College-of-Canada 180:339
- Slowpoke-2-Facility 180:339
- NaY** 164:255
- Na₄UO₂-(O₂)₃√8H₂O-Complex** 175:63
- NdX** 164:229
- NdY** 164:229
- Nd_{1.84}Ce_{0.16}CuO₄** 190:391
- Near-Surface**
 - Copper 153:37
 - Diffusion 153:37
 - Iodide-Anion 153:37
 - Layer 153:273
 - Material 153:273
 - Region 153:37
 - Sulfur-32-(He-3,p)-Chlorine-34m-Nuclear-Reaction 153:273
 - Volume 153:37
- Needle**
 - Atmospheric 192:229
 - Bismuth-210 177:219
 - Deposition 192:229
 - Elemental-Content 192:229
 - Lichen 192:229
 - Liquid-Scintillation-Counting 177:219
 - Monitoring 192:229
 - Moss 192:229
 - Neutron 192:229
 - Pine 177:219, 192:229
 - Polonium-210 177:219
 - Resonance 192:229
 - Simultaneous-Determination 177:219
 - Solvent-Extraction 177:219
- Negative** 190:519
- Negative-Ion** 193:301
- Neighboring** 182:367
- Neodymium**
 - Acid 170:207
 - Aliquat-336 163:277
 - Europium 170:207
 - Mixture 163:277
 - Nitrate-Medium 163:277
 - Praseodymium 163:277
 - Solvent-Extraction 170:207
 - Synergic-Liquid-Liquid-Extraction 163:277
 - Thulium 170:207
 - Tributyl-Phosphate 163:277
- Neodymium(III)** 174:271
- Neodymium-147** 163:385
- Neodymium-Fluoride** 197:133
- Neodymium-Y** 187:223
- Neon**
 - 27-MeV 187:143
 - Alpha-Particle 187:143
 - Natural 187:143
 - Sodium-22 187:143
 - Target 187:143
 - Thick 187:143
 - Yield 187:143
- Neon-20-(d,α)-Fluorine-18**
 - Behavior 196:107
 - Chamber 196:107
 - Construction 182:445
 - Contribution 182:445, 196:107
 - Cyclotron 182:445, 196:107
 - Electrical-Field 196:107
 - Material 182:445
 - Metal-Surface 182:445
 - Production 182:445
 - Radionuclide 196:107
 - Recovery 182:445
 - Target 182:445, 196:107
 - Testing 182:445
- Neon-20-(d,α)-Fluorine-18-Reaction** 182:237
- Neon-23** 198:247
- Neptunium**
 - 2-Heptanone 190:175
 - Acid 187:159
 - Actinide 170:359
 - Americium 161:533, 172:97, 183:245, 190:175
 - Analytical-Separation 172:97
 - Assay 157:281
 - Behavior 170:359
 - Chromatography 172:97
 - Coulometry 187:265
 - Cycle 187:159
 - Distribution 187:159
 - Environmental-Matrix 157:281
 - Environmental-Sample 186:341
 - Extraction 172:97, 183:245
 - Hanford 161:533, 190:175
 - High-Level 183:245
 - Highly-Radioactive-Waste 161:533
 - Ion-Exchange 161:533
 - Iron-Hydroxide 190:175
 - Irradiated 170:359, 172:107
 - Liquid-Membrane 186:341
 - Liquid-Scintillation-Counting 183:245
 - Long-Lived-Actinide 157:281
 - Luminescence 186:341
 - Narrow 187:265
 - Plutonium 161:533, 172:97, 183:245, 190:175
 - Precipitation 190:175
 - Preconcentration 186:341
 - Purex 187:159
 - Radioactive-Waste 183:245
 - Separation 161:533, 170:359, 172:107
 - Sequential 161:533
 - Simulated 190:175
 - Solvent-Extraction 190:175
 - Span 187:265
 - Supported 186:341
 - Target 170:359, 172:107
 - Total 190:175
 - Tributyl-Phosphate/Nitric-Acid-System 172:97
 - Tributyl-Phosphate/XAD-4-Column 172:97
 - Uranium 172:97, 172:107
 - Waste 190:175
- Neptunium(V)-Carbonate** 186:257
- Neptunium-235** 173:273
- Neptunium-237**
 - Americium-241 156:201
 - Anomaly 197:369
 - Behavior 156:201
 - Chemical-Leaching-Behavior 154:299
 - Coastal 156:201, 182:5
 - Distribution 156:201
 - Environmental-Sample 173:273, 177:149
 - Estuarine 156:201
 - Estuary 197:369
 - India 182:5
 - Inductively-Coupled-Plasma-Mass-Spectrometry 177:149
 - Intertidal 197:369
 - Intertidal-Coastal-Sediment 154:299
 - Irish-Sea 154:299, 156:201, 197:369
 - Marine-Environment 182:5
 - Neptunium-235 173:273
 - Neptunium-239 173:273
 - Nuclear 182:5
 - Plutonium-239/240 156:201
 - Radiochemical 173:273
 - Ribble 197:369
 - Sediment 156:201, 197:369
 - Simultaneous-Determination 173:273
 - Site 182:5
 - Technetium-99 156:201, 177:149
 - Tracer 173:273
- Neptunium-238** 154:139
- Neptunium-239**
 - Environmental-Sample 173:273
 - Neptunium-235 173:273
 - Neptunium-237 173:273
 - Neutron-Irradiated-Compound 158:353
 - Radiochemical 173:273
 - Simultaneous-Determination 173:273
 - Speciation 158:353
 - Tracer 173:273
 - Uranium 158:353
- Network** 187:47
- Neurodegenerative-Disease** 179:331
- Neurological-Disease** 168:223
- Neutral** 188:133
- Neutral-Donor**
 - Actinide 170:479
 - Extraction 170:479, 200:1
 - Phosphonic-Acid 200:1
 - Synergistic-Extraction 170:479
 - Tropolone 170:479
 - Uranium(VI) 170:479, 200:1
- Neutral-Hot-Spring-Water** 153:357
- Neutron**
 - (n,n') 176:295
 - 14-MeV 162:277, 167:467, 168:317, 172:357
 - 14.7-MeV 166:493
 - 22-GeV 189:191
 - 44-GeV 189:191
 - Absorption 178:73
 - Age 181:343
 - Americium-241-Beryllium 161:51
 - Americium-Beryllium 181:343
 - Anisotropy-Factor 200:127
 - Approach 180:255
 - Atmospheric 192:229
 - Calibration 161:51
 - Californium-252 176:295
 - Carbon-Ion 189:191
 - Chemical-Element 192:73
 - Copper-Target 189:191
 - Cross-Section 160:387, 166:493, 170:367
 - Deposition 192:229
 - Depth 167:111, 180:255
 - Design 161:51
 - Detector 167:197
 - Deuterium-(d,n)-Helium-3-Reaction 200:127
 - Distance 181:343
 - Elemental-Analysis 179:285
 - Elemental-Content 192:229
 - Energetic 160:387
 - Explosive-Material 162:277
 - Extraction 172:357
 - Fertilizer 168:317
 - Field 166:279
 - Fission 176:295
 - Fluoride-Ion 172:357
 - Fluorine 172:357
 - Formation 170:367
 - Gamma-Ray-Spectroscopy 160:387
 - Generating 178:73
 - Generation 189:191
 - Generator 166:279, 168:393
 - Hydrogen 178:73
 - Identify 192:73
 - Imaging 167:197
 - Industrial-Analysis 168:393
 - Inelastic-Scattering 160:387
 - INS 192:73
 - Interrogation 192:73
 - Iron-59-(n,γ)-Iron-60-Reaction 170:367
 - Iron-60 170:367
 - Irradiation 189:191
 - Irradiator 161:51
 - Isotope 166:493, 168:257
 - Lichen 192:229
 - Long-Life 168:393
 - Massive 189:191
 - Mean-Squared 181:343
 - Monitoring 192:229
 - Moss 192:229
 - Multigeometry 161:51
 - Needle 192:229
 - Oxygen 167:467, 168:257
 - Perspex 181:343
 - Phosphate 168:317
 - Pine 192:229
 - Planetary 160:387
 - Possibility 168:393
 - Production 160:387, 176:295
 - Profiling 167:111, 180:255
 - Reactor 168:257, 168:317, 170:367
 - Reflection 154:393
 - Resonance 192:229
 - Reversible 178:73
 - Revisited 168:257
 - Sealed-Tube 166:279, 168:393
 - Separation 172:357
 - Slowing-Down 181:343
 - Technetium-99m 176:295
 - Tomography 179:285
 - Total-Body 161:51
 - Transmission 179:285
 - Triphenyltin-Chloride 172:357
 - Tritium-(d,n)-Helium-4-Reaction 200:127
 - Tube 166:279, 178:73
 - Water 154:393
 - Yield 200:127
 - Zeolite 154:393
- Neutron-Absorption-Method** 199:305
- Neutron-Activated** 161:585

Neutron-Activated-Nuclide
151:113**Neutron-Activation**

- Acid-Rain 161:89
- Alloy 168:481
- Arsenic 170:299
- Automated 180:55
- Behavior 161:503
- Beta-Spectroscopy 180:115, 192:45
- Chemical-Separation 174:57
- Chromatography 161:89
- Chromium 170:299
- Composition 161:503
- Control 154:365
- Coral 169:339
- Cornell 192:65
- Data-Analysis 160:277, 180:55
- Delayed-Neutron-Counting 179:35
- Depth 180:115
- Diffusion 169:339
- Disintegration-Process 154:365
- Element 169:339
- Elemental-Assay 174:115
- Extraction 161:89
- Factor 151:365
- Fire-Assay 198:169
- Fish 170:299
- Food-Sample 169:255
- Gamma-Ray-Spectroscopy 174:115
- Glass 161:503
- Groundwater 161:503
- High-Temperature-Superconducting-Material 151:365
- Human-Urine 182:53
- Hydride 174:57
- Implanted 169:339
- In-Vivo 169:339
- Interference 198:169
- Isotopic-Analysis 179:35
- Kinetics 169:339
- Leaching 161:503
- Marine 170:299
- Material 174:115
- Memory 168:481
- Mercury 170:299
- Metal 174:57
- Microelectronic-Material-Research 192:65
- Monitoring 174:115
- NADA 160:277
- NADA92 180:55
- Neutron-Flux 174:115
- Nickel-Sulfide 198:169
- Non-destructive 179:35
- Ore 154:365
- Oxygen 151:365
- Particle-Induced-X-Ray-Emission 153:75
- PC 160:277
- Phosphorus 174:57
- Platinum 198:169
- Preservative 180:115
- Profiling 180:115
- Program 160:277
- Rapid 179:35
- Reversed-Phase 161:89
- Sea 169:255
- Selenium 170:299
- Shape 168:481
- Short-Lived-Radionuclide 192:45
- Sodium-Borosilicate 161:503
- Standard 174:115
- Surface-Area/Volume-Ratio 161:503
- Tellurium 198:169
- Temperature 161:503
- Thorium 182:53
- Toxic-Element 169:255
- Trace-Element 161:89, 169:255
- TRIGA-Reactor 192:65
- Tropical 170:299
- Ultratrace 198:169
- Uranium 179:35
- User-Friendly-Program 180:55
- Versatile 160:277
- Wood 180:115
- X-Ray-Fluorescence-Analysis 153:75
- Zeolite 153:75
- Zinc 170:299

Neutron-Activation-Analysis

- (n,gamma)-Reaction-Rate 152:435
- 1-(2-Thiazolylazo)-2-Naphthol 168:439
- 14-MeV 167:67, 169:283, 172:357, 189:15
- Abbreviated 180:29
- Absolute-Method 189:15
- Abundance 201:381
- Accreditation 179:141
- Accuracy 179:131
- Acetone 161:227
- Acrylic 171:277
- Activated-Charcoal 166:31
- Advanced 167:7
- Advantage 169:443
- Aerosol 159:21
- Affair 179:93
- Air 174:43
- Alloy 189:15, 192:91
- Alternative 152:435
- Aluminum 163:307, 164:293, 175:25
- American 192:109
- Americium-241-Beryllium 161:51
- Amount 192:163, 201:13
- Analytical-Factor 179:113
- Ancient 168:273, 196:267
- Animal 172:125
- Antarctic 168:107
- Antarctic-Peninsula 159:21
- Antarctica 151:345
- Antimony 170:225
- Antimony(III,V) 196:3
- Archaeological 180:29
- Archaeological-Sample 154:173
- Arsenic 170:225, 173:357, 187:399
- Artificial 169:201
- Asbestos 189:101
- Ash 169:277
- ASPRO-NUC 193:195
- Assay 164:293, 196:11
- Assessment 169:347
- Associated 196:267
- Assurance 179:87
- Atmosphere 166:465, 201:347

- Atmospheric 167:227, 174:43, 192:205
- Australian 163:195, 185:293
- Automatic-Analyzer 160:407
- Automatic-System 167:97
- Background 192:331
- Background-Measurement 151:293
- Beach 199:51
- Bioavailability 151:255
- Biochemical-Technique 151:287
- Biological-Material 157:239, 157:265, 164:115, 174:177, 181:43, 190:23, 192:117
- Biological-Reference-Material 198:343
- Biological-Sample 182:205, 201:13
- Biological-Tissue 195:117
- Bismuth(III) 179:267
- Black 186:489
- Black-on-White 196:215
- Blood 158:293
- Body 161:11
- Bone 164:293, 165:41
- Bone-Disease 169:307
- Botanical 160:41
- Brazilian 151:271, 164:265, 173:179, 179:369
- Broadening 172:29
- Bromine 167:353
- Bromine-79-(n,gamma)-Bromine-80-Reaction 183:313
- Burundi 199:431
- Cadmium 168:23, 189:333
- Calcium 160:55, 169:307
- Calculation 160:269, 183:313
- Calibration 161:51
- Canada 189:101
- Cement 162:381
- Central-India 162:381
- Ceramic-Material 168:417
- Ceramics 192:109, 196:215
- Cerium 187:237, 201:347
- Certification 160:41, 198:343
- Cesium 174:177, 199:375
- Challenge 167:169
- Change 158:293
- Characterization 170:411, 192:289, 192:331, 193:15, 196:215
- Charged-Particle-Activation-Analysis 168:337
- Chemical 187:441
- Chemical-Separation 182:295, 201:13
- Chicken 169:283
- Chlorine 167:353
- Chromatography 157:265
- Chromium 201:347
- Clinical-Chemistry 195:123
- CLP-Type 192:339
- Co-precipitation 168:23
- Coal 169:219
- Cobalt 181:43, 192:91
- Code 160:269
- Cogenetic 199:51
- Collect 199:365
- Colloidal 167:445
- Coloured 198:499
- Combined 172:305
- Commercial 172:125
- Comparative-Study 172:125
- Comparison 157:239, 168:115, 169:301, 179:155, 192:29
- Compensation 198:253
- Component 158:293, 169:113
- Composite 164:115
- Composition 168:115
- Compositional-Analysis 192:109
- Computer 160:269
- Computer-Program 169:471
- Concentration 160:269, 161:11, 164:131, 183:313
- Condition 168:403
- Construction 176:315
- Contact 195:209
- Container 157:301
- Contaminant 195:209
- Content 158:293
- Contribution 170:225
- Convention 152:435
- Copper 182:295, 188:127, 201:13
- Copper-Mill 181:425
- Coprecipitation 168:439, 179:267
- Corn 164:265
- Corn-Sample 151:287
- Correction 160:253, 172:29, 183:313
- Correction-Method 193:239
- Costa-Rica 170:411
- Counting 160:253, 169:219, 198:253
- Counting-Loss 193:239
- Coupled 168:133
- Criterion 195:139
- Crown-Ether 189:127, 199:151
- Crude 168:145, 198:17
- Data 168:115, 168:273, 169:453, 192:331, 192:339, 193:195
- Date 169:283
- Dating 154:173
- Decay 198:253
- Dedicated 192:91
- Delayed-Gamma-Ray 192:39
- Delayed-Neutron-Analysis 164:131
- Deposition 192:205
- Design 161:51
- DEXA 169:301
- Diet 163:195
- Direct 175:325, 179:105
- Dissolution 182:257
- Distribution 151:287, 151:301, 164:265, 168:107
- Drinking 164:373
- Drinking-Water 163:307
- Dual-Energy 195:139
- Dual-Photon-Absorptiometry 169:301
- Dung 169:283
- Dust 162:381, 163:313
- Ecole-Polytechnique-de-Montréal 180:347
- Electrode 199:375
- Element 151:159, 151:287, 151:301, 169:113, 173:179, 176:315, 192:91, 196:11
- Elemental-Characterization 168:471
- Elemental-Composition 163:313

- Elemental-Sensitivity 192:39
- Endogenous 161:11
- Environmental 163:307
- Environmental-Material 157:265, 174:177
- Environmental-Sample 169:219, 182:205, 189:333, 197:149
- Environmental-Toxicology 195:123
- Epithermal-Proton-Activation-Analysis 169:471
- Erythrocyte 164:183
- Etruscan 168:273
- Evaluation 164:373, 172:29, 187:255, 195:139
- Evaluation-Method 181:395
- Extension 169:125
- Extraction 161:227, 172:357
- Facility 167:7
- Factor 151:293
- Factory 162:381
- Field-Sample 192:361
- Fire 196:11
- Fission 168:153
- Fluoride-Ion 172:357
- Fluorine 172:357
- Foil 192:91
- Followed 196:3
- Following 158:293, 163:313
- Food 195:209
- Formulation 201:117
- Forthcoming 179:141
- Fugitive 162:381
- Future 160:9, 160:31
- Gabbro 168:115
- Gallium 157:265
- Gallium-Arsenide 168:449
- Gamma-Gamma-Coincidence 160:253
- Gamma-KX-Coincidence 160:253
- Gamma-Line 179:113
- Gamma-LX-Coincidence 160:253
- Gamma-Ray-Spectrometry 193:195
- Gamma-Spectrometry 175:325, 179:61
- Gamma-Spectroscopy 176:315
- Gamma-Spectrum 193:179
- Gaseous 174:43
- GC(EC) 195:67
- General 181:395
- Geochemical-Contamination 170:225
- Geological 182:295
- Geological-Material 168:133
- Geological-Sample 167:177
- Geometry 198:253
- Geophagia 179:341
- GOG-1 168:115
- Gold 167:445, 192:91, 199:375, 201:269
- Gradient 200:457
- Guayabo-Costa-Rica 154:173
- Guideline 192:339
- Hafnium 199:51
- Hair 179:369, 195:67
- Head 179:369, 195:67
- Heavy-Metal 192:289
- High-Accuracy 160:41, 179:61, 192:91
- High-Count-Rate 179:61
- High-Purity 164:321, 168:471, 187:237, 189:183
- Household 192:289
- Human 158:293, 161:11, 172:125
- Human-Bone 196:267
- Human-Hair 151:301
- Hydrated 192:163
- Hydration 192:39
- Hydrous 151:131
- Hypokinesia 169:307
- Identification 160:269, 179:341, 186:489, 193:195
- Immunoassay 167:445
- Importance 172:29
- Improvement 195:117
- Impurity 155:343, 164:321, 168:449, 169:113, 187:237
- In-Pool-Irradiation 167:177
- In-Vivo 151:293, 169:325
- Including 193:179
- Indigenous-Medicine 187:399, 188:127, 201:117, 201:269
- Indium 158:149, 182:295
- Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 168:115, 175:25
- Inductively-Coupled-Plasma-Mass-Spectrometry 157:239, 192:29, 197:149
- Industrial-Area 166:465, 201:347
- Industry 151:397
- Infant 195:139
- Information-Theory 169:347
- Inorganic-Element 164:265
- Inorganic-Impurity 168:403
- Interactive 169:471
- Interference 168:153
- Internal-Organ 151:301
- Interpretation 169:201
- Interrelationship 173:179
- Introduction 169:201
- Iodine 164:373, 169:73
- Iodine-127 197:149
- Iodine-129 174:43, 180:179, 197:149
- Ion-Exchange 157:265
- Ion-Exchange-Resin 180:179
- Ion-Exchanger 164:115
- Iridium 168:337, 185:3
- Iron 201:225
- Irradiation 157:301, 168:403
- Irradiator 161:51
- Isotope 151:255, 179:113, 186:489, 193:195, 201:225
- Isotope-Exchange 164:373
- Isotopic 201:381
- Israel 163:313
- Khun-Hnit-par-Shaung-Myanmar 201:117
- k_0 157:301, 169:201, 169:219, 179:105, 179:113
- k_0 -Concept 160:269
- k_0 -Factor 179:87
- k_0 -Method 152:435
- k_0 -Standardization 160:253, 168:133, 168:417, 169:125, 179:93
- k_1 -Concept 169:201
- k_1 179:113
- Laboratory 179:141, 180:347
- Lake 151:159
- Langkawi 186:489
- Lanthanoid 172:305
- Lanthanum-Oxide 164:321, 187:237
- Lanthanum-Phosphate 176:471
- Large-Sample 167:169, 167:177
- Large-Scale 155:1
- Lead 189:333
- LEPD 160:253, 169:219
- Limb 169:325
- Limestone 164:131
- Line 172:29
- Liquid-Scintillation-Counting 201:381
- Lithium 172:289
- Lithium-6 201:381
- Lithium-7-Hydroxide 199:365
- Lithium-Niobate 164:327
- Liver-Autopsy-Sample 175:325
- Loaded 196:3
- Local-Area-Network 169:443
- Longitudinal-Distribution 166:465
- Low-Background 201:381
- Low-Dose 158:293
- Low-Level 172:289
- Lutetium 192:91
- LWR 180:179
- Macro-Alga 172:305
- Magnesium-Oxide 151:131, 192:163
- Major 181:395, 201:347
- Major-Element 198:17
- Management 193:195
- Manganese 163:195, 187:113
- Manganese-53 200:457
- Mapping 200:457
- Marble 168:273
- Marine 172:305
- Material 168:471, 176:315, 195:209
- Matrix 189:183, 199:375
- Medicinal 195:185
- Medicine 169:277
- Medium-Lived-Radionuclide 179:155
- Mercury 179:305, 179:369, 182:205, 195:67, 195:117
- Mesa-Verde 196:215
- Metabolite 181:395
- Metallic 168:337
- Meteoritic-Sample 182:295, 185:3
- Microcomputer 169:453
- Microelectronic-Application 168:403
- Milk-Sample 172:125
- Mineral 151:397
- Mineralizate 164:115
- Minor 181:395
- Minor-Element 172:125, 192:183
- Mixed-Bed 180:179
- Modified-Westcott-Formalism 179:93
- Molybdenum 170:225, 192:117
- Monazite 199:51
- Monitor 179:105, 192:91
- Monument 168:273
- Mother 195:67
- Multielement 169:187
- Multielement-Analysis 175:25
- Multielemental 162:381
- Multigeometry 161:51
- Multiparameter 167:103
- Multiple 167:177
- Multivariate 173:179
- Myanmar 187:113, 187:399, 188:127, 201:269
- n-Gallium-Arsenide 182:257
- N-Nitroso-Phenylhydroxylamine 168:439
- Nanogram-Level 172:305
- National-Institute-of-Standards-and-Technology 160:41, 179:155, 200:457
- Natural 187:441
- Natural-Radioactivity 176:315
- Natural-Water 196:3
- Neutral-Hot-Spring-Water 153:357
- Neutron-Flux 157:301, 200:457
- Neutron-Source 167:7
- Neutron-Spectrum 192:91
- Newborn-Infant 195:67
- Nickel-Sulfide 196:11
- Nigerian 168:145
- Niobium 155:343
- Nitrogen 151:293
- Noise 174:65
- Non-destructive 164:293
- Non-uniformity 154:403
- Normal 169:307
- Nuclear-Effect 187:255
- Nuclear-Fuel 169:113
- Nuclear-Power-Plant 180:83
- Nuclide 160:269
- Obsidian 180:29
- Occupational-Toxicology 195:123
- Oil 168:145
- Ombrotrophic-Bog-Monitor 192:205
- Opal 185:293, 198:499
- Optimization 180:83, 200:457
- Ore 187:113
- Organic 167:353
- Organic-Diagenesis 180:15
- Osmium 185:3
- Osteoporosis 169:301
- Palladium 199:375
- Parameter 157:301
- Parametric-Standardization 179:119
- Particle 163:313, 167:445
- Particulate 162:381, 174:43
- Passive 167:227
- Past 160:9
- Peak 169:201, 172:29
- Peat 199:431
- Peat-Sample 192:205
- Petroleum 198:17
- Phosphorite 173:179
- Pitfall 169:443
- Plant-Extract 195:185
- Plastics 168:403, 187:255, 192:289
- Platinum 168:337, 199:375
- Platinum-Group 196:11
- Pollutant 192:205
- Pool 161:11
- Populational-Group 179:369
- Position 160:31
- Potassium-Hydroxide 182:257

- Potential 167:67
- Potsherd 170:411
- Pottery 168:273
- Power-Station 169:219
- ppt-Level 153:357
- Pre-collection 187:441
- Pre-irradiation 157:265, 168:471, 189:183
- Precipitation 172:305
- Preconcentration 151:121, 151:131, 168:439, 179:267, 192:163, 196:3, 196:11
- Prediction 169:301
- Preliminary 161:227
- Preparation 179:131
- Prerequisite 179:141
- Present 160:9, 160:31
- Prior 154:173, 201:13
- Problem 160:63
- Procedure 157:265, 180:29
- Processing 169:453
- Product 151:397, 176:471
- Program 169:453
- Project 192:331
- Prompt-Gamma-Ray 192:39
- Prospect 169:125
- Protein 169:325
- Provenance 168:273
- Punjab-Pakistan 201:347
- Purification 166:31
- Pyrolusite 187:113
- Pyrrolidinedithiocarbamate 168:439, 179:267
- Quality 169:347, 179:87
- Radiation 180:83
- Radioactive 198:253
- Radiochemical-Procedure 185:3
- Radiochemical-Scheme 192:117
- Radiochemical-Separation 198:343, 199:151
- Rapid 182:295
- Rapid-Determination 164:183
- Rare 181:425
- Rare-Earth 164:321
- Rare-Earth-Element 151:345, 151:397, 192:163, 199:51
- Rat 161:11
- Raw-Material 151:397
- Reactor 160:63, 174:65, 200:457
- Reagent 199:365
- Reduction 168:273
- REE 168:115, 169:219
- Reference-Material 169:347, 193:15
- Reference-Sample 168:115
- Relative-Method 169:471
- Removal 164:115
- Representative-Sampling 154:403
- Research 163:307
- Resin 196:3
- Rhenium 151:103, 161:227, 185:3, 199:151
- Rhodium 168:337
- Rock 151:103, 161:227, 168:153, 176:471, 180:15, 196:11, 199:151
- Rock-Sample 189:127
- Role 180:15, 192:205
- ROMOS 160:269
- Routine 193:195
- Rubidium 154:173, 174:177, 189:127
- Saharan 163:313
- Saliva 195:123
- Salt 191:273
- Sample 151:345, 155:343
- Sampling-Method 167:227
- SAMPO 193:179
- Sand 186:489, 199:51
- Sardinian 168:273
- Scandium 174:177, 189:183, 199:51
- Search 181:425
- Seawater 168:439
- Section 165:41
- Sediment 151:159, 168:107
- Selective 172:305
- Selenium 151:287, 158:293, 161:11, 164:183, 170:225, 190:23, 201:13, 201:347
- Selenium(IV) 187:441
- Selenium(VI) 187:441
- Semiconductor-Material 168:357
- Sensitivity 195:117
- Separation 157:265, 164:373, 168:471, 172:305, 172:357, 181:395, 189:127, 189:183, 196:3
- Service 160:55
- Settling 163:313
- Shielding 180:83
- Shift 172:29
- Short-Lived-Isotope 168:133
- Short-Lived-Nuclide 160:407, 198:253
- Short-Lived-Radionuclide 193:239
- Short-Term 158:293
- Simple 185:3
- Simultaneous-Determination 185:3
- Skeleton 169:307
- Slowpoke-2-Reactor 167:177
- Snake-Venom 151:271
- Sodium/Calcium-Ratio 165:41
- Software 193:195, 193:239
- Soil 169:73, 179:155, 179:305, 192:331, 192:361, 196:267
- Sol 167:445
- Solar 191:273
- Solvent-Extraction 189:127
- Sorbent 166:31
- Sorption 167:227
- Sourcing 180:29
- Southwestern 192:109
- Southwestern-Colorado 196:215
- Speciation 192:183
- Species 173:357, 195:67
- Spectrometry 168:133
- Spectrum 172:29
- Sprague-Dawley 161:11
- SRXRF 195:67
- Standard 169:187, 179:131, 192:361
- Standard-Reference-Material 160:41, 179:155
- Standardization 160:63
- State 179:93
- Status 163:195, 167:7
- Steel 189:15
- Storm 163:313
- Suitable 199:365
- Supplementation 158:293
- Surface 179:267
- Surface-Ionization-Mass-Spectrometry 168:115
- Surface-Water 179:221
- Tantalum 155:343
- Thallium 189:333
- Thermoluminescent 154:173
- Thionamide 196:3
- Thorium 153:357, 154:173, 164:131, 171:277, 175:325, 191:273, 199:51
- Tissue 165:41
- Tobacco 190:3
- Total 161:11, 167:353
- Total-Body 161:51
- Trace 168:403, 168:449, 182:295, 187:237, 192:163, 201:13
- Trace-Amount 181:43
- Trace-Element 151:345, 159:21, 163:307, 166:31, 166:465, 167:169, 167:227, 168:107, 168:439, 172:125, 179:221, 179:267, 179:305, 181:425, 185:293, 189:183, 190:3, 192:183, 196:267, 198:17, 198:343, 198:499
- Trace-Element-Analysis 157:239, 192:29
- Trace-Level 182:205
- Tracer 151:121, 151:255
- Track-Registration-Technique 176:315
- Trend 192:205
- Trimethylselenonium-Ion 161:11, 181:395
- Triphenyltin-Chloride 172:357
- Tropical-Wood 169:277
- Ultra-Trace-Element-Analysis 192:29
- Ultratrace 168:471
- Uncertainty 174:65
- Undecalcified 165:41
- Universal-Comparator-Method 155:1
- Updating 168:115
- Uranium 154:173, 164:131, 168:153, 171:277, 191:273, 192:117, 199:51
- Urban 201:347
- Urine 161:11
- Utilization 179:87
- Validation 192:331, 192:339
- Variation 157:301, 198:253
- Variety 164:265
- Volcanic-Exhalation 166:31, 192:183
- Volcanic-Gas-Sample 199:365
- Water 164:373, 179:267
- Water-Sample 168:23, 172:289, 187:441
- Well 164:373, 169:301
- West-Malaysia 164:131
- Window 193:179
- Wire 192:91
- X-Ray 155:343
- X-Ray-Absorptiometry 195:139
- Yield 151:121
- Ytterbium 201:347
- Zinc 151:255, 182:295
- Zircon 199:51
- Zirconium 199:51
- Neutron-Activation-Analysis-Spectrum 186:199
- Neutron-Activation-Analysis [Cyclic-» 151:167
- Neutron-Activation-Analysis [Epithermal-»
 - Airborne-Particulate 167:219
 - Analytical-Sensitivity 167:219
 - Antimony 167:219
 - Arsenic 167:219
 - Biological-Sample 161:5
 - Cadmium 161:5, 167:219
 - Capsule 158:343
 - Compton-Suppression-System 161:5
 - Feasibility-Study 158:343
 - Germanium-Spectrometry 158:343
 - High-Level 194:61
 - Human-Nail 195:21
 - Improvement 167:219
 - Indium 167:219
 - Instrumental 161:5
 - Iodine 167:219, 195:21
 - Irradiation 158:343
 - Lanthanide 194:61
 - Matter 167:219
 - Molybdenum 167:219
 - Nanogram-Level 161:5
 - Operation 158:343
 - Plastic 158:343
 - Salt-Solution 194:61
 - Silicon 167:219
 - Uranium 167:219, 194:61
 - Well-Type 158:343
- Neutron-Activation-Analysis [Epithermal-Instrumental-» 195:57
- Neutron-Activation-Analysis [Fast-»
 - 14-MeV 160:169
 - Alpha-Activation-Analysis 153:313
 - Comparison 153:313
 - Computer-Based-System 167:89
 - Cyclic 167:89, 185:35
 - High-Resolution-Delayed-X-Ray-Spectrometry 153:313
 - Microcomputer 160:169
 - Multielement 185:35
 - Multiscaling 160:169
 - Oxygen 160:169
 - PC 160:169
 - Potential 185:35
 - Proton-Activation-Analysis 153:313
 - Sensitivity 153:313
 - Thermal-Neutron-Activation-Analysis 153:313
- Neutron-Activation-Analysis [Instrumental-»
 - 14-MeV 180:277
 - 18th-Century 196:207
 - Abundance 169:269
 - Accretion 151:191
 - Accumulation 177:393
 - Accuracy 169:435
 - Advance 160:221
 - Aerosol 161:101, 167:259, 181:401, 192:215
 - Aerosol-Particle 167:247
 - Age 200:205
 - Air 173:365

- Air-Particulate 196:25
- Akwana 168:101
- Aluminum 192:321, 200:435
- Ambient 173:365
- Americium-Beryllium 201:25
- Amount 201:477
- Amyotrophic-Lateral-Sclerosis 195:13
- Anadara-Granosa 195:203
- Analytical-Technique 195:203
- Anchor 196:65
- Ancient 152:469, 186:393, 196:65
- Ankara-Turkey 181:401
- Anticline 173:17
- Antimony 179:231, 192:215
- Apatite 186:425
- Archaeological 168:287
- Area 168:101, 192:215
- Argyle 164:337
- Arsenic 160:77, 168:249, 179:365, 192:215
- Arufu 168:101
- Ash 191:181
- Assurance 174:229
- Atmospheric 181:401
- Atomic-Absorption-Spectrometry 161:101, 196:65
- Automated-System 168:329
- Battery 168:413
- Bearing 192:215
- Biological 196:125
- Biological-Reference-Material 181:61
- Bituminous-Coal 191:181
- Bivalve 195:203
- Black-Sea 196:65
- Blood-Serum 199:309
- Body-Weight 195:203
- Bone-Male 200:205
- Boron 180:277
- Bound 179:315
- Bronze-Age 168:297
- Cadmium 167:361
- Californium-252 200:435
- Cancer-Patient 195:43
- Cassiterite 182:427
- Catalogue 191:387
- Category 200:205
- Cell 177:393
- Ceramics 152:469
- Certification 179:149, 193:7, 193:25
- Certified 196:125
- Characteristics 195:161
- Chemical-Characterization 152:469, 168:297
- Children 155:325
- China 151:177
- Chromium 181:61
- Cigarette 195:161
- CIRUS-Reactor 201:355
- Clay 168:287
- Cloud 161:101
- Coal 191:181
- Coal-Combustion 167:259
- Coin 186:393
- Compact-Bone 201:477
- Comparison 152:469, 152:507, 180:285, 191:387, 192:351, 201:477
- Complex 151:261
- Composition 181:401
- Compton 181:61
- Computer-Program 160:221
- Concentration 174:29
- Conodont 186:425
- Control 168:489
- Copper 191:145
- Cosmochemical-Samples 168:47
- Cross-River-State-Nigeria 175:229
- Crude-Oil 151:177
- Cyclic 161:71, 179:27
- Data 158:115, 198:55
- Date 155:325
- Diabetic 199:471
- Diamond 164:337
- Diet 161:71
- Drug 170:265
- Dry 168:413
- Dust 173:365
- Earthenware 196:207
- Egyptian 200:95
- Electrode 168:413
- Element 160:221, 179:149, 180:25, 193:25, 196:387
- Elemental-Analysis 157:381, 174:145
- Elemental-Composition 173:365
- Elemental-Content 195:43
- Elemental-Imbalance 195:13
- Enforcement 167:361
- Environment 168:93
- Environmental-Pollution 192:307
- Epithermal-Interaction 153:85
- Erosion 151:191
- Esophageal 195:43
- European 151:149
- Extracted 151:177
- Extraneural-Tissue 195:13
- Fast-Method 168:47
- Feasibility 168:61
- Femora 199:471
- Fertilizer 180:25
- Figurine 168:287
- Fingernail 195:43
- Fish 192:321
- Fluoride 179:27
- Fluorine 161:71, 180:277
- Fly-Ash 193:7
- Fugitive 173:365
- Gallium-Arsenide 160:77
- Gamma-Ray-Spectrum 198:55
- Garden 180:25
- Generation 161:101
- Geochemical-Samples 168:47
- Geochemistry 168:93, 180:285
- Geological-Reference-Material 174:229
- Gill 192:321
- Glass 155:55
- Gold-Ore-Sample 168:329
- Graphite 168:413
- Greece 167:369, 179:231
- Greek-South-Aegean-Islands 168:297
- Growth 192:215
- GSJ 158:115
- Gulf 167:369, 179:231
- Hair 168:249, 179:357
- Hair-Sample 155:325, 179:365
- Harargaj 173:17
- Hectogram 167:161
- Hemopathy 151:261
- High-Purity 160:77
- Honey 165:319
- Human 200:205
- Human-Blood-Serum 151:261
- Human-Brain-Tissue 169:269
- Human-Brain-Tumor 151:327
- Human-Gallstone 174:29
- Human-Hair 195:75
- Human-Kidney-Stone 169:269
- Human-Nail 179:27
- Human-Urine 195:109
- Hydride 161:101
- IAEA 162:63
- IAEA-NBS 196:125
- Impurity 151:373
- India 186:393
- Indian 192:307, 195:161
- Individual 200:205
- Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 153:221
- Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 195:203
- Inductively-Coupled-Plasma-Mass-Spectrometry 180:285, 192:321
- Industrial 192:307
- Industrial-Application 169:93
- Input 196:125
- Intercomparison 151:149
- Iraqi 159:29
- Iron-Meteorite 151:185
- Isotope 168:257
- k_0 191:387
- k_0 -Standardization 152:507, 169:177
- k_{Zn} -Standardization 152:507
- Lake-Sediment 200:95
- Lanthanide 201:355
- Laser-Fluorometry 200:95
- Lawn 180:25
- Lead-Glazed 196:207
- Lead-Isotope 196:65
- Leaf 179:149
- Library 198:55
- Local 157:381
- Major-Element 159:29
- Manganese 201:25
- Marine 174:145, 195:203
- Marine-Sediment 162:63
- Marker 151:191
- Mass 167:161
- Material 169:177, 174:145
- Medicine 195:75
- MESS 174:145
- Metropolitan-City 192:307
- Microgram 167:161
- Middle-Benue-Trough-Nigeria 168:101
- Mineral-Composition 151:261
- Minor-Element 159:29
- Missing 196:125
- Mission 196:207
- Modification 151:261
- Molybdenum 168:489
- Multielement 192:351
- Multielemental 168:329
- Multielemental-Analysis 191:181
- Multiple-Interference 180:277
- Murder-Case 168:249
- Mössbauer-Effect 169:435
- National-Institute-of-Standards-and-Technology 193:7
- Native 191:145
- Natural 168:61, 170:265
- Neutron-Source 201:25
- Newborn-Infant 179:357
- Nigerian 191:181
- Noble-Metal 151:185
- Non-spectrochemical-Technique 151:149
- Normal 199:471
- Northwestern-Nigeria 201:25
- Oil-Forming 151:177
- Optimization 195:109
- Optimum-Condition 168:287
- Ore-Deposit 201:25
- Organic-Material 151:177
- Oxygen 168:257, 180:277
- PACS 174:145
- Particle 192:215
- Particle-Induced-Gamma-Ray-Emission 161:71
- Particle-Induced-X-Ray-Emission 151:261
- Particular 167:361
- Particulate 173:365
- Patient 195:13
- Pattern 158:193
- PC-Based-System 198:55
- Petroleum 180:285
- Phosphate 153:221
- Plant-Material 153:85
- Plastics 167:361
- Pollution 167:361, 167:369, 179:231
- Pottery 168:297
- Precision 169:435
- Prediction 160:221
- Preliminary-Study 151:327
- Procedure 152:507, 195:109
- Program 198:55
- Prompt-Gamma-Ray-Activation-Analysis 179:149
- Punchmark 186:393
- Quality 174:229
- Quantitative-Determination 182:427
- Radioactive 196:25
- Radiochemical-Neutron-Activation-Analysis 179:149
- Rare-Earth-Element 151:191, 153:221, 158:193, 169:269
- Rat 199:471
- Reactor 168:257
- Red-Marrow 201:477
- Reduction 198:55
- REE 186:425
- Reference 158:115, 169:177, 174:145
- Reference-Material 155:55, 192:351, 196:125
- Relation 167:361, 195:203
- Representativeness 162:63
- Revisited 168:257
- Rock 151:177, 153:221, 158:115
- Rock-Sample 168:101, 173:17, 175:229
- Routine 152:507, 201:25
- Saccharomyces-Cerevisiae 177:393
- Sample 161:71, 167:161
- Sampling 155:325, 162:63
- Sand 155:55

- Saronikos 167:369, 179:231
- Schist-Belt-Southwestern-Nigeria 158:193
- Section 200:205, 201:477
- Sectioned 179:365
- Sediment 167:369, 169:177, 174:145
- Sedimental 196:25
- Selenium 177:393, 179:315, 192:215
- Semiconductor-Grade 151:373
- Sera 179:315
- Short-Lived-Nuclide 169:435
- Short-Term 151:191
- Silicon 151:373, 153:85
- Silver 179:231
- Single-Comparator-Method 191:387
- Size 167:247
- Size-Fractionated 167:259
- Size-Spectrum 192:215
- Slowpoke-Reactor 151:185
- Small-Sample-Analysis 168:47
- Soda-Sample 157:381
- Sodium 201:477
- Sodium/Calcium-Ratio 199:471, 200:205
- Soil 168:61
- Soil-Horizon 151:191
- Source 151:177
- Spanish 196:207
- SPECTRA 198:55
- Spectrum 167:247
- SPINACH 193:25, 196:387
- Standard 160:221, 167:361
- Standard-Reference-Material 151:149, 179:149, 193:7, 193:25, 196:387
- Standardization 174:229, 191:387
- Suppression 181:61
- Surrounding 192:307
- Syrian 195:195
- Technology 168:489
- Texas 196:207
- Thermal-Neutron-Source 200:435, 201:355
- Thermal-Power-Station 173:365
- Thorium 173:17, 200:95
- Tin 182:427
- Tissue 151:327
- Titanium 200:435
- Tobacco 195:161, 195:195
- Tomato 179:149
- Total 179:315
- Toxic-Component 196:25
- Trace-Element 151:177, 151:327, 155:325, 159:29, 161:101, 165:319, 167:247, 167:361, 168:61, 169:269, 170:265, 174:29, 179:357, 180:285, 181:401, 195:161, 195:195, 196:125, 200:95
- Trace-Element-Analysis 164:337
- Trace-Element-Content 195:203
- Triassic-Age 186:425
- Tungsten 168:489
- Turkey 165:319
- Type 196:25
- Ugep-Area 175:229
- Ultramafic-Rock 158:193
- Undecalcified 200:205
- UNS-SPS 155:55
- Uranium 173:17, 177:393
- Urban 167:247
- Validation 192:321
- Vegetable-Sample 159:29
- Vegetal 151:149
- Washington-DC 192:215
- Water 161:101
- Wetland 151:191
- X-Ray-Fluorescence-Analysis 196:25
- Xizang-Tibet-Plateau-China 168:93
- Yellow-Marrow 201:477
- Zinc 191:387, 192:215
- Neutron-Activation-Analysis**
[Prompt-Gamma-»
- Coal 167:153
- Cold-Neutron 167:133
- Elemental-Composition 167:153
- Facility 167:133
- Neutron-Activation-Analysis**
[Prompt-Gamma-Ray-»
- Absolute-Method 151:55
- Cadmium 152:497
- Neutron-Activation-Analysis**
[Radiochemical-»
- Age-Related 179:331
- Aluminum 160:425
- Antimony 168:185, 181:385
- Arsenic 168:185, 179:331, 181:385
- Barium-140 198:457
- Biological-Material 158:313, 160:85, 168:5, 169:229, 174:49
- Biological-Reference-Material 168:185
- Blood-Cell 168:243
- Boundary 151:107
- Brazilian 181:385
- Cadmium 158:313, 168:185, 179:331, 181:385
- Certification 179:149
- Cesium 159:293
- Chelating-Resin 151:107
- Chemical-Yield 182:317
- Chromatography 159:293
- Chromium 158:313, 169:229, 181:385
- Clinoptilolite 159:293
- CNS 179:331
- Cobalt 158:313
- Concentration 181:385
- Content 160:425, 179:377
- Copper 168:185, 179:331, 181:385
- Dated 169:65
- Detection 160:85
- Diet 181:385
- Distribution 179:377
- Electrolyte 160:85
- Electrolytic-Separation 174:49
- Element 179:149
- Environmental-Pollution 169:65
- Fission-Product 198:457
- Gallium-Arsenide 168:457
- Geological-Sample 159:293, 187:67
- Gold 160:85, 174:49, 187:67
- Granulite 169:81
- High-Performance-Liquid-Chromatography 168:5
- High-Purity 160:425
- Human-Blood-Serum 168:243
- Impurity 168:497, 179:81, 192:155
- Individual 176:383
- Instrumental-Neutron-Activation-Analysis 179:149
- Ion-Chromatography 169:229
- Iridium 151:107
- Leaf 179:149
- Limit 160:85
- Massif 169:81
- Mercury 168:185, 181:385
- Metal 179:81
- Molybdenum 158:313, 168:185, 179:331, 198:457
- Monazite 176:383
- Multielement-Analysis 168:5
- Neurodegenerative-Disease 179:331
- Niobium 179:81
- On-line 168:5, 169:229
- Packed 168:243
- Palladium 187:67
- Phosphorus 168:457
- Platinum 160:85, 174:49, 187:67
- Position 168:429
- Precambrian-Cambrian 151:107
- Precipitation 159:293
- Prompt-Gamma-Ray-Activation-Analysis 179:149
- Rare-Earth-Element 160:529, 176:383, 179:377
- Regional 181:385
- Repair 169:65
- Rice-Sample 179:377
- Rubidium 159:293
- Sample 151:107, 169:65
- Saxonian 169:81
- Selenium 168:185, 181:385
- Selenium-81m 182:317
- Separation 151:107, 160:85
- Silver 187:67
- Simultaneous-Determination 189:325
- Sodium-Tetraphenylborate 159:293
- Standard-Reference-Material 179:149
- St-Stephen-Cathedral 169:65
- Steel 160:529
- Strontium 168:243
- Sub-ppb 160:425
- Tantalum 168:497
- Thiourea-Type 151:107
- Thorium 160:425, 160:539, 189:325
- Time-Dependence 169:65
- Tissue 179:331
- Titanium 192:155
- Titanium-Oxide 192:155
- Tomato 179:149
- Trace 151:107, 168:457, 179:377, 189:325, 198:457
- Trace-Element-Analysis 168:429
- Tracer 182:317
- Tungsten 160:539, 198:457
- Ultramafic-Rock 169:81
- Uranium 160:425, 189:325, 198:457
- Vienna 169:65
- Vietnamese 176:383
- Wheat-Sample 179:377
- Yield 168:5, 169:229
- Zeolite 159:293
- Neutron-Activation-Analysis**
[Radiochemical-Instrumental-» 194:15
- Neutron-Activation-Analysis**
[Substoichiometric-» 156:103
- Neutron-Activation-Analysis**
[Substoichiometric-Thermal-»
- Aquatic-Environment 177:185
- Chromium 177:185
- Rock-Sample 176:443
- Scandium 176:443
- Neutron-Activation-Analysis**
[Thermal-»
- Alpha-Activation-Analysis 153:313
- Comparison 153:313
- Fast-Neutron-Activation-Analysis 153:313
- High-Resolution-Delayed-X-Ray-Spectrometry 153:313
- Mustard 154:427
- Proton-Activation-Analysis 153:313
- Sensitivity 153:313
- Sunflower-Seed 154:427
- Variety 154:427
- Neutron-Activation-Method** 179:67
- Neutron-Activation-System** 167:39
- Neutron-Activation-Technique** 167:31
- Neutron-Activation** [Fast-»
- Coal 201:233
- Estimation 201:233
- Multielemental-Analysis 198:475
- Soil-Sample 198:475
- Sulfur 201:233
- Neutron-Activation**
[Radiochemical-» 168:465
- Neutron-Activation** [Thermal-» 155:169
- Neutron-Beam** 167:127
- Neutron-Capture**
- Cold-Neutron 167:121
- Food 167:139
- Multielement-Analysis 167:139
- National-Institute-of-Standards-and-Technology 167:121
- Neptunium-238 154:139
- Prompt-Gamma-Ray-Activation-Analysis 167:121, 167:139
- Radiative 154:139
- Research-Facility 167:121
- Speciation 154:139
- Uranium-239 154:139
- Neutron-Counting** 161:561
- Neutron-Flux**
- Container 157:301
- Elemental-Assay 174:115
- Gamma-Ray-Spectroscopy 174:115
- Gradient 200:457

- Irradiation 157:301
- k_0 157:301
- Manganese-53 200:457
- Mapping 200:457
- Material 174:115
- Monitoring 174:115
- National-Institute-of-Standards-and-Technology 200:457
- Neutron-Activation 174:115
- Neutron-Activation-Analysis 157:301, 200:457
- Optimization 200:457
- Parameter 157:301
- Reactor 200:457
- Standard 174:115
- Variation 157:301
- Neutron-Induced** 182:149
- Neutron-Induced-Nuclear-Reaction** 198:385
- Neutron-Induced-Prompt-Gamma-Ray-Method** 176:361
- Neutron-Irradiated-Compound** 158:353
- Neutron-Irradiation**
 - (n, α)-Reaction 151:357
 - ¹²Molybdocerate 183:339
 - Activation 151:357
 - Breeder 151:357
 - Candidate 151:357
 - Carrier-Free 185:305
 - Ceramic-Material 151:357
 - Column 183:339
 - Evaluation 151:357
 - Fluorine-18 187:419
 - Fusion-Reactors 151:357
 - Gamma-Spectrometry 151:357
 - Lithium-6 151:357
 - Lithium-Aluminosilicate 187:419
 - Lutetium-177 185:305
 - Matrix 183:339
 - Natural 185:305
 - Nuclide 151:357
 - Separation 185:305
 - Target 185:305
 - Technetium-99m-Generator 183:339
 - Tritium 151:357
 - Ytterbium 185:305
- Neutron-Produced** 167:391
- Neutron-Scattering**
 - Cold-Neutron 181:321
 - Hydrogen 181:321
 - Prompt-Gamma-Activation-Analysis 181:321
 - Small-Angle 190:529
 - Tetramethylurea 190:529
- Neutron-Scattering-Induced** 167:145
- Neutron-Source**
 - Advanced 167:7
 - Americium-Beryllium 201:25
 - Facility 167:7
 - Instrumental-Neutron-Activation-Analysis 201:25
 - Manganese 201:25
 - Neutron-Activation-Analysis 167:7
 - Northwestern-Nigeria 201:25
 - Ore-Deposit 201:25
 - Routine 201:25
 - Status 167:7
- Neutron-Spectrum** 192:91
- New-England-Association-of-Chemistry-Teachers** 171:225
- New-Generation** 179:7
- Newborn-Infant**
 - GC(EC) 195:67
 - Hair 179:357, 195:67
 - Head 195:67
 - Instrumental-Neutron-Activation-Analysis 179:357
 - Mercury 195:67
 - Mother 195:67
 - Neutron-Activation-Analysis 195:67
 - Species 195:67
 - SRXRF 195:67
 - Trace-Element 179:357
- Nga-Khu** 188:9
- Nickel**
 - Biological-Material 168:201
 - Bratislava-Trnava-Highway 175:33, 176:451
 - Calcination 183:225
 - Cesium 159:335
 - Characterization 159:335
 - Cobalt 153:339, 183:225, 198:317
 - Comment 166:167
 - Content 175:33, 176:451
 - Copper 159:335, 175:33, 176:451, 198:317
 - Desferrioxamine-B 198:317
 - Elution 183:225
 - Encapsulation 183:225
 - Fast-Neutron 168:201
 - Hexacyanoferrate(II) 159:335
 - Ion-Exchanger 159:335
 - Lead 175:33, 176:451
 - Marl 164:389, 166:167, 166:171
 - Nuclear-Waste 183:225
 - Potassium 159:335
 - Preparation 159:335
 - Radioactive-Waste 198:317
 - Radiochemical-Activation-Analysis 168:201
 - Radiochemical-Displacement 153:339
 - Radionuclide 175:33, 176:451
 - Response 166:171
 - Soil 175:33
 - Sorption 164:389, 166:167, 166:171
 - Steel 198:317
 - Strontium 176:451
 - Synthetic-Faujasite 183:225
 - Taraxacum-Officinale 176:451
 - Treatment 183:225
 - Ultratrace-Level 168:201
 - Uptake 183:225
 - X-Ray-Fluorescence-Analysis 175:33, 176:451
 - Zeolite 183:225
 - Zinc 175:33, 176:451, 183:225
- Nickel(II)** 173:137
- Nickel(II)-2-Methyl-5-Nitro-1H-Imidazol-1-Ethanol-Complex** 191:337
- Nickel(II)-Iminodiacetate** 191:349
- Nickel(II)-Phenylhydrazone-Complex** 173:137
- Nickel-63**
 - Concrete 193:127
- Environmental-Sample 193:127
- Hanford 180:197
- Highly-Radioactive-Waste 180:197
- Liquid-Scintillation-Counting 180:197
- Low-Level-Medium 199:493
- LSC 193:127
- Nuclear-Power-Reactor 199:493
- Operation 199:493
- Procedure 193:127
- Radioactive-Waste 199:493
- Sensitive 193:127
- Separation 199:493
- Steel 193:127
- Trace 199:493
- Nickel-Content [High-»]** 199:305
- Nickel-Sulfide**
 - Activation-Analysis 198:385
 - Assay 196:11, 198:385
 - Element 196:11, 198:385
 - Fire 196:11, 198:385
 - Fire-Assay 198:169
 - Interference 198:169, 198:385
 - Neutron-Activation 198:169
 - Neutron-Activation-Analysis 196:11
 - Neutron-Induced-Nuclear-Reaction 198:385
 - Platinum 198:169
 - Platinum-Group 196:11, 198:385
 - Preconcentration 196:11, 198:385
 - Rock 196:11
 - Tellurium 198:169
 - Ultratrace 198:169
- Nickel/Silica-Catalyst** 166:69
- Nigeria**
 - Air-Pollution 161:189
 - Atomic-Based-Analysis 161:189
 - Distribution 178:365
 - Element 178:365
 - Gamma-Spectrometry 178:375
 - Geochemical 178:375
 - Gubrunde 178:365
 - Heavy-Metal 166:401
 - Host 178:365
 - Hostrock 178:375
 - Kanawa 178:375
 - Nuclear-Analysis 161:189
 - Occurrence 178:365, 178:375
 - Ore 178:375
 - Pattern 178:365
 - REE 178:365
 - Region 166:401
 - Rock 178:365
 - Selected 166:401
 - Semi-arid 166:401
 - Soil 166:401
 - Uranium 178:365, 178:375
- Nigerian**
 - Air 179:187
 - Airborne-Particulate 167:283
 - Ash 191:181
 - Bituminous-Coal 191:181
 - Coal 191:181
 - Crude 168:145
 - Elemental-Characterization 167:283
- Elemental-Concentration 179:187
- Harmattan 167:283
- Identification 179:187
- Instrumental-Neutron-Activation-Analysis 191:181
- Location 167:283
- Matter 179:187
- Multielemental-Analysis 191:181
- Neutron-Activation-Analysis 168:145
- Oil 168:145
- Particle-Induced-Gamma-Ray-Emission 177:243
- Particle-Induced-X-Ray-Emission 177:243
- Particulate 179:187
- Preliminary-Study 179:187
- Sand 177:243
- Season 167:283
- Site 179:187
- Source 179:187
- Tar 177:243
- Nigeria [Cross-River-State-»]** 175:229
- Nigeria [Eastern-State-»]** 166:511
- Nigeria [Middle-Benue-Trough-»]** 168:101
- Nigeria [Northwestern-»]** 201:25
- Nigeria [Schist-Belt-South-western-»]** 158:193
- Niobium**
 - Acidic-Medium 162:289
 - Aliquat-336 162:289
 - Extraction 162:289
 - Hafnium 162:289, 163:213
 - HDEHP 163:213
 - Impurity 155:343, 179:81
 - Metal 179:81
 - Mixture 162:289
 - Neutron-Activation-Analysis 155:343
 - Radiochemical-Neutron-Activation-Analysis 179:81
 - Reversed-Phase-Chromatographic-Separation 163:213
 - Sample 155:343
 - Separation 162:289
 - Tantalum 155:343
 - Thiocyanate 162:289
 - Tracer 163:213
 - Tri-n-Octylphosphine-Oxide 162:289
 - X-Ray 155:343
 - Zirconium 162:289, 163:213
- Nitrate**
 - 1-Propanol 157:373
 - Acidic 191:291
 - Actinide 191:291
 - Americium(III) 157:355, 181:165
 - Ammonium-Halide 176:21
 - Aqueous-Medium 157:355, 181:165
 - Aqueous-Solution 157:373, 158:107, 176:21
 - bis(2-Ethylhexyl)Sulfoxide 157:355
 - Chloroform 181:165
 - Chromatographic-Separation 191:291
 - Coupled 189:207

- Distribution 181:165
- Divalent-Cation 171:339
- Double 171:339
- Efficiency 176:21
- Energy-Transfer 176:21
- Europium(III) 181:165
- Extractant 157:355
- Gamma-Irradiated 176:21
- Gamma-Radiolysis 157:373, 158:107
- Gamma-Ray-Induced-Decomposition 171:339
- Iodide 176:21
- Ion-Transport 189:207
- Isobutanol 158:107
- Kinetics 181:165
- Lanthanide 171:339
- Liquid-Membrane 189:207
- Mechanism 181:165
- Minor 191:291
- Mixture 181:165
- Partition 191:291
- Purex 191:291
- Reversed-Phase 191:291
- Sulfoxide 191:291
- Thenoyltrifluoroacetone 181:165
- Tributyl-Phosphate/Kerosene-Oil-Supported 189:207
- Triphenylarsine-Oxide 181:165
- Univalent 171:339
- Uranyl-Ion 189:207
- Waste 191:291
- Nitrate-Alcohol** 152:11
- Nitrate-Medium**
 - 15-Crown-5 196:369
 - 18-Crown-6 196:369
 - Aliquat-336 163:277
 - Benzene 196:369
 - Europium(III) 196:369
 - Extraction 196:369
 - Gadolinium(III) 196:369
 - Mixture 163:277
 - Neodymium 163:277
 - Praseodymium 163:277
 - Radioisotope 196:369
 - Synergic-Liquid-Liquid-Extraction 163:277
 - Synergistic-Mixture 196:369
 - Thenoyltrifluoroacetone 196:369
 - Tributyl-Phosphate 163:277
- Nitric-Acid**
 - Actinide 162:171
 - Adsorption 162:171
 - Alcoholic-Solution 182:401
 - Anion-Exchanger 182:401
 - Calcium 182:401
 - Cation-Exchange 152:219
 - Chromosorb 162:171
 - Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 162:171
 - Distribution 152:219
 - Extraction 171:371, 178:99
 - Fission-Product 152:219, 178:99
 - Formation 177:301
 - Gamma-Ray 178:99
 - High-Level 177:301
 - Irradiation 178:99
 - Lanthanide 162:171
 - Liquid 177:301
 - Low-Concentration 177:301
 - N,N-Disubstituted-Amide 178:99
 - n-Heptane-Solution 171:371
 - Pressure-Effect 152:219
 - Primary-Amine 171:371
 - Radiation-Induced-Decomposition 166:421
 - Role 166:421
 - Separation 182:401
 - Simulated 177:301
 - Solid 177:301
 - Strong-Acid 152:219
 - Strontium 182:401
 - Sulfonic-Acid-Type 152:219
 - Technetium(VII) 171:371
 - Thorium(IV) 178:99
 - Uptake 162:171
 - Uranium(VI) 171:371, 178:99
 - Waste 177:301
- Nitric-Acid-Medium**
 - Additive 153:399, 173:37
 - Aliphatic-Monoamide 191:323
 - Aliquat-336 201:325
 - Americium(III) 201:325
 - Binary-Mixture 201:325
 - Cesium 153:399, 173:37
 - Cupric-Ferrocyanide 173:37
 - DEHSO 162:391
 - Di(2-Ethylhexyl)Sulfoxide 162:91
 - Dihexylbutyramide 182:393
 - Dihexylisobutyramide 182:393
 - Excimer 165:255
 - Extractant 162:91, 162:391
 - Extraction 162:391, 178:91, 182:393, 191:323
 - Ferrocyanide 153:399
 - Fission-Product 178:91
 - Fuel 162:391
 - Gamma-Irradiation 178:91
 - High-Molecular-Weight 191:323
 - Insoluble 153:399
 - Laser 165:255
 - Nitrous-Acid-Medium 154:371
 - Oxidation-Kinetics 154:371
 - PC-88A-TOPO 201:325
 - Photochemical-Reduction 165:255
 - Plutonium(IV) 162:91, 182:393, 191:323
 - Potassium 173:37
 - Reprocessing 162:391
 - Separation 153:399
 - Sorbent 153:399
 - Sorption 173:37
 - Spent 162:391
 - Strong 173:37
 - Sulfoxide 178:91
 - Sulfuric-Acid-Medium 201:325
 - Synergistic-Extraction 201:325
 - Tetravalent-Uranium-Monofluoride-Complex 154:371
 - Thorium(IV) 162:391, 178:91
 - Thorium-Uranium 162:391
 - Uranium(VI) 162:391, 178:91, 182:393, 191:323, 201:325
 - Uranyl-Ion 165:255
 - Xenon-Chloride 165:255
- Nitric-Acid-Solution**
 - Acid-Medium 157:105, 162:371
 - Actinide 157:105, 162:371, 183:359
 - Actinium 153:67
 - Americium(III) 152:127
 - Benzene 152:127
 - Crown-Ether 185:411
 - Dibutyl-Sulfoxide 198:409
 - Dichlorobenzene 157:105
 - Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 152:127, 183:359
 - Diisodecylphosphoric-Acid 158:391, 185:173
 - Extraction 152:127, 153:67, 157:105, 162:207, 162:371, 183:359, 185:411
 - Extraction-Behavior 158:391, 185:173
 - Foam 157:105
 - HDEHP 157:105, 162:371
 - Hydrochloric-Acid-Solution 153:67
 - Kinetic-Study 188:177
 - Lanthanide 157:105, 162:371
 - Mixture 152:127
 - Molybdenum 185:173
 - n-Alkylcaprolactam 162:207
 - Oxidation 188:177
 - Polyurethane-Foam-Loaded-Acid 157:105, 162:371
 - Selected 185:411
 - Solvent-Extraction 198:409
 - Strontium 185:411
 - Synergistic-Extraction 162:371
 - Tetravalent 183:359
 - Thorium 198:409
 - Thorium(IV) 162:207
 - Tributyl-Phosphate 152:127, 183:359
 - Trivalent 183:359
 - Uranium(IV) 188:177
 - Uranium(VI) 157:105, 162:207, 162:371
 - Xylene 198:409
 - Yttrium 158:391
 - Zirconium 185:173
- Nitridotechnetium(VI)** 199:217
- Nitridotechnetium-EDTA-Complex** 176:325
- Nitrile** 158:383
- Nitrioltriacetic-Acid** 175:161
- Nitroaniline**
 - Carbon-Tetrachloride 174:103
 - Carbon-Tetrachloride-Solution 176:185
 - Dinitrobenzene 174:103
 - Gamma-Radiolysis 174:103
 - Gas-Chromatography-Fourier-Transform-Infrared-Spectroscopy-MS 176:185
 - Isomer 174:103
 - Main 174:103
 - Nitrobenzene 174:103
 - Nitrophenol 174:103
 - Product 174:103
 - Radiation-Chemical-Yield 174:103
 - Radiolysis 176:185
 - Radiolytic-Product 176:185
 - Volatile 174:103, 176:185
- Nitrobenzene**
 - Aqueous-Solution 183:99
 - Carbon-Tetrachloride 174:103
 - Carbon-Tetrachloride/Water-System 163:107
 - Degradation 183:99
 - Dinitrobenzene 174:103
 - Gamma-Irradiated 183:99
 - Gamma-Radiolysis 174:103
 - High-Performance-Liquid-Chromatography 163:107
 - Isomer 174:103
 - Liquid-Chromatography 183:99
 - Main 174:103
 - Multicomponent 183:99
 - Nitroaniline 174:103
 - Nitrophenol 174:103
 - Performance 183:99
 - Phase-High 183:99
 - Product 174:103
 - Profiling 163:107
 - Radiation 183:99
 - Radiation-Chemical-Yield 174:103
 - Radiolytic-Product 163:107
 - Reverse 183:99
 - UV-VIS-Analysis 183:99
 - Volatile 174:103
 - Waste-Water 183:99
- Nitrobenzene-Solution** 163:81
- Nitrobutane** 199:197
- Nitrogen**
 - Assessment 196:145
 - Background-Measurement 151:293
 - Boron 201:49
 - Carbon 160:159
 - Factor 151:293
 - Field 163:325
 - Fixation 163:325
 - Gallium-Phosphide 201:49
 - Gamma-Radiation 163:325
 - Genetically-Obese 160:159
 - Human-Blood-Serum 196:145
 - Hydrogen 160:159
 - In-Vivo 151:293, 169:333
 - Lean 160:159
 - Meat 169:333
 - Molecular 163:325
 - Neutron-Activation-Analysis 151:293
 - Particle-Induced-Gamma-Ray-Emission 196:145
 - Pig 160:159
 - Pork 169:333
 - Prompt-Gamma-Ray-Activation-Technique 169:333
 - Proton-Activation-Analysis 201:49
 - Reduction 163:325
 - Trace-Element 201:49
 - Two-Energy 201:49
 - $\text{WH}_4(\text{PCH}_3\text{Ph}_2)_4$ 163:325
 - $\text{WH}_4(\text{PC}_2\text{H}_5\text{Ph}_2)_4$ 163:325
- Nitrogen-13**
 - Automatic-System 155:9
 - Dose 155:411
 - Enzymatic-Synthesis 155:9
 - Glutamate 155:9
 - Phase 155:411
 - Pile-Irradiated 155:411
 - Propionic- D_2 -Acid 155:411
- Nitrogen-16** 180:131
- Nitrogenated** 189:319
- Nitrophenol** 174:103

- Nitrophenol-Solution** 175:359
Nitroprusside 165:191
Nitroso-2-Naphthol 11-»
 • 1,10-Phenanthroline 195:343
 • Dysprosium(III) 180:187, 195:343
 • Europium(III) 180:187, 195:343
 • Mixed-Ligand-Complex 180:187
 • Samarium(III) 180:187, 195:343
 • Synergistic-Extraction-Behavior 195:343
 • Triocetylphosphine-Oxide 180:187
Nitroso-Phenylhydroxylamine 1N-» 168:439
Nitrous-Acid-Medium 154:371
No-Carrier-Added
 • Biological-Study 159:233
 • Chromatography 159:233
 • Copper(I) 174:3
 • Electrophilic 196:303
 • Form 195:227
 • High-Specific-Activity 195:227
 • Hippuran 174:3
 • Iodine-131 174:3
 • Irradiation-Method 195:227
 • L-alpha-Methyltyrosine 196:303
 • Magnesium-28 159:233
 • Oxidizing-Agent 196:303
 • Production 195:227
 • Purification 159:233
 • Radiiodination 174:3, 196:303
 • Radionuclide 195:227
Noble-Metal
 • High-Resolution-Spectrometry 151:213
 • Instrumental-Neutron-Activation-Analysis 151:185
 • Iron-Meteorite 151:185
 • Proton-Induced-Prompt-Low-Energy-Photon 151:213
 • Slowpoke-Reactor 151:185
Noise 174:65
Non-analyte 160:211
Non-conventional-Measurement-Technique 171:465
Non-conventional-Method 160:305
Non-destructive
 • Activation-Analysis 159:121
 • Aluminum 164:293
 • Assay 164:293
 • Bone 164:293
 • Calcium 159:121
 • Chlorine 159:121
 • Comparative 159:121
 • Delayed-Neutron-Counting 179:35
 • Germanium-Detector 178:301
 • High-Purity 178:301
 • Isotopic-Analysis 179:35
 • Lead-210 178:301
 • Low-Level 178:301
 • Macro-Alga-Sample 159:121
 • Marine 159:121
 • Multielement 159:121
 • Neutron-Activation 179:35
 • Neutron-Activation-Analysis 164:293
 • Ordinary 178:301
 • Phosphorus 159:121
 • Radium-226 178:301
 • Rapid 179:35
 • Reference-Material 159:121
 • Standard 159:121
 • Synthetic 159:121
 • Uranium 179:35
Non-destructive-Analysis 197:417
Non-dispersive-Medium 186:227
Non-doped 176:65
Non-equilibrium-Condition 163:205
Non-fissioned
 • Ammonium-Uranate 177:279
 • Molybdenum-99 178:417
 • Preparation 177:279
 • Production 178:417
 • Recovery 177:279, 178:417
 • Treatment 177:279, 178:417
 • Uranium 177:279, 178:417
Non-gamma 194:51
Non-linear 180:65
Non-plasticized-Polyurethane-Foam 162:227
Non-simple 190:457
Non-spectrochemical-Technique 151:149
Non-traditional-Audience 171:145
Non-uniformity 154:403
NORM 198:323
Normal
 • Benign 156:341
 • Bone-Disease 169:307
 • Calcium 169:307
 • Cancerous 156:341
 • Concentration 186:385
 • Diabetic 199:471
 • Element 186:385
 • Femora 199:471
 • Hair 186:385
 • Human-Brain 156:341
 • Hypokinesia 169:307
 • Instrumental-Neutron-Activation-Analysis 199:471
 • Mercury 186:385
 • Multielemental-Determination 156:341
 • Neutron-Activation-Analysis 169:307
 • Person 186:385
 • Polluted 186:385
 • Rat 199:471
 • Skeleton 169:307
 • Sodium/Calcium-Ratio 199:471
 • Tissue 156:341
Norway (Okstindan-Mountain-» 168:83
Norway (Southern-» 167:271
Norwegian 156:7
Novel-Approach
 • Aluminum 192:131
 • Biological-Tissue 192:131
 • Calcium-Strontium 161:413
 • Environmental-Sample 161:413
 • Facility 192:131
 • Inorganic-Exchanger 161:413
 • Irradiation 192:131
 • Pair 192:131
 • Pneumatic-Tube 192:131
 • Separation 161:413
 • Strontium-90 161:413
Nuclear
 • Assay 201:165
 • Assessment 197:161
 • Automation 182:497
 • Bibliography 182:497, 196:405
 • Biological-Application 157:273
 • Capability 183:59
 • Coastal 182:5
 • Cold-Fusion 193:165
 • Composite 183:27
 • Control 161:429
 • Conversion 201:165
 • Crude 201:165
 • Detection 157:273
 • Dosimetry 197:161
 • Emission 161:429
 • Evidence 193:165
 • Experience 197:161
 • Explosion 193:165
 • Extractant 183:59
 • Extraction 183:59
 • Fatal 193:165
 • Field 197:161
 • Filter 183:59
 • Fluorine 157:273
 • French 197:161
 • Gamma-Ray-Spectrometry 201:165
 • Geological-Application 157:273
 • Grade 201:165
 • Hydrophobic 183:59
 • Immission 161:429
 • Increasing 161:429
 • India 182:5
 • Industrial 197:161
 • Input 201:165
 • Installation 161:429
 • Instrumentation 182:497
 • Internal 197:161
 • Involvement 193:165
 • Ion-Exchanger 183:27
 • Liquid-Scintillation-Counting 161:429
 • Marine-Environment 182:5
 • Material 201:165
 • Microprobe 157:273
 • Natural 201:165
 • Neptunium-237 182:5
 • Observed 183:59
 • Optimization 157:273
 • Plant 201:165
 • Plutonium-241 161:429
 • Prospective 183:27
 • Search 193:165
 • Sensitivity 161:429
 • Site 182:5
 • Solid 183:59
 • Uranium-Dioxide 197:161
 • Uranium-Metal 201:165
 • Uranium-Tetrafluoride 201:165
 • Workplace 197:161
Nuclear-Accident 201:213
Nuclear-Analysis
 • Ablation 160:153
 • Air-Pollution 161:189
 • Atomic-Based-Analysis 161:189
 • Characterization 160:153
 • Combined-Method 160:153
 • Laser-Desorption 160:153
 • Material 160:153
 • Missouri-University-Research-Reactor 180:301
 • Nigeria 161:189
 • Program 180:301
 • Rock-Painting 151:221
Nuclear-Analytical-Chemistry
 • Action 194:229
 • Criminal 160:21
 • Disease 160:21
 • Hair 160:21
 • IAEA 194:229
 • Iraq 194:229
 • Metal 160:21
 • Moonrock 160:21
 • Polluters 160:21
 • Team 194:229
Nuclear-Analytical-Facility 180:309
Nuclear-Analytical-Method 180:295
Nuclear-Analytical-Technique 167:271
Nuclear-Archaeology 196:275
Nuclear-Charge 189:165
Nuclear-Chemistry
 • Activity 171:159
 • College 171:153
 • Curriculum 171:159
 • Educational-Program 171:101
 • Germany 171:101
 • Mainz 171:101
 • Non-traditional-Audience 171:145
 • Overview 171:7
 • Pennsylvania-State-University 171:125
 • Program 171:159
 • Radiochemistry 171:45, 171:101, 171:125, 171:153, 171:229
 • Teaching 171:7, 171:125, 171:153
 • Traditional 171:159
 • Training 171:45
 • Undergraduate 171:153, 171:159
 • United-Kingdom 171:45
 • United-States-Department-of-Energy 171:229
 • University 171:101
Nuclear-Collision 160:181
Nuclear-Data 186:183
Nuclear-Education 171:5
Nuclear-Effect 187:255
Nuclear-Engineering 171:183
Nuclear-Facility
 • Chemistry 171:259
 • Deer 188:401
 • Direction 171:259
 • Environment 188:401
 • Iodine-127 188:401
 • Iodine-129 188:401
 • Natural 188:401
 • Nuclear-Fuel 188:401
 • Plant 188:401
 • Remote 188:401
 • Reprocessing 188:401
 • Site 188:401
 • Small 188:401
 • Technician 171:259

- Thyroid 188:401
- Training 171:259
- Nuclear-Fuel**
 - Behavior 183:219
 - Cladding 163:235
 - Component 169:113
 - Deer 188:401
 - Dicyclohexano-18-Crown-6 175:55
 - Electrochemical-Procedure 185:331
 - Element 169:113
 - Environment 188:401
 - Extractant 175:55
 - Identification 182:385
 - Improvement 189:59
 - Impurity 169:113
 - Inventory 163:235
 - Iodine-127 188:401
 - Iodine-129 188:401
 - Iodododecane 183:219
 - Iodoorganic-Compound 176:251, 182:385
 - Kerosene 176:251, 182:385
 - Literature 171:465
 - Long-Lived-Radionuclide 171:465
 - Natural 188:401
 - Neutron-Activation-Analysis 169:113
 - Non-conventional-Measurement-Technique 171:465
 - Nuclear-Facility 188:401
 - Palladium 186:285, 189:59
 - Plant 188:401
 - Radiolytic-Product 175:55
 - Recovery 186:285, 189:59
 - Remote 188:401
 - Removal 176:251
 - Reprocessing 175:55, 176:251, 182:385, 183:219, 186:285, 188:401, 189:59
 - Selective 175:55
 - Site 188:401
 - Small 188:401
 - Sorption-Behavior 163:235
 - Spent 163:235, 185:331, 186:285, 189:59
 - Surface 163:235
 - Survey 171:465
 - Thyroid 188:401
 - Treatment 185:331
 - Waste 186:285, 189:59
- Nuclear-Grade** 171:435
- Nuclear-Measurement** 200:277
- Nuclear-Medicine**
 - Chemist 171:269
 - Indium-Complex 199:357
 - Perturbed-Angular-Correlation 199:357
 - Production 171:269
 - Research 171:269
 - Time-Differential 199:357
 - Training 171:269
- Nuclear-Method**
 - Apple 168:169
 - ASTM 168:169
 - Chloride 174:199
 - Choice 179:7
 - Concrete 174:199
 - Content 174:199
 - Detection 161:339
 - Fault 161:339
 - Geological 161:339
 - Intercomparison 168:169
 - Laser-Microprobe-Mass-Spectrometry 160:191
 - Leaf 168:169
 - National-Institute-of-Standards-and-Technology 168:169
 - New-Generation 179:7
 - Peach 168:169
 - Quantitation 160:191
 - Scientist 179:7
 - Standard-Reference-Material 168:169
- Nuclear-Microanalysis** 166:117
- Nuclear-Plant** 155:115
- Nuclear-Power** 161:585
- Nuclear-Power-Plant**
 - Activity 177:335
 - Aerosol 177:335
 - Agent 178:359
 - Almaraz-Spain 152:175
 - Amount 177:335
 - Carbon-Steel 178:359
 - Chemical-Dissolution 178:359
 - Classical 178:359
 - Component 178:359
 - Efficiency 177:335
 - Environment 152:175
 - Grown 178:359
 - Heat-Transfer 178:359
 - Medium-Level 177:335
 - Neutron-Activation-Analysis 180:83
 - Optimization 180:83
 - Oxide-Layer 178:359
 - Radiation 180:83
 - Radiological-Impact 152:175
 - Retention 177:335
 - Shielding 180:83
 - Surface 178:359
 - Vitrification 177:335
 - Waste 177:335
- Nuclear-Power-Reactor** 199:493
- Nuclear-Property** 182:267
- Nuclear-Reaction**
 - Activation 152:299, 178:207, 189:349
 - Bibliography 152:299, 178:207, 189:349
- Nuclear-Reactor**
 - 2-(F-18)-FDG 173:239
 - Accident 161:121
 - Behavior 161:121
 - Coating 164:71
 - Condition 161:121
 - Containment 180:237
 - Continuous 164:71
 - Control 164:71
 - Fluorine-18 173:239
 - Fuel-Element 164:71
 - Hermetic-Sealing 164:71
 - Impact 180:237
 - Iodine 161:121, 180:237
 - Low-Power 180:325
 - Mexico 173:239
 - Organic-Compound 180:237
 - Preliminary 173:239
 - Program 180:325
 - Radiochemical 161:121
 - Relevant 161:121
 - Structure 180:237
 - Synthesis 173:239
 - Technology-Transfer 180:325
 - Thermophysical 164:71
 - TRIGA-MARK-III 173:239
 - Verification 164:71
 - Volatility 180:237
 - VVER-440 164:71
- Nuclear-Related-Technique** 169:105
- Nuclear-Reprocessing**
 - Accumulation 161:561
 - Active 161:561
 - Concentration 161:561
 - Feature 161:561
 - Fissile 161:561
 - Grass-Sample 155:115
 - High-Ionic-Strength 159:285
 - Iodine-129 155:115
 - Material 161:561
 - Monitoring 161:561
 - Neutron-Counting 161:561
 - Nuclear-Plant 155:115
 - Passive 161:561
 - Radioiodine 159:285
 - Safety 161:561
 - Separation 159:285
 - Soil-Sample 155:115
- Nuclear-Science**
 - American-Museum-of-Science 171:253
 - Challenge 171:15
 - Crocker-Nuclear-Laboratory 171:119
 - Current 171:33
 - Education 171:15, 171:23, 171:33, 171:57, 171:67, 171:83, 171:119, 171:237
 - Energy 171:95, 171:253
 - Engineering-Education 171:177
 - Facility 180:319
 - Future 171:15
 - India 171:33
 - Japan 171:95
 - Japanese-University 171:83
 - Kyushu 171:95
 - Multidisciplinary-Center 180:319
 - Museum 171:95
 - Opportunity 171:119
 - Pakistan 171:67
 - Pre-college-Program 171:237
 - Program 171:253
 - Public-Education 171:95
 - South-Africa 171:57
 - Status 171:33
 - Taiwan 171:23
 - Training 171:33, 171:57, 171:67
 - U.W.I. 180:319
 - University-of-California-at-Davis 171:119
 - University-Research-Reactor 171:177
- Nuclear-Science-Program** 171:167
- Nuclear-Technique**
 - Availability 161:239
 - Bottom 161:239
 - Gas-Solid-System 198:69
 - Lake 161:239
 - Numerical-Simulation 198:69
 - Phosphorus 161:239
 - Sediment 161:239
 - Vertical-Flow 198:69
- Nuclear-Track** 180:139
- Nuclear-Track-Detector**
 - Alpha-Contamination 194:185
 - Americium-241 194:185
 - Geological 182:367
 - Identification 194:185
 - Indoor 161:307
 - Neighboring 182:367
 - Plutonium-239 194:185
 - Profile 194:207
 - Radon 161:307
 - Site 182:367
 - Soil 194:207
 - Solid-State 161:307, 182:367
 - Stratigraphical 182:367
- Nuclear-Track-Technique** 188:15
- Nuclear-Waste**
 - Acidic 177:327
 - Aqueous 154:265
 - Calcination 183:225
 - Cobalt 183:225
 - Elution 183:225
 - Encapsulation 183:225
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 191:305
 - Estimation 191:305
 - Extractive 177:327
 - High-Activity 177:327
 - High-Temperature-Spectroscopy 161:527
 - Laumontite 154:265
 - Material 154:265
 - Natural 154:265
 - Nickel 183:225
 - Palladium 177:327
 - Potential 154:265
 - Simulated 191:305
 - Spectrophotometry 177:327
 - Strontium 191:305
 - Synthetic-Faujasite 183:225
 - Treatment 154:265, 183:225
 - Uptake 183:225
 - Zeolite 154:265, 183:225
 - Zinc 183:225
- Nuclear-Weapon**
 - Characterization 177:161
 - Contamination 177:161, 197:115
 - Estimation 197:115
 - Facility 197:115
 - Former 177:161
 - Gamma-Monitoring-Technique 197:115
 - Maralinga 177:161
 - Plutonium 177:161, 197:115
 - Range 177:161
 - South-Australia 177:161
 - Testing 177:161
- Nuclei** 172:3
- Nucleon** 181:175
- Nucleoporous** 163:145
- Nuclide**
 - (n, alpha)-Reaction 151:357
 - Activation 151:357
 - Alpha-Emission 194:173
 - Behavior 156:349
 - Breeder 151:357
 - Calculation 160:269
 - Candidate 151:357
 - Ceramic-Material 151:357
 - Coastal 156:349
 - Code 160:269
 - Computer 160:269

- Concentration 160:269
- Concentration-Level 156:349
- Environmental-Sample 194:173
- Evaluation 151:357
- Expert-System 160:245, 193:219
- Fusion-Reactors 151:357
- Gamma-Spectrometry 151:357
- Gamma-Spectrum 160:245, 193:219
- Half-Life 159:375
- Identification 160:245, 160:269, 193:219
- Interlaboratory 198:323
- Interpretation 160:245
- Japanese 156:349
- k_p -Concept 160:269
- Liquid-Scintillation 194:173
- Lithium-6 151:357
- Marine-Environment 156:349
- Millisecond-Order 159:375
- Monitoring 194:173
- Multiple-Time-Interval-Analysis 159:375
- Neutron-Activation-Analysis 160:269
- Neutron-Irradiation 151:357
- NORM 198:323
- Oil-and-Gas-Production 198:323
- Potential 198:323
- Principle 159:375
- Programme 198:323
- Radioactive 159:375
- ROMOS 160:269
- Sample 198:323
- Single-Time-Interval-Analysis 159:375
- Standardization-Method 198:323
- State-of-the-Art 198:323
- Test 198:323
- Transuranium 156:349, 194:173
- Tritium 151:357
- Validation 198:323
- Number** 165:9
- Numerical-Simulation** 198:69
- Nutrient** 151:245
- Oak**
 - Airborne 167:309
 - Bioindicator 188:149
 - Environmental-Pollution 188:149
 - Feasibility 167:309
 - Leaf 167:309, 188:149
 - Monitor 167:309
 - Pollution 167:309
- Object** 200:373
- Object-Oriented-Approach** 193:207
- Observation** 169:409
- Observed** 183:59
- Obsidian**
 - Abbreviated 180:29
 - Archaeological 180:29
 - Catamarca-Argentina 200:373
 - Compositional-Analysis 196:245
 - Huitzila-La-Lobera 196:245
 - Neutron-Activation-Analysis 180:29
 - Object 200:373
- Procedure 180:29
- Source 196:245
- Sourcing 180:29
- Southern-Sierra-Madre-Occidental-Mexico 196:245
- X-Ray-Fluorescence-Analysis 200:373
- Obstruction** 158:171
- Occupancy** 189:277
- Occupational** 177:81
- Occupational-Case** 156:401
- Occupational-Toxicology** 195:123
- Occupational-Worker** 156:65
- Occupied** 193:301
- Occurrence**
 - Distribution 178:365
 - Element 178:365
 - Gamma-Spectrometry 178:375
 - Geochemical 178:375
 - Gubrunde 178:365
 - Host 178:365
 - Hostrock 178:375
 - Kanawa 178:375
 - Nigeria 178:365, 178:375
 - Ore 178:375
 - Pattern 178:365
 - REE 178:365
 - Rock 178:365
 - Uranium 178:365, 178:375
- Occurring** 166:41
- Ocean** 194:157
- Octyl(Phenyl)-N,N-Diisobutylcarbamoylmethyl phosphine-Oxide** 165:219
- Octylacetamide In-»** 152:243
- Offer** 167:187
- Oil**
 - Background-Level 194:359
 - Canadian 194:359
 - Concentration 170:117
 - Crude 168:145
 - Gas-Production 170:117
 - Grain 194:359
 - Low-Specific-Activity 170:117
 - Neutron-Activation-Analysis 168:145
 - Nigerian 168:145
 - Plant 170:117
 - Radioactivity 194:359
 - Radium 170:117
 - Scale 170:117
 - Seed 194:359
 - Thorium 170:117
 - Uranium 170:117
 - Water 170:117
- Oil-and-Gas-Production** 198:323
- Oil-Forming** 151:177
- Oil-Lubricated-System** 180:121
- Oklo** 155:107
- Ombrogenous-Mire** 156:361
- Ombrotrophic-Bog-Monitor** 192:205
- Omnidirectional-Emission** 186:227
- On-line**
 - Actinide 194:107
 - Barium 174:35
 - Baryte 174:35
 - Biological-Material 168:5, 169:229
 - Chemistry 183:261
 - Chromatography 194:51
 - Chromium 169:229
 - Contaminated 194:107
 - Content 174:35
 - Coolant 194:51
 - Detection 194:7
 - Elemental-Analysis 151:83
 - Emission 194:51
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 194:107
 - Equipment 174:35
 - Fission-Product 194:7
 - Fluorine 174:35
 - Fluorspar 174:35
 - Gas 183:261
 - High-Performance-Liquid-Chromatography 168:5
 - Inductively-Coupled-Plasma-Mass-Spectrometry 194:7
 - Ion 194:51
 - Ion-Chromatography 169:229, 194:7
 - Labeled 165:327
 - Monitor 194:107
 - Multielement-Analysis 168:5
 - Non-gamma 194:51
 - Ore 174:35
 - Oxygen-15 165:327
 - Production 165:327
 - Prompt-Gamma 151:83
 - Radiochemical-Neutron-Activation-Analysis 168:5, 169:229
 - Radionuclide 194:7, 194:51
 - Rare-Earth-Element 194:7
 - Remote-Control 165:327
 - Scintillation-Counting 194:51
 - Silicon 174:35
 - Species 165:327
 - Stream 194:107
 - Thermal-Neutron 151:83
 - Transactinide-Element 183:261
 - Waste 194:107
 - Yield 168:5, 169:229
- On-line-Method** 163:373
- One-Electron** 191:349
- One-Year** 198:203
- Ontario**
 - Brass-Sample 196:255
 - Canada 162:283
 - Chemical-Analysis 196:255
 - Christian-Island 196:255
 - Copper 196:255
 - Fingernail 162:283
 - Georgian-Bay 196:255
 - Hair 162:283
 - Industrial-Worker 162:283
 - Scalp 162:283
 - Trace-Element 162:283
- Ontario (Northeastern-»** 168:307
- Opal**
 - Australian 185:293
 - Coloured 198:499
 - Neutron-Activation-Analysis 185:293, 198:499
 - Trace-Element 185:293, 198:499
- Operation**
 - Capsule 158:343
 - Cesium 152:47
 - Complementary 152:47
 - Concentration 152:47
 - Coolant 152:47
 - Defective 152:47
 - Epithermal-Neutron-Activation-Analysis 158:343
 - Feasibility-Study 158:343
 - Fuel-Rod 152:47
 - Germanium-Spectrometry 158:343
 - Irradiation 158:343
 - Localizing 152:47
 - Low-Level-Medium 199:493
 - Nickel-63 199:493
 - Nuclear-Power-Reactor 199:493
 - Plastic 158:343
 - Pressurized-Water-Reactor 152:47
 - Radioactive-Waste 199:493
 - Ratio 152:47
 - Separation 199:493
 - Trace 199:493
 - Well-Type 158:343
- Opportunity** 171:119
- Optical** 188:189
- Optical-Absorption-Spectroscopy** 180:139
- Optical-Stimulation** 190:13
- Optically-Induced-Modification** 190:315
- Optimal-Characteristics** 167:31
- Optimal-Parameter** 164:23
- Optimization**
 - Activation-Analysis 169:409
 - Activity 196:345
 - Analytical-Procedure 169:409
 - Biological-Application 157:273
 - Condition 169:429
 - Correcting 169:409
 - Detection 157:273
 - Environmental-Sample 161:437
 - Fluorine 157:273
 - Geological-Application 157:273
 - Gradient 200:457
 - Human-Urine 195:109
 - Instrumental-Activation-Analysis 169:429
 - Instrumental-Neutron-Activation-Analysis 195:109
 - Isotope 161:437
 - Low-Level 196:345
 - Manganese-53 200:457
 - Mapping 200:457
 - Microprobe 157:273
 - National-Institute-of-Standards-and-Technology 200:457
 - Neutron-Activation-Analysis 180:83, 200:457
 - Neutron-Flux 200:457
 - Nuclear 157:273
 - Nuclear-Power-Plant 180:83
 - Observation 169:409
 - Present 196:345
 - Procedure 195:109
 - Radiation 180:83
 - Radioanalytical-Procedure 161:437
 - Reactor 200:457
 - Sample 196:345
 - Shielding 180:83
 - Spike 196:345
 - Time 169:409
 - Uranium 161:437

- Optimum** 155:231
Optimum-Condition 168:287
Order 173:87
Ordering 190:327
Ordinary
 • Chondrite 152:409
 • Dating 152:409
 • Germanium-Detector 178:301
 • High-Purity 178:301
 • Initial-Ratio 152:409
 • Lead-210 178:301
 • Low-Level 178:301
 • Non-destructive 178:301
 • Plutonium-244 152:409
 • Radium-226 178:301
 • Uranium 152:409
Ore
 • Barium 174:35
 • Baryte 174:35
 • Bremsstrahlung 168:503
 • Content 174:35
 • Control 154:365
 • Copper-Molybdenum 168:503
 • Disintegration-Process 154:365
 • Dissolution 178:261
 • Equipment 174:35
 • Fluorine 174:35
 • Fluorspar 174:35
 • Gamma-Spectrometry 178:375
 • Geochemical 178:375
 • Growth 178:261
 • High-Grade 170:165
 • Host 178:261
 • Hostrock 178:375
 • Kanawa 178:375
 • Kinetics 178:261
 • Manganese 187:113
 • Microtron 168:503
 • Model 178:261
 • Multielemental 168:503
 • Myanmar 187:113
 • Neutron-Activation 154:365
 • Neutron-Activation-Analysis 187:113
 • Nigeria 178:375
 • Occurrence 178:375
 • On-line 174:35
 • Photon-Activation-Analysis 168:503
 • Polymetallic 158:401
 • Potential 178:261
 • Processing 168:503, 178:261
 • Product 168:503
 • Pyrolusite 187:113
 • Silicon 174:35
 • Simultaneous-Determination 170:165
 • Solid 178:261
 • Surface 178:261
 • Thorium 170:165
 • Uranium 170:165, 178:261, 178:375
 • X-Ray-Fluorescence-Analysis 158:401
Ore-Deposit 201:25
Ore-Sample
 • Delayed-Neutron-Counting 201:439
 • Eskisehir-Beylikahir 201:439
 • Gold 170:259
 • Thorium 201:439
 • Uranium 201:439
 • X-Ray-Fluorescence-Analysis 170:259
- Organic**
 • 2,3,7,8-Tetrachlorodibenzo-p-Dioxin 195:219
 • Behavior 195:219
 • Bromine 167:353
 • Characterization 165:1
 • Chlorine 167:353
 • Coastal-Atmosphere 196:295
 • Column 165:1
 • Dehydration 165:1
 • Dynamics 165:1
 • Flow 165:1
 • Inorganic 196:295
 • Iodine 196:295
 • Ionic 187:99
 • Japan 196:295
 • Laboratory 165:1
 • Lanthanum 187:99
 • Liquid 165:1, 187:99
 • Molecular 187:99
 • Molecular-Sieve 165:1
 • Neutron-Activation-Analysis 167:353
 • Particulate 196:295
 • Photodegradation 195:219
 • Pilot-Plant 165:1
 • Radioanalytical-Technique 195:219
 • Radiotracer 165:1
 • Separation 187:99
 • Total 167:353
 • Toxicant 195:219
 • Uranium 187:99
Organic-Acid 163:113
Organic-Analysis 194:25
Organic-Complexant 194:25
Organic-Compound 180:237
Organic-Diagenesis 180:15
Organic-Diluent-Extraction 199:339
Organic-Ligand 181:373
Organic-Material 151:177
Organic-Matter
 • Ascertain 173:79
 • Identifying 151:239
 • Mediterranean 173:79
 • Radionuclide 173:79
 • Retention 173:79
 • Role 173:79
 • Scheme 173:79
 • Sequential-Extraction 173:79
 • Soil 173:79
 • Type 151:239
Organic-Medium
 • 4-I-127-Iodoantipyrine 153:201
 • Acetamide 170:389
 • Electrochemistry 170:389
 • Ethylammonium-Nitrate 170:389
 • Eutectic 170:389
 • Iodine 153:201
 • Ionic-Medium 170:389
 • Isotope-Exchange 153:201
 • Potassium-Thiocyanate 170:389
 • Sodium-Iodide 153:201
 • Sodium-Iodide-131 153:201
 • Uranium 170:389
Organic-Rich 178:193
Organic-Sample 168:15
Organic-Solution
 • Aqueous-Solution 152:87
 • Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 158:23
 • Ion-Pair 152:87
 • Solvent-Extraction 152:87
 • Tetraphenylarsonium 152:87
 • Uranium 158:23
Organic-Solvent 186:273
Organic-Substance 159:77
Organically-Bound 161:455
Organisms 178:81
Organizational-Aspect 177:193
Organo-Plutonium-Complex 191:15
Organophosphinic-Acid
 • Aqueous-Medium 178:179
 • Binary-Mixture 178:179
 • Europium(III) 178:63
 • Extractant 178:179
 • Extraction 178:63
 • Hydrogen-Chloride 178:179
 • Lanthanoid 181:281
 • Liquid-Membrane 178:63
 • Liquid-Membrane-Transport 181:281
 • Molybdenum(VI) 178:179
 • Phosphonic-Acid 178:179
 • Transport 178:63
 • Uranium(VI) 178:179
Organophosphorus 178:109
Organophosphorus-Agent 163:145
Origin
 • Analyzed 198:311
 • Archaeological-Sample 198:311
 • Biological 194:297
 • Calcium-Carbonate 194:297
 • Matrix 194:297
 • Polygonal-Graphic-Representation 198:311
 • Radiostromium 194:297
 • Separation 194:297
 • X-Ray-Fluorescence-Analysis 198:311
Originated 165:185
Oscillatory 172:249
Osijek
 • Concentration 175:103
 • Dwelling 191:45
 • Kindergarten 175:103
 • Ljubljana 175:103
 • Radon 175:103, 191:45
 • School 191:45
Osmium
 • Ion-Microprobe 178:55
 • Iridium 185:3
 • Mercury 178:55
 • Meteoritic-Sample 185:3
 • Neutron-Activation-Analysis 185:3
 • Preparation 178:55
 • Radiochemical-Procedure 185:3
 • Rhenium 185:3
 • Sample 178:55
 • Simple 185:3
 • Simultaneous-Determination 185:3
 • Suitable 178:55
Osmium-193 164:303
Osteoporosis 169:301
OSTSORB-Oxin 164:357
Otolith 198:399
- Outdoor** 161:351
Outer 165:191
Overview
 • Capillary 163:155
 • Electrophoresis 163:155
 • Indoor 161:265
 • Nuclear-Chemistry 171:7
 • Radon 161:265
 • Reduction 161:265
 • Risk 161:265
 • Teaching 171:7
 • United-States 161:265
Oxalate 201:495
Oxalate-Solution 163:245
OxalatoFerrate(III)-Dihydrate 201:57
Oxalic-Acid 191:369
Oxalic-Acid-Nitric-Acid-Solution 187:385
Oxidation
 • Actinide 197:133
 • Carbonate 191:349
 • Co-precipitation 197:133
 • Component 191:129
 • Gamma-Radiation 152:261
 • Iodide-Ion 152:261
 • Kinetic-Study 188:177
 • Low-Level 197:133
 • Metastable 190:363
 • Neodymium-Fluoride 197:133
 • Nickel(II)-Iminodiacetate 191:349
 • Nitric-Acid-Solution 188:177
 • One-Electron 191:349
 • Petrochemical 191:129
 • Phenol 191:129
 • Radiation 191:129
 • Radical 191:349
 • Reduction 197:133
 • Role 152:261
 • Selective 197:133
 • Separation 197:133
 • Solid-Phase 152:261
 • Structural-Magnetic-Transformation 190:363
 • Sulfide 190:363
 • Uranium(IV) 188:177
 • Waste-Water 191:129
Oxidation-Kinetics 154:371
Oxidation-Reduction 198:237
Oxidation-Reduction-Reaction 190:37
Oxidation-State
 • Actinide 159:259
 • Alkaline-Solution 159:259
 • Dependence 170:125
 • Extraction 159:259
 • k-beta/k-alpha-Intensity-Ratio 170:125
 • Kinetic-Aspect 186:477
 • Manganese-Dioxide 166:299
 • Plutonium 166:299
 • Separation 159:259
 • Technetium-Cysteine-Complex 186:477
 • Technetium-Diphosphonate-Complex 190:149
 • Uncommon 159:259
Oxidation-State [Higher-] 157:401
Oxide
 • Anion 190:369
 • Anion-Exchange 188:219
 • Cation 190:375

- Foreign 190:375
- Glass 182:451
- Hydrated 190:369, 190:375
- Hydrous 188:219
- Impurity 190:215
- Induced 190:375
- Ion 190:215
- Iron 190:375
- Iron-57-Mössbauer-Effect 182:451
- Iron²⁺ 190:369
- Iron³⁺ 190:369
- Local-Structure 190:215
- Long-Living 190:475
- Microcrystalline 190:475
- Mössbauer-Emission-Spectroscopy 190:215
- Positron 190:475
- Positronium 190:475
- Precipitation 190:369
- State 190:475
- Structural-Modification 190:375
- TDPAC 190:215
- Tin-119-Mössbauer-Effect 182:451
- Valence 190:215
- Zeolite 190:475
- Oxide-Film** 192:139
- Oxide-Layer**
 - Agent 178:359
 - Carbon-Steel 178:359, 185:251
 - Chemical-Dissolution 178:359
 - Classical 178:359
 - Component 178:359
 - Contaminated 185:251
 - Disodium-Citrate 185:251
 - Grown 178:359
 - Heat-Transfer 178:359
 - Hydrochloric-Acid 185:251
 - Nuclear-Power-Plant 178:359
 - Removal 185:251
 - Surface 178:359
- Oxide-State** |Higher-» 158:261
- Oxidizing-Agent** 196:303
- Oxime**
 - 4-(2'-Thiazolylazo)Resacetophenone 154:357, 170:181
 - Analytical-Reagent 154:357, 170:181
 - Derivative 170:181
 - Simultaneous-Determination 170:181
 - Spectrophotometry 154:357, 170:181
 - Thorium 170:181
 - Uranium 170:181
 - Uranium(VI) 154:357
- Oxo-Centered** 190:257
- Oxocompound** 157:401
- Oxygen**
 - (n,α)-Radiography 167:475
 - 14-MeV 160:169, 167:467, 180:277
 - Actinide 164:153
 - Activation-Analysis 158:463
 - Anthraquinone 172:19
 - Aqueous 172:19
 - Aqueous-Solution 188:211, 199:423, 199:429
 - Boron 180:277
 - Ceramics 167:475
 - Characterization 191:35
 - Charged-Particle 158:463
 - Chemisorption 191:35
 - Comment 199:423
 - Couple 164:153
 - Distribution 167:475
 - Dye 172:19
 - Factor 151:365
 - Fast-Neutron-Activation-Analysis 160:169
 - Fluorine 180:277
 - Gamma-Radiolysis 172:19
 - Gamma-Ray 191:35
 - High-Purity 158:463
 - High-Temperature-Superconducting-Material 151:365
 - Impurity 158:463
 - Induced 191:35
 - Instrumental-Neutron-Activation-Analysis 168:257, 180:277
 - Isotope 168:257
 - LaMnO₃ 191:35
 - Lanthanum-Manganate 191:35
 - Material 158:463
 - Microcomputer 160:169
 - Multiple-Interference 180:277
 - Multiscaling 160:169
 - Neutron 167:467, 168:257
 - Neutron-Activation 151:365
 - PC 160:169
 - Pollutant 164:153
 - Projectile 158:463
 - Radiolysis 188:211, 199:423, 199:429
 - Reactor 168:257
 - Reply 199:429
 - Revisited 168:257
 - Triton-X-100 188:211, 199:423, 199:429
 - Water 164:153
 - XPS 191:35
 - YBa₂Cu₃O_{7-x} 167:475
- Oxygen-15** 165:327
- Oxygen-Free**
 - 1,3-Dichloropropane 172:57
 - 1-Chlorobutane 172:57
 - 1-Chlorobutene-2 172:57
 - 1-Chloropropane 172:57
 - 2-Chloropropane 172:57
 - Atmosphere 172:57, 177:415
 - Dichloroethane 177:415
 - Dichloromethane 177:415
 - Gamma-Irradiated 172:57, 177:415
 - Product 172:57, 177:415
 - Radiation 172:57
 - Radical 177:415
 - Radiolysis 172:57, 177:415
 - Stable 172:57, 177:415
 - Yield 172:57
- Oxygen/Metal-Ratio** 188:463
- Oyster** 197:343
- Ozone** 172:49
- Pacific-Oyster** 161:135
- Packard-2250CA** 154:319
- Packed** 168:243
- Packing** 183:19
- PACS** 174:145
- PAHIDA-Tc-99m** 158:65
- Pair** 192:131
- Pakistan** 171:67
- Pakistan |Punjab-»** 201:347
- Palaeosol** 168:83
- Palatine-Hill** 196:223
- Palladium**
 - Acidic 177:327
 - Benzene 166:441
 - Cesium 199:375
 - Cold-Fusion 154:153
 - Dimethylglyoxime 158:211
 - Electrode 199:375
 - Extractant 187:19
 - Extraction 166:441
 - Extractive 177:327
 - Foil 154:153
 - Geological-Sample 187:67
 - Gold 187:67, 199:375
 - High-Activity 177:327
 - High-Level 187:19
 - Improvement 189:59
 - Matrix 199:375
 - Neutron-Activation-Analysis 199:375
 - Nuclear-Fuel 186:285, 189:59
 - Nuclear-Waste 177:327
 - Platinum 187:67, 199:375
 - Radioactive-Waste 187:19
 - Radiochemical-Extraction 158:211
 - Radiochemical-Neutron-Activation-Analysis 187:67
 - Rapid 162:155
 - Recovery 186:285, 187:19, 189:59
 - Reprocessing 186:285, 189:59
 - Selective 162:155, 187:19
 - Separation 162:155
 - Silver 187:67
 - Spectrophotometry 177:327
 - Spent 186:285, 189:59
 - Thin 154:153
 - Triphenylphosphine-Sulfide 166:441
 - Waste 186:285, 189:59
- Palladium-109m** 166:63
- Palladium-Nitrate-Solution** 158:303
- Palladium/Alumina-Catalyst** 200:465
- Palomare**
 - Aspect 161:489
 - Distribution 161:389
 - Geochemical-Aspect 161:389
 - Long-Lived-Radionuclide 161:389
 - Marine-Environment 161:489
 - Marine-Sediment 161:389
 - Transfer 161:489
 - Transuranics 161:489
- Paper-Chromatography** 199:295
- PAR** 152:243
- Paraffin In-»** 198:89
- Parallel** 166:211
- Parallel-Plate-Avalanche-Counter** 153:375
- Paramagnetic-Center**
 - Aluminum-Hydroxide 154:61
 - Chemical-Yield 154:61
 - Decay 188:287
 - Electron-Paramagnetic-Resonance-Spectroscopy 154:61
 - Kinetics 154:61
 - Polyacetylene 188:287
 - Radiation 154:61
 - Thermal-Decay 154:61
 - X-Ray-Irradiation 154:61
- Paramagnetic-Solution** 190:481
- Parameter**
 - Antibody 189:77
 - Associated 189:77
 - Change 166:131
 - Chronic 189:77
 - Cold-Fusion 155:377
 - Concentration 154:413
 - Container 157:301
 - Correlation 155:377
 - Decay 154:413, 166:131
 - Dependence 186:375
 - Dysprosium-160 154:413
 - End-Point 189:77
 - Europium-152 166:131
 - Evaluation 189:77
 - Exposure 189:77
 - Flow 180:245
 - Function 154:413
 - Gelatin 154:413
 - Immunochemical 189:77
 - Interaction 159:175
 - Irradiation 157:301
 - K-Capture 166:131
 - Kinetics 159:175
 - k₀ 157:301
 - Lifetime 186:375
 - Migration 159:175
 - Modeling 159:175
 - Molecular-Weight 186:375
 - Neutron-Activation-Analysis 157:301
 - Neutron-Flux 157:301
 - PEEK 186:375
 - Perturbed-Angular-Correlation 154:413, 166:131
 - Pipe 180:245
 - Positron 186:375
 - Possible 189:77
 - Probability 166:131
 - Radiobiological-Effect 189:77
 - Radionuclide 159:175
 - Radiotracer-Technique 180:245
 - River 159:175
 - Sample 186:375
 - Sum-Peak-Method 154:413, 166:131
 - Suspended-Solid 159:175
 - Tritium 189:77
 - Value 154:413
 - Variation 157:301
- Parametric-Normalization** 170:27
- Parametric-Standardization** 179:119
- Parent-Daughter** 162:125
- Partial-Least-Square-Method** 200:397
- Participant** 197:9
- Particle**
 - Aerosol 192:215
 - Airborne 186:23
 - Antimony 192:215
 - Area 192:215
 - Arsenic 192:215
 - Bearing 192:215
 - Capacity 157:245
 - Ceric-Oxide 157:245
 - Chloride-Ion 157:245
 - City 187:243
 - Colloidal 167:445
 - Component 157:245
 - Concentration 186:23

- Copper 187:243
- Correlation 199:353
- Cyclotron-Accelerated 155:25
- Debreceen 186:23
- Diffusion 157:245
- Dust 163:313
- Elemental-Composition 163:313
- Following 163:313
- Function 157:245
- Gold 167:445
- Growth 192:215
- Hydrous 157:245
- Immunoassay 167:445
- Instrumental-Neutron-Activation-Analysis 192:215
- Israel 163:313
- Large-Scale 187:243
- Lead 186:23
- Light-Element 155:25
- Mine 187:243
- Neutron-Activation-Analysis 163:313, 167:445
- Northern-Chile 187:243
- Saharan 163:313
- Seasonal-Variation 186:23
- Selenium 192:215
- Self-Diffusion 157:245
- Settling 163:313
- Site 186:23
- Size-Spectrum 192:215
- Sol 167:445
- Spontaneous-Fission 199:353
- Storm 163:313
- Suspended 187:243
- Ternary 199:353
- Trace 157:245
- Trace-Element 187:243
- Washington-DC 192:215
- Yield 199:353
- Zinc 192:215
- Particle-Induced-Gamma-Ray-Emission**
 - Assessment 196:145
 - Bone 169:259
 - Breath-Sample 151:313
 - Carbon-13 151:313
 - Cyclic 161:71
 - Deceleration 183:273, 186:415
 - Diet 161:71
 - Fluorine 161:71
 - Human-Blood-Serum 196:145
 - Instrumental-Neutron-Activation-Analysis 161:71
 - Magnesium 186:415
 - Major-Element 169:259
 - Nigerian 177:243
 - Nitrogen 196:145
 - Particle-Induced-X-Ray-Emission 169:259, 177:243
 - Relative 183:273, 186:415
 - Sample 161:71
 - Sand 177:243
 - Silicon 183:273
 - Simultaneous 169:259
 - Tar 177:243
 - Trace-Element 169:259
 - Value 183:273, 186:415
- Particle-Induced-Gamma-Ray-Emission-Spectrometry** 185:273
- Particle-Induced-X-Ray-Emission**
 - Accuracy 196:135
 - Aluminum 159:71
 - Ancient 192:147
 - Aortic-Wall 199:277
 - Archaeological-Material 187:79
 - Atomic-Absorption-Spectrometry 195:83
 - Bombardment 178:387
 - Bone 169:259
 - Bronze 192:147
 - Charge-Induced-X-Ray 200:53
 - Charged-Particle 178:387
 - Chinese 151:319
 - Combined 179:177
 - Complex 151:261
 - Concretion 199:277
 - Elemental 199:277
 - Enhancement 178:387
 - External-Beam 192:147
 - Graphite-Furnace 195:83
 - Heavy-Ion-Beam 200:53
 - Hemopathy 151:261
 - High-Energy 151:387
 - Homogeneity 179:177
 - Human-Blood-Serum 151:261
 - Human-Bone 195:83
 - Instrumental-Neutron-Activation-Analysis 151:261
 - Lead 195:83
 - Light-Ion-Beam 200:53
 - Major-Element 169:259
 - Matrix 179:177
 - Metal-Fluoride 178:387
 - Mineral-Composition 151:261
 - Modification 151:261
 - Multivariate-Statistical-Treatment 151:319
 - Neutron-Activation 153:75
 - Nigerian 177:243
 - Particle-Induced-Gamma-Ray-Emission 169:259, 177:243
 - Photon 179:177
 - Precision 196:135
 - Preparation 187:79
 - Production 200:53
 - Prompt-Analysis 151:387
 - Rare-Earth 151:387
 - Representative-Sampling 179:177
 - Sample 187:79
 - Sand 177:243
 - Silicon 159:71
 - Simultaneous 169:259
 - Standard 196:135
 - Statue 192:147
 - Tar 177:243
 - Testing 179:177
 - Tissue 199:277
 - Tomography 179:177
 - Trace-Element 169:259
 - Traditional-Medicine 151:319
 - Transmission 179:177
 - X-Ray-Fluorescence-Analysis 153:75
 - Yield 178:387
 - Zeolite 153:75, 159:71
- Particle-Size** 189:289
- Particular** 167:361
- Particularity** 181:109
- Particulate**
 - Air 173:365, 174:43, 179:187
 - Ambient 173:365
 - Atmospheric 174:43
 - Brick 186:57
 - Cement 162:381
 - Central-India 162:381
 - Coastal-Atmosphere 196:295
 - Copper 186:57
 - Dust 162:381, 173:365
 - Elemental-Composition 173:365
 - Elemental-Concentration 179:187
 - Factory 162:381, 186:57
 - Final 186:57
 - Fugitive 162:381, 173:365
 - Gaseous 174:43
 - Identification 179:187
 - Inorganic 196:295
 - Instrumental-Neutron-Activation-Analysis 173:365
 - Iodine 196:295
 - Iodine-129 174:43
 - Iron 186:57
 - Japan 196:295
 - Leaching-Experiment 181:11
 - Lead 186:57
 - Manganese 186:57
 - Mass-Balance 181:11
 - Material 186:57
 - Matter 179:187, 186:57
 - Multielemental 162:381
 - Neutron-Activation-Analysis 162:381, 174:43
 - Nigerian 179:187
 - Organic 196:295
 - Preliminary-Study 179:187
 - Radionuclide 186:57
 - Raw 186:57
 - Seawater 181:11
 - Sequential 181:11
 - Site 179:187
 - Source 179:187
 - Thermal-Power-Station 173:365
 - Uranium 181:11
 - X-Ray-Fluorescence-Analysis 186:57
 - Zinc 186:57
- Partition**
 - Acetylacetone 163:59
 - Acidic 191:291
 - Actinide 191:291
 - Carrier-Free 199:115
 - Cerium 175:437
 - Chelate 163:59
 - Chromatographic-Separation 191:291
 - Chromatography 199:115
 - Dysprosium(III)-Oxide 199:115
 - Electrophoresis 199:115
 - Equilibrium 163:59
 - Extractant 163:59
 - Holmium-166 199:115
 - Hydration 163:59
 - Hydrochloric-Acid/Tributyl-Phosphate-Extraction-System 175:437
 - Isotope 175:437
 - Metal-Ion 163:59
 - Minor 191:291
 - Model 163:59
 - Monothioacetylacetone 163:59
 - Nitrate 191:291
 - Purex 191:291
 - Reversed-Phase 191:291
 - Separation 199:115
 - Sulfoxide 191:291
 - Target 199:115
 - Waste 191:291
- Partitioning**
 - AOT 191:201
 - Coefficient 199:21
 - Combustion 171:287
 - Ecosystem 199:21
 - Extraction 191:201
 - Lignite 171:287
 - Micellar-System 191:201
 - Protein 191:201
 - Radiolabeled 191:201
 - Radionuclide 199:21
 - Reverse 191:201
 - River 199:21
 - Sava 199:21
 - Surfactant 191:201
 - Texas 171:287
 - Trace-Element 171:287
- PASS** 194:221
- Passive**
 - Accumulation 161:561
 - Active 161:561
 - Atmospheric 167:227, 192:249
 - Collected 192:249
 - Collector 193:281
 - Combined 152:161
 - Concentration 161:561
 - Conversion 190:289
 - Degradation 190:289
 - Direct-Measurement 193:281
 - Electron 190:289
 - Enrichment 152:161
 - Feature 161:561
 - Fissile 161:561
 - Flux 193:281
 - Gamma 152:161
 - Iron 190:289
 - Layer 190:289
 - Material 161:561
 - Monitoring 161:561
 - Mössbauer-Spectroscopy 190:289
 - Neutron-Activation-Analysis 167:227
 - Neutron-Counting 161:561
 - Nuclear-Reprocessing 161:561
 - Radon 193:281
 - Safety 161:561
 - Sampling 192:249
 - Sampling-Method 167:227
 - Simple 193:281
 - Soil 193:281
 - Sorption 167:227, 192:249
 - Total-Concentration 152:161
 - Trace-Element 167:227, 192:249
 - Uranium-235 152:161
 - X-Ray-Fluorescence-Analysis 152:161
- Past** 160:9
- Pasture** 171:303
- Patagonia** 198:437
- Patient**
 - Amyotrophic-Lateral-Sclerosis 195:13
 - Blood 153:257
 - Dilated-Cardiomyopathy 153:257
 - Elemental-Imbalance 195:13
 - Extraneural-Tissue 195:13
 - Instrumental-Neutron-Activation-Analysis 195:13

- Multielement 153:257
- X-Ray-Fluorescence-Analysis 153:257
- Pattern**
 - Abundance 183:351
 - Distribution 178:365, 183:351
 - Element 178:365
 - Environmental-Tracking 169:363
 - Gubrunde 178:365
 - Host 178:365
 - Instrumental-Neutron-Activation-Analysis 158:193
 - Material 183:351
 - Multivariate-Analysis 169:363
 - Nigeria 178:365
 - Occurrence 178:365
 - Plant 183:351
 - Rare-Earth-Element 158:193, 183:351
 - REE 178:365
 - Rock 178:365
 - Schist-Belt-Southwestern-Nigeria 158:193
 - Trace-Element 169:363
 - Ultramafic-Rock 158:193
 - Uranium 178:365
- Pattern-Recognition** 169:381
- Pb** see **Lead**
- PC**
 - 14-MeV 160:169
 - Data-Analysis 160:277
 - Fast-Neutron-Activation-Analysis 160:169
 - Fit 180:65
 - Microcomputer 160:169
 - Multiscaling 160:169
 - NADA 160:277
 - Neutron-Activation 160:277
 - Non-linear 180:65
 - Oxygen 160:169
 - Peak 180:65
 - Porting 180:65
 - Program 160:277, 180:65
 - Search 180:65
 - Testing 180:65
 - Versatile 160:277
- PC-88A-TOPO** 201:325
- PC-Based-System** 198:55
- PC-Controlled-Evaluation** 195:327
- PCB** 192:299
- Peach**
 - Apple 168:169
 - ASTM 168:169
 - Intercomparison 168:169
 - Leaf 160:101, 168:169
 - Multielement-Analysis 160:101
 - National-Institute-of-Standards-and-Technology 160:101, 168:169
 - Nuclear-Method 168:169
 - Standard-Reference-Material 160:101, 168:169
- Peak**
 - Area 177:403
 - Artificial 169:201
 - Broadening 172:29
 - Correction 172:29
 - Count-Rate 170:27
 - Energy-Dependence 177:403
 - Evaluation 172:29
 - Fit 180:65
 - Full-Energy 170:27
 - Gamma-Ray 177:403
 - Gas-Chromatography 160:449
 - Geometry 170:27
 - Identification 160:449
 - Importance 172:29
 - Index 160:449
 - Interpretation 169:201
 - Introduction 169:201
 - k_0 169:201
 - k_1 -Concept 169:201
 - Line 172:29
 - Neutron-Activation-Analysis 169:201, 172:29
 - Non-linear 180:65
 - Parametric-Normalization 170:27
 - PC 180:65
 - Porting 180:65
 - Program 180:65
 - Retention 160:449
 - Search 180:65
 - Shift 172:29
 - Spectrum 172:29
 - Tailing 177:403
 - Tentative 160:449
 - Testing 180:65
 - Unknown 160:449
 - X-Ray 177:403
- Peat** 199:431
- Peat-Sample** 192:205
- Peatland** 165:79
- Peculiarity** 167:399
- Pedological** 177:101
- PEEK** 186:375
- Pennsylvania-State-University** 171:125
- Pentavalent**
 - Activation 191:361
 - Disproportionation 187:151, 191:361
 - Electrolyte-Solution 155:419
 - Electromigration 155:419
 - Free 155:419
 - Heterogeneous-System 187:151
 - Hydrolysis 155:419
 - Kinetic-Isotope-Effect 187:151, 191:361
 - Kinetics 191:361
 - Plutonium 187:151, 191:361
 - Power 191:361
 - Quantity 155:419
 - Radioelement 155:419
 - Tetravalent 155:419
 - Trace 155:419
 - Ultrasound 191:361
 - Vanadium 155:419
- Pentyl-Xanthate**
 - Benzyl-Xanthate 199:239, 200:181
 - Butyl-Xanthate 199:239, 200:181
 - Cadmium 199:239
 - Comparative 199:239, 200:181
 - Ethyl-Xanthate 199:239, 200:181
 - Potassium-Salt 199:239, 200:181
 - Propyl-Xanthate 199:239, 200:181
 - Substoichiometric-Extraction 199:239, 200:181
 - Zinc 200:181
- Perchlorate-Medium**
 - 15-Crown-5 159:353
 - 18-Crown-6 159:353
 - 8-Hydroxyquinoline 176:273
 - Americium 159:353
 - Dodecane 176:273
 - Europium 159:353
 - Europium(III) 176:273
 - Extraction 176:273
 - Gadolinium 159:353
 - Mixed 159:353
 - Phosphoric-Acid 176:273
 - Radionuclide 159:353
 - Synergic-Extraction 159:353
 - Thenoyltrifluoroacetone 159:353
 - Trivalent 159:353
- Perchloric-Acid-Solution** 181:71
- Perfluorooctanoate** 189:229
- Performance**
 - Aqueous-Solution 183:99
 - Chromium-39 182:139
 - Conversion-Electron-Mössbauer-Spectroscopy 153:375
 - Degradation 183:99
 - Depth 153:375
 - Etching-Time 182:139
 - Gamma-Irradiated 183:99
 - Improving 153:375
 - Liquid-Chromatography 183:99
 - Multicomponent 183:99
 - Nitrobenzene 183:99
 - Parallel-Plate-Avalanche-Counter 153:375
 - Phase-High 183:99
 - Profile 153:375
 - Radiation 183:99
 - Radon-Thoron-Disrimination 182:139
 - Reverse 183:99
 - UV-VIS-Analysis 183:99
 - Waste-Water 183:99
- Performance-Test** 194:221
- Period**
 - Ascite 195:155
 - Barium-Perchlorate 177:357
 - Copper 195:155
 - Distribution 195:155
 - Gamma-Irradiation 177:357
 - Induction 177:357
 - Kinetic 195:155
 - Mouse 195:155
 - Selenium 195:155
 - Thermal-Decomposition 177:357
 - Tumor-Bearing 195:155
 - Zinc 195:155
- Permeability** 161:325
- Permeation** 188:439
- Person**
 - Affected 176:11
 - Area 176:11
 - Byelorussia 176:11
 - Chernobyl-Fallout 176:11
 - Concentration 186:385
 - Element 186:385
 - Hair 186:385
 - Liver 176:11
 - Lung 176:11
 - Mercury 186:385
 - Normal 186:385
- Plutonium 176:11
- Polluted 186:385
- Personal-Computer**
 - Comparative-Analysis 195:315
 - Configuration 162:15
 - Human-Urine 195:315
 - Least-Squares-Method 195:315
 - Library 195:315
 - Low-Cost 162:15
 - Multichannel-Analyzer 162:15
 - Multifunctional 162:15
 - Potassium-40 195:315
 - Simple 162:15
 - Zinc-65 195:315
- Perspective** 171:131
- Perspex** 181:343
- Pertechnetate**
 - Chemical-Characterization 159:129
 - Comparative-Study 183:171
 - Complexation-Behavior 159:129
 - Cysteine 159:129
 - Eluate 152:81
 - Hydrochloric-Acid-Solution 188:391
 - Ion-Exchange 183:171
 - Kinetic-Investigation 188:391
 - Mechanism 178:237, 191:99
 - Molybdenum-99-Technecium-99m-Generator 152:81
 - Perchloric-Acid-Solution 181:71
 - Rapid 152:81
 - Reaction 188:391
 - Reduction 183:171
 - Reversed-Phase-High-Performance-Liquid-Chromatography 152:81
 - Sensitive 152:81
 - Solvent-Extraction 178:237, 181:71, 183:171, 191:99
 - Spectrophotometry 183:171
 - Tetraphenylarsonium-Chloride 178:237, 191:99
 - Thiourea 183:171, 188:391
 - Tributyl-Phosphate 181:71
- Pertechnetate-Ion** 152:381
- Pertraction** 163:145
- Perturbed-Angular-Correlation**
 - Change 166:131
 - Concentration 154:413
 - Decay 154:413, 166:131
 - Dysprosium-160 154:413
 - Europium-152 166:131
 - Function 154:413
 - Gelatin 154:413
 - Indium-Complex 199:357
 - K-Capture 166:131
 - Neodymium-147 163:385
 - Nuclear-Medicine 199:357
 - Parameter 154:413, 166:131
 - Probability 166:131
 - Probe 163:385
 - Sum-Peak-Method 154:413, 166:131
 - Time-Differential 199:357
 - Value 154:413
- Petrochemical** 191:129
- Petroleum**
 - Comparison 180:285
 - Crude 198:17
 - Geochemistry 180:285

- Inductively-Coupled-Plasma-Mass-Spectrometry 180:285
- Instrumental-Neutron-Activation-Analysis 180:285
- Major-Element 198:17
- Neutron-Activation-Analysis 198:17
- Trace-Element 180:285, 198:17
- pH** 188:133
- pH-12** 152:11
- Phantom** 182:45
- Pharmacokinetic** 158:65
- Pharmacological** 195:237
- Phase**
 - Adogen-464 162:125
 - Carbide 153:409
 - Chromatography 162:125
 - Dependence 153:409
 - Dose 155:411
 - Extraction 162:125
 - Generation 153:409
 - Mössbauer-Spectroscopy 153:409
 - Nitrogen-13 155:411
 - Parent-Daughter 162:125
 - Pile-Irradiated 155:411
 - Precipitation 153:409
 - Pressure 153:409
 - Propionic-D₂-Acid 155:411
 - Reverse 162:125
 - Separation 162:125
 - Shock-Wave 153:409
 - Steel 153:409
- Phase-High** 183:99
- Phase-Transition** 200:265
- Phenanthroline** 152:461
- Phenanthroline)-Iron(II)-Ion** tris(1,10-) 186:213
- Phenanthroline)** tris(1,10-) 175:445
- Phenanthroline** 11,10-»
 - 1-Nitroso-2-Naphthol 195:343
 - 2,2'-Dipyridyl 157:177
 - Dysprosium(III) 195:343
 - Europium(III) 195:343
 - Europium³⁺ 157:177
 - Samarium(III) 195:343
 - Synergetic-Extraction 157:177
 - Synergistic-Extraction-Behavior 195:343
- Phenol** 191:129
- Phenomenon** 190:199
- Phenylacetic-Acid**
 - Aqueous 199:385
 - Catalyst 198:29
 - Deuteration 198:29
 - Dosimeter 199:385
 - Fluorescence 199:385
 - Homogeneous 198:29
 - Low-Dose 199:385
 - Tetrachloroplatinate(II) 198:29
- Phosphate**
 - 14-MeV 168:317
 - Behavior 197:173
 - Complex-System 172:71
 - Contamination 200:9
 - Estuarine 172:71
 - Extraction 157:185
 - Fertilizer 168:317, 172:71, 194:331, 197:173, 200:9
 - Heavy-Metal 194:331
- Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 153:221
- Instrumental-Neutron-Activation-Analysis 153:221
- Iron(III)-Bromide 157:185
- Kinetics 157:185
- Leaching 201:313
- Level 197:173
- Natural-Radioactivity 197:173
- Neutron 168:317
- Plant 197:173
- Possible 200:9
- Production 200:9
- Radioactivity 194:331
- Radium-226 200:9
- Radium-Isotope 172:71
- Rare-Earth-Element 153:221
- Reactor 168:317
- Rock 153:221, 201:313
- Southwestern-Spain 172:71
- Uranium 201:313
- Vicinity 197:173
- Water 200:9
- Phosphate-Containing** 187:57
- Phosphate-Ore** 194:319
- Phosphate-Phosphite** 196:311
- Phosphatoantimonic-Acid** 182:193
- Phosphine-Oxide** 157:87
- Phosphogypsum** 194:319
- Phosphomolybdic-Acid** 162:57
- Phosphonic-Acid**
 - Aqueous-Medium 178:179
 - Binary-Mixture 178:179
 - Extractant 178:179
 - Extraction 200:1
 - Hydrogen-Chloride 178:179
 - Molybdenum(VI) 178:179
 - Neutral-Donor 200:1
 - Organophosphinic-Acid 178:179
 - Uranium(VI) 178:179, 200:1
- Phosphorescence** 156:223
- Phosphoric-Acid**
 - 8-Hydroxyquinoline 176:273
 - Alamine-310 173:161
 - Aqueous-Solution 173:161
 - DEHPA 198:237
 - Dodecane 176:273
 - Europium(III) 176:273
 - Extraction 176:273, 198:237
 - HDEHP 152:137
 - Mixture 173:161
 - Molybdenum(VI) 173:161
 - Organic-Diluent-Extraction 199:339
 - Oxidation-Reduction 198:237
 - Perchlorate-Medium 176:273
 - Plutonium(IV) 152:137
 - Solvent-Extraction 152:137, 173:161
 - Sulfuric-Acid-Medium 152:137
 - Tri-n-Octylphosphine-Oxide 198:237
 - Uranium 198:237, 199:339
 - Uranium(VI) 173:161
 - Wet 198:237
- Phosphoric-Acid-Medium**
 - Carbon-13 174:243, 183:301
 - Decarbonylation 174:243, 183:301
 - Formic-Acid 183:301
- Isotopic-Composition 174:243, 183:301
- Kinetic-Isotope-Effect 174:243, 183:301
- Lactic-Acid 174:243
- Natural 174:243, 183:301
- Phosphoric-Acid-Solution** 175:81
- Phosphorite** 173:179
- Phosphorus**
 - Activation-Analysis 155:33, 159:121
 - Availability 161:239
 - Average 160:211
 - Bottom 161:239
 - Calcium 159:121
 - Chemical-Separation 174:57
 - Chlorine 159:121
 - Comparative 159:121
 - Derivative 155:33
 - Distribution 185:83
 - Gallium-Arsenide 168:457
 - Germanium 168:465
 - Hydride 174:57
 - Interface 185:83
 - Lake 161:239
 - Macro-Alga-Sample 159:121
 - Marine 159:121
 - Metal 174:57
 - Multielement 159:121
 - Neutron-Activation 174:57
 - Non-analyte 160:211
 - Non-destructive 159:121
 - Nuclear-Technique 161:239
 - PIPPS 160:211
 - Power 160:211
 - ppb-Level 155:33
 - Pure 168:465
 - Radiochemical-Neutron-Activation 168:465
 - Radiochemical-Neutron-Activation-Analysis 168:457
 - Reference-Material 159:121
 - Region 185:83
 - Sediment 161:239
 - SiO₂-Si 185:83
 - Sodium 160:211
 - Spiking 160:211
 - Standard 159:121
 - Stopping 160:211
 - Substoichiometric-Analysis 185:83
 - Synthetic 159:121
 - Trace 168:457
 - Water-Sample 155:33
- Phosphorus-35** 165:203
- Phosphorus-Pentoxide** 198:3
- Photoaccelerated-Isotope-Exchange** 163:245
- Photochemical-Reaction** 164:365
- Photochemical-Reduction**
 - Alkane 198:429
 - Anhydrous-Medium 188:355
 - Aromatic 198:429
 - Excimer 165:255
 - Laser 165:255
 - Nitric-Acid-Medium 165:255
 - Triaryl-Phosphite 188:355
 - Triethylamine 187:375
 - Uranyl-Ion 165:255, 187:375, 188:355, 198:429
 - Xenon-Chloride 165:255
- Photodegradation** 195:219
- Photodiode** 154:185
- Photofission**
 - Actinide 156:297
 - Biological-Sample 156:297
 - Electrofission 156:297
 - Environmental-Sample 156:297
 - Iodine-134 155:299
 - Isomer 155:299
 - Ratio 155:299
 - Thorium-232 155:299
 - Tool 156:297
 - Uranium-238 155:299
 - Yield 155:299
- Photofragment** 188:83
- Photoionization** 186:471
- Photolysis**
 - Chemical-Composition 181:373
 - Chloride-Ion 166:239
 - Mixed 181:373
 - Organic-Ligand 181:373
 - Product 181:373
 - Quantum 166:239
 - Saturated-Solution 166:239
 - Waste 181:373
 - Water/Carbon-Tetrachloride-System 166:239
 - Water/Chlorobenzene-System 166:239
 - Yield 166:239
- Photometric-Reagent** 191:403
- Photon**
 - Combined 179:177
 - Dwelling 164:347
 - Field 164:347
 - Homogeneity 179:177
 - Matrix 179:177
 - Particle-Induced-X-Ray-Emission 179:177
 - Representative-Sampling 179:177
 - Spatial-Characteristics 164:347
 - Testing 179:177
 - Tomography 179:177
 - Transmission 179:177
- Photon-Activation** 168:385
- Photon-Activation-Analysis**
 - Bremsstrahlung 168:503
 - Copper-Molybdenum 168:503
 - Direct 167:383
 - Environmental 167:383
 - Irradiation 167:383
 - Liver 195:145
 - Medieval 169:27
 - Microtron 168:503
 - Multielemental 168:503
 - Ore 168:503
 - Pig 195:145
 - Processing 168:503
 - Product 168:503
 - Spleen 195:145
 - Sword 169:27
 - Trace-Metal 195:145
 - Water-Sample 167:383
- Photon-Induced** 182:149
- Photopeak**
 - Activation-Analysis 158:139
 - Argon-41 167:209
 - Correct 167:209
 - Digital 158:139
 - Integration 158:139
 - Liquid 167:209
 - Sample 167:209

- Variation 167:209
- Volume 167:209
- Photoproduct** 201:417
- Phthalocyanineiron(II)-Pyridine-Adduct** 164:255
- Phthalocyanineiron(II)** 154:197
- Physical** 165:175
- Physical-Analysis** 180:5
- Physical-Phenomena** 180:45
- Physical-Property** 157:115
- Physical-Science** 171:137
- Physico-chemical-Characteristics** 157:95
- Pi-Acceptor** 186:291
- Picolinic-Acid** 163:391
- Picrate-Solution** 152:487
- Pig**
 - Carbon 160:159
 - Genetically-Obese 160:159
 - Hydrogen 160:159
 - Lean 160:159
 - Liver 195:145
 - Nitrogen 160:159
 - Photon-Activation-Analysis 195:145
 - Spleen 195:145
 - Trace-Metal 195:145
- PIGE see Particle-Induced-Gamma-Ray-Emission**
- Piggery** 155:225
- Pile-Irradiated** 155:411
- Pile-Up** 155:403
- Pilot-Plant** 165:1
- Pine**
 - Atmospheric 192:229
 - Bismuth-210 177:219
 - Deposition 192:229
 - Elemental-Content 192:229
 - Lichen 192:229
 - Liquid-Scintillation-Counting 177:219
 - Monitoring 192:229
 - Moss 192:229
 - Needle 177:219, 192:229
 - Neutron 192:229
 - Polonium-210 177:219
 - Resonance 192:229
 - Simultaneous-Determination 177:219
 - Solvent-Extraction 177:219
- Pinheiros** 177:139
- Pion** 190:519
- Pipe** 180:245
- PIPPS**
 - Average 160:211
 - Chromium 176:129
 - Deceleration 176:129
 - Non-analyte 160:211
 - Phosphorus 160:211
 - Power 160:211
 - Property 176:129
 - Relative 176:129
 - Sodium 160:211
 - Spiking 160:211
 - Stopping 160:211
- Pitfall** 169:443
- PIXE see Particle-Induced-X-Ray-Emission**
- Placental** 162:199
- Planar** 156:323
- Planetary** 160:387
- Plant**
 - Abundance 183:351
 - Active 169:483
 - Ashing 193:33
 - Assay 170:17, 201:165
 - Availability 182:75
 - Behavior 197:173
 - Biological 182:75
 - Biological-Excretion 156:65
 - Cadmium 193:33
 - Cake 170:17
 - Cesium-134 172:223
 - Comparative 156:253
 - Concentration 169:483, 170:117
 - Concentration-Level 182:75
 - Constituent 169:483
 - Conversion 170:17, 201:165
 - Crude 170:17, 201:165
 - Deer 188:401, 194:269
 - Distribution 183:351, 195:305
 - Diuranate 170:17
 - Drug 166:55
 - Dry 193:33
 - E.-Rostratus-Schlecht 169:483
 - Effluent 156:75
 - Element 166:55
 - Elemental-Composition 177:381
 - Environment 182:75, 188:401
 - Environmental-Behavior 156:253
 - Estimation 156:75
 - Eucalyptus-Camaldulensis-Dehnh 169:483
 - Farm-Animal 194:269
 - Fertilizer 197:173
 - Fuel-Reprocessing 156:65
 - Gamma-Ray-Spectrometry 170:17, 201:165
 - Gas-Production 170:117
 - Grade 201:165
 - Identification 166:55
 - Incorporation 161:421
 - Indicator 182:75
 - Infusion 166:55
 - Inhaled 156:65
 - Input 201:165
 - Iodide 155:391
 - Iodine 155:391
 - Iodine-127 188:401
 - Iodine-129 188:401
 - Level 197:173
 - Loss 193:33
 - Low-Level 156:75
 - Low-Specific-Activity 170:117
 - Magnesium-Fluoride 170:17
 - Man-Made-Radionuclide 194:269
 - Material 183:351, 193:33, 201:165
 - Medicinal 169:483
 - Metal-Ion 195:305
 - Milk 175:317
 - Mine-Mill 156:253
 - Morro-Do-Ferro 182:75
 - Multitracer 195:305
 - Natural 156:75, 170:17, 188:401, 201:165
 - Natural-Radioactivity 197:173
 - Natural-Radionuclide 161:421, 194:269
 - Nuclear 201:165
 - Nuclear-Facility 188:401
 - Nuclear-Fuel 188:401
 - Occupational-Worker 156:65
 - Oil 170:117
 - Pattern 183:351
 - Phosphate 197:173
 - Plutonium 156:65, 165:145
 - Processing 156:75
 - Radiochemical-Analysis 175:317
 - Radionuclide 156:253
 - Radium 170:117
 - Rare-Earth-Element 161:421, 182:75, 183:351
 - Remote 188:401
 - Reprocessing 188:401
 - Research-Reactor 165:145
 - Roe 194:269
 - Salt 161:421
 - Scale 170:117
 - Site 188:401
 - Slag 170:17
 - Small 188:401
 - Sofia 165:145
 - Soil 165:145, 172:223, 175:317, 177:381
 - Solvent-Extraction 175:317
 - Statistical-Analysis 169:483
 - Strontium-90 175:317
 - Thorium 156:75, 170:117, 182:75
 - Thyroid 188:401
 - Tolerant 161:421
 - Trace-Element 169:483
 - Transfer 194:269
 - Transport 195:305
 - Transuranium-Element 182:75
 - Type 172:223
 - Uptake 155:391, 156:253, 172:223
 - Uranium 156:253, 170:17, 170:117
 - Uranium-Metal 201:165
 - Uranium-Series 156:253
 - Uranium-Tetrafluoride 201:165
 - Variation 177:381
 - Vicinity 197:173
 - Water 166:55, 170:117
 - Wet 193:33
 - X-Ray-Fluorescence-Analysis 166:55
- Plant-Extract** 195:185
- Plant-Material** 153:85
- Plant-System** 197:203
- Plant-Tissue** 190:251
- Plaque** 195:7
- Plasma** 174:23
- Plastic**
 - Capsule 158:343
 - Distribution 181:109
 - Dose 181:109
 - Epithermal-Neutron-Activation-Analysis 158:343
 - Feasibility-Study 158:343
 - Germanium-Spectrometry 158:343
 - Irradiated 181:109
 - Irradiation 158:343
 - Operation 158:343
 - Particularity 181:109
 - Tubing 181:109
 - Well-Type 158:343
- Plasticized** 183:181
- Plastics**
 - Cadmium 167:361
 - Characterization 192:289
 - Condition 168:403
 - Enforcement 167:361
 - Evaluation 187:255
 - Heavy-Metal 192:289
 - Household 192:289
 - Inorganic-Impurity 168:403
 - Instrumental-Neutron-Activation-Analysis 167:361
 - Irradiation 168:403
 - Microelectronic-Application 168:403
 - Neutron-Activation-Analysis 168:403, 187:255, 192:289
 - Nuclear-Effect 187:255
 - Particular 167:361
 - Pollution 167:361
 - Relation 167:361
 - Standard 167:361
 - Trace 168:403
 - Trace-Element 167:361
- Plating** 194:191
- Platinum**
 - Added 177:365
 - Biological-Material 160:85, 174:49
 - Cesium 199:375
 - Charged-Particle-Activation-Analysis 168:337
 - Clarification 152:199
 - Detection 160:85
 - Dissolution 152:199
 - Electrode 199:375
 - Electrodeposition 177:365
 - Electrolyte 160:85
 - Electrolytic-Separation 174:49
 - Feed 152:199
 - Fire-Assay 198:169
 - Geological-Sample 187:67
 - Gold 160:85, 174:49, 187:67, 199:375
 - Interference 198:169
 - Iridium 168:337
 - Isotope 177:365
 - Limit 160:85
 - Matrix 199:375
 - Metal-Alloy 152:199
 - Metallic 168:337
 - Microamount 183:93
 - Neutron-Activation 198:169
 - Neutron-Activation-Analysis 168:337, 199:375
 - Nickel-Sulfide 198:169
 - Palladium 187:67, 199:375
 - Radiochemical-Neutron-Activation-Analysis 160:85, 174:49, 187:67
 - Radium 177:365
 - Rhodium 168:337
 - Separation 160:85
 - Silver 183:93, 187:67
 - Sludge 152:199
 - Substoichiometric-Determination 183:93
 - Tellurium 198:169
 - Ultratrace 198:169
- Platinum(II) cis-Diammine(Glycolato)-»** 199:207
- Platinum-195m-Radiolabeled**
 - Aminomethylpyrrolidine-Cyclobutanedicarboxylato-Platinum(II) 164:123
 - cis-Diammine(Glycolato)-Platinum(II) 199:207
 - High-Performance-Liquid-Chromatography 164:123

- High-Radionuclidic-Purity 199:207
- Monohydrate 164:123
- Synthesis 164:123, 199:207
- Platinum-197,199** 164:303
- Platinum-202** 175:207
- Platinum-Catalyzed-Reduction** 186:89
- Platinum-Group**
 - Activation-Analysis 198:385
 - Assay 196:11, 198:385
 - Element 196:11, 198:385
 - Fire 196:11, 198:385
 - Interference 198:385
 - Neutron-Activation-Analysis 196:11
 - Neutron-Induced-Nuclear-Reaction 198:385
 - Nickel-Sulfide 196:11, 198:385
 - Preconcentration 196:11, 198:385
 - Rock 196:11
- Pleistocene** 168:83
- Plutonium**
 - 2-Heptanone 190:175
 - Activation 191:361
 - Affected 176:11
 - Air 199:27
 - Alpha-Coefficient 182:291
 - Alpha-Liquid-Scintillation-Counting 177:373
 - Alpha-Recoil 178:165
 - Americium 161:533, 165:219, 172:97, 177:27, 182:71, 182:359, 183:245, 190:175, 194:191, 197:211, 200:31
 - Analytical 187:57
 - Analytical-Separation 172:97
 - Animal-Study 156:401
 - Anion-Exchange 172:281
 - Anion-Exchange-Resin 187:57
 - Aqueous-Medium 152:479
 - Aqueous-Solution 187:57
 - Area 176:11
 - Assay 194:221
 - Atom 178:165
 - Automated 197:211
 - Balance 154:133
 - Balance-Equation 175:281
 - Basic-Medium 152:479
 - Behavior 152:479
 - Bioassay 194:177, 197:67
 - Biogeochemical-Behaviour 182:359
 - Biological-Excretion 156:65
 - Biological-Material 187:451
 - Biphasic-Liquid-Scintillation 177:27
 - Branched-Chain 176:103
 - Byelorussia 176:11
 - Cerium 166:203, 200:31
 - Characterization 177:161
 - Charge 154:133, 175:281
 - Chemical-Separation 172:349
 - Chernobyl-Accident 165:185, 182:349
 - Chernobyl-Fallout 176:11
 - Chernobyl-Zone 201:371
 - Chromatography 165:209, 172:97, 194:191
 - Coastal 156:119
 - Comparison 156:401, 194:197
 - Component 172:363
 - Concentration 156:175
 - Conservation 154:133
 - Contaminated 194:197
 - Contamination 177:161, 197:115
 - Contribution 165:185
 - Controlled 172:281
 - Crucible 159:83
 - Curium 194:191, 200:31
 - Deposition 182:349
 - Derived 182:349
 - Dialkylamide 176:103
 - Disproportionation 187:151, 191:361
 - Distribution 156:401, 182:71, 201:371
 - Efficient 186:401
 - Effluent 165:219
 - Emission 194:221
 - Environment 156:119, 178:165
 - Environmental 155:177, 182:291
 - Environmental-Material 187:451
 - Environmental-Measurement 194:213
 - Environmental-Sample 172:281, 186:401
 - Estimation 197:115
 - Europium 200:31
 - Exchanger 199:1
 - Extractant 186:401
 - Extracting 177:127
 - Extraction 172:97, 176:103, 183:245, 194:191
 - Extraction-Behavior 159:167
 - Facility 197:115
 - Factor 201:371
 - Fallout 156:175
 - Fast-Method 200:545
 - Femur 156:401
 - Field 194:221
 - Fission-Product 159:167, 176:103
 - Form 201:371
 - Former 177:161
 - Fuel-Reprocessing 156:65
 - Gamma-Irradiated 159:167, 176:103
 - Gamma-Monitoring-Technique 197:115
 - Gamma-Ray 194:221
 - General-Population 156:401
 - Generated 159:83
 - Geochemical-Association 156:119
 - Geochemical-Modelling 182:359
 - Graphite 159:83
 - Hanford 161:533, 190:175, 194:191
 - Heterogeneous-System 187:151
 - High-Level 183:245
 - Highly-Radioactive-Waste 161:533
 - Human-Lung 172:299
 - Inert-Gas/Vacuum-Fusion-Technique 159:83
 - Inhaled 156:65
 - Inorganic-Ion 199:1
 - Instrument 194:221
 - Integral 153:111
 - Interpretation 197:67
 - Ion-Exchange 161:533, 165:209
 - Irish-Sea 198:113
 - Iron-Hydroxide 190:175
 - Isotope 182:349, 194:191, 199:27, 201:371
 - Isotopic-Composition 172:299, 198:113
 - Japan 182:349
 - Japanese 156:175
 - Kinetic-Isotope-Effect 187:151, 191:361
 - Kinetics 191:361
 - L-X-Ray-Spectroscopy 161:401
 - Layer 201:371
 - Liquid-Scintillation 194:177
 - Liquid-Scintillation-Counting 183:245
 - Liver 176:11
 - Loading 165:219
 - Low-Detection-Limit 182:111
 - Low-Level 161:401, 177:127
 - Low-Level-Waste 200:31
 - Lung 176:11
 - Macro 156:401
 - Macroporous 187:57
 - Macroscopic-Measurement 194:197
 - Manganese-Dioxide 166:299
 - Mango-Tree 182:71
 - Maralinga 177:161
 - Mass-Spectrometry 198:113
 - Microscopic-Measurement 194:197
 - Misinterpretation 194:213
 - Mixture 165:219
 - Mobile 201:371
 - Mururoa-Lagoon 197:387
 - N,N'-Dialkylamide 159:167
 - National-Institute-of-Standard-and-Technology 172:299
 - Neptunium 161:533, 172:97, 183:245, 190:175
 - Nuclear-Weapon 177:161, 197:115
 - Occupational-Case 156:401
 - Occupational-Worker 156:65
 - Octyl(Phenyl)-N,N-Diisobutylcarbamoylmethylphosphine-Oxide 165:219
 - Originated 165:185
 - Oxidation-State 166:299
 - PASS 194:221
 - Pentavalent 187:151, 191:361
 - Performance-Test 194:221
 - Person 176:11
 - Phosphate-Containing 187:57
 - Plant 156:65, 165:145
 - Plating 194:191
 - Pollution 193:357
 - Potential 155:177
 - Power 191:361
 - Power-Reactor 200:31
 - Precipitation 190:175, 194:191
 - Preliminary-Study 172:363
 - Preventing 193:357
 - Processing 177:127, 193:357
 - Purification 165:219
 - Quantitative-Analysis 194:191
 - Radioactive-Waste 183:245
 - Radioactivity 197:387
 - Radiochemical-Procedure 197:211
 - Radiochemical-Separation 186:401
 - Radioisotope 200:31
 - Radionuclide 194:221
 - Range 177:161
 - Rapid 194:191, 194:221
 - Recovery 159:83, 187:57
 - Redox 155:177
 - Reference-State 182:291
 - Removal 165:209
 - Republic-of-the-Marshall-Islands 194:197
 - Research-Reactor 165:145
 - Sample 156:175, 194:191
 - Seawater 155:177, 172:363
 - Sediment 156:119, 198:113
 - Semiautomated-Approach 177:127
 - Separation 161:533, 166:203
 - Sephadex-Gel 166:203
 - Sequential 161:533
 - Sequential-Determination 154:277
 - Simulated 190:175
 - Simultaneous-Analysis 190:121
 - Simultaneous-Determination 177:27
 - Site 199:27
 - Sodium-Carbonate-Medium 199:1
 - Sofia 165:145
 - Soil 165:145, 165:185, 177:127, 182:359, 194:197
 - Soil-Profile 201:371
 - Soil-Sample 177:19
 - Soil-Sediment-Sample 200:545
 - Solvent-Extraction 190:175
 - Sorption 199:1
 - Source 194:213
 - South-Australia 177:161
 - Speciation 172:363
 - Specificity 186:401
 - Spectrometry 156:111
 - Standard-Reference-Material 172:299
 - Strontium-90 182:349
 - Supported 186:401
 - Surface 199:27
 - Tail-End 165:219
 - Testing 177:161
 - Thermal-Ionization-Mass-Spectrometry 190:121
 - Thorium 154:277
 - Tissue 156:175
 - Titrimetry 154:277
 - Total 190:175
 - Tri-n-Butyl-Phosphate 165:219
 - Tributyl-Phosphate/Nitric-Acid-System 172:97
 - Tributyl-Phosphate/XAD-4-Column 172:97
 - Trombay 156:119
 - Ultrasound 191:361
 - Unsymmetrical 176:103
 - Uranium 159:167, 166:203, 172:97, 176:103, 190:121
 - Urine 182:111
 - Valence 172:281
 - Vinca-Belgrade 199:27
 - Waste 187:57, 190:175
 - Water 197:387
 - Work 153:111

Plutonium(III)

- Bismuth(III) 170:197
- Complex 170:197
- Fluoride 170:197
- Interference 152:207
- Ion-Selective 170:197
- Potentiometry 170:197
- Samarium(III) 170:197
- Spectrophotometric-Assay 152:207

Plutonium(III)-Oxalate 185:119**Plutonium(IV)**

- Aliphatic-Monoamide 191:323
- Aliquat-336 187:385
- Americium(III) 153:267, 186:47
- Bismuth-Phosphate 153:267
- Coprecipitation 153:267
- Di(2-Ethylhexyl)Sulfoxide 162:91
- Dihexylbutyramide 182:393
- Dihexylisobutyramide 182:393
- Europium(III) 201:125
- Extractant 162:91, 186:47
- Extraction 182:393, 187:385, 191:323
- Extraction-Behavior 196:171, 201:125
- Fission-Product 196:171
- Gamma-Pre-Irradiated 196:171, 201:125
- HDEHP 152:137
- High-Molecular-Weight 191:323
- Metal-Ion 153:267
- Methylbutylmalonamide 186:47
- N,N'-Dihexyl-Substituted-Amide 196:171
- N,N'-Methylbutyl-Substituted-Amide 201:125
- n-Dodecane 201:125
- n-Dodecane-Solution 196:171
- Nitric-Acid-Medium 162:91, 182:393, 191:323
- Oxalic-Acid-Nitric-Acid-Solution 187:385
- Phosphoric-Acid 152:137
- Ruthenium(III) 201:125
- Solvent-Extraction 152:137
- Sulfuric-Acid-Medium 152:137
- Uranium(VI) 182:393, 186:47, 191:323, 196:171, 201:125
- Zirconium(IV) 201:125

Plutonium-238

- Americium-241 156:361, 170:243
- Cesium-134 156:361
- Cesium-137 156:361
- Forest 170:243
- Lead-210 156:361
- Mid-latitude 156:361
- Mushroom 170:243
- Ombrogenous-Mire 156:361
- Plutonium-239 156:361
- Plutonium-239/240 170:243
- Plutonium-240 156:361
- Plutonium-241 156:361
- Poland 170:243
- Sample 170:243
- Soil 170:243
- Strontium-90 170:243
- Vertical-Distribution 156:361

Plutonium-239

- Alpha-Contamination 194:185
- Americium-241 156:33, 156:361, 194:185
- Atmospheric 177:107
- Baboon 156:33
- Bone 156:33
- Cesium-134 156:361
- Cesium-137 156:361
- Dosimetry 156:33
- Identification 194:185
- Lead-210 156:361
- Man 156:33
- Mid-latitude 156:361
- Mururoa 177:107
- Nuclear-Track-Detector 194:185
- Ombrogenous-Mire 156:361
- Plutonium-238 156:361
- Plutonium-240 156:361, 177:107
- Plutonium-241 156:361
- Radioactivity 177:107
- Skeleton 156:33
- Vertical-Distribution 156:361
- Volume 156:33

Plutonium-239/240

- Americium-241 155:45, 156:201, 170:243
- Area 155:45
- Atomic-Power-Station 175:41, 183:167
- Behavior 156:201
- Cesium-137 155:45
- China 155:45
- Coastal 156:201
- Distribution 156:201
- Dudvák 183:167
- Dump 194:157
- Environmental-Sample 175:41, 183:167
- Estuarine 156:201
- Fish 194:157
- Forest 170:243
- Irish-Sea 156:201
- Jaslóvské-Bohunice 175:41, 183:167
- Low-Level 194:157
- Manivier 183:167
- Mushroom 170:243
- Neptunium-237 156:201
- Ocean 194:157
- Plutonium-238 170:243
- Poland 170:243
- Radioactive 194:157
- River 183:167
- Sample 170:243
- Sediment 156:201
- Soil 155:45, 170:243
- Strontium-90 170:243
- Surrounding 175:41, 183:167
- Technetium-99 156:201

Plutonium-240

- Americium-241 156:361
- Atmospheric 177:107
- Cesium-134 156:361
- Cesium-137 156:361
- Lead-210 156:361
- Mid-latitude 156:361
- Mururoa 177:107
- Ombrogenous-Mire 156:361
- Plutonium-238 156:361
- Plutonium-239 156:361, 177:107

- Plutonium-241 156:361
- Radioactivity 177:107
- Vertical-Distribution 156:361

Plutonium-241

- Activity 156:83
- Americium-241 156:361, 163:225
- Beta-Proportional-Counting 163:225
- Cesium-134 156:361
- Cesium-137 156:361
- Chernobyl-Fallout 163:225
- Comparison 163:225
- Control 161:429
- Emission 161:429
- Immission 161:429
- Increasing 161:429
- Indirect 156:83
- Installation 161:429
- Lead-210 156:361
- Liquid-Scintillation-Counting 161:429
- Liquid-Scintillation-Spectrometry 154:319
- Low-Energy-Photon-Spectrometer 156:83
- Low-Level 163:225
- Mid-latitude 156:361
- Nuclear 161:429
- Ombrogenous-Mire 156:361
- Packard-2250CA 154:319
- Plutonium-238 156:361
- Plutonium-239 156:361
- Plutonium-240 156:361
- Sample 163:225
- Sensitivity 161:429
- Soil 156:83
- Vertical-Distribution 156:361

Plutonium-244

- Abundance 158:437, 173:229
 - Achondrite 157:217
 - Age 159:281
 - Carbonaceous-Chondrite 173:219, 173:229
 - Chondrite 152:409
 - Component 195:335
 - Dating 152:99, 152:409, 157:217, 158:437, 159:281, 173:219, 173:229
 - Fission 173:219
 - Groznaya 152:99
 - Initial 158:437, 173:229
 - Initial-Ratio 152:99, 152:409, 157:217
 - Iodine-129 173:229
 - Lunar 159:281
 - Lunar-Sample 158:437
 - Meteorite 152:99
 - Mokoia 152:99
 - Ordinary 152:409
 - Renazzo 152:99
 - Rock 159:281
 - Solar-System 195:335
 - Strange 195:335
 - Uranium 152:99, 152:409, 157:217
 - Uranium-235 158:437
 - Xenon 173:219, 195:335
- Plutonyl-Pyrazolonate** 170:43
- PMMA** 153:57
- Pneumatic-Tube** 192:131
- Poecilia-Reticulata** 183:389
- Point-Like** 190:513
- Poland** 170:243

Polarography 162:79**Policy**

- Beryllium 192:9
- Program 169:5
- Strategy 192:9
- University-Reactor-Institute 169:5
- University-Research-Reactor 192:9

Polishing 186:447**Pollutant**

- Actinide 164:153
- Atmospheric 192:205
- Couple 164:153
- Deposition 192:205
- Dosimeter 161:171
- Dust 170:171
- Energy-Dispersive-X-Ray-Fluorescence-Analysis 170:171
- Gravitation 170:171
- Human-Hair 161:171
- Inorganic 170:171
- Neutron-Activation-Analysis 192:205
- Ombrotrophic-Bog-Monitor 192:205
- Oxygen 164:153
- Peat-Sample 192:205
- Role 192:205
- Sediment 170:171
- Trend 192:205
- Water 164:153

Polluted 186:385**Polluted-Air** 161:293**Polluters** 160:21**Pollution**

- Airborne 167:309
- Antimony 179:231
- Biological-Monitor 155:451
- Building-Material 190:51
- Cadmium 167:361
- Cesium-137 155:451
- Domestic 190:51
- Dwelling 190:51
- Enforcement 167:361
- Feasibility 167:309
- Greece 167:369, 179:231
- Groundwater 182:11
- Gulf 167:369, 179:231
- Identification 182:11
- Instrumental-Neutron-Activation-Analysis 167:361, 167:369, 179:231
- Isotopic-Ratio 182:11
- Leaf 167:309
- Linhchi 155:451
- Marrakechi 190:51
- Monitor 167:309
- Mushroom 155:451
- Oak 167:309
- Particular 167:361
- Plastics 167:361
- Plutonium 193:357
- Preventing 193:357
- Processing 193:357
- Radioactivity 190:51
- Radium 182:11
- Relation 167:361
- Saronikos 167:369, 179:231
- Sediment 167:369
- Silver 179:231
- Source 182:11
- Standard 167:361

- Tool 182:11
- Trace-Element 167:361
- Polonium**
 - Aqueous-Medium 175:455
 - Bismuth 183:283
 - Gallium 183:283
 - High-Yield 159:267
 - Matrix 159:267
 - Melting 183:283
 - Membrane 175:455
 - Metal-Containing 175:455
 - Protactinium 159:267
 - Purification 183:283
 - Separation 159:267
 - Synthetic-Slag 183:283
 - Thorium 159:267
- Polonium(IV)-Chloride-Solution** 191:265
- Polonium-210**
 - Actinide 177:5
 - Alpha-Radioactivity 161:465
 - Ash 177:5
 - Atmospheric 161:465
 - Beverage 166:195
 - Bismuth-210 177:219
 - Bone 177:5
 - Dose 182:119
 - Electroplating 175:47
 - Estimation 182:119
 - Gross 161:465
 - Human-Hair 157:37
 - Intake-Level 178:81
 - Isolation 175:47
 - Japanese 157:37, 178:81
 - Lead-210 157:37, 177:5, 182:119
 - Level 166:195, 188:65
 - Liquid-Scintillation-Counting 177:219
 - Man 182:119
 - Marine 178:81, 188:65
 - Needle 177:219
 - Organisms 178:81
 - Pine 177:219
 - Simultaneous-Determination 177:219
 - Solvent-Extraction 177:219
 - South-Atlantic-Ocean 188:65
 - Species 188:65
 - Standard 177:5
 - Strontium-90 177:5
 - Tobacco 166:195, 182:119
 - Uranium 177:5
- Poly(3-Hexadecylthiophene)**
 - Affected 176:243
 - Environmental-Pollution 186:175
 - Gamma-Radiation 166:343, 186:175
 - Gas 176:243, 186:175
 - Interaction 186:175
 - Langmuir-Blodgett 176:243
 - Langmuir-Blodgett-Film 186:175
 - Langmuir-Blodgett-Layer 166:343
 - Layer 176:243
 - Property 166:343, 176:243, 186:175
 - Selected 186:175
 - Stearic-Acid 176:243
 - Surface-Treatment 176:243
- Poly(3-Pentylthiophene)**
 - Gamma-Radiation 165:27
 - Iodine-Doped 165:27
 - Ionizing-Radiation 166:485
 - Surface-Treatment 166:485
- Poly(Alkylthiophene)S** 188:367
- Polyacetylene**
 - Decay 188:287
 - EPR 165:71, 176:65
 - Irradiated 176:65
 - Non-doped 176:65
 - Paramagnetic-Center 188:287
 - Strongly-Irradiated 165:71
- Polyacrylamide** 201:213
- Polyacrylic-Acid**
 - Acrylic-Acid 198:191
 - Aqueous-Solution 186:315, 198:191
 - Copper²⁺ 198:191
 - Deoxygenated 186:315
 - Gamma-Radiolysis 198:191
 - Pulse-Radiolysis 186:315
- Polyamine** 170:3
- Polyaminocarboxylic-Acid** 153:171
- Polyaminomacrocyclic-Ligand** 163:255
- Polyantimonic-Acid** 182:193
- Polybutadiene-Base**
 - Ammonium-Perchlorate 187:1
 - Elastomer 176:153, 187:1
 - Gamma-Radiation 176:153, 187:1
 - Hydroxyl-Terminated 176:153, 187:1
 - Loaded 187:1
 - Property 176:153
- Polycondensation** 187:355
- Polyether-Type** 163:69
- Polyethylene**
 - Calcium 174:153
 - Cobalt 170:457
 - Dicarbolide 174:153
 - EDTA 174:153
 - Glycol 174:153
 - Radioactive-Tracer-Method 170:457
 - Rapid 174:153
 - Separation 174:153
 - Solvent-Extraction 174:153
 - Sorption 170:457
 - Strontium 174:153
- Polyethylene-Glycol** 178:27
- Polygonal-Graphic-Representation** 198:311
- Polyhydroxybenzene** 178:319
- Polymer** 153:345
- Polymer-Bound** 189:219
- Polymerization**
 - Active-Center 195:355
 - Catalyst 195:355
 - Diol-Diisocyanate 176:77
 - Ethylene 195:355
 - Gamma-Irradiation 176:77
 - Methanol 195:355
 - Quenching-Method 195:355
 - Tritiated 195:355
- Polymeric** 158:401
- Polyoxyethylene-Nonyl-Phenyl-Ether** 154:41
- Polypropylene**
 - Chromatography 182:103
 - Column 182:103
 - Degradation 185:311
 - Extraction 182:103
 - Fiber 153:29
 - Modification 153:29
 - Monitoring 182:103
 - Post-irradiation 185:311
 - Preirradiation 153:29
 - Tri-n-Octylphosphine-Oxide-Supported 182:103
 - Urine 182:103
- Polysaccharide**
 - Algal 187:393
 - Antimony-125 170:3
 - Aqueous-Solution 170:3
 - Cesium-137 187:393
 - Incorporated 170:3
 - Molybdenum-99 170:3
 - Polyamine 170:3
 - Radioisotope 170:3
 - Removal 170:3
 - Retention 187:393
 - Tungsten-185 170:3
- Polyurethane-Foam**
 - Cerium(IV) 166:153
 - Dibenzoylmethane-Loaded 172:319
 - Extractant 163:69
 - Extraction 166:153
 - Loaded 166:153
 - Natural-Water 172:319
 - Polyether-Type 163:69
 - Preconcentration 172:319
 - Selective 166:153
 - Solid 163:69
 - Spectrophotometry 172:319
 - Thenoyltrifluoroacetone 166:153
 - Trace-Element 163:69
 - Tri-n-Butyl-Phosphate 166:153
 - Tributyl-Phosphate-Plasticized 172:319
 - Unloaded 163:69
 - Uranium 172:319
- Polyurethane-Foam-Loaded-Acid**
 - Acid-Medium 157:105, 162:371
 - Actinide 157:105, 162:371
 - Dichlorobenzene 157:105
 - Extraction 157:105, 162:371
 - HDEHP 157:105, 162:371
 - Lanthanide 157:105, 162:371
 - Nitric-Acid-Solution 157:105, 162:371
 - Synergistic-Extraction 162:371
 - Uranium(VI) 157:105, 162:371
- Polyvalent** 163:113
- Polyvanadate** 183:73
- PONPE-2** 154:41
- Pool**
 - BGO 180:131
 - Body 161:11
 - Concentration 161:11, 180:131
 - Detector 180:131
 - Endogenous 161:11
 - Human 161:11
 - Monitor 180:131
 - Neutron-Activation-Analysis 161:11
 - Nitrogen-16 180:131
 - Rat 161:11
 - Reactor 180:131
 - Selenium 161:11
 - Sprague-Dawley 161:11
 - Total 161:11
 - Trimethylselenonium-Ion 161:11
- Urine 161:11
- Population** 161:201
- Populational-Group** 179:369
- Pork** 169:333
- Portable** 197:57
- Porting** 180:65
- Portugal Iserpa-»** 161:245
- Position**
 - Characterization 201:481
 - Dating 201:481
 - Fission-Track 201:481
 - Future 160:31
 - Irradiation 201:481
 - Lena-Triga-Mark-II-Reactor 201:481
 - Neutron-Activation-Analysis 160:31
 - Present 160:31
 - Radiochemical-Neutron-Activation-Analysis 168:429
 - Trace-Element-Analysis 168:429
- Positive** 171:443
- Positron**
 - Analytical-Application 198:151
 - Binary 198:151
 - Characterization 198:151
 - Dependence 186:375
 - Distribution 166:219
 - Fine-Grained-Material 166:219
 - Lifetime 186:375, 198:151
 - Long-Living 190:475
 - Microcrystalline 190:475
 - Molecular-Weight 186:375
 - Multicomponent 166:219
 - Oxide 190:475
 - Parameter 186:375
 - PEEK 186:375
 - Sample 186:375
 - Solid-Solution 198:151
 - Spectroscopy 198:151
 - State 190:475
 - Zeolite 190:475
- Positron-Annihilation**
 - Aqueous-Solution 190:469
 - Compressibility 190:469
 - Copolymer 190:463
 - Ethylene-Glycol 190:469
 - Formamide 190:469
 - Hemoglobin 190:243
 - Iron-Dextran-Complex 190:449
 - Liquid 190:457
 - Microstructural-Peculiarity 190:449
 - Mössbauer-Spectroscopy 190:243, 190:449
 - n-Hexane 190:457
 - Non-simple 190:457
 - Phase-Transition 200:265
 - Single-Crystal 200:265
 - Structural-Modification 190:243
 - Styrene 190:463
 - Substituent 190:463
 - Trans-Stilbene 200:265
 - Water-Organic-Mixture 190:469
- Positronium**
 - Age-Momentum-Correlation 190:481
 - Conversion 190:481
 - Long-Living 190:475
 - Microcrystalline 190:475

- Oxide 190:475
- Paramagnetic-Solution 190:481
- Spin 190:481
- State 190:475
- Zeolite 190:475
- Positronium-Ion** 181:201
- Possibility**
 - Anomalous 158:323
 - Applied-Research 190:505
 - Deuteron 158:323
 - Deuteron/Hydrogen-Ratio 158:323
 - Disintegration 158:323
 - Facility 190:505
 - Fission 158:323
 - Generator 168:393
 - Industrial-Analysis 168:393
 - JINR 190:505
 - Long-Life 168:393
 - Naturally-Occurring 158:323
 - Neutron 168:393
 - Reaction 158:323
 - Sealed-Tube 168:393
- Possible**
 - Antibody 189:77
 - Associated 189:77
 - Biological 171:443
 - Bovine 171:443
 - Chernobyl 198:487
 - Chronic 189:77
 - Complex 197:253
 - Consequence 198:487
 - Contamination 197:253, 200:9
 - End-Point 189:77
 - Evaluation 189:77
 - Evidence 171:443
 - Exposure 189:77
 - Facility 197:253
 - Fertilizer 200:9
 - Health 198:487
 - Higher-Oxide-State 158:261
 - Hole 171:443
 - Immunochemical 189:77
 - Parameter 189:77
 - Phosphate 200:9
 - Positive 171:443
 - Problem 197:253
 - Processing 197:253
 - Production 200:9
 - Protein 171:443
 - Radioactivity 198:487
 - Radiobiological-Effect 189:77
 - Radium-226 200:9
 - Representative-Sampling 197:253
 - Serum-Albumin 171:443
 - Structure 158:261
 - Tea 198:487
 - Technetium(VII) 158:261
 - Transport 171:443
 - Tritium 189:77
 - Turkish 198:487
 - Waste 197:253
 - Water 200:9
- Post-Chernobyl** 194:259
- Post-irradiation**
 - Aqueous 175:191
 - Coumarin 175:191
 - Degradation 185:311
 - Dosimeter 175:191
 - Polypropylene 185:311
 - Response 175:191
 - Stability 175:191
- Post-treatment** 155:225
- Postmortem**
 - Actinide 156:413
 - Activation-Analysis 169:317
 - Biokinetic-Model 156:413
 - Human-Tissue-Analysis 156:413
 - Implication 156:413
 - Infant 169:317
 - Preliminary-Observation 169:317
 - Preterm 169:317
- Postreaction-Time** 175:263
- Potassium**
 - Additive 173:37
 - Adsorption 170:321
 - Alkali 164:39
 - Alkaline 199:183
 - Alkaline-Earth-Metal-Ion 164:39
 - Aqueous-Solution 170:321
 - Boron 194:351
 - Cesium 159:335, 170:321, 173:37
 - Cesium-137 194:351
 - Characterization 159:335
 - Cobalt 164:39
 - Cobalt(II) 199:183
 - Copper 159:335
 - Copper-Nickel 170:321
 - Cupric-Ferrocyanide 173:37
 - Emulsion 163:181
 - Geiger-Müller-System 173:55
 - Hexacyanoferrate(II) 159:335, 164:39, 170:321, 199:183
 - Infant 161:61
 - Ion-Exchanger 159:335
 - Leakage 163:181
 - Liquid-Membrane 163:181
 - Low-Background-Counting-System 194:351
 - Maple-Syrup 194:351
 - Nickel 159:335
 - Nitric-Acid-Medium 173:37
 - Preparation 159:335
 - Prompt-Gamma-Ray-Activation-Analysis 194:351
 - Radiocesium 199:183
 - Radwaste 199:183
 - Removal 199:183
 - Salt-Loaded 199:183
 - Selectivity 164:39
 - Simulated 199:183
 - Sorption 173:37
 - Stability 163:181
 - Strong 173:37
 - Total-Body 161:61
- Potassium-3-Phenylmethyl-dithiocarbamate** 153:333
- Potassium-40**
 - Actinium-228 175:37
 - Canada 187:423
 - Cesium-134 194:277
 - Cesium-137 178:327, 194:277, 199:465
 - Comparative-Analysis 195:315
 - Concentration 199:465
 - CSFR 175:37
 - Distribution 178:327
 - Fly-Ash 175:37
 - Geographic-Distribution 187:423
 - Honey-Sample 199:465
 - Human-Urine 195:315
- Least-Squares-Method 195:315
- Library 195:315
- Long-Term-Behavior 194:277
- Northern-Venezuela 178:327
- Personal-Computer 195:315
- Radiometry 175:37
- Radionuclide 194:277
- Radium-226 175:37
- Selected 199:465
- Soil 178:327, 187:423
- Spruce 194:277
- Thorium-232 178:327
- Tree-Ring 194:277
- Uptake 194:277
- Uranium-238 178:327
- Zinc-65 195:315
- Potassium-Benzyl-Xanthate**
 - Biological-Sample 175:351
 - Estimation 175:351
 - Mercury 166:23
 - Selenium 175:351
 - Substoichiometric-Radiochemical-Determination 166:23
 - Utilizing 175:351
- Potassium-Bromide** 165:127
- Potassium-Chlorate** 175:173
- Potassium-Chloride** 165:127
- Potassium-Ethyl-Xanthate**
 - Antimony 187:107
 - Indium 154:249
 - Substoichiometric-Radiochemical-Determination 187:107
 - Substoichiometric-Reagent 154:249
 - Utilization 154:249
- Potassium-Hexa-Titanate** 189:247
- Potassium-Hydroxide** 182:257
- Potassium-Iodate** 154:379
- Potassium-Iodide** 165:127
- Potassium-Nitrate** 178:429
- Potassium-Salt**
 - Benzyl-Xanthate 199:239, 200:181
 - Butyl-Xanthate 199:239, 200:181
 - Cadmium 199:239
 - Comparative 199:239, 200:181
 - Ethyl-Xanthate 199:239, 200:181
 - Pentyl-Xanthate 199:239, 200:181
 - Propyl-Xanthate 199:239, 200:181
 - Substoichiometric-Extraction 199:239, 200:181
 - Zinc 200:181
- Potassium-Tetrachloro-platinate(II)**
 - Benzoic-Acid 162:179
 - Beta-Phenylpropionic-Acid 157:125
 - Catalyst 157:125, 162:179
 - Deuteriation 157:125, 162:179
 - Homogeneous 157:125, 162:179
- Potassium-Thiocyanate** 170:389
- Potassium*** 183:85
- Potential**
 - 14-MeV 167:67
 - Actinide 199:35
- Aqueous 154:265
- Assessment 161:377
- Bone-Tumor 160:443
- Brain 198:215
- Content 176:405
- Cyclic 185:35
- Dissolution 178:261
- EDTMP 160:443
- Electronic-Configuration 199:35
- Environmental 155:177
- Environmental-Pollutant 176:405
- Fast-Neutron-Activation-Analysis 185:35
- Growth 178:261
- Host 178:261
- Imaging-Agent 198:215
- Interlaboratory 198:323
- Kinetics 178:261
- L-6-(1-123)-Iodo-M-Tyrosine 198:215
- Lanthanide 199:35
- Laumontite 154:265
- Material 154:265
- Model 178:261
- Multielement 185:35
- Natural 154:265
- Neutron-Activation-Analysis 167:67
- NORM 198:323
- Nuclear-Waste 154:265
- Nuclide 198:323
- Oil-and-Gas-Production 198:323
- Ore 178:261
- Plutonium 155:177
- Preliminary 160:443
- Processing 178:261
- Programme 198:323
- Radiopharmaceutical-Preparation 198:215
- Radon 161:377
- Rapid 161:377
- Redox 155:177, 199:35
- Samarium-153 160:443
- Sample 198:323
- Seawater 155:177
- Soil 161:377
- Solid 178:261
- SPECT 198:215
- Standardization-Method 198:323
- State-of-the-Art 198:323
- Structure-Analysis 160:443
- Surface 178:261
- Synthesis 160:443
- Technogenic-Product 176:405
- Test 198:323
- Therapeutic-Agent 160:443
- Treatment 154:265
- Uranium 176:405, 178:261
- Validation 198:323
- Zeolite 154:265
- Potentiometry**
 - Acidity 152:447
 - Bismuth(III) 170:197
 - Carrier-Free 166:15
 - Chloride 158:91
 - Complex 170:197
 - Complexing-Agent 152:447
 - Content 158:91
 - Ebrié 158:91
 - Fluoride 158:91, 170:197

- Free 152:447
- Iodine-125 166:15
- Ion-Selective 166:15, 170:197
- Ivory-Coast 158:91
- Lagoon 158:91
- Membrane-Electrode 166:15
- Plutonium(III) 170:197
- Samarium(III) 170:197
- Simple 166:15
- Specific-Activity 166:15
- Sulfate 152:447
- Underground 158:91
- Uranium 152:447
- Uranyl-Nitrate-Solution 152:447
- Water 158:91
- X-Ray-Fluorescence-Analysis 158:91
- Potsherd** 170:411
- Pottery**
 - Analytical 151:229
 - Ancient 168:273
 - Bronze-Age 168:297
 - Characterization 173:99
 - Chemical-Characterization 168:297
 - Data 168:273
 - Etruscan 168:273
 - Greek-South-Aegean-Islands 168:297
 - Instrumental-Neutron-Activation-Analysis 168:297
 - Marble 168:273
 - Monument 168:273
 - Neutron-Activation-Analysis 168:273
 - Prehistoric 173:99
 - Provenance 168:273
 - Reduction 168:273
 - Sardinian 168:273
 - Soutpansberg 151:229
 - Trace-Element 173:99
 - Tremiti-Isle 173:99
- Powder**
 - 77-K 173:67
 - Alkyl-Radical 173:67
 - Aqueous-Solution 190:103
 - cis-Decalin-D₁₈/Bromoalkane-System 173:67
 - cis-Decalin-D₁₈/Chloroalkane-System 173:67
 - Electron-Spin-Resonance-Spectrum 173:67
 - Formation 173:67
 - Gamma-Irradiation 173:67
 - General-Method 173:67
 - Molecular-Sieve 190:103
 - Selective 173:67
 - Specific 173:67
 - Thorium-Ion 190:103
 - Uptake 190:103
- Power**
 - Activation 191:361
 - Average 160:211
 - Disproportionation 191:361
 - Kinetic-Isotope-Effect 191:361
 - Kinetics 191:361
 - Non-analyte 160:211
 - Pentavalent 191:361
 - Phosphorus 160:211
 - PIPPS 160:211
 - Plutonium 191:361
 - Sodium 160:211
 - Spiking 160:211
 - Stopping 160:211
 - Ultrasound 191:361
- Power-Reactor**
 - Activation 198:161
 - Americium 200:31
 - Cerium 200:31
 - Corrosion 198:161
 - Curium 200:31
 - Europium 200:31
 - Low-Level-Waste 198:161, 200:31
 - Plutonium 200:31
 - Product 198:161
 - Radioisotope 200:31
 - Scaling-Factor 198:161
- Power-Station** 169:219
- PP-Film** 176:261
- ppb-Level** 155:33
- ppt-Level** 153:357
- Practical-Determination** 192:345
- Prague**
 - Aerosol 186:245, 201:409
 - Atmospheric 186:245, 201:409
 - Behavior 186:245
 - Cesium 201:409
 - Chemical-Fraction 201:409
 - Chernobyl-Accident 201:409
 - Fallout 186:245
 - Radioactive 201:409
 - Radiocesium 186:245
- Praseodymium** 163:277
- Pratas-Island** 180:217
- Pratas-Islander** 162:363
- Pre-collection** 187:441
- Pre-college-Program** 171:237
- Pre-equilibrium-Effect** 152:189
- Pre-irradiation**
 - Bagasse 200:305
 - Biological-Material 157:265
 - Chromatography 157:265
 - Elemental-Characterization 168:471
 - Environmental-Material 157:265
 - Gallium 157:265
 - High-Purity 168:471, 189:183
 - Ion-Exchange 157:265
 - Liquefaction 200:305
 - Material 168:471
 - Matrix 189:183
 - Neutron-Activation-Analysis 157:265, 168:471, 189:183
 - Procedure 157:265
 - Scandium 189:183
 - Separation 157:265, 168:471, 189:183
 - Sugar-Cane 200:305
 - Trace-Element 189:183
 - Ultratrace 168:471
 - X-Ray 200:305
- Pre-separation** 168:15
- Precambrian-Cambrian** 151:107
- Precipitate**
 - 12-Molybdocerate-Mo-99 173:185
 - 8-Hydroxyquinoline 196:35
 - Adsorption 172:329
 - Aqueous-Solution 172:329
 - Bromide 171:407
 - Cobalt(II) 172:329, 174:13, 196:35
 - Colloid 172:329
 - Column 173:185
 - Decanoic-Acid 174:13
 - Dilute 172:329
 - Flotation 172:329, 174:13, 196:35
 - Iodide 171:407
 - Ion 174:13
 - Ion-Adsorption 171:407
 - Liquid-Liquid-Extraction 174:13, 196:35
 - Matrix 173:185
 - Radioactive-Tracer-Technique 171:407
 - Separation 172:329
 - Silver-Sulfide 171:407
 - Technetium-99m-Generator 173:185
- Precipitated** 186:1
- Precipitation**
 - 2-Heptanone 190:175
 - Acidic-Solution 183:127
 - Americium 190:175, 194:191
 - Anion 190:369
 - Calcium 183:127
 - Carbide 153:409
 - Cesium 159:293
 - Chromatography 159:293, 194:191
 - Clinoptilolite 159:293
 - Combined 172:305
 - Crown-Ether 183:127
 - Curium 194:191
 - Dependence 153:409
 - Extraction 194:191
 - Generation 153:409
 - Geological-Sample 159:293
 - Hanford 190:175, 194:191
 - Hydrated 190:369
 - Iron-Hydroxide 181:189, 190:175
 - Iron²⁺ 190:369
 - Iron³⁺ 190:369
 - Isotope 194:191
 - Lanthanoid 172:305
 - Macro-Alga 172:305
 - Marine 172:305
 - Mössbauer-Spectroscopy 153:409, 181:189
 - Nanogram-Level 172:305
 - Neptunium 190:175
 - Neutron-Activation-Analysis 172:305
 - Oxide 190:369
 - Phase 153:409
 - Plating 194:191
 - Plutonium 190:175, 194:191
 - Pressure 153:409
 - Product 181:189
 - Quantitative-Analysis 194:191
 - Radioactive-Waste 181:189
 - Radiochemical-Neutron-Activation-Analysis 159:293
 - Rapid 194:191
 - Rubidium 159:293
 - Sample 194:191
 - Selective 172:305
 - Separation 172:305, 183:127
 - Shock-Wave 153:409
 - Simulated 190:175
 - Sodium-Tetraphenylborate 159:293
 - Solvent-Extraction 190:175
 - Steel 153:409
 - Strontium 183:127
 - Total 190:175
 - Treatment 181:189
 - Tungstosilicic-Acid 183:127
 - Waste 190:175
 - Zeolite 159:293
- Precipitation-Process** 174:83
- Precise**
 - Germanium-77 200:223
 - Ground-State 200:223
 - Half-Life 164:303, 200:223
 - Manganese-56 164:303
 - Osmium-193 164:303
 - Platinum-197,199 164:303
- Precision**
 - Accuracy 153:365, 169:435, 196:135
 - Cesium-137 153:365
 - Foodstuff 153:365
 - Instrumental-Neutron-Activation-Analysis 169:435
 - Mössbauer-Effect 169:435
 - Particle-Induced-X-Ray-Emission 196:135
 - Short-Lived-Nuclide 169:435
 - Standard 196:135
- Preconcentration**
 - 1-(2-Thiazolylazo)-2-Naphthol 168:439
 - Activation 151:121
 - Activation-Analysis 198:385
 - Amount 192:163
 - Antimony(III,V) 196:3
 - Aphron 183:123
 - Aqueous-Sample 179:211
 - Arsenic(III) 179:211
 - Arsenic(V) 179:211
 - Assay 196:11, 198:385
 - Atomic-Absorption-Spectrometry 172:117
 - Automatable 179:211
 - Bismuth(III) 179:267
 - Cellulose 164:357
 - Chelating 164:357
 - Combination 179:211
 - Concentration 198:23
 - Coprecipitation 168:439, 179:267
 - Cryotrapping 179:211
 - Deposition 198:23
 - Dibenzoylemethane-Loaded 172:319
 - Dimethylarsinic-Acid 179:211
 - Drinking-Water 164:357
 - Element 196:11, 198:23, 198:385
 - Environmental-Sample 186:341
 - Exchanger 164:357
 - Extraction 183:115
 - Fire 196:11, 198:385
 - Followed 196:3
 - Generation 179:211
 - Graphite-Furnace 172:117
 - Graphite-Tube 172:117
 - Heating 198:23
 - High-Purity 172:117
 - Hydrated 192:163
 - Hydride 179:211
 - Hydrous 151:131
 - In-Situ 172:117
 - Interference 198:385
 - Liquid-Membrane 186:341
 - Loaded 196:3
 - Luminescence 186:341

- Magnesium-Oxide 151:131, 192:163
- Micelle 183:115
- Modified 183:115
- Monomethylarsonic-Acid 179:211
- Multiple-Injection 172:117
- N-Nitroso-Phenylhydroxylamine 168:439
- Natural-Water 172:319, 196:3
- Neptunium 186:341
- Neutron-Activation-Analysis 151:121, 151:131, 168:439, 179:267, 192:163, 196:3, 196:11
- Neutron-Induced-Nuclear-Reaction 198:385
- Nickel-Sulfide 196:11, 198:385
- OSTSORB-Oxin 164:357
- Platinum-Group 196:11, 198:385
- Polyurethane-Foam 172:319
- Procedure 179:211
- Pyrrolidinedithiocarbamate 168:439, 179:267
- Radionuclide 164:357
- Rare-Earth-Element 192:163
- Resin 196:3
- Rock 196:11
- Sample 198:23
- Seawater 168:439
- Selective 179:211
- Separation 196:3
- Solid-Phase 183:115
- Speciation 179:211
- Spectrophotometry 172:319
- Strontium 183:115, 183:123
- Supported 186:341
- Surface 179:267
- Technetium 198:23
- Thionamide 196:3
- Trace 192:163
- Trace-Element 168:439, 179:267
- Trace-Metal 164:357, 172:117
- Tracer 151:121
- Tributyl-Phosphate-Plasticized 172:319
- Uranium 172:319
- Water 172:117, 179:267
- X-Ray-Fluorescence-Analysis 164:357
- Yield 151:121
- Prediction**
 - Actinide 182:267
 - Advance 160:221
 - Capacity 181:85
 - Cement-Based 198:287
 - Comparison 169:301
 - Computer-Program 160:221
 - DEXA 169:301
 - Dual-Photon-Absorptiometry 169:301
 - Element 160:221
 - Immobilization 198:287
 - Instrumental-Neutron-Activation-Analysis 160:221
 - Leaching-Behavior 198:287
 - Model 198:287
 - Neutron-Activation-Analysis 169:301
 - Nuclear-Property 182:267
 - Osteoporosis 169:301
 - Radionuclide 198:287
 - Radium-226 198:287
 - Scheme 181:85
 - Sequential-Extraction 181:85
 - Solid 198:287
 - Standard 160:221
 - Well 169:301
- Preface**
 - Activation-Analysis 151:5
 - Beijing-China 151:5
 - International-Conference 151:5, 163:9
 - Ionic-Solute 163:9
 - Proceedings 151:5, 163:9
 - Separation 163:9
 - Smolenice-Czechoslovakia 163:9
- Prehistoric** 173:99
- Preirradiation**
 - Coal 175:383
 - Direct 175:383
 - Fiber 153:29
 - Liquefaction 175:383
 - Modification 153:29
 - Polypropylene 153:29
 - X-Ray 175:383
- Preliminary**
 - 2-(F-18)-FDG 173:239
 - Acetone 161:227
 - Beryllium-7 190:137
 - Biodistribution 155:253
 - Bone-Tumor 160:443
 - EDTMP 160:443
 - Environmental-Process 190:137
 - Ethylene-bis(alpha-Alanine) 155:253
 - Ethylene-bis(Valine) 155:253
 - Extraction 161:227
 - Fluorine-18 173:239
 - Labeled 155:253
 - Mexico 173:239
 - Neutron-Activation-Analysis 161:227
 - Nuclear-Reactor 173:239
 - Potential 160:443
 - Principle 201:105
 - Rhenium 161:227
 - Rock 161:227
 - Samarium-153 160:443
 - Structure-Analysis 160:443
 - Sub/Super-Equivalence-Flow-Injection-Analysis 201:105
 - Synthesis 160:443, 173:239
 - Technetium-99m 155:253
 - Therapeutic-Agent 160:443
 - Tracer 190:137
 - TRIGA-MARK-III 173:239
- Preliminary-Observation** 169:317
- Preliminary-Screening** 192:275
- Preliminary-Study**
 - Air 179:187
 - Alzheimer's-Disease 195:7
 - Comparison 195:7
 - Component 172:363
 - Elemental-Concentration 179:187
 - Human-Brain-Tumor 151:327
 - Identification 179:187
 - Instrumental-Neutron-Activation-Analysis 151:327
 - Laser-Microprobe-Mass-Spectrometry 195:7
 - LMMS 195:7
 - Matter 179:187
 - Micro-Particle-Induced-X-Ray-Emission 195:7
 - Nigerian 179:187
 - Particulate 179:187
 - Plaque 195:7
 - Plutonium 172:363
 - Seawater 172:363
 - Senile 195:7
 - Site 179:187
 - Source 179:187
 - Speciation 172:363
 - Tissue 151:327
 - Trace-Element 151:327
- Preloaded**
 - Correction 179:55
 - Counting 179:55
 - Digital 193:81
 - Filter 179:55, 193:81
 - Implementation 193:81
 - Loss 179:55
 - Processor 179:55, 193:81
 - Pulse 179:55, 193:81
- Preparation**
 - 80-MeV/Nucleon 186:113
 - Accuracy 179:131
 - Acid 198:375
 - Aluminum-Oxide 168:163
 - Ammonium-Uranate 177:279
 - Analytical 193:39
 - Antibody 170:471
 - Archaeological-Material 187:79
 - Beta-Diketone 152:373, 155:201
 - Biodistribution 154:53, 162:139
 - Biomedical-Study 200:283
 - bis(Acetonitrile)-bis(Acetylacetonato)-Technetium(III) 165:19
 - Bone-Marrow 191:25
 - Cadmium-111m 153:235
 - Capillary-Isotachophoresis 163:87
 - Carrier-Free 153:235
 - Cesium 159:335
 - Cesium-137-Barium-137m-Generator 160:517
 - Characterization 159:335, 162:139, 165:19, 175:63, 175:445, 177:261, 198:375
 - Chelate 152:373, 155:201
 - Chemical-Behavior 153:235
 - Chemical-Vapor-Deposition 152:373, 155:201
 - Cobalt-57-Source 174:291
 - Copper 159:335
 - Crystalline 198:375
 - Derivative 177:261
 - Direct-Method 189:25
 - Electrodeposition 174:291
 - Extraction 163:87
 - Film 155:201
 - Fine-Powder 168:163
 - Foil 174:291, 186:113
 - Hexacyanoferrate(II) 159:335
 - High-Specific-Activity 160:549, 193:39
 - High-Yield 196:113
 - Immunoglobulin 189:25
 - Indirect-Method 189:25
 - Iodine-125-Labeled 177:261
 - Ion 186:113
 - Ion-Exchange-Behavior 198:375
 - Ion-Exchanger 159:335
 - Ion-Microprobe 178:55
 - Ionogenic-Compound 163:87
 - Iron 186:113
 - Irradiated 186:113
 - Labeled 188:417
 - Labeling 170:471, 196:113
 - Lanthanide 152:373, 155:201
 - Lichen 169:47
 - Low-Specific-Activity 170:471
 - Lymph 191:25
 - Material 169:47
 - Mercury 178:55
 - Microcolloid 191:25
 - Multielement 168:163
 - Multitracer 186:113
 - Mössbauer-Experiment 174:291
 - Na₄UO₂·(O₂)₃·8H₂O-Complex 175:63
 - Neutron-Activation-Analysis 179:131
 - Nickel 159:335
 - Non-fissioned 177:279
 - Osmium 178:55
 - Paper-Chromatography 199:295
 - Particle-Induced-X-Ray-Emission 187:79
 - Potassium 159:335
 - Progesterone 177:261
 - Pyridoxylidene-Thyroxine-Complex 162:139
 - Quality-Control 193:39
 - Radioactive 186:113
 - Radioanalytical 193:39
 - Radioanalytical-Study 160:549
 - Radiochemical-Purity 199:295
 - Radioimmunoassay 177:261
 - Radionuclide 160:467, 160:517
 - Radiotracer 160:549, 193:39
 - Rare-Earth-Element 168:163
 - Recovery 177:279
 - Reference 169:47
 - Rhenium-186 170:471
 - Rhenium-186-DTPA-Complex 170:471
 - Rhenium-186-Labeled 189:25
 - Salicylidene-Aminate 188:417
 - Salicylidene-Thyroxine-Complex 162:139
 - Samarium-153-EDTMP 199:295
 - Sample 163:87, 178:55, 187:79
 - Scintigraphy 191:25
 - Silicon-Dioxide 168:163
 - Silver-105,106m 153:235
 - Solid-Phase 163:87
 - Stability 198:375
 - Stainless-Steel 174:291
 - Standard 168:163, 179:131
 - Suitable 178:55
 - Sulfide 155:201
 - Sulfur 191:25
 - Technetium(III) 175:445
 - Technetium-99m 162:139, 188:417, 191:25
 - Technetium-99m-HT₁₈ 154:53

- Tellurium-118-Antimony-118-Generator 160:467
- Thorium-Oxide-Film 152:373
- Trace-Analysis 163:87
- Treatment 177:279
- tris(1,10-Phenanthroline) 175:445
- Tritiated-Thymidine 196:113
- Tritiated-Water 196:113
- Uranium 177:279
- Uranium-Oxide-Film 152:373
- Uranyl-Ion 198:375
- Vanadium-48 200:283
- VO²⁺ 200:283
- Zirconium-Phosphate 198:375
- Prepare** 179:173
- Preparing** 153:151
- Prerequisite** 179:141
- Present**
 - Activation-Analysis 169:291
 - Activity 196:345
 - Column 183:19
 - Future 160:9, 160:31
 - Future-Development 183:19
 - Future-Prospect 169:291
 - High-Performance-Liquid-Chromatography 183:19
 - Low-Level 196:345
 - Neutron-Activation-Analysis 160:9, 160:31
 - Optimization 196:345
 - Packing 183:19
 - Past 160:9
 - Position 160:31
 - Sample 196:345
 - Spike 196:345
 - State 183:19
- Preservation** 154:343
- Preservative** 180:115
- Preserved** 164:47
- Press** 201:321
- Pressure** 153:409
- Pressure-Effect** 152:219
- Pressurized-Water-Reactor**
 - Airborne 198:203
 - Boiling-Water-Reactor 198:203
 - Carbon-14 198:203
 - Cesium 152:47
 - Complementary 152:47
 - Concentration 152:47
 - Coolant 152:47
 - Defective 152:47
 - Effluent 198:203
 - Fuel-Rod 152:47
 - Light-Water-Reactor 198:203
 - Localizing 152:47
 - One-Year 198:203
 - Operation 152:47
 - Ratio 152:47
 - Swedish 198:203
 - Total 198:203
- Preterm** 169:317
- Pretreatment**
 - Decontamination 182:171
 - Environmental-Radioactivity 190:59
 - Hydroxylamine 182:171
 - Improvement 182:171
 - Macrosample 190:59
 - Microwave-Oven 190:59
 - Monitoring 190:59
 - Ruthenium 182:171
- Preventing** 193:357
- Primary**
 - Abnormal 199:65
 - Actinide 170:399
 - Compound 199:65
 - Coolant 170:399
 - Proton-Beam 199:65
 - Target 199:65
 - WWER-440-Type-Reactor 170:399
 - X-Ray 199:65
 - XSQR 199:65
 - Yield 199:65
- Primary-Amine**
 - Ammonium-Diuranate 178:41
 - Coprecipitation 178:41
 - Extraction 171:371, 178:41
 - Hydrofluoric-Acid-Solution 178:41
 - n-Heptane-Solution 171:371
 - Nitric-Acid 171:371
 - Technetium(VII) 171:371, 178:41
 - Uranium(VI) 171:371
- Principle**
 - Archimede 176:87
 - Feature 195:297
 - Half-Life 159:375
 - Millisecond-Order 159:375
 - Multiple-Time-Interval-Analysis 159:375
 - Multitracer 195:297
 - Nuclide 159:375
 - Preliminary 201:105
 - Radioactive 159:375
 - Single-Time-Interval-Analysis 159:375
 - Sub/Super-Equivalence-Flow-Injection-Analysis 201:105
 - Tracer-Technique 195:297
- Prior**
 - Amount 201:13
 - Anion-Exchange-Resin 191:67
 - Archaeological-Sample 154:173
 - Biological-Sample 201:13
 - Chemical-Separation 201:13
 - Copper 201:13
 - Dating 154:173
 - Guayabo-Costa-Rica 154:173
 - Inductively-Coupled-Plasma-Mass-Spectrometry 191:67
 - Initial 191:67
 - Molybdenum 191:67
 - Neutron-Activation-Analysis 154:173, 201:13
 - Rubidium 154:173
 - Selenium 201:13
 - Separation 191:67
 - Significance 191:67
 - Technetium 191:67
 - Thermoluminescent 154:173
 - Thorium 154:173
 - Trace 201:13
 - Uranium 154:173
- Probability**
 - Change 166:131
 - Cold-Fusion 162:99
 - Decay 166:131
 - Europium-152 166:131
 - Implementation 162:99
 - K-Capture 166:131
 - Parameter 166:131
 - Perturbed-Angular-Correlation 166:131
- Sum-Peak-Method 166:131
- Synergetic-Hypothesis 162:99
- Probable**
 - Content-Level 175:139
 - Discrimination 175:139
 - Distinguishing 175:139
 - Hair 175:139
 - Liquid-Scintillation 152:227
 - Maximum 175:139
 - Mixture 152:227
 - Multiple 152:227
 - Naso-Pharyngeal-Cancer-Patient 175:139
 - Radioassay 152:227
 - Radionuclide 152:227
 - Theory 152:227
 - Trace-Element 175:139
 - Value 152:227
- Probe** 163:385
- Problem**
 - Area 193:211
 - Bioassay 156:389
 - Charge-Plate-Technique 199:15
 - Complex 197:253
 - Contamination 197:253
 - Dibromomethane/Aniline-System 199:15
 - Dibromomethane/Aniline-System 199:15
 - Exposure 156:389
 - Facility 197:253
 - Gamma-Spectroscopy 193:211
 - Interpretation 156:389
 - Multiplet 193:211
 - Neutron-Activation-Analysis 160:63
 - Possible 197:253
 - Processing 197:253
 - Program 193:211
 - Radiochemical-Investigation 199:15
 - Reactor 160:63
 - Representative-Sampling 197:253
 - Standardization 160:63
 - Thorium 156:389
 - Verification 193:211
 - Waste 197:253
- Procedure**
 - Abbreviated 180:29
 - Accurate 153:151
 - Americium-241 182:45
 - Aqueous-Sample 179:211
 - Archaeological 180:29
 - Arsenic(III) 179:211
 - Arsenic(V) 179:211
 - Association 198:229
 - Automatable 179:211
 - Biological-Material 157:265
 - Calibration 153:151
 - Chromatography 157:265
 - Combination 179:211
 - Comparison 152:507
 - Component 198:229
 - Concrete 193:119, 193:127
 - Construct 182:45
 - Cryotrapping 179:211
 - Dimethylarsinic-Acid 179:211
 - Dipping 182:45
 - Efficiency 153:151
 - Environmental-Material 157:265
- Environmental-Sample 176:303, 193:113, 193:127
- Fast 193:119
- Fission-Product 198:229
- Gallium 157:265
- Gamma-Ray-Spectrometer 153:151
- Generation 179:211
- Germanium 153:151
- Human-Urine 195:109
- Hydride 179:211
- Instrumental-Neutron-Activation-Analysis 152:507, 195:109
- Iodine-127 198:229
- Iodine-129 198:229
- Ion-Exchange 157:265
- Iron-55 193:119
- Isotope 198:229
- k₀-Standardization 152:507
- k_{2n}-Standardization 152:507
- Loss 176:303
- Low-Activity 153:151
- LSC 193:113, 193:119, 193:127
- Monomethylarsonic-Acid 179:211
- Natural 198:229
- Neutron-Activation-Analysis 157:265, 180:29
- Nickel-63 193:127
- Obsidian 180:29
- Optimization 195:109
- Phantom 182:45
- Pre-irradiation 157:265
- Preconcentration 179:211
- Preparing 153:151
- Reliable 153:151
- Routine 152:507
- Selective 179:211
- Sensitive 193:113, 193:119, 193:127
- Separation 157:265
- Sequential-Extraction 198:229
- Skull 182:45
- Soil 198:229
- Sourcing 180:29
- Speciation 179:211
- Standard 153:151
- Steel 193:119, 193:127
- Step 176:303
- Technetium 176:303
- Technetium-99 193:113
- Proceedings**
 - Acknowledgement 192:7
 - Actinide 197:7, 197:9
 - Activation-Analysis 151:5
 - Aomori-City-Japan 197:7, 197:9
 - Beijing-China 151:5
 - Biological-Sample 197:7, 197:9
 - Conference 197:9
 - Environmental-Sample 197:7, 197:9
 - International-Conference 151:5, 163:9, 192:5, 192:7, 197:7, 197:9
 - Introduction 192:5
 - Ionic-Solute 163:9
 - Kailua-Kona-Hawaii 192:5, 192:7
 - Long-Lived-Radionuclide 197:7, 197:9

- Low-Level-Measurement 197:7, 197:9
- Message 197:9
- Participant 197:9
- Preface 151:5, 163:9
- Radioanalytical-Chemistry 192:5, 192:7
- Separation 163:9
- Smolenice–Czechoslovakia 163:9
- Process-Control** 183:329
- Processing**
 - Bremsstrahlung 168:503
 - Complex 197:253
 - Contamination 197:253
 - Copper-Molybdenum 168:503
 - Data 169:453
 - Dissolution 178:261
 - Effluent 156:75
 - Estimation 156:75
 - Extracting 177:127
 - Facility 197:253
 - Growth 178:261
 - Host 178:261
 - Kinetics 178:261
 - Low-Level 156:75, 177:127
 - Microcomputer 169:453
 - Microtron 168:503
 - Model 178:261
 - Multielemental 168:503
 - Natural 156:75
 - Neutron-Activation-Analysis 169:453
 - Ore 168:503, 178:261
 - Photon-Activation-Analysis 168:503
 - Plant 156:75
 - Plutonium 177:127, 193:357
 - Pollution 193:357
 - Possible 197:253
 - Potential 178:261
 - Preventing 193:357
 - Problem 197:253
 - Product 168:503
 - Program 169:453
 - Representative-Sampling 197:253
 - Semiautomated-Approach 177:127
 - Soil 177:127
 - Solid 178:261
 - Surface 178:261
 - Thorium 156:75
 - Uranium 178:261
 - Waste 197:253
- Processor**
 - Correction 179:55
 - Counting 179:55
 - Digital 193:81
 - Filter 179:55, 193:81
 - Implementation 193:81
 - Loss 179:55
 - Preloaded 179:55, 193:81
 - Pulse 179:55, 193:81
- Product**
 - 1,3-Dichloropropane 172:57
 - 1-Chlorobutane 172:57
 - 1-Chlorobutene-2 172:57
 - 1-Chloropropane 172:57
 - 2-Chloropropane 172:57
 - Acid 195:363
 - Activation 198:161
 - Alkali-Metal–Hexakis-(Trimethylacetato)-Ferrate(III)-Complex 155:211
 - Atmosphere 172:57, 177:415
 - Bremsstrahlung 168:503
 - Carbon-Tetrachloride 174:103, 175:359
 - Chemical-Composition 181:373
 - Chromium-51(VI) 195:363
 - Cocktail 185:45
 - Copper-Molybdenum 168:503
 - Corrosion 185:45, 198:161
 - $\text{Cs}_x\text{FeO}_{2+0.5x}$ 188:99
 - Daughter 153:137
 - Dichloroethane 177:415
 - Dichloromethane 177:415
 - Dinitrobenzene 174:103
 - Emission 153:137
 - Equilibrium 153:137
 - Final 177:291
 - Gamma-Irradiated 172:57, 177:415
 - Gamma-Radiolysis 174:103
 - Gamma-Ray 153:137
 - Gas-Chromatography–Fourier-Transform-Infrared-Spectroscopy–MS 175:359
 - Identification 199:443
 - Industry 151:397
 - Intensity 153:137
 - Iron(III)-Carboxylate 199:443
 - Iron-Hydroxide 181:189
 - Irradiated 177:291
 - Isomer 174:103
 - Lanthanum-Phosphate 176:471
 - Low-Level-Waste 198:161
 - Main 174:103
 - Microtron 168:503
 - Mineral 151:397
 - Mixed 181:373
 - Multielemental 168:503
 - Mössbauer-Spectroscopy 155:211, 166:309, 181:189, 186:213, 199:443
 - Neutron-Activation-Analysis 151:397, 176:471
 - Nitroaniline 174:103
 - Nitrobenzene 174:103
 - Nitrophenol 174:103
 - Nitrophenol-Solution 175:359
 - Ore 168:503
 - Organic-Ligand 181:373
 - Oxygen-Free 172:57, 177:415
 - Photolysis 181:373
 - Photon-Activation-Analysis 168:503
 - Power-Reactor 198:161
 - Precipitation 181:189
 - Processing 168:503
 - Property 188:99
 - Purification 177:291
 - Pyrolysis 186:213
 - Radiation 172:57
 - Radiation-Chemical-Yield 174:103
 - Radical 177:415
 - Radioactive-Waste 166:309, 181:189
 - Radiolysis 172:57, 175:359, 177:415
 - Radionuclide 185:45
 - Radium-226 153:137
 - Rare-Earth-Element 151:397
 - Raw-Material 151:397
 - Reduction 195:363
 - Reprocessing 177:291
 - Rock 176:471
 - Rod 177:291
 - Scaling-Factor 198:161
 - Speciation 195:363
 - Stable 172:57, 177:415
 - Synthesized 186:213
 - Thermal-Decomposition 155:211, 188:99, 199:443
 - Thorium 177:291
 - Treatment 166:309, 177:291, 181:189
 - tris(1,10-Phenanthroline)-Iron(II)-Ion 186:213
 - Uranium-233-Oxide 177:291
 - Volatile 174:103, 175:359
 - Waste 181:373
 - Yield 172:57
 - Zeolite-Y 186:213
- Production**
 - (gamma,n)-Reaction 186:165
 - (n,n') 176:295
 - Amine 163:29
 - Bromine-75 153:417
 - Bromine-77 153:417
 - Californium-252 176:295
 - Carbon-14-Dioxide 176:491
 - Charge-Induced-X-Ray 200:53
 - Chemist 171:269
 - Construction 182:445
 - Contamination 200:9
 - Contribution 182:445, 198:247
 - Cross-Section 160:387
 - Cyclotron 175:75, 182:445, 198:247, 200:227
 - Deuteron-Induced-Reaction 198:247
 - Direct 176:491
 - Energetic 160:387
 - Enrichment 153:417
 - Excitation-Function 153:417
 - Extraction 163:29
 - Fertilizer 200:9
 - Fission 176:295
 - Fluorine-18 173:249, 182:445, 198:247, 200:227
 - Form 195:227
 - Formaldehyde-C-14 176:491
 - Gamma-Ray-Spectroscopy 160:387
 - Gas 198:247
 - Heavy-Ion-Beam 200:53
 - High-Specific-Activity 195:227
 - Inelastic-Scattering 160:387
 - Iodine-123 175:75
 - IPEN-CNEN-SP 175:75, 200:227
 - Irradiation-Method 195:227
 - Krypton 153:417
 - Labeled 165:327
 - Light-Ion-Beam 200:53
 - Lithium-Aluminium-Hydride 176:491
 - Material 182:445
 - Medical-Application 200:43
 - Metal-Surface 182:445
 - Molybdenum-99 178:417
 - Natural-Water 200:227
 - Neon-20-(d, alpha)-Fluorine-18 182:445
 - Neon-23 198:247
 - Neutron 160:387, 176:295
 - No-Carrier-Added 195:227
 - Non-fissioned 178:417
 - Nuclear-Medicine 171:269
 - On-line 165:327
 - Oxygen-15 165:327
 - Particle-Induced-X-Ray-Emission 200:53
 - Phosphate 200:9
 - Planetary 160:387
 - Possible 200:9
 - Pure 163:29
 - Radiochemically-Pure 200:43
 - Radionuclide 195:227
 - Radionuclidically-Pure 200:43
 - Radium-226 200:9
 - Recovery 173:249, 178:417, 182:445
 - Reduction 176:491
 - Remote-Control 165:327
 - Research 171:269
 - Salt 163:29
 - Samarium-153 200:43
 - Sodium-21 198:247
 - Species 165:327
 - Target 182:445, 200:227
 - Targetry 198:247
 - Technetium-95 186:165
 - Technetium-96 186:165
 - Technetium-99m 176:295
 - Testing 182:445
 - Training 171:269
 - Treatment 178:417
 - Tritium 173:249
 - Uranium 178:417
 - Water 200:9
 - Yield 198:247
 - Zirconium 163:29
- Profile**
 - Basin 179:259
 - Chromium 161:245
 - Cobalt 161:245
 - Concern 171:365
 - Conversion-Electron-Mössbauer-Spectroscopy 153:375
 - Depth 153:375
 - Distribution 161:245
 - Element 171:365
 - Gabbroic-Rock 161:245
 - Hafnium 161:245
 - Hair 171:365
 - Improving 153:375
 - Mouse 171:365
 - Nuclear-Track-Detector 194:207
 - Parallel-Plate-Avalanche-Counter 153:375
 - Performance 153:375
 - Repository 171:365
 - Sao-Paulo 179:259
 - Scandium 161:245
 - Serpa–Portugal 161:245
 - Soil 194:207
 - Tantalum 161:245
 - Thorium 161:245
 - Timetable 171:365
 - Trace-Element 179:259
 - Unsaturated 179:259
 - Weathering 161:245
 - Zone 179:259
- Profiling**
 - Approach 180:255

- Beta-Spectroscopy 180:115
- Carbon-Tetrachloride/Water-System 163:107
- Coincident 188:55
- Cold-Neutron 160:315
- Depth 160:315, 167:111, 180:115, 180:255
- ERD 188:55
- High-Performance-Liquid-Chromatography 163:107
- Hydrogen 188:55
- Instrument 160:315
- National-Institute-of-Standards-and-Technology 160:315
- Neutron 167:111, 180:255
- Neutron-Activation 180:115
- Nitrobenzene 163:107
- Preservative 180:115
- Radiolytic-Product 163:107
- Thin-Film 188:55
- Wood 180:115
- Progeny**
 - Chain 157:367
 - Concentration-Level 181:141
 - Emission 157:367
 - Environment 181:141
 - Equilibrium 157:367
 - Gamma-Ray 157:367
 - Intensity 157:367
 - Radon-220 181:141
 - Radon-222 181:141
 - Secular 157:367
 - Thorium-232 157:367
 - Underground 181:141
 - Uranium-235 157:367
 - Uranium-238 157:367
 - Uranium-Thorium 181:141
- Progesterone**
 - Characterization 177:261
 - Derivative 177:261
 - Direct 196:331
 - Iodine-125-Labeled 177:261
 - Preparation 177:261
 - Radioimmunoassay 177:261, 196:331
 - Serum 196:331
- Program**
 - Accuracy 160:233
 - Activity 171:159
 - American-Museum-of-Science 171:253
 - ANA 176:199
 - Area 193:211
 - Automatic-Analysis 193:187
 - Chemistry 171:159
 - Conversion 169:209
 - Curriculum 171:159
 - Data 169:453, 198:55
 - Data-Analysis 160:277
 - DECHAOS 193:187
 - Detectability 160:233
 - Diameter 169:209
 - Efficiency 169:209
 - Energy 171:253
 - Evaluation 176:199, 186:199
 - Extension 169:209
 - EXTSANGLE 169:209
 - Field 194:389
 - Fit 180:65
 - Gamma-Ray-Spectrum 193:187, 198:55
 - Gamma-Spectroscopy 160:233, 193:211
 - Gamma-Spectrum 176:199
 - Germanium-Detector 169:209
 - Instrumental-Neutron-Activation-Analysis 198:55
 - Interactive 193:187
 - Larger 169:209
 - Library 198:55
 - Low-Power 180:325
 - Microcomputer 169:453
 - Missouri-University-Research-Reactor 180:301
 - Multiplet 193:211
 - NADA 160:277
 - Neutron-Activation 160:277
 - Neutron-Activation-Analysis 169:453
 - Neutron-Activation-Analysis-Spectrum 186:199
 - Non-linear 180:65
 - Nuclear-Analysis 180:301
 - Nuclear-Chemistry 171:159
 - Nuclear-Reactor 180:325
 - Nuclear-Science 171:253
 - PC 160:277, 180:65
 - PC-Based-System 198:55
 - Peak 180:65
 - Policy 169:5
 - Porting 180:65
 - Problem 193:211
 - Processing 169:453
 - Real-Time 194:389
 - Reduction 198:55
 - Search 180:65
 - SOLANG 169:209
 - Source 169:209
 - SPECTRA 198:55
 - Technology-Transfer 180:325
 - Testing 180:65
 - Traditional 171:159
 - Tritium 194:389
 - Undergraduate 171:159
 - University-Reactor-Institute 169:5
 - Verification 160:233, 193:211
 - Versatile 160:277, 194:389
- Programme**
 - Developing-Country 171:109
 - Interlaboratory 198:323
 - NORM 198:323
 - Nuclide 198:323
 - Oil-and-Gas-Production 198:323
 - Potential 198:323
 - Radiochemistry 171:109
 - Sample 198:323
 - Standardization-Method 198:323
 - State-of-the-Art 198:323
 - Test 198:323
 - Training 171:109
 - Validation 198:323
- Progress-Report** 180:263
- Project** 192:331
- Projectile** 158:463
- Prolonged** 175:467
- Promethium(III)** 155:195
- Promethium-147** 197:219
- Promoted** 163:113
- Prompt-Analysis** 151:387
- Prompt-Charged-Particle-Activation-Analysis** 155:445
- Prompt-Gamma** 151:83
- Prompt-Gamma-Activation-Analysis**
 - Cold-Neutron 180:263, 180:271, 181:321
 - Cold-Neutron-Source 193:145
 - Hydrogen 180:271, 181:321
 - National-Institute-of-Standards-and-Technology 180:263
 - Neutron-Scattering 181:321
 - Progress-Report 180:263
 - Texas 193:145
- Prompt-Gamma-Ray** 192:39
- Prompt-Gamma-Ray-Activation-Analysis**
 - Analytical 191:245
 - Background 167:145
 - Bias 191:245
 - Boron 194:351
 - Ceramic-Glaze 192:281
 - Certification 179:149
 - Cesium-137 194:351
 - Cold-Neutron 167:121, 191:245
 - Dalat-Reactor 165:351
 - Element 179:149, 191:245
 - Eliminate 191:245
 - Enhancement 167:145
 - Food 167:139
 - Instrumental-Neutron-Activation-Analysis 179:149
 - Leaf 179:149
 - Low-Background-Counting-System 194:351
 - Macro-constituent 165:363
 - Maple-Syrup 194:351
 - Multielement-Analysis 167:139
 - National-Institute-of-Standards-and-Technology 167:121
 - Neutron-Capture 167:121, 167:139
 - Neutron-Scattering-Induced 167:145
 - Potassium 194:351
 - Radiochemical-Neutron-Activation-Analysis 179:149
 - Ratio 191:245
 - Research-Facility 167:121
 - Simultaneous-Analysis 192:281
 - Standard-Reference-Material 179:149
 - Steel 165:363
 - Tomato 179:149
 - X-Ray-Fluorescence-Analysis 192:281
- Prompt-Gamma-Ray-Activation-Technique** 169:333
- Prompt-Gamma-Ray-Analysis** 193:171
- Prompt-Gamma-Ray-Spectrometry** 151:379
- Propanol II-»** 157:373
- Property**
 - Adsorption 181:291
 - Affected 176:243
 - Cesium 188:427
 - Charcoal 181:291
 - Chemical-Treatment 188:427
 - Chromium 176:129
 - Clinoptilolite 188:427
 - Cobalt 188:427
 - Cs_xFeO_{2+0.5x} 188:99
 - Deceleration 176:129
 - Dynamic 181:291
 - Elastomer 176:153
 - Environmental-Pollution 186:175
 - Gamma-Radiation 166:343, 176:153, 186:175
 - Gas 176:243, 186:175
 - Hydroxyl-Terminated 176:153
 - Interaction 186:175
 - Ion-Exchange 188:323
 - Isotope 181:291
 - Krypton 181:291
 - Langmuir-Blodgett 176:243
 - Langmuir-Blodgett-Film 186:175
 - Langmuir-Blodgett-Layer 166:343
 - Layer 176:243
 - Metallomesogen 190:333
 - PIPPS 176:129
 - Poly(3-Hexadecylthiophene) 166:343, 176:243, 186:175
 - Polybutadiene-Base 176:153
 - Product 188:99
 - Relative 176:129
 - Selected 186:175
 - Sorption 188:427
 - Stearic-Acid 176:243
 - Structure 190:333
 - Surface-Treatment 176:243
 - Synthesis 188:323
 - Thermal-Decomposition 188:99
 - Xenon 181:291
 - Zirconium-Molybdoarsenate 188:323
 - ZrMas 188:323
- Propionic-Acid IAlpha-»** 166:143
- Propionic-D₂-Acid** 155:411
- Proportional-Counter** 153:165
- Propyl-Xanthate**
 - Benzyl-Xanthate 199:239, 200:181
 - Butyl-Xanthate 199:239, 200:181
 - Cadmium 199:239
 - Comparative 199:239, 200:181
 - Ethyl-Xanthate 199:239, 200:181
 - Pentyl-Xanthate 199:239, 200:181
 - Potassium-Salt 199:239, 200:181
 - Substoichiometric-Extraction 199:239, 200:181
 - Zinc 200:181
- Prospect** 169:125
- Prospective** 183:27
- Prosthesis** 159:87
- Protactinium**
 - Carnotite 165:159
 - High-Yield 159:267
 - Matrix 159:267
 - Polonium 159:267
 - Separation 159:267, 165:159
 - Thorium 159:267
- Protactinium-234m** 166:393
- Protective** 175:339
- Protein**
 - AOT 191:201
 - Biological 171:443

- Bovine 171:443
- Corn 177:253
- Evidence 171:443
- Extraction 191:201
- Hole 171:443
- In-Vivo 169:325
- Limb 169:325
- Micellar-System 191:201
- Neutron-Activation-Analysis 169:325
- Partitioning 191:201
- Positive 171:443
- Possible 171:443
- Radiolabeled 191:201
- Reverse 191:201
- Serum-Albumin 171:443
- Single 177:253
- Surfactant 191:201
- Transport 171:443
- Proton**
 - 1.6-GeV 169:13
 - 3,5-Dichlorophenol 157:255
 - Acetylacetone 157:255
 - Activation-Rate 195:263
 - Alpha-Beam 188:453
 - Backscattering 174:265
 - Charge-Induced 189:283
 - Charge-Induced-X-Ray 188:453
 - Chelate 157:255
 - Chemical 195:263
 - Copper-67 195:263
 - Cosmic-Ray 169:13
 - Donor 157:255
 - Enhancement 157:255, 189:283
 - Enrichment 195:263
 - Extraction 157:255
 - Film 174:265
 - Galactic 169:13
 - Hydrogen-1 ($^1\text{H}_2^+$) 189:283
 - Interaction 169:13
 - Ion-Beam 189:283
 - Iron(III) 157:255
 - Irradiation 169:13, 195:263
 - L-X-Ray 189:283
 - Low-Energy 195:263
 - M-X-Ray 189:283
 - Metal-Salt 188:453
 - Recovery 195:263
 - Simulation 169:13
 - Spectrophotometry 188:453
 - Stoichiometry 174:265
 - Stony 169:13
 - Target 169:13, 195:263
 - Thick 169:13
 - Vanadium-Nitride 174:265
 - Yield 188:453, 189:283
 - Zinc-70 195:263
- Proton-Activation-Analysis**
 - Alpha-Activation-Analysis 153:313
 - Boron 201:49
 - Comparison 153:313
 - Fast-Neutron-Activation-Analysis 153:313
 - Gallium-Phosphide 201:49
 - High-Resolution-Delayed-X-Ray-Spectrometry 153:313
 - Nitrogen 201:49
 - Sensitivity 153:313
 - Thermal-Neutron-Activation-Analysis 153:313
 - Trace-Element 201:49
- Two-Energy 201:49
- Proton-Beam** 199:65
- Proton-Induced-Prompt-Gamma-Spectrometry** 151:63
- Proton-Induced-Prompt-Low-Energy-Photon**
 - High-Resolution-Spectrometry 151:213, 159:97
 - Lanthanide 159:97
 - Noble-Metal 151:213
- Proton-Induced-Reaction** 179:349
- Proton-Induced-X-Ray-Emission** 195:133
- Protonating-Agent** 164:285
- Provenance** 168:273
- Provenancing** 180:37
- PSAHA** 170:79
- Pseudocyclic-Activation-Analysis** 151:47
- Pt** see **Platinum**
- Pu** see **Plutonium**
- Pu-Zr-Al-Alloy** 158:13
- Public-Acceptance** 197:57
- Public-Education**
 - Energy 171:95
 - Japan 171:95
 - Kyushu 171:95
 - Museum 171:95
 - Nuclear-Science 171:95
 - Radioactive-Waste-Disposal 171:245
 - Source 171:245
- Pulse**
 - Correction 179:55
 - Counting 179:55
 - Digital 193:81
 - Filter 179:55, 193:81
 - Implementation 193:81
 - Loss 179:55
 - Preloaded 179:55, 193:81
 - Processor 179:55, 193:81
- Pulse-Radiolysis**
 - Aqueous-Solution 166:7, 186:315
 - Deoxygenated 186:315
 - Ethyl-Propionate 166:7
 - Excited-Atom 159:249
 - e_{aq}^- -OH 163:391
 - Picolinic-Acid 163:391
 - Polyacrylic-Acid 186:315
 - Quenching-Process 159:249
 - Reaction 163:391
 - Xenon 159:249
- Pulse-Shape** 194:403
- Pulse-Shape-Analysis** 186:119
- Pulsed** 167:11
- Pulsed-Fast-Reactor** 192:17
- Pulsed-Laser** 201:303
- Punchmark** 186:393
- Pure**
 - (n,gamma)-Reaction 183:293
 - Amine 163:29
 - Behavior 183:293
 - Cross-Section 183:293
 - Electrical-Conduction 154:285
 - Extraction 163:29
 - Gamma-Irradiated 154:285
 - Germanium 168:465
 - Hogdahl-Convention 183:293
 - Manganese-Doped 154:285
 - MgAl_2O_4 154:285
- Modified-Westcott-Formalism 183:293
- Molybdenum 201:177
- Phosphorus 168:465
- Production 163:29
- Radiochemical-Determination 201:177
- Radiochemical-Neutron-Activation 168:465
- Relation 183:293
- Salt 163:29
- Spinel 154:285
- Tungsten 201:177
- Unirradiated 154:285
- Zirconium 163:29
- Purex**
 - Acid 187:159
 - Acidic 191:291
 - Actinide 191:291
 - Chromatographic-Separation 191:291
 - Cycle 187:159
 - Distribution 187:159
 - Minor 191:291
 - Neptunium 187:159
 - Nitrate 191:291
 - Partition 191:291
 - Reversed-Phase 191:291
 - Sulfoxide 191:291
 - Waste 191:291
- Purification**
 - Activated-Charcoal 166:31
 - Americium 165:219
 - Biological-Study 159:233
 - Bismuth 183:283
 - Chromatography 159:233
 - Effluent 165:219
 - Final 177:291
 - Gallium 183:283
 - Irradiated 177:291
 - Loading 165:219
 - Magnesium-28 159:233
 - Melting 183:283
 - Mixture 165:219
 - Neutron-Activation-Analysis 166:31
 - No-Carrier-Added 159:233
 - Octyl(Phenyl)-N,N-Diisobutylcarbamoylmethylphosphine-Oxide 165:219
 - Plutonium 165:219
 - Polonium 183:283
 - Product 177:291
 - Reprocessing 177:291
 - Rod 177:291
 - Sorbent 166:31
 - Synthetic-Slag 183:283
 - Tail-End 165:219
 - Thorium 177:291
 - Trace-Element 166:31
 - Treatment 177:291
 - Tri-n-Butyl-Phosphate 165:219
 - Uranium-233-Oxide 177:291
 - Volcanic-Exhalation 166:31
- Pyrazolone** 178:153
- Pyrazolone-5[[1-Phenyl-3-Methyl-4-Benzoyl]-**
 - Actinide 198:367
 - Aliphatic-Amide 152:401
 - Amide 152:401
 - Chelate 198:367
 - Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 198:367
- Extraction 198:367
- HPMBP 152:401
- Lanthanide 198:367
- Mixed-Ligand 198:367
- Synergism 152:401
- Synergistic-Extraction 152:401
- Trivalent 198:367
- Uranyl-Ion 152:401
- pyridine-Inactive** 154:197
- Pyridoxylidene-Thyroxine-Complex** 162:139
- Pyrimido-Benzimidazole-Thiol** [Tetrahydro-Trimethyl-7-Substituted-» 200:509
- Pyrite** 162:217
- Pyrolusite** 187:113
- Pyrolysis** 186:213
- Pyrrhotite** 153:423
- Pyrrrole** 185:219
- Pyrrrolinedithiocarbamate**
 - 1-(2-Thiazolylazo)-2-Naphthol 168:439
- Bismuth(III) 179:267
- Coprecipitation 168:439, 179:267
- N-Nitroso-Phenylhydroxylamine 168:439
- Neutron-Activation-Analysis 168:439, 179:267
- Preconcentration 168:439, 179:267
- Seawater 168:439
- Surface 179:267
- Trace-Element 168:439, 179:267
- Water 179:267
- Pyruvic-Acid** 160:461
- QFDA** 180:121
- Quadrupole-Mass-Spectrometry** 174:205
- Quality**
 - Assessment 169:347
 - Assurance 174:229, 179:87
 - Geological-Reference-Material 174:229
 - Information-Theory 169:347
 - Instrumental-Neutron-Activation-Analysis 174:229
 - k_0 -Factor 179:87
 - Neutron-Activation-Analysis 169:347, 179:87
 - Reference-Material 169:347
 - Standardization 174:229
 - Utilization 179:87
- Quality-Control**
 - Actinide 194:141
 - Activation-Analysis 151:139
 - Analytical 193:39
 - Bone-Seeking 200:291
 - Chromatography 159:3, 200:291
 - Comparative 200:291
 - Comparative-Study 159:3
 - Data 194:141
 - Environmental-Measurement 194:141
 - Germanium-Iodide 200:291
 - High-Specific-Activity 193:39
 - Human-Thyrotropin 200:337
 - Indium-113m 159:3
 - IPEN-CNEN-SP 172:313
 - Preparation 193:39
 - Radio-TLC 181:77

- Radioanalytical 193:39
- Radiochemical-Procedure 194:141
- Radioimmunoassay 200:337
- Radioiodination 200:337
- Radiopharmaceutical 159:3, 181:77, 200:291
- Radiotracer 193:39
- Technetium-99m 200:291
- Thallium-201-Chloride 172:313
- Quantification** 182:237
- Quantitation** 160:191
- Quantitative** 176:361
- Quantitative-Analysis**
 - Americium 194:191
 - Chromatography 194:191
 - Curium 194:191
 - Eastern-Black-Sea-Turkey 201:241
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 201:241
 - Extractant 155:371
 - Extraction 194:191
 - Hanford 194:191
 - Infrared-Spectrometry 155:371
 - Isotope 194:191
 - Plating 194:191
 - Plutonium 194:191
 - Precipitation 194:191
 - Rapid 194:191
 - Sample 194:191
 - Sea-Bed 201:241
 - Sediment 201:241
 - Spectrometry 201:241
- Quantitative-Determination**
 - Americium 164:81
 - Biological-Material 164:81
 - Cassiterite 182:427
 - Instrumental-Neutron-Activation-Analysis 182:427
 - Tin 182:427
- Quantitative-Filter-Debris-Analysis** 180:121
- Quantity**
 - Analyzer 156:223
 - Electrolyte-Solution 155:419
 - Electromigration 155:419
 - Free 155:419
 - Hydrolysis 155:419
 - Kinetic 156:223
 - Nanogram 156:223
 - Pentavalent 155:419
 - Phosphorescence 156:223
 - Radioelement 155:419
 - Rapid-Method 156:223
 - Tetravalent 155:419
 - Trace 155:419
 - Uranium 156:223
 - Urine 156:223
 - Vanadium 155:419
- Quantum** 166:239
- Quartz**
 - Activation-Analysis 155:427
 - Aliquot 188:189
 - Ceramics 188:189
 - Dating 188:189
 - Defect 190:513
 - Desorption 159:37
 - Excreta 155:427
 - Glass 155:427
 - Green 188:189
 - Ion 159:37, 190:513
 - Kinetics 159:37
 - Light-Emitting-Diode 188:189
 - Luminescence 188:189
 - Mica 159:37
 - Monocrystal 190:513
 - Mu-Spin-Resonance 190:513
 - Optical 188:189
 - Point-Like 190:513
 - Reactivity 190:513
 - Revisited 188:189
 - Significance 155:427
 - Single 188:189
 - Stimulated 188:189
 - Substituent 190:513
 - Surface 159:37
 - Thermoluminescence 188:189
 - Thorium 155:427
- Quenching** 188:243
- Quenching-Method** 195:355
- Quenching-Process** 159:249
- Quinizarin** 173:339
- Quinololinol** 15-(2'-Carboxy-phenyl)-Azo-8- \rightarrow 196:363
- Q₀-Factor** 169:159
- R&D** 199:453
- Radial-Dependence** 186:227
- Radiation**
 - 1,3-Dichloropropane 172:57
 - 1-Chlorobutane 172:57
 - 1-Chlorobutene-2 172:57
 - 1-Chloropropane 172:57
 - 2-Chloropropane 172:57
 - Absorption 157:203, 182:477, 185:419, 198:261
 - Acetic-Acid 160:487
 - Adsorption 160:487
 - Aluminum-Hydroxide 154:61
 - Aqueous-Solution 183:99
 - Atmosphere 172:57
 - Atomic 160:341
 - Bibliography 157:203, 182:477, 185:419, 198:261
 - Borehole 194:393
 - Calibration 194:393, 200:299
 - Carbon-14 160:487
 - Chemical-Yield 154:61
 - Chitosan 159:87
 - Chloride-Ion 166:251
 - Cobalt-60 200:19
 - Comparison 160:341
 - Component 191:129
 - Contribution 155:225
 - Degradation 183:99
 - Detection 160:341
 - Detector 200:299
 - Electron-Paramagnetic-Resonance-Spectroscopy 154:61
 - Environmental 194:393
 - Environmental-Monitoring 194:291
 - Facility 194:393
 - Gamma-Irradiated 172:57, 183:99
 - Heterogeneous-Process 160:487
 - High-Energy 155:225
 - Inductively-Coupled-Plasma-Mass-Spectrometry 160:341
 - Kinetics 154:61
 - Large-Sample 200:299
 - Liquid-Chromatography 183:99
 - Multicomponent 183:99
 - Neutron-Activation-Analysis 180:83
 - Nitrobenzene 183:99
 - Nuclear-Power-Plant 180:83
 - Optimization 180:83
 - Oxidation 191:129
 - Oxygen-Free 172:57
 - Paramagnetic-Center 154:61
 - Performance 183:99
 - Petrochemical 191:129
 - Phase-High 183:99
 - Phenol 191:129
 - Piggery 155:225
 - Post-treatment 155:225
 - Product 172:57
 - Prosthesis 159:87
 - Radiolysis 166:251, 172:57
 - Radionuclide 160:341
 - Reverse 183:99
 - Scattering 157:203, 182:477, 185:419, 198:261
 - Sealant 159:87
 - Shielding 180:83
 - Slurry 155:225
 - Sodium-Montmorillonite 160:487
 - Sorption 200:19
 - South-China-Sea 194:291
 - Spratly-Islet 194:291
 - Stable 172:57
 - Sterilization 159:87
 - Surface 194:393
 - Thermal-Decay 154:61
 - UV-VIS-Analysis 183:99
 - Vascular 159:87
 - Waste-Water 183:99, 191:129
 - Water/Chlorobenzene/Carbon-Tetrachloride-System 166:251
 - Water/Nitrobenzene/Carbon-Tetrachloride-System 166:251
 - X-Ray-Irradiation 154:61
 - Yield 166:251, 172:57
 - Zeolite 200:19
- Radiation-Chemical-Yield**
 - Carbon-Tetrachloride 174:103
 - Dinitrobenzene 174:103
 - Gamma-Radiolysis 174:103
 - Gas-Chromatography 199:197
 - Isomer 174:103
 - Main 174:103
 - n-Butanol 199:197
 - Nitroaniline 174:103
 - Nitrobenzene 174:103
 - Nitrobutane 199:197
 - Nitrophenol 174:103
 - Product 174:103
 - Radiolytic-Degradation 199:197
 - Tributyl-Phosphate/Nitric-Acid-System 199:197
 - Volatile 174:103
- Radiation-Chemistry** 171:75
- Radiation-Damage**
 - Annealing 154:163, 155:351, 187:325
 - Chemical 154:163, 155:351, 187:325
 - Gamma-Irradiated 155:351
 - Hydration 155:351
 - Sodium-Bromate 187:325
 - Strontium-Bromate 154:163, 155:351
- Thermal 187:325
- Radiation-Dose** 176:37
- Radiation-Effect** 165:269
- Radiation-Field** 199:57
- Radiation-Induced-Chlorination** 188:117
- Radiation-Induced-Decomposition**
 - Alkali-Metal-Nitrate 153:211
 - Evaluation 153:211
 - Nitric-Acid 166:421
 - Rate-Constant 153:211
 - Role 166:421
 - Tributyl-Phosphate/Nitric-Acid-System 166:421
- Radiation-Induced-Degradation** 157:133
- Radiation-Induced-Effect**
 - Alternative 158:283, 159:301, 172:387
 - Asphaltene 158:283, 172:387
 - Asphaltol 159:301
 - Coal 158:283, 159:301, 172:387
 - Fuel 158:283, 159:301, 172:387
 - Gamma-Ray 172:387
 - Irradiation 172:387
 - X-Ray-Irradiation 158:283, 159:301
- Radiation-Induced-Gas-Phase-Dealkylation** 154:421
- Radiation-Induced-Isomerization** 185:227
- Radiation-Stimulated-Process** 187:355
- Radiative** 154:139
- Radical**
 - Alpha-Propionic-Acid 166:143
 - Atmosphere 177:415
 - Barium-Carbonate 187:123
 - Carbonate 166:87, 191:349
 - Cobalt(II)-Amino-polycarboxylate 166:87
 - Cyclohexane 166:143
 - Dichloroethane 177:415
 - Dichloromethane 177:415
 - Gamma-Irradiated 177:415
 - Ion 187:123
 - Kinetic-Characteristics 166:143
 - Luminescence 187:123
 - Methyl-Ester 166:143
 - Nickel(II)-Iminodiacetate 191:349
 - One-Electron 191:349
 - Oxidation 191:349
 - Oxygen-Free 177:415
 - Product 177:415
 - Radiolysis 177:415
 - Reaction 166:87
 - Role 187:123
 - Spectral 166:143
 - Stable 177:415
 - Thermal-Stimulation 187:123
 - Uranium-Doped-System 187:123
 - Water 166:143
- Radio-TLC** 181:77
- Radioactivation-Analysis** 155:435
- Radioactive**
 - 80-MeV/Nucleon 186:113
 - Aerosol 201:409

- Air-Particulate 196:25
- Ambient-Temperature 189:65
- Anion-Exchange 189:141
- Antimony-125 166:173
- ASIA-(Ismatec)-Analyzer 187:351
- Atmospheric 201:409
- Beaker 193:133
- Cesium 201:409
- Chemical-Fraction 201:409
- Chernobyl-Accident 201:409
- Chernobyl-Fallout 166:173
- Chlorine-38 166:287
- Cobalt-60 166:173
- Compensation 198:253
- Compound 166:287
- Contact 189:65
- Contamination 189:65
- Counting 198:253
- Decay 186:471, 198:253
- Dump 194:157
- Fish 194:157
- Foil 186:113
- Following 186:471
- Gamma-Ray-Spectrometry 193:133
- Geometry 198:253
- Half-Life 159:375
- Hot-Particle 166:173
- Instrumental-Neutron-Activation-Analysis 196:25
- Ion 186:113
- Iron 186:113
- Irradiated 186:113
- k-beta/k-alpha-Intensity-Ratio 186:471
- Kinetics 189:65
- Low-Level 194:157
- Marinelli 193:133
- Millisecond-Order 159:375
- Mixed-Solvent 189:141
- Multiple-Time-Interval-Analysis 159:375
- Multitracer 186:113
- Natural-Sample 189:141
- Neutron-Activation-Analysis 198:253
- Nuclide 159:375
- Ocean 194:157
- Photoionization 186:471
- Plutonium-239/240 194:157
- Prague 201:409
- Preparation 186:113
- Principle 159:375
- Radio-High-Performance-Liquid-Chromatography 166:287
- Reverse-Radiometric-Flow-Injection-Analysis 187:351
- Ruthenium 166:173
- Sample 193:133
- Sedimental 196:25
- Separation 189:141
- Short-Lived-Nuclide 198:253
- Single-Time-Interval-Analysis 159:375
- Site 194:157
- Stainless-Steel 189:65
- Strontium 189:141
- Toxic-Component 196:25
- Type 196:25
- Variation 198:253
- Waste 194:157
- Waste-Water 187:351
- X-Ray-Fluorescence-Analysis 196:25
- **Radioactive-Beam** 193:155
- **Radioactive-Fallout** 156:269
- **Radioactive-Process** 191:53
- **Radioactive-Source** 153:245
- **Radioactive-Tracer**
 - Bioaccumulation 183:389
 - Biokinetic-Study 178:407
 - Coke-Oven 198:295
 - Coral 174:93
 - Distillation 198:295
 - End-Point 198:295
 - Implanted 174:93
 - Mineralization 174:93
 - Pocilia-Reticulata 183:389
 - Ruthenium 178:407
 - Stable 178:407
 - Zinc-65 183:389
- **Radioactive-Tracer-Method** 170:457
- **Radioactive-Tracer-Technique** 171:407
- **Radioactive-Waste**
 - Adsorption 162:299, 196:353
 - Americium 183:245
 - Amorphous 182:323, 182:335, 182:345
 - Aqueous-Solution 200:233
 - Barium(II)-Ion 196:353
 - Bentonite 162:325
 - Cement-Composite 182:335
 - Cement-Waste-Composite 157:95
 - Cesium 182:323, 182:335, 182:345
 - Cesium-137 201:171
 - Characterization 161:575
 - Chromatography 161:575
 - Cobalt 198:317
 - Cobalt-60 201:171
 - Column 182:345
 - Copper 198:317
 - Desferrioxamine-B 198:317
 - Elevated-Level 200:233
 - Evaluation 181:253
 - Extractant 187:19
 - Extraction 161:575, 183:245
 - High-Level 183:245, 187:19
 - Hydrous 196:353
 - Iodine-129 194:15
 - Iodine-131 201:171
 - Ion-Exchanger 162:299, 196:353
 - Iron-Hydroxide 181:189
 - Isotope 182:335
 - Leaching 182:335
 - Liquid-Scintillation-Counting 183:245
 - Low-Level 194:15
 - Low-Level-Medium 199:493
 - Management 157:95, 162:299, 196:353
 - Material 161:575
 - Mathematical-Modeling 157:95
 - Model 201:171
 - Multichannel-Analyzer 201:171
 - Mossbauer-Spectroscopy 166:309, 181:189
 - Natural 162:325
 - Neptunium 183:245
 - Nickel 198:317
 - Nickel-63 199:493
 - Nuclear-Power-Reactor 199:493
 - Operation 199:493
 - Palladium 187:19
 - Physico-chemical-Characteristics 157:95
 - Plutonium 183:245
 - Precipitation 181:189
 - Product 166:309, 181:189
 - Radiochemical-Instrumental-Neutron-Activation-Analysis 194:15
 - Radioisotope 182:323
 - Radiometric-Flow-Injection-Analysis 201:171
 - Radiotracer 162:299, 196:353
 - Radium-226 200:233
 - Radium-228 200:233
 - Recovery 187:19
 - Removal 182:345
 - Reverse 201:171
 - Selective 187:19
 - Separation 199:493
 - Simultaneous-Determination 201:171
 - Sodium-Titanate 162:299
 - Statistical-Estimate 181:253
 - Steel 198:317
 - Strontium 182:323, 182:335, 182:345
 - Strontium(II)-Ion 196:353
 - Strontium-Ion 162:299
 - Syrian 162:325
 - Thorium-Oxide 196:353
 - Trace 199:493
 - Treatment 162:325, 166:309, 181:189, 182:323, 182:335, 182:345, 200:233
 - Uptake 182:323
 - Vitrified 181:253
 - Water 201:171
 - Zirconium-Phosphate 182:323, 182:335, 182:345
- **Radioactive-Waste-Disposal** 171:245
- **Radioactive-Waste-Sample** 198:89
- **Radioactive-Waste [Highly-]**
 - Americium 161:533
 - Hanford 161:533, 180:197
 - Ion-Exchange 161:533
 - Liquid-Scintillation-Counting 180:197
 - Neptunium 161:533
 - Nickel-63 180:197
 - Plutonium 161:533
 - Separation 161:533
 - Sequential 161:533
- **Radioactivity**
 - Absolute 169:397
 - Atmospheric 177:107
 - Background-Level 194:359
 - Bibliography 158:215, 170:281, 170:489, 173:419, 177:425, 181:231, 185:199, 191:209
 - Building-Material 190:51
 - Canadian 194:359
 - Chernobyl 197:331, 198:487
 - Chernobyl-Site 154:111
 - Cigarette 194:371
 - Coefficient 169:397
 - Comparison 194:371
 - Computation 169:397
 - Consequence 198:487
 - Correction 169:397
 - Domestic 190:51
 - Dwelling 190:51
 - Environmental-Radiochemistry 158:215, 170:281, 170:489, 173:419, 177:425, 181:231, 185:199, 191:209
 - Environmental-Sample 197:331
 - Fertilizer 194:331
 - Fungi 165:345
 - Geochemical 197:331
 - Grain 194:359
 - Health 198:487
 - Heavy-Metal 194:331
 - Higher 165:345
 - Highly-Contaminated-Area 154:111
 - Industrial-Source 197:15
 - Jurak 194:371
 - Level 194:371
 - Local-Area 187:47
 - Marrakechi 190:51
 - Moasol 194:371
 - Mururoa 177:107
 - Mururoa-Lagoon 197:387
 - Natural-Source 197:15
 - Network 187:47
 - Oil 194:359
 - Phosphate 194:331
 - Plutonium 197:387
 - Plutonium-239 177:107
 - Plutonium-240 177:107
 - Pollution 190:51
 - Possible 198:487
 - Seed 194:359
 - Source 169:397
 - Species 165:345
 - Tea 198:487
 - Tobacco 194:371
 - Turkish 198:487
 - Voluminous 169:397
 - Water 197:387
- **Radioanalytical**
 - Analytical 193:39
 - Behavior 192:239
 - Environment 192:239
 - High-Specific-Activity 193:39
 - Iodine 192:239
 - Preparation 193:39
 - Quality-Control 193:39
 - Radiotracer 193:39
- **Radioanalytical-Application** 160:417
- **Radioanalytical-Aspect** 180:97
- **Radioanalytical-Chemistry**
 - Acknowledgement 192:7
 - International-Conference 192:5, 192:7
 - Introduction 192:5
 - Kailua-Kona-Hawaii 192:5, 192:7
 - Proceedings 192:5, 192:7
 - Radioactive-Beam 193:155
- **Radioanalytical-Method**
 - Assessment 172:231
 - Concentration-Dependent 172:231
 - Distribution 172:231
 - Fast-Reactor 167:11
 - Generalized 172:231
 - IBR-2 167:11, 192:17

- Pulsed 167:11
- Pulsed-Fast-Reactor 192:17
- Reaction 172:231
- Scheme 172:231
- Separation 172:231
- Radioanalytical-Monitoring** 173:23
- Radioanalytical-Procedure** 161:437
- Radioanalytical-Study** 160:549
- Radioanalytical-Technique**
 - 2,3,7,8-Tetrachlorodibenzo-p-Dioxin 195:219
 - Air-Pollution 192:171
 - Behavior 195:219
 - Bioaccumulator 192:171
 - Elemental 192:171
 - Energy 160:181
 - Environmental-Study 192:171
 - Intermediate 160:181
 - Nuclear-Collision 160:181
 - Organic 195:219
 - Photodegradation 195:219
 - Relativistic 160:181
 - Toxicant 195:219
 - Ultrarelativistic 160:181
- Radioassay**
 - Beta-Emitter 200:247
 - Least-Squares-Method 200:247
 - Liquid-Scintillation 152:227, 200:247
 - Low-Activity 200:247
 - Mixture 152:227, 200:247
 - Multiple 152:227
 - Probable 152:227
 - Radionuclide 152:227
 - Theory 152:227
 - Value 152:227
- Radiochemical-Evaluation** 199:79
- Radiobiological-Effect** 189:77
- Radiocarbon** 176:339
- Radiocesium**
 - Aerosol 186:245
 - Affecting 159:201
 - Alkaline 199:183
 - Area 175:9
 - Atmospheric 186:245
 - Behavior 186:245
 - Black-Sea 175:9
 - Chernobyl-Derived 175:9
 - Cobalt(II) 199:183
 - Concentration 159:201
 - Contact-Time 159:201
 - Electrolyte 183:147
 - Factor 159:201
 - Fallout 186:245
 - Freshwater 159:201
 - Hexacyanoferrate(II) 199:183
 - Interaction 159:201
 - Intercomparison 171:303
 - Irish 165:79
 - Moss 175:9
 - Pasture 171:303
 - Pætland 165:79
 - Potassium 199:183
 - Prague 186:245
 - Radwaste 199:183
 - Removal 199:183
 - Salt-Loaded 199:183
 - Sampling 171:303
 - Simulated 199:183
 - Soil 165:79, 171:303, 183:147
 - Solid 159:201
 - Sorption 183:147
 - Temperature 159:201
 - Upland 171:303
- Radiochemical**
 - Accident 161:121
 - Behavior 161:121
 - Condition 161:121
 - Environmental-Sample 173:273
 - Iodine 161:121
 - Neptunium-235 173:273
 - Neptunium-237 173:273
 - Neptunium-239 173:273
 - Nuclear-Reactor 161:121
 - Relevant 161:121
 - Simultaneous-Determination 173:273
 - Tracer 173:273
- Radiochemical-Activation-Analysis** 168:201
- Radiochemical-Analysis**
 - Behavior 180:225
 - Biological-Material 157:57
 - Facility 180:225
 - Iodine 180:225
 - Milk 175:317
 - Plant 175:317
 - Radioiodine 180:225
 - Soil 175:317
 - Solvent-Extraction 175:317
 - Strontium-90 175:317
 - Test 180:225
 - Toxic-Element 157:57
- Radiochemical-Determination**
 - Biological-Material 178:19
 - Cherenkov-Counting 196:339
 - Chromium 178:19
 - Molybdenum 201:177
 - Pure 201:177
 - Radium-226 196:339
 - Technetium-99 177:91
 - Tungsten 201:177
 - Ultratrace-Level 178:19
- Radiochemical-Displacement**
 - Antimony 165:57
 - Chromium 200:119
 - Cobalt 153:339
 - Cobalt-60 165:57
 - Cobalt-o-Hydroxybenzaldehyde 165:57
 - Iron 165:57
 - Isonicotinoyl-Hydrazine 165:57
 - Nickel 153:339
- Radiochemical-Experiment** 171:137
- Radiochemical-Extraction**
 - Aqueous-Solution 157:193
 - Arsenic(III) 157:193
 - Benzene 157:193
 - Dimethylglyoxime 158:211
 - Iodide 157:193
 - Palladium 158:211
 - Spectrophotometry 157:193
 - Trilaurylamine-Oxide 157:193
 - Water-Sample 157:193
- Radiochemical-Investigation** 199:15
- Radiochemical-Ion-Association** 200:427
- Radiochemical-Kinetics** 157:313
- Radiochemical-Leaching** 181:301
- Radiochemical-Method**
 - Amount 182:421
 - Bulk 182:421
 - Carrier-Free 182:421
 - Half-Life 196:165
 - Scandium 182:421
 - Selenium-79 196:165
 - Separation 182:421
 - Titanium 182:421
 - Vanadium 182:421
- Radiochemical-Procedure**
 - Actinide 194:141
 - Americium 197:211
 - Automated 197:211
 - Data 194:141
 - Environmental-Measurement 194:141
 - Iridium 185:3
 - Isotopic-Analysis 157:65
 - Meteoritic-Sample 185:3
 - Neutron-Activation-Analysis 185:3
 - Osmium 185:3
 - Plutonium 197:211
 - Quality-Control 194:141
 - Rhenium 185:3
 - Sequential 157:65
 - Simple 185:3
 - Simultaneous-Determination 185:3
 - Soil 157:65
 - Thorium 157:65
 - Uranium 157:65
- Radiochemical-Purity**
 - Biological-Distribution 196:45
 - Content 196:45
 - Freeze-Dried 196:45
 - Gamma-Radiation 196:45
 - Kit 196:45
 - Paper-Chromatography 199:295
 - Preparation 199:295
 - Radiopharmaceutical-Influence 199:135
 - Samarium-153-EDTMP 199:295
 - Stability 196:45
 - Technetium-99m 199:135
 - Technetium-99m-Labelled 196:45
 - Tin(II) 196:45
- Radiochemical-Quality-Control**
 - Biological 176:211
 - Gallium-67-Citrate 166:181
 - Indigenous 176:211
 - Radiopharmaceutical 166:181
 - Technetium-99m-Radiopharmaceutical-Kit 176:211
- Radiochemical-Scheme** 192:117
- Radiochemical-Separation**
 - Bibliography 182:489
 - Biological-Reference-Material 153:185, 198:343
 - Brazilian-Nuclear-Energy-Commission 168:29
 - Bromine 164:59
 - Certification 198:343
 - Chlorine 164:59
 - Cobalt 201:263
 - Crown-Ether 199:151
 - Efficient 186:401
 - Environmental-Sample 186:401
 - Extractant 186:401
 - Institute-of-Nuclear-Energy-Research 168:29
 - Iodine 164:59
 - Ion-Exchange 164:59
 - Neutron-Activation-Analysis 198:343, 199:151
 - Plutonium 186:401
 - Radiochemistry 182:489
 - Rapid 164:59
 - Rhenium 199:151
 - Rock 199:151
 - Sephadex 195:251
 - Sodium-Alginate 201:263
 - Specificity 186:401
 - Supported 186:401
 - Toxic-Element 153:185
 - Trace-Element 198:343
 - Water-Sample 164:59
- Radiochemical-Solvent-Extraction**
 - 8-Hydroxyquinoline 166:531
 - Acetylacetone 166:531
 - Cadmium 165:229
 - Chloroform 166:531
 - Chromium(III) 166:531
 - Chromium-51 166:531
 - Mercury 165:229
 - Mixed-Ligand 166:531
 - Reagent 165:229
 - Single 165:229
 - Thionalide 165:229
 - Tracer 166:531
- Radiochemical-Sorption-Behavior** 198:449
- Radiochemical-Study** 191:239
- Radiochemical-Technique**
 - Comment 201:251
 - Flow-Injection-Analysis 201:251, 201:257
 - Journal-of-Radioanalytical-and-Nuclear-Chemistry-Letters 201:251
 - Response 201:257
- Radiochemical-Yield** |High-» 199:507
- Radiochemically-Pure** 200:43
- Radiochemist** 197:29
- Radiochemistry**
 - Bibliography 182:489, 196:393
 - College 171:153
 - Developing-Country 171:109
 - Education 171:193
 - Educational-Program 171:101
 - Germany 171:101
 - Laboratory 171:213
 - Mainz 171:101
 - Nuclear-Chemistry 171:45, 171:101, 171:125, 171:153, 171:229
 - Pennsylvania-State-University 171:125
 - Perspective 171:131
 - Programme 171:109
 - Radiochemical-Separation 182:489
 - Research 171:131
 - Teaching 171:125, 171:153
 - Textbook 171:213
 - Training 171:45, 171:109
 - Undergraduate 171:131, 171:153
 - United-Kingdom 171:45

- United-States-Department-of-Energy 171:229
- University 171:101
- World-Student-Project 171:213
- Radiochromatography**
 - Molybdenum-99(V) 153:171
 - Molybdenum-99(VI) 153:171
 - Polyaminocarboxylic-Acid 153:171
 - Strontium-90 152:391
 - Thin-Layer 152:391
- Radiochronology** 181:447
- Radiocobalt** 181:117
- Radioelement** 155:419
- Radiogeochemical-Region** 199:325
- Radiography** 168:69
- Radioimmunoanalysis**
 - Adjuvant 200:475
 - Antibody 200:475
 - Ascorbic-Acid 201:199
 - Comparison 201:199
 - Contaminated 201:199
 - Liposomal 200:475
 - Mancini-Method 201:199
 - Radioprotection 201:199
 - Rat 201:199
 - Tritiated-Water 201:199
- Radioimmunoanalytical-Method** 159:111
- Radioimmunoassay**
 - Characterization 177:261
 - Derivative 177:261
 - Direct 196:331
 - Ferritin 162:199
 - Human-Thyrotropin 200:337
 - Immunoradiometric-Assay 181:263
 - Immunosorbent 181:263
 - Iodination 162:199
 - Iodine-125-Labeled 177:261
 - Magnetic 181:263
 - Placental 162:199
 - Preparation 177:261
 - Progesterone 177:261, 196:331
 - Quality-Control 200:337
 - Radioiodination 200:337
 - Serum 196:331
- Radioindicator**
 - Chromium-51(VI) 180:155
 - Cobalt-60 176:71
 - Concentration 180:155
 - Distribution 176:71
 - Fungus 176:71
 - Sorption 180:155
 - Titanium-Dioxide 180:155
 - Trace 180:155
 - Trichoderma-Viride 176:71
 - Zirconium-Dioxide 180:155
- Radioiodination**
 - Copper(I) 174:3
 - Electrophilic 196:303
 - Hippuran 174:3
 - Human-Thyrotropin 200:337
 - Iodine-131 174:3
 - L-alpha-Methyltyrosine 196:303
 - No-Carrier-Added 174:3, 196:303
 - Oxidizing-Agent 196:303
 - Quality-Control 200:337
 - Radioimmunoassay 200:337
- Radioiodine**
 - Acidic-Solution 200:417
- Alumina 178:193
- Anomalous-Behavior 200:417
- Behavior 180:225, 194:303
- Clay-Mineral 178:193
- Coolant 162:399
- Estimation 162:399
- Facility 180:225
- High-Ionic-Strength 159:285
- Iodine 180:225
- Nuclear-Reprocessing 159:285
- Organic-Rich 178:193
- Radiochemical-Analysis 180:225
- Reactor 162:399
- Separation 159:285
- Soil 178:193
- Soil/Plant/Atmosphere-System 194:303
- Solvent-Extraction 200:417
- Sorption 178:193
- Speciation 162:399
- Test 180:225
- Tracer 194:303
- Water 162:399
- Radioisotope**
 - 15-Crown-5 196:369
 - 18-Crown-6 196:369
 - Abundance 178:291
 - Americium 200:31
 - Amorphous 182:323
 - Antimony-125 170:3
 - Aqueous-Solution 170:3
 - Benzene 196:369
 - Cerium 200:31
 - Cesium 152:359, 182:323
 - Coastal-Sediment 170:333
 - Curium 200:31
 - Element 170:333
 - Estuarine 170:333
 - Europium 200:31
 - Europium(III) 196:369
 - Extraction 196:369
 - Gadolinium(III) 196:369
 - Granulated 152:359
 - Incorporated 170:3
 - Intertidal 170:333
 - Irish-Sea 170:333
 - Low-Level-Waste 200:31
 - Molybdenum-99 170:3
 - Nitrate-Medium 196:369
 - Plutonium 200:31
 - Polyamine 170:3
 - Polysaccharide 170:3
 - Power-Reactor 200:31
 - Radioactive-Waste 182:323
 - Removal 152:359, 170:3
 - Strontium 182:323
 - Synergistic-Mixture 196:369
 - Thenoyltrifluoroacetone 196:369
 - Treatment 182:323
 - Tungsten-185 170:3
 - Uptake 182:323
 - Zeolite 152:359
 - Zirconium-Phosphate 182:323
- Radioisotopic-Labeling** 176:1
- Radiolabeled** 191:201
- Radiolabeling** 189:45
- Radiological-Characterization**
 - Assembly 194:81
 - Control 194:81
 - Metal 161:585
 - Neutron-Activated 161:585
 - Nuclear-Power 161:585
- Rod 194:81
- Spent 194:81
- Station 161:585
- Waste 161:585
- Radiological-Impact** 152:175
- Radiological-Service** 161:541
- Radiolysis**
 - 1,2-bis(beta-Aminoethoxy)-Ethane-N,N,N',N'-Sodium-Sulfonate 157:393
 - 1,3-Dichloropropane 172:57
 - 1-Chlorobutane 172:57
 - 1-Chlorobutene-2 172:57
 - 1-Chloropropane 172:57
 - 2-Chloropropane 172:57
 - Analytical-Technique 155:15
 - Aqueous 155:15
 - Aqueous-Solution 153:125, 160:461, 188:211, 199:423, 199:429
 - Atmosphere 172:57, 177:415
 - Benzene-Solution 155:15
 - Binary-Mixture 152:11
 - Carbon-Tetrachloride 175:359
 - Carbon-Tetrachloride-Solution 176:185
 - Cerium(III) 157:393
 - Chelate 157:393
 - Chloride-Ion 166:251
 - Comment 199:423
 - Competitive-Reaction 164:285
 - Cycloalkane 164:29
 - Cyclopentane 165:385
 - Dichloroethane 177:415
 - Dichloromethane 177:415
 - Gamma-Irradiated 172:57, 177:415
 - Gas-Chromatography 155:15
 - Gas-Chromatography-Fourier-Transform-Infrared-Spectroscopy-MS 175:359, 176:185
 - Gas-Phase 164:285
 - High-Performance-Liquid-Chromatography 155:15
 - LET 164:29, 165:385
 - Nitrate-Alcohol 152:11
 - Nitroaniline 176:185
 - Nitrophenol-Solution 175:359
 - Oxygen 188:211, 199:423, 199:429
 - Oxygen-Free 172:57, 177:415
 - pH-12 152:11
 - Product 172:57, 175:359, 177:415
 - Protonating-Agent 164:285
 - Pyruvic-Acid 160:461
 - Radiation 166:251, 172:57
 - Radical 177:415
 - Radiolytic-Product 176:185
 - Radiotracer-Method 160:461
 - Reply 199:429
 - Role 164:285
 - Sodium-Nitrate 155:15
 - Stable 172:57, 177:415
 - Temperature-Dependence 155:15
 - Triacetic-Acid 157:393
 - Triton-X-100 188:211, 199:423, 199:429
 - Uranium(VI)-Arsenazo-1-complex 153:125
 - Volatile 175:359, 176:185
- Water/Chlorobenzene/Carbon-Tetrachloride-System 166:251
- Water/Nitrobenzene/Carbon-Tetrachloride-System 166:251
- Yield 166:251, 172:57
- Radiolytic-Degradation** 199:197
- Radiolytic-Product**
 - Carbon-Tetrachloride-Solution 176:185
 - Carbon-Tetrachloride/Water-System 163:107
 - Change 163:99
 - Continuous 166:75
 - Dicyclohexano-18-Crown-6 175:55
 - Extractant 175:55
 - Extraction 166:75
 - Gas-Chromatography-Fourier-Transform-Infrared-Spectroscopy 173:395
 - Gas-Chromatography-Fourier-Transform-Infrared-Spectroscopy-MS 176:185
 - Gas-Chromatography-Mass-Spectrometry 173:395
 - High-Performance-Liquid-Chromatography 163:107
 - Identification 173:395
 - Nitroaniline 176:185
 - Nitrobenzene 163:107
 - Nuclear-Fuel 175:55
 - Profiling 163:107
 - Radiolysis 176:185
 - Removal 166:75
 - Reprocessing 175:55
 - Selective 175:55
 - Tributyl-Phosphate 163:99, 166:75
 - Volatile 173:395, 176:185
 - Water/Nitrobenzene/Carbon-Tetrachloride-System 173:395
 - Yield 163:99
- Radiolytic-Reduction** 190:97
- Radiometric-Analysis** 176:45
- Radiometric-Detection** 187:117
- Radiometric-Estimation** 185:167
- Radiometric-Titration** 154:379
- Radiometry**
 - Actinium-228 175:37
 - Coal 191:171
 - CSFR 175:37
 - Fly-Ash 175:37
 - Potassium-40 175:37
 - Radium-226 175:37
 - Sulfur-Content 191:171
- Radiomonitoring** 194:259
- Radionuclide**
 - 15-Crown-5 159:353
 - 18-Crown-6 159:353
 - Accelerator-Mass-Spectrometry 160:119
 - Accident 188:305
 - Adsorption 152:31, 154:81
 - Algae 177:51
 - Alkali 154:81
 - Alkaline-Earth 154:81
 - Allium-CEPA 187:137
 - Alpha-Emission 201:459
 - Alumina 177:321

- Americium 159:353
- Artificial 182:225, 188:305
- Ascertain 173:79
- Assay 194:221
- Assessment 181:309
- Associated 181:309
- Atomic 160:341
- Axial 156:323
- Bauxite 194:379
- Behavior 182:225, 196:107, 197:343
- Beta-Emission 170:443
- Bratislava-Tmava-Highway 175:33, 176:451
- Brick 186:57
- Building-Material 199:251
- Capillary 182:179
- Cell 187:137
- Cellulose 164:357
- Cement-Based 198:287
- Cesium 187:435
- Cesium-134 194:277
- Cesium-137 182:179, 194:277, 197:343
- Cesium-137–Barium-137m-Generator 160:517
- Chamber 196:107
- Characterization 193:377
- Chelating 164:357
- Chemical 183:5
- Chemical-Speciation 194:237
- Chernobyl-Accident 171:319, 177:51, 201:459
- Chromatography 194:51
- Coast 182:225, 197:343
- Coaxial 156:323
- Cocktail 185:45
- Coefficient 199:21
- Collected 188:305
- Column-Method 163:373
- Comparative 156:253
- Comparison 156:323, 160:341
- Concentration 159:187, 197:343
- Coniferous-Plant 200:147
- Content 171:319, 175:33, 176:451, 199:251, 201:459
- Contribution 196:107
- Coolant 194:51
- Copper 175:33, 176:451, 186:57
- Correlation 193:377
- Corrosion 185:45
- Crassostrea-Gigas 197:343
- Crop 194:379
- Cyclotron 196:107
- Dating 160:119
- Decontamination 158:201
- Deposition 200:147
- Desorption 152:31
- Detection 160:341, 194:7
- Diffusion 182:179
- Dispersion-Coefficient 163:373
- Disposal 193:377
- Distribution 182:225, 197:343
- Drinking-Water 164:357
- Eastern-Black-Sea-Turkey 187:435
- Ecosystem 199:21
- Electrical-Field 196:107
- Emission 194:51, 194:221
- Environmental-Behavior 156:253
- Environmental-Matrix 183:5
- Environmental-Sample 171:319
- Equilibrium 152:31
- Europium 159:353
- Exchanger 164:357
- Exhalation 199:251
- Factory 186:57
- Fall 180:217
- Field 194:221
- Final 186:57
- Fission-Product 177:321, 194:7, 200:147
- Foliar 173:377
- Following 177:51, 188:305
- Food 194:379
- Food-Sample 201:459
- Form 195:227
- Fractionation 181:309
- Gadolinium 159:353
- Gamma-Emission 170:443
- Gamma-Ray 194:221
- Gamma-Spectrometry 156:323
- Groundwater 194:237
- Grown 194:379
- Heavy-Metal 187:137
- High-Resolution 156:323
- High-Specific-Activity 195:227
- Humic-Material 181:309
- Ibaraki-Japan 188:305
- Immobilization 198:287
- Important 193:377
- Induced 170:443
- Inductively-Coupled-Plasma-Mass-Spectrometry 160:341
- Inductively-Coupled-Plasma-Mass-Spectrometry 194:7
- Industrial 187:137
- Instrument 194:221
- Interaction 159:175, 159:187, 185:15
- Inventory 193:377
- Ion 194:51
- Ion-Chromatography 194:7
- Ion-Exchange 177:321
- Iron 186:57
- Irradiation-Method 195:227
- Japanese 197:343
- Key 193:377
- Kinetic-Parameter 185:15
- Kinetics 159:175, 159:187, 185:15
- Laboratory 180:97
- Lateritic-Mineral 158:201
- Leaching-Behavior 198:287
- Lead 175:33, 176:451, 186:57
- Lead-210 197:343
- Level 187:435, 188:305
- Lichen 200:147
- Liquid-Scintillation 152:227
- Long-Term-Behavior 194:277, 194:283
- Low-Length-to-Diameter-HPGe-Detector 156:323
- Macro 177:51
- Manganese 186:57
- Material 186:57
- Matter 186:57
- Mediterranean 173:79
- Metal 183:5
- Migrating 194:237
- Migration 159:175, 159:187, 163:373, 185:15
- Migration-Experiment 180:97
- Mine-Mill 156:253
- Mining 194:379
- Mixed 159:353
- Mixture 152:227
- Model 198:287
- Modeling 159:175, 159:187, 185:15
- Modification 182:179
- Monaco 177:51
- Moss 187:435
- Multiple 152:227
- Naturally-Occurring 194:283
- Neon-20-(d, alpha)-Fluorine-18 196:107
- Nickel 175:33, 176:451
- No-Carrier-Added 195:227
- Non-gamma 194:51
- North-Wales 182:225
- On-line 194:7, 194:51
- On-line-Method 163:373
- Organic-Matter 173:79
- OSTSORB-Oxin 164:357
- Oyster 197:343
- Parameter 159:175
- Particulate 186:57
- Partitioning 199:21
- PASS 194:221
- Perchlorate-Medium 159:353
- Performance-Test 194:221
- Planar 156:323
- Plant 156:253
- Plutonium 194:221
- Potassium-40 194:277
- Pratas-Island 180:217
- Preconcentration 164:357
- Prediction 198:287
- Preparation 160:467, 160:517
- Probable 152:227
- Product 185:45
- Production 195:227
- Radiation 160:341
- Radioanalytical-Aspect 180:97
- Radioassay 152:227
- Radium-226 198:287
- Radon 199:251
- Rain 188:305
- Rapid 194:221
- Rare-Earth-Element 194:7
- Raw 186:57
- Relation 197:343
- Residue 194:379
- Retention 173:79
- River 159:175, 159:187, 185:15, 199:21
- Role 170:443, 173:79
- Root-Tip 187:137
- Russia 188:305
- Safety 193:377
- Sava 199:21
- Scheme 173:79
- Scintillation-Counting 194:51
- Sea-Water 197:343
- Secondary-Radiation 170:443
- Sediment 182:225
- Sediment/Sea-Water-System 152:31
- Separation 177:321
- Separation-Method 183:5
- Sequential-Extraction 173:79, 173:377
- Silver-108m 197:343
- Soil 173:79, 175:33, 182:179, 194:379
- Solid 159:187, 198:287
- Sorption 170:443
- South-China-Sea 180:217
- Speciation 183:5
- Spruce 194:277, 194:283
- Storage 193:377
- Stream 193:377
- Strontium 176:451
- Suspended-Solid 159:175, 159:187, 185:15
- Synergic-Extraction 159:353
- Taraxacum-Officinale 176:451
- Target 196:107
- Tellurium-118–Antimony-118-Generator 160:467
- Temperature 159:187
- Thenoyltrifluoroacetone 159:353
- Theory 152:227
- Thin-Layer-Method 182:179
- Tomsk-7 188:305
- Tool 173:377
- Trace-Element 182:179
- Trace-Element-Analysis 160:119
- Trace-Metal 164:357
- Transuranic 156:323
- Tree-Ring 194:277, 194:283
- Trivalent 159:353
- Turkey 200:147
- Typical 193:377
- Ultrafiltration 181:309
- United-Kingdom 182:225
- Uptake 156:253, 173:377, 194:277, 194:283, 194:379
- Uranium 156:253, 188:305
- Uranium-Series 156:253
- Value 152:227
- Variability 185:15
- Waste 193:377
- Waste-Water 187:137
- Water 188:305
- Water-Solution 154:81
- X-Ray-Fluorescence-Analysis 164:357, 175:33, 176:451, 186:57, 187:137
- Zeolite 154:81
- Zinc 175:33, 176:451, 186:57
- Radionuclide-Technique** 160:141
- Radionuclide (Natural-)**
 - Artificial-Radionuclide 177:39, 177:101
 - Climatological 177:101
 - Correlation 177:101
 - Deer 194:269
 - Distribution 161:475
 - Farm-Animal 194:269
 - Geographic-Parameter 177:101
 - Geology 189:289
 - Groundwater 156:235
 - Incorporation 161:421
 - Man-Made-Radionuclide 194:269
 - Paraná-State-Brazil 177:39
 - Particle-Size 189:289
 - Pedological 177:101
 - Plant 161:421, 194:269
 - Rare-Earth-Element 161:421
 - Roe 194:269
 - Salt 161:421
 - Soil 177:39, 177:101, 189:289
 - South-Australia 161:475

- Surface-Area/Volume-Activity-Ratio 189:289
- Tidal-Saltmarsh-Soil 161:475
- Tolerant 161:421
- Transfer 194:269
- Unusual 161:475
- Radionuclide** [Natural-Alpha-] 197:99
- Radionuclidic-Purity** [High-] 199:207
- Radionuclidically-Pure** 200:43
- Radiopharmaceutical**
 - Bone-Seeking 200:291
 - Chromatography 159:3, 200:291
 - Comparative 200:291
 - Comparative-Study 159:3
 - Gallium-67-Citrate 166:181
 - Germanium-Iodide 200:291
 - Indium-113m 159:3
 - N-Substitution 175:161
 - Nitritoltriacetic-Acid 175:161
 - Quality-Control 159:3, 181:77, 200:291
 - Radio-TLC 181:77
 - Radiochemical-Quality-Control 166:181
 - Technetium-99m 200:291
- Radiopharmaceutical-Chemistry** 171:219
- Radiopharmaceutical-Influence** 199:135
- Radiopharmaceutical-Kit** 176:225
- Radiopharmaceutical-Preparation** 198:215
- Radioprotection** 201:199
- Radiorespirometry** 171:457
- Radiosensitization** 196:57
- Radiostrontium**
 - Biological 194:297
 - Calcium-Carbonate 194:297
 - Chromatography 170:189
 - Cobalt-Dicarbollide 172:213
 - Concentrating 172:213
 - Crown-Ether 162:307
 - Drinking 172:213
 - Environmental-Object 170:189
 - Extraction 170:189
 - Fallout 172:213
 - Matrix 194:297
 - Model 172:213
 - Origin 194:297
 - Rapid 172:213
 - Separation 194:297
 - Slovafo1-909 172:213
 - Soil-Sample 162:307
 - Solvent-Extraction 172:213
 - Technological 172:213
 - TVEX-DCH18C6 170:189
 - Water 172:213
- Radiotracer**
 - Activation 167:391
 - Activation-Analysis 168:265
 - Adsorption 162:299, 196:353
 - Advectic 179:243
 - Analytical 193:39
 - Aqueous-Solution 189:247
 - Arsenic 174:133
 - Ashing 153:47
 - Atomic-Absorption-Spectrometry 174:133
 - Barium(II)-Ion 196:353
 - Beta-Radiation 158:121
 - Bone-Mineral 153:47
 - Characterization 165:1
 - Cobalt-60-Labeled-Species 158:121
 - Column 165:1
 - Dehydration 165:1
 - Diffusive 179:243
 - Dynamics 165:1
 - Ecological-Study 167:391
 - Efficient 189:247
 - Examination 174:133
 - Extractability 153:47
 - Flow 165:1
 - Gas-Liquid 174:133
 - Generation 174:133
 - High-Specific-Activity 160:549, 193:39
 - High-Specific-Radioactivity 160:493
 - Hydride 174:133
 - Hydrous 196:353
 - Ion-Exchanger 162:299, 196:353
 - Laboratory 165:1
 - Liquid 165:1
 - Management 162:299, 196:353
 - Mercury(II) 189:247
 - Metallotoxicological-Study 160:493
 - Molecular-Sieve 165:1
 - Neutron-Produced 167:391
 - Organic 165:1
 - Pilot-Plant 165:1
 - Potassium-Hexa-Titanate 189:247
 - Preparation 160:549, 193:39
 - Quality-Control 193:39
 - Radioactive-Waste 162:299, 196:353
 - Radioanalytical 193:39
 - Radioanalytical-Study 160:549
 - Rapid 189:247
 - Removal 189:247
 - Separator 174:133
 - Short-Term 167:391
 - Sodium-22 153:47
 - Sodium-Titanate 162:299
 - Soil-Water-System 179:243
 - Sorption 158:121
 - Speciation 174:133
 - Stable 167:391
 - Strontium(II)-Ion 196:353
 - Strontium-Ion 162:299
 - Thorium-Oxide 196:353
 - Trace-Metal 179:243
 - Tracer 167:391
 - Transport 179:243
 - Yield 168:265
- Radiotracer-Method**
 - Alteration 199:265
 - Aqueous-Solution 160:461
 - Beta-Radiation 199:265
 - Carbon-Dioxide 162:83
 - Cement-Wood 162:83
 - Change 199:265
 - Characterization 175:339
 - Coating 175:339
 - Corrosion 175:339
 - Energy-Spectrum 199:265
 - Intensity 199:265
 - Ion-Transport-Process 199:265
 - Mixture 162:83
 - Protective 175:339
 - Pyruvic-Acid 160:461
 - Radiolysis 160:461
 - Rhenium 173:3
 - Sorption 175:339
 - Uptake 162:83
- Radiotracer-Technique**
 - Adsorption 170:133
 - Aqueous-Solution 170:133
 - Barium(II) 170:133
 - Distribution 154:241
 - Efficient 170:133
 - Flow 180:245
 - Gas-Flow 154:241
 - Hydrous 170:133
 - Industrial-Reactor 154:241
 - Manganese-Oxide 170:133
 - Parameter 180:245
 - Pipe 180:245
 - Removal 170:133
 - Sulfur-Dioxide-Oxidation 154:241
- Radiotracer-Technique-Course** 171:203
- Radiotracing** 190:251
- Radium**
 - Added 177:365
 - Adsorption 171:347
 - Adsorption-Behavior 189:269
 - Alpha-Spectrometry 189:115, 191:3, 194:163
 - Aqueous-Solution 164:211
 - Area 186:281
 - Carbonaceous-Slate 189:269
 - Composite 155:243
 - Concentration 164:397, 170:117
 - Conventional 189:35
 - Danube 186:281
 - Danube-Delta-Area 165:305
 - Delta 186:281
 - Drinking-Water 164:397
 - Electrodeposition 177:365
 - Environmental-Sample 191:3
 - Estuarine 183:395
 - Filter 189:35
 - Fixation 155:243
 - Francium 155:243
 - Gas-Production 170:117
 - Ground-Water 189:35
 - Groundwater 182:11
 - Identification 182:11
 - Inorganic-Sorbent 155:243
 - Ion-Exchanger 155:243
 - Isotope 177:365, 183:395, 191:3, 194:163
 - Isotopic-Ratio 182:11
 - Ligand 164:211
 - Low-Specific-Activity 170:117
 - Matrix 189:115
 - Migration 171:347
 - Mineral 171:347
 - Mixed 155:243
 - Natural 171:347
 - Oil 170:117
 - Plant 170:117
 - Platinum 177:365
 - Pollution 182:11
 - Radon 186:281
 - Rapid-Determination 194:163
 - Removal 164:211, 189:35
 - Rock 189:115
 - Sand 189:35
 - Scale 170:117
 - Separation 189:115
 - Source 182:11
 - Southwestern-Spain 183:395
 - Station 189:35
 - Supported 164:211
 - Suspended-Matter 183:395
 - Thorium 165:305, 170:117, 186:281, 189:115, 191:3
 - Tool 182:11
 - Treatment 189:35
 - Uranium 165:305, 170:117, 186:281
 - Water 165:305, 170:117, 186:281
- Radium-226**
 - Actinium-228 175:37
 - Activity 166:331, 174:223, 185:127
 - Aerosol 189:157
 - Affecting 160:477
 - Agricultural-Sample 174:223
 - Airborne 193:319
 - Analytical-Method 193:329
 - Aqueous-Solution 200:233
 - Assessment 193:329
 - Associated 185:127
 - Atmospheric 189:157
 - Background-Level 189:157
 - Barium 198:143
 - Canadian 185:127
 - Cement 198:281
 - Cement-Based 198:287
 - Characteristics 193:269
 - Chemical-Stabilization 193:319
 - Cherenkov-Counting 196:339
 - Concentration 166:331, 174:223
 - Contamination 200:9
 - Criteria 193:329
 - CSFR 175:37
 - Dating-Nuclide 173:283
 - Daughter 153:137
 - Dose-Rate 185:127
 - Dynamic 193:269
 - Electrodeposition 160:477, 162:131, 198:143
 - Elevated-Level 200:233
 - Emission 153:137
 - Environmental-Sample 182:165, 193:329
 - Equilibrium 153:137
 - Factor 160:477
 - Fertilizer 200:9
 - Fly-Ash 175:37
 - Gamma-Ray 153:137
 - Germanium-Detector 178:301
 - High-Purity 178:301
 - Immobilization 198:281, 198:287
 - Intensity 153:137
 - Leaching-Behavior 198:287
 - Lead-210 173:283, 178:301, 182:165
 - Low-Level 178:301
 - Manganese-Dioxide 193:269
 - Mill 193:319
 - Model 198:287
 - Non-destructive 178:301
 - Ordinary 178:301
 - Phosphate 200:9
 - Possible 200:9
 - Potassium-40 175:37
 - Prediction 198:287
 - Product 153:137
 - Production 200:9

- Proportional-Counter 153:165
- Radioactive-Waste 200:233
- Radiochemical-Determination 196:339
- Radiometry 175:37
- Radionuclide 198:287
- Radium-228 182:165, 200:233
- Radon-222 165:263, 193:319
- Reduction 193:319
- Scintillation-Method 165:263
- Selection 193:329
- Separation 162:131
- Sequential-Method 182:165
- Soil 166:331, 185:127
- Solid 198:287
- Solidification 198:281
- Sorption 193:269
- Tailing 193:319
- Thorium-228 182:165
- Thorium-230 182:165
- Thorium-232 182:165
- Treatment 200:233
- Uranium 193:319
- Uranium-234 182:165
- Uranium-238 166:331, 174:223, 182:165, 189:157
- Waste 198:281
- Water 153:165, 165:263, 200:9
- Radium-228**
 - Aqueous-Solution 200:233
 - Aswan-High-Dam 186:143
 - Cesium-137 186:143
 - Distribution 186:143
 - Drinking-Water 158:53
 - Elevated-Level 200:233
 - Environmental-Sample 182:165
 - Lake 186:143
 - Lead-210 182:165
 - Radioactive-Waste 200:233
 - Radium-226 182:165, 200:233
 - Sediment 186:143
 - Sequential-Method 182:165
 - Thorium-228 182:165
 - Thorium-230 182:165
 - Thorium-232 182:165
 - Treatment 200:233
 - Uranium-234 182:165
 - Uranium-238 182:165
- Radium-Isotope**
 - Complex-System 172:71
 - Estuarine 172:71
 - Fertilizer 172:71
 - Phosphate 172:71
 - Rainwater-Sample 152:37
 - Southwestern-Spain 172:71
 - Uranium-Isotope 152:37
- Radon**
 - Alpha-Activity 170:423
 - Approach 161:283
 - Area 186:281
 - Assessment 161:283, 161:377
 - Automated-System 182:133
 - Bibliography 152:525, 162:407, 171:501, 173:205, 174:187, 178:443, 181:461, 183:421, 190:183, 198:511
 - Building-Material 180:163, 199:251
 - Calibration 170:423, 175:333
 - Carrier 193:291
 - Cellar 176:91
 - Characteristics 185:91
 - Charcoal 193:337
 - Chromium-39 182:133
 - Clay 193:291
 - CN 161:293
 - Coastal 161:293
 - Coefficient 175:333
 - Collector 193:281
 - Comparison 161:325, 193:337
 - Complementary 161:293
 - Concentration 161:351, 170:423, 175:103
 - Content 199:251
 - Croatia 176:91
 - Crystalline 153:345
 - Danube 186:281
 - Daughter 161:351, 182:133
 - Delta 186:281
 - Density 170:423
 - Diffusion 198:399
 - Direct-Measurement 193:281
 - Dose 176:91
 - Dosimetry 170:423
 - Dwelling 191:45, 193:259
 - Environment 152:525, 162:407, 171:501, 173:205, 178:443, 181:461, 183:421, 190:183
 - EPA 161:273, 161:283
 - Equilibrium 175:333
 - Evidence 193:291
 - Exhalation 199:251
 - Experience 193:337
 - Experimental-Consideration 170:423
 - Experimental-Design 161:313
 - Factor 175:333
 - Factor-K 170:423
 - Faulted 193:291
 - Field 193:337
 - Fish 198:399
 - Fluctuation 180:163
 - Flux 193:281
 - Gamma-Radiation 193:259
 - Gas 161:313, 161:325, 193:291
 - Grain-Size 161:325
 - Groundwater 193:253
 - Indoor 161:265, 161:307, 180:163
 - Island 161:293
 - Italy 193:291
 - Kindergarten 175:103
 - Level 193:259
 - Liquid-Scintillation 185:91
 - Liquid-Scintillation-Counting 193:337
 - Ljubljana 175:103
 - Mass 161:293
 - Meteorological-Condition 161:351
 - Mexico-City 193:259
 - Moisture 161:325
 - Monitoring 161:313, 182:133
 - Montreal 161:351
 - Nuclear-Track-Detector 161:307
 - Osijek 175:103, 191:45
 - Otolith 198:399
 - Outdoor 161:351
 - Overview 161:265
 - Passive 193:281
 - Permeability 161:325
 - Polluted-Air 161:293
 - Polymer 153:345
 - Potential 161:377
 - Radionuclide 199:251
 - Radium 186:281
 - Rapid 161:377
 - Real-Situation 180:163
 - Reduction 161:265
 - Risk 161:265, 161:283
 - Rock 161:325
 - School 191:45
 - Simple 193:281
 - Site 161:293
 - Soil 161:313, 161:325, 161:377, 193:281
 - Solid-State 161:307
 - Sorting 161:325
 - SSNTD 175:333
 - State 153:345
 - Survey 161:273, 193:337
 - Theoretical-Consideration 170:423
 - Thorium 186:281
 - Tracer 161:293
 - Track 170:423, 182:133
 - Transport 193:291
 - Type 161:325
 - United-States 161:265
 - Uranium 186:281
 - War 176:91
 - Water 185:91, 186:281
 - Radon-220** 181:141
 - Radon-222**
 - Activity 187:131
 - Air 187:131
 - Airborne 193:319
 - Atmosphere 164:247
 - Behavior 161:365
 - Bermuda 193:309
 - Charged-Particle 164:247
 - Chemical-Stabilization 193:319
 - Cigarette-Smoke 187:131
 - Concentration-Level 181:141
 - Decay 164:221
 - Distant 193:309
 - Drinking-Water 161:357
 - Environment 181:141
 - Environmental 186:119
 - Equivalent 187:131
 - Geothermal-Field 161:365
 - Indoor 164:247
 - Labeling 164:221
 - Latera 161:365
 - Liquid-Scintillation-Counting 161:357, 186:119
 - Local 193:309
 - Low-Level 161:357, 186:119
 - Mauna-Loa 193:309
 - Mill 193:319
 - Northern-Latium-Italy 161:365
 - Progeny 181:141
 - Pulse-Shape-Analysis 186:119
 - Radium-226 165:263, 193:319
 - Radon-220 181:141
 - Ratio 164:247
 - Reduction 193:319
 - Scintillation-Method 165:263
 - Short-Lived-Product 164:221
 - Solid 164:221
 - Source 193:309
 - Surface 164:221
 - Tailing 193:319
 - Underground 181:141
 - Uranium 193:319
 - Uranium-Thorium 181:141
 - Volume 187:131
 - Water 165:263, 186:119
 - Radon-Progeny** 193:301
 - Radon-Thoron-Discrimination** 182:139
 - Radwaste**
 - Alkaline 199:183
 - Cement 199:405
 - Cesium-137 199:405
 - Cobalt(II) 199:183
 - Comparative 199:405
 - Hexacyanoferrate(II) 199:183
 - Immobilized 199:405
 - Interpretation 199:405
 - Leaching 199:405
 - Potassium 199:183
 - Radiocesium 199:183
 - Removal 199:183
 - Salt-Loaded 199:183
 - Simulated 199:183
 - Sludge 199:405
 - Rain**
 - Accident 188:305
 - Artificial 188:305
 - Collected 188:305
 - Dry 197:409
 - Fallout 197:409
 - Following 188:305
 - Ibaraki-Japan 188:305
 - Inductively-Coupled-Plasma-Mass-Spectrometry 197:409
 - Level 188:305
 - Radionuclide 188:305
 - Russia 188:305
 - Technetium-99 197:409
 - Toms-7 188:305
 - Uranium 188:305
 - Water 188:305
 - Rainwater-Sample** 152:37
 - Range** 177:161
 - Rapid**
 - Americium 194:191
 - Aqueous-Solution 189:247
 - Assay 194:221
 - Assessment 161:377
 - Bromine 164:59
 - Calcium 174:153
 - Chemical-Separation 182:295
 - Chlorine 164:59
 - Chromatography 194:191
 - Cobalt-Dicarbollide 172:213
 - Concentrating 172:213
 - Copper 182:295
 - Curium 194:191
 - Delayed-Neutron-Counting 179:35
 - Dicarbollide 174:153
 - Drinking 172:213
 - EDTA 174:153
 - Efficient 189:247
 - Eluate 152:81
 - Emission 194:221
 - Enzymatic-Activity 171:457
 - Estimation 171:457
 - Extraction 194:191
 - Fallout 172:213
 - Field 194:221
 - Gamma-Ray 194:221
 - Geological 182:295
 - Glycol 174:153
 - Hanford 194:191
 - Indium 182:295
 - Instrument 194:221
 - Iodine 164:59
 - Ion-Exchange 164:59

- Isotope 194:191
- Isotopic-Analysis 179:35
- Mercury(II) 189:247
- Meteoritic-Sample 182:295
- Model 172:213
- Molybdenum-99–Technetium-99m-Generator 152:81
- Neutron-Activation 179:35
- Neutron-Activation-Analysis 182:295
- Non-destructive 179:35
- Palladium 162:155
- PASS 194:221
- Performance-Test 194:221
- Pertchnetate 152:81
- Plating 194:191
- Plutonium 194:191, 194:221
- Polyethylene 174:153
- Potassium-Hexa-Titanate 189:247
- Potential 161:377
- Precipitation 194:191
- Quantitative-Analysis 194:191
- Radiochemical-Separation 164:59
- Radionuclide 194:221
- Radiospirometry 171:457
- Radiostromium 172:213
- Radiotracer 189:247
- Radon 161:377
- Removal 189:247
- Reversed-Phase-High-Performance-Liquid-Chromatography 152:81
- Sample 194:191
- Selective 162:155
- Sensitive 152:81, 171:457
- Separation 162:155, 174:153
- Simple 171:457
- Slovafo-909 172:213
- Soil 161:377, 171:457
- Solvent-Extraction 172:213, 174:153
- Strontium 174:153
- Technological 172:213
- Trace 182:295
- Uranium 179:35
- Water 172:213
- Water-Sample 164:59
- Zinc 182:295
- Rapid-Determination**
 - Alpha-Spectrometry 194:163
 - Erythrocyte 164:183
 - Isotope 194:163
 - Neutron-Activation-Analysis 164:183
 - Radium 194:163
 - Selenium 164:183
- Rapid-Method**
 - Analyzer 156:223
 - Chelating-Resin 159:239
 - Correction 152:347
 - Crown-Ether 159:239
 - Environmental 185:255
 - Environmental-Sample 197:219
 - Estimation 152:347
 - High-Performance-Liquid-Chromatography 197:219
 - Inductively-Coupled-Plasma-Mass-Spectrometry 201:71
 - Isotopic-Ratio 201:71
 - Kinetic 156:223
 - Liquid 159:239
 - Milk 159:239
 - Nanogram 156:223
 - Phosphorescence 156:223
 - Promethium-147 197:219
 - Quantity 156:223
 - Samarium-151 197:219
 - Separation 159:239, 197:219
 - Soil 185:255
 - Strontium 159:239
 - Strontium-90 185:255
 - Treatment 159:239
 - Uranium 156:223, 201:71
 - Urine 156:223
 - Water-Sample 152:347
 - X-Ray-Fluorescence-Analysis 152:347
 - Yield 152:347
- Rapid-Quenching** 176:429
- Rare** 181:425
- Rare-Earth**
 - Dilute 190:413
 - Electrodeposition 173:351
 - Europium 190:413
 - Field 190:413
 - Geological-Sample 182:247
 - High-Energy 151:387
 - High-Purity 164:321
 - Hyperfine 190:413
 - Impurity 164:321
 - Instability 190:413
 - Iron 190:413
 - Lanthanum-Oxide 164:321
 - Magnetic-Phase-Transition 190:413
 - Mineral 182:247
 - Multiple 190:413
 - Neutron-Activation-Analysis 164:321
 - Particle-Induced-X-Ray-Emission 151:387
 - Prompt-Analysis 151:387
 - $\text{RMn}_2\text{Si}_2\text{Ge}_x$ 190:413
 - Valence 190:413
- Rare-Earth-Element**
 - 2-Hydroxyethylethylene-diaminetriacetic-Acid 162:35
 - Abundance 169:269, 183:351
 - Accretion 151:191
 - Actinide 183:181, 194:41
 - Aluminum-Oxide 168:163
 - Amine 162:35, 162:47
 - Amount 192:163
 - Antarctica 151:345
 - Aqueous-Solution 152:337
 - Availability 182:75
 - Beach 199:51
 - Biological 182:75
 - Carrier-Mediated-Transport 159:219, 163:131, 163:145, 170:51, 183:181
 - Cerium 159:219, 162:47, 163:131, 170:51
 - Cogenetic 199:51
 - Complexing-Agent 162:35, 162:47
 - Concentration-Level 182:75
 - Content 179:377
 - DEHPA 170:51
 - Detection 194:7
 - Distribution 167:399, 179:377, 183:351
 - Environment 182:75
 - Environmental-Object 167:399
 - Environmental-Sample 154:293
 - Erosion 151:191
 - Ethylenediaminetetraacetic-Acid 162:47
 - Europium 159:219, 163:131, 170:51
 - Extraction 162:35, 162:47
 - Fine-Powder 168:163
 - Fission-Product 194:7
 - Gadolinium 159:219, 163:131, 170:51
 - Hafnium 199:51
 - Human-Brain-Tissue 169:269
 - Human-Kidney-Stone 169:269
 - Hydrated 192:163
 - Impregnated 163:145
 - Incorporation 161:421
 - Indicator 182:75
 - Individual 176:383
 - Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 153:221
 - Inductively-Coupled-Plasma-Mass-Spectrometry 194:7
 - Industry 151:397
 - Instrumental-Neutron-Activation-Analysis 151:191, 153:221, 158:193, 169:269
 - Interaction 152:337
 - Ion-Chromatography 194:7
 - Ion-Exchange 154:435
 - Lanthanum 162:35
 - Liquid-Membrane 159:219, 163:131, 163:145, 170:51, 183:181
 - Magnesium-Oxide 192:163
 - Marker 151:191
 - Material 183:351
 - Matrix 194:41
 - Metal-Oxide 152:337
 - Micro-Column 194:41
 - Mineral 151:397
 - Monazite 176:383, 199:51
 - Morro-Do-Ferro 182:75
 - Multielement 168:163
 - n-Dodecane 159:219
 - Natural-Radionuclide 161:421
 - Neutron-Activation-Analysis 151:345, 151:397, 192:163, 199:51
 - Nucleoporous 163:145
 - On-line 194:7
 - Organophosphorus-Agent 163:145
 - Pattern 158:193, 183:351
 - Peculiarity 167:399
 - Pertraction 163:145
 - Phosphate 153:221
 - Plant 161:421, 182:75, 183:351
 - Plasticized 183:181
 - Preconcentration 192:163
 - Preparation 168:163
 - Product 151:397
 - Radiochemical-Neutron-Activation-Analysis 160:529, 176:383, 179:377
 - Radionuclide 194:7
 - Raw-Material 151:397
 - REE 163:145
 - Rice-Sample 179:377
 - Rock 153:221
 - Salt 161:421
 - Samarium 162:35
 - Sample 151:345
 - Sand 199:51
 - Scandium 159:219, 163:131, 170:51, 199:51
 - Schist-Belt–Southwestern-Nigeria 158:193
 - Separation 154:435, 162:35, 162:47
 - Short-Term 151:191
 - Silicon-Dioxide 168:163
 - Soil-Horizon 151:191
 - Solid-Phase-Extraction 194:41
 - Solvent-Extraction 154:435
 - Stability 163:145
 - Standard 168:163
 - Steel 160:529
 - Support 163:145
 - Supported 159:219, 163:131, 170:51
 - Thorium 182:75, 199:51
 - Thulium 159:219, 163:131, 170:51
 - Tolerant 161:421
 - Trace 179:377, 192:163
 - Trace-Element 151:345, 169:269
 - Transport 159:219, 163:131, 170:51
 - Transuranium-Element 182:75
 - Tri-n-Octylphosphine-Oxide 159:219
 - Tributyl-Phosphate 163:131
 - Ultramafic-Rock 158:193
 - Uranium 154:435, 199:51
 - Vietnamese 176:383
 - Wetland 151:191
 - Wheat-Sample 179:377
 - Ytterbium 159:219, 163:131, 170:51
 - Yttrium 159:219, 163:131, 170:51
 - Zircon 199:51
 - Zirconium 199:51
 - Rare-Earth-Halide** 176:371
 - Rare-Earth-Ion** 162:267
 - Rare-Earth-Metal-Ion** 154:23
 - Rat**
 - Ascorbic-Acid 201:199
 - Bilirubin 171:451
 - Body 161:11
 - Comparison 201:199
 - Concentration 161:11
 - Contaminated 201:199
 - Correlation 161:39
 - Diabetic 199:471
 - Distribution 171:451
 - Endogenous 161:11
 - Exposure 161:39
 - Femora 199:471
 - HSA 171:451
 - Human 161:11
 - INNA 161:39
 - Instrumental-Neutron-Activation-Analysis 199:471
 - Interaction 171:451
 - Interelement 161:39
 - Mancini-Method 201:199
 - Mercuric-Chloride 161:39
 - Neutron-Activation-Analysis 161:11
 - Normal 199:471
 - Pool 161:11

- Radioimmunoanalysis 201:199
- Radioprotection 201:199
- Selenium 161:11
- Sprague-Dawley 161:11
- Technetium-99m-HIDA 171:451
- Technetium-99m-IODIDA 171:451
- Total 161:11
- Trimethylselenonium-Ion 161:11
- Tritiated-Water 201:199
- Urine 161:11
- Rate**
 - Cement 165:377
 - Cesium-137 165:377
 - Cobalt-60 165:377
 - Comparative 165:377
 - Disintegration 162:187
 - Dosimetry 162:187
 - Electron-Exchange 165:167
 - Europium(III)/Europium(II)-System 165:167
 - Fission-Product 162:187
 - Homogeneous 165:167
 - Interpretation 165:377
 - Leach 165:377
 - Matrix-Effect 165:377
 - Mixture 165:167
 - Solvent-Effect 165:167
 - Water-DMF 165:167
- Rate-Constant** 153:211
- Ratio**
 - Analytical 191:245
 - Atmosphere 164:247
 - Bias 191:245
 - Cesium 152:47
 - Charged-Particle 164:247
 - Cold-Neutron 191:245
 - Complementary 152:47
 - Concentration 152:47
 - Coolant 152:47
 - Defective 152:47
 - Element 191:245
 - Eliminate 191:245
 - Fuel-Rod 152:47
 - Indoor 164:247
 - Iodine-134 155:299
 - Isomer 155:299
 - Localizing 152:47
 - Operation 152:47
 - Photofission 155:299
 - Pressurized-Water-Reactor 152:47
 - Prompt-Gamma-Ray-Activation-Analysis 191:245
 - Radon-222 164:247
 - Thorium-232 155:299
 - Uranium-238 155:299
 - Yield 155:299
- Raw** 186:57
- Raw-Material** 151:397
- Rays-ing** 176:267
- RbY** 164:255
- Rb₂U(SO₄)₃** 176:175
- Reaction**
 - (TcNCl₄)⁻ 175:113
 - 5,5-Dimethylpyrroline-N-Oxide 172:201
 - Adduct 172:201
 - Ammonium-Tc-99-Pertechnetate 198:135
 - Aniline 165:127
 - Anomalous 158:323
 - AOT 189:175
 - Assessment 172:231
 - Brine 182:281
 - Carbonate 166:87
 - Catalysis 162:57
 - Chlorine 185:355
 - CMPO 191:189
 - Cobalt(II)-Amino-polycarboxylate 166:87
 - Coextraction 191:189
 - Concentration-Dependent 172:231
 - Copper 182:281
 - Copper(II)-2-Methyl-5-Nitro-1H-Imidazol-1-Ethanol-Complex 191:337
 - Copper(II)-Ion 172:201
 - Corrosion 182:281
 - Deuteron 158:323
 - Deuteron/Hydrogen-Ratio 158:323
 - Disintegration 158:323
 - Distribution 172:231
 - Electron 189:175
 - Emulsion 165:127
 - Enthalpy 154:89
 - Ethylene 185:355
 - Ethylenediamine-N,N'-Diacetic-Acid 175:113
 - e_{Aq}⁻-OH 163:391
 - Fission 158:323
 - Flash-Photolysis 191:337
 - Formed 172:201
 - Gamma-Irradiated 165:127, 174:257
 - Gamma-Radiolysis 174:257, 191:337
 - Generalized 172:231
 - Hemoprotein 189:175
 - Hole 165:127
 - Hydrated 189:175
 - Hydrochloric-Acid-Solution 188:391
 - Hydroxyalkyl-Radical 191:337
 - Hydroxyl-Radical 172:201
 - Hydroxylalkyl-Radical 172:201
 - Induced 174:257
 - Iodide 162:57
 - Kinetic 162:57
 - Kinetic-Investigation 188:391
 - Ligand 175:113
 - MCC 182:281
 - Methyl-Red 174:257
 - Micelle 189:175
 - Naturally-Occurring 158:323
 - Nickel(II)-2-Methyl-5-Nitro-1H-Imidazol-1-Ethanol-Complex 191:337
 - Pertechnetate 188:391
 - Phosphomolybdic-Acid 162:57
 - Picolinic-Acid 163:391
 - Possibility 158:323
 - Potassium-Bromide 165:127
 - Potassium-Chloride 165:127
 - Potassium-Iodide 165:127
 - Pulse-Radiolysis 163:391
 - Radical 166:87
 - Radioanalytical-Method 172:231
 - Recoil 185:355
 - Recovery 198:135
 - Reverse 189:175
 - Scheme 172:231
 - Separation 172:231
 - Simulated 182:281
 - Sodium-Chloride 174:257
 - Species 165:127
 - Spin 172:201
 - Stability 172:201
 - Steady-State 191:337
 - Stoichiometry 191:189
 - Technetium(VII) 191:189
 - Thiourea 188:391
 - Thorium(IV)-Oxalate 154:89
 - Titanium 182:281
 - Uranium(IV) 162:57
 - Uranium(VI) 191:189
 - Waste 198:135
 - Water 165:127
- Reaction-Rate** 159:145
- Reactivity**
 - Ammonium-Halide 188:331
 - Comparison 188:33, 188:331
 - Defect 190:513
 - Gas-Solid-System 188:331
 - Hydrogen 188:33, 188:331
 - Ion 190:513
 - Isotope-Exchange-Reaction 188:33, 188:331
 - Liquid-Solid-System 188:33
 - Monocrystal 190:513
 - Mu-Spin-Resonance 190:513
 - Point-Like 190:513
 - Quartz 190:513
 - Substituent 190:513
 - Tolueneithiol 188:33
- Reactor**
 - 14-MeV 168:317
 - BGO 180:131
 - Concentration 180:131
 - Coolant 162:399
 - Cross-Section 170:367
 - Detector 180:131
 - Estimation 162:399
 - Fertilizer 168:317
 - Formation 170:367
 - Gradient 200:457
 - Instrumental-Neutron-Activation-Analysis 168:257
 - Iron-59-(n,gamma)-Iron-60-Reaction 170:367
 - Iron-60 170:367
 - Isotope 168:257
 - Manganese-53 200:457
 - Mapping 200:457
 - Monitor 180:131
 - National-Institute-of-Standards-and-Technology 200:457
 - Neutron 168:257, 168:317, 170:367
 - Neutron-Activation-Analysis 160:63, 174:65, 200:457
 - Neutron-Flux 200:457
 - Nitrogen-16 180:131
 - Noise 174:65
 - Optimization 200:457
 - Oxygen 168:257
 - Phosphate 168:317
 - Pool 180:131
 - Problem 160:63
 - Radioiodine 162:399
 - Revisited 168:257
 - Speciation 162:399
 - Standardization 160:63
 - Uncertainty 174:65
 - Water 162:399
- Reagent**
 - 2-Ethylhexylphosphonic-Acid 172:167
 - 5-(2'-Carboxyphenyl)Azo-8-Quinolol 196:363
 - Cadmium 165:229
 - Clinical-Application 158:65
 - Collect 199:365
 - Comparative 158:65
 - Erbium(III) 172:167
 - Extractive 196:363
 - Geological-Sample 196:363
 - Guaiacol 154:331
 - Lithium-7-Hydroxide 199:365
 - Lutetium(III) 172:167
 - Mercury 165:229
 - Mono-2-Ethylhexyl-Ester 172:167
 - Neutron-Activation-Analysis 199:365
 - PAHIDA-Tc-99m 158:65
 - Pharmacokinetic 158:65
 - Radiochemical-Solvent-Extraction 165:229
 - Renal 158:65
 - Sensitive 196:363
 - Single 165:229
 - Solvent-Extraction 172:167
 - Spectrophotometry 154:331, 196:363
 - Suitable 199:365
 - Thionalide 165:229
 - Uranium 154:331, 196:363
 - Volcanic-Gas-Sample 199:365
- Real-Situation** 180:163
- Real-Time**
 - Characterization 193:107
 - Field 194:389
 - High-Energy 193:107
 - Program 194:389
 - Selective 193:107
 - Sensor 193:107
 - Strontium-90 193:107
 - Tritium 194:389
 - Uranium-238 193:107
 - Versatile 194:389
- Realism** 165:331
- Recoil**
 - Chlorine 185:355
 - Detection 172:3
 - Elastic-Scattering 172:3
 - Elemental-Content 172:3
 - Ethylene 185:355
 - Light-Ion 172:3
 - Nuclei 172:3
 - Reaction 185:355
 - Thick 172:3
- Recommendation** 197:41
- Recovery**
 - Activation-Rate 195:263
 - Ammonium-Tc-99-Pertechnetate 198:135
 - Ammonium-Uranate 177:279
 - Analytical 187:57
 - Anion-Exchange-Resin 187:57
 - Aqueous-Solution 187:57
 - Chemical 195:263
 - Concentration 183:135
 - Construction 182:445
 - Contribution 182:445
 - Copper-67 195:263
 - Crucible 159:83
 - Cyclotron 182:445
 - Enrichment 195:263

- Extractant 187:19
- Ferrite 183:135
- Fluorine-18 173:249, 182:445
- Generated 159:83
- Graphite 159:83
- High-Level 187:19
- Immobilized 178:319
- Improvement 189:59
- Inert-Gas/Vacuum-Fusion-Technique 159:83
- Irradiation 195:263
- Low-Energy 195:263
- Macroporous 187:57
- Material 182:445
- Metal-Surface 182:445
- Molybdenum-99 178:417
- Neon-20-(d,α)-Fluorine-18 182:445
- Non-fissioned 177:279, 178:417
- Nuclear-Fuel 186:285, 189:59
- Palladium 186:285, 187:19, 189:59
- Phosphate-Containing 187:57
- Plutonium 159:83, 187:57
- Polyhydroxybenzene 178:319
- Preparation 177:279
- Production 173:249, 178:417, 182:445
- Proton 195:263
- Radioactive-Waste 187:19
- Reaction 198:135
- Reprocessing 186:285, 189:59
- Selective 187:19
- Spent 186:285, 189:59
- Target 182:445, 195:263
- Testing 182:445
- Trace-Metal 183:135
- Treatment 177:279, 178:417
- Tritium 173:249
- Uranium 177:279, 178:319, 178:417
- Waste 186:285, 187:57, 189:59, 198:135
- Zinc-70 195:263
- Rectilinear** 157:15
- Red-Marrow** 201:477
- Redox**
 - Actinide 199:35
 - Antimony(III) 154:379
 - Electronic-Configuration 199:35
 - Environmental 155:177
 - Lanthanide 199:35
 - Plutonium 155:177
 - Potassium-Iodate 154:379
 - Potential 155:177, 199:35
 - Radiometric-Titration 154:379
 - Seawater 155:177
- Redox-Reaction** 191:239
- Redox-Type**
 - Anion-Exchange-Resin 201:509
 - Cesium 185:57, 201:509
 - Composite 201:509
 - Copper 185:57
 - Cupric-Ferrocyanide 201:509
 - Cycle 185:57, 201:509
 - Hexacyanoferrate 185:57
 - Impregnated 201:509
 - Insoluble 185:57
 - Ion-Exchanger 185:57, 201:509
 - Macroporous 201:509
 - Separation 185:57, 201:509
 - Sorption-Desorption-Regeneration 185:57, 201:509
 - Strongly-Basic-Type 201:509
- Reduction**
 - Acid 195:363
 - Actinide 197:133
 - Airborne 193:319
 - Ammonium-Uranate 188:169
 - Ancient 168:273
 - Antimony-125 195:243
 - Behavior 195:243
 - Carbon-14-Dioxide 176:491
 - Carbon-Monoxide 188:169
 - Carrier-Free 195:243
 - Chemical-Stabilization 193:319
 - Chromium-51(VI) 195:363
 - Co-precipitation 197:133
 - Comparative-Study 183:171
 - Data 168:273, 198:55
 - Derived 188:169
 - Direct 176:491
 - Etruscan 168:273
 - Exchange-Reaction 163:255
 - Field 163:325
 - Fixation 163:325
 - Formaldehyde-C-14 176:491
 - Gamma-Radiation 163:325
 - Gamma-Radiolysis 173:339
 - Gamma-Ray-Spectrum 198:55
 - Hydrochloric-Acid-Solution 195:243
 - Indoor 161:265
 - Instrumental-Neutron-Activation-Analysis 198:55
 - Ion-Exchange 183:171
 - Labeling 163:255
 - Library 198:55
 - Lithium-Aluminium-Hydride 176:491
 - Low-Level 197:133
 - Marble 168:273
 - Methanol 173:339
 - Mill 193:319
 - Molecular 163:325
 - Molecule 173:339
 - Monument 168:273
 - Neodymium-Fluoride 197:133
 - Neutron-Activation-Analysis 168:273
 - Nitrogen 163:325
 - Overview 161:265
 - Oxidation 197:133
 - PC-Based-System 198:55
 - Pertechnetate 183:171
 - Polyaminomacrocyclic-Ligand 163:255
 - Pottery 168:273
 - Product 195:363
 - Production 176:491
 - Program 198:55
 - Provenance 168:273
 - Quinizarin 173:339
 - Radium-226 193:319
 - Radon 161:265
 - Radon-222 193:319
 - Risk 161:265
 - Sardinian 168:273
 - Selective 197:133
 - Separation 197:133
 - Solvent-Extraction 183:171
 - Speciation 195:363
- REE**
 - Apatite 186:425
 - Carrier-Mediated-Transport 163:145
 - Coal 169:219
 - Comparison 168:115
 - Composition 168:115
 - Conodont 186:425
 - Counting 169:219
 - Data 168:115
 - Distribution 178:365
 - Element 178:365
 - Environmental-Sample 169:219
 - Gabbro 168:115
 - GOG-1 168:115
 - Gubrunde 178:365
 - Hafnium 170:353
 - Host 178:365
 - Impregnated 163:145
 - Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 168:115
 - Instrumental-Neutron-Activation-Analysis 186:425
 - k_0 169:219
 - LEPD 169:219
 - Liquid-Membrane 163:145
 - Microquantity 170:353
 - Neutron-Activation-Analysis 168:115, 169:219
 - Nigeria 178:365
 - Nucleoporous 163:145
 - Occurrence 178:365
 - Organophosphorus-Agent 163:145
 - Pattern 178:365
 - Pertraction 163:145
 - Power-Station 169:219
 - Rare-Earth-Element 163:145
 - Reference-Sample 168:115
 - Rock 178:365
 - Stability 163:145
 - Support 163:145
 - Surface-Ionization-Mass-Spectrometry 168:115
 - Triassic-Age 186:425
 - Updating 168:115
 - Uranium 178:365
- Reevaluation** 166:63
- Reference**
 - Data 158:115
 - Elemental-Analysis 174:145
 - GSJ 158:115
 - Instrumental-Neutron-Activation-Analysis 158:115, 169:177, 174:145
 - k_0 -Standardization 169:177
 - Lichen 169:47
 - Marine 174:145
 - Material 169:47, 169:177, 174:145
 - MESS 174:145
- SPECTRA** 198:55
- Spectrophotometry** 183:171
- Tailing** 193:319
- Technetium-99mO₄⁻** 163:255
- Thiourea** 183:171
- United-States** 161:265
- Uranium** 193:319
- Uranium-Trioxide** 188:169
- U₃O₈** 188:169
- WH₄(PCH₃Ph₂)₄** 163:325
- WH₄(PC₂H₅Ph₂)₄** 163:325
- PACS** 174:145
- Preparation** 169:47
- Rock** 158:115
- Sediment** 169:177, 174:145
- Reference-Material**
 - Activation-Analysis 159:121
 - Assessment 169:347
 - Attempt 179:173
 - Biological 196:125
 - Calcium 159:121
 - Certified 196:125
 - Characterization 193:15
 - Characterize 179:173
 - Chlorine 159:121
 - Chromium(III) 179:173
 - Chromium(VI) 179:173
 - Comparative 159:121
 - Comparison 192:351
 - Cyclic-Neutron-Activation-Analysis 151:167
 - Data 179:165
 - Elemental-Concentration 179:165
 - Evaluation 151:167
 - Geochemical-Exploration 179:165
 - Glass 155:55
 - Homogeneity 151:167
 - IAEA-NBS 196:125
 - Information-Theory 169:347
 - Input 196:125
 - Instrumental-Neutron-Activation-Analysis 155:55, 192:351, 196:125
 - Intercomparison 192:371
 - Macro-Alga-Sample 159:121
 - Marine 159:121
 - Missing 196:125
 - Moss 192:371
 - Multielement 159:121, 192:351
 - Multielement-Technique 192:371
 - Neutron-Activation-Analysis 169:347, 193:15
 - Non-destructive 159:121
 - Phosphorus 159:121
 - Prepare 179:173
 - Quality 169:347
 - Sand 155:55
 - Selenium 151:167
 - Soil 179:173
 - Standard 159:121
 - Synthetic 159:121
 - Trace-Element 196:125
 - UNS-SPS 155:55
 - USGS 179:165
- Reference-Sample** 168:115
- Reference-State** 182:291
- Refining** 179:45
- Reflection**
 - Alanine-Polyethylene 196:97
 - Diffuse 196:97
 - Dosimetry 196:97
 - Evaluation 196:97
 - Film 196:97
 - Neutron 154:393
 - Spectrophotometry 196:97
 - Thin 196:97
 - Water 154:393
 - Zeolite 154:393
- Refractive-Index** 163:267
- Region**
 - Copper 153:37

- Diffusion 153:37
- Distribution 185:83
- Heavy-Metal 166:401
- Interface 185:83
- Iodide-Anion 153:37
- k-beta/k-alpha-X-Ray-Intensity-Ratio 185:193
- Near-Surface 153:37
- Nigeria 166:401
- Phosphorus 185:83
- Selected 166:401
- Semi-arid 166:401
- SiO₂-Si 185:83
- Soil 166:401
- Substoichiometric-Analysis 185:83
- Volume 153:37
- Regional** 181:385
- Regioselective** 155:65
- REILLEX-HPQ** 194:71
- Related-Compound**
 - Benzene-Derivative 188:243
 - Free-Energy 188:243
 - Linear 188:243
 - Luminescence 188:243
 - Mercapto-acetyltryglycine 186:189
 - Quenching 188:243
 - Relationship 188:243
 - Technetium-99m-Labeling 186:189
 - Uranyl-Ion 188:243
- Relation**
 - (n,gamma)-Reaction 183:293
 - Anadara-Granosa 195:203
 - Analytical-Technique 195:203
 - Behavior 183:293, 197:343
 - Bivalve 195:203
 - Body-Weight 195:203
 - Cadmium 167:361
 - Catalytic-Property 190:407
 - Cesium-137 197:343
 - Coast 197:343
 - Concentration 197:343
 - Correction 155:231
 - Crassostrea-Gigas 197:343
 - Cross-Section 183:293
 - Distribution 197:343
 - Enforcement 167:361
 - Ferrisilicate 190:407
 - Hogdahl-Convention 183:293
 - Improvement 155:231
 - In-Situ 190:407
 - Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 195:203
 - Instrumental-Neutron-Activation-Analysis 167:361, 195:203
 - Iron-Containing 190:407
 - Japanese 197:343
 - Lead-210 197:343
 - Marine 195:203
 - Matrix-Effect 155:231
 - MFI 190:407
 - Modified-Westcott-Formalism 183:293
 - Mössbauer-Spectroscopy 190:407
 - Optimum 155:231
 - Oyster 197:343
 - Particular 167:361
 - Plastics 167:361
 - Pollution 167:361
- Pure 183:293
- Radioisotope 197:343
- Sea-Water 197:343
- Silver-108m 197:343
- Standard 167:361
- Trace-Element 167:361
- Trace-Element-Content 195:203
- X-Ray-Fluorescence-Analysis 155:231
- Relationship**
 - Benzene-Derivative 188:243
 - Content 185:109
 - Disease 185:109
 - Element 185:109
 - Free-Energy 188:243
 - Human-Hair 185:109
 - Linear 188:243
 - Luminescence 188:243
 - Quenching 188:243
 - Related-Compound 188:243
 - Respiratory-System 185:109
 - Uranyl-Ion 188:243
- Relative**
 - Chromium 176:129
 - Deceleration 176:129, 183:273, 186:415
 - Magnesium 186:415
 - Particle-Induced-Gamma-Ray-Emission 183:273, 186:415
 - PIPPS 176:129
 - Property 176:129
 - Silicon 183:273
 - Value 183:273, 186:415
- Relative-Method** 169:471
- Relativistic** 160:181
- Release**
 - Anoxic-Lacustrine-Sediment 156:129
 - Aquatic-Environment 182:63
 - Brachydanio-Rerio 182:63
 - Carassius-Auratus 182:63
 - Cesium-134 182:63
 - Cesium-137 156:129, 182:63
 - Controlled 182:63
 - Fish 182:63
 - Formulation 156:129
 - Goldfish 182:63
 - Kinetics 182:63
 - Uptake 182:63
 - Zebra 182:63
- Relevance** 156:55
- Relevant** 161:121
- Reliable** 153:151
- Religion** 165:331
- Remote** 188:401
- Remote-Control** 165:327
- Removal**
 - Adsorption 170:133, 170:157, 173:141
 - Alkaline 199:183
 - Amorphous 182:345
 - Antimony-125 170:3
 - Aqueous-Solution 159:47, 164:211, 170:3, 170:133, 173:141, 189:247
 - Barium(II) 170:133
 - Biological-Material 164:115
 - Cadmium 191:83
 - Carbon-Steel 185:251
 - Cesium 152:359, 182:345
 - Cesium-134 191:53
 - Charcoal 173:141
 - Chemical 196:77
 - Chromatography 165:209
 - Clinoptilolite 159:317
 - Cobalt 191:83
 - Cobalt(II) 173:141, 199:183
 - Cobalt-60 191:53
 - Column 182:345
 - Column-Method 196:77
 - Composite 164:115
 - Contaminated 185:251
 - Continuous 166:75
 - Conventional 189:35
 - Dilute 173:141
 - Disodium-Citrate 185:251
 - Efficient 170:133, 189:247
 - Effluent 196:77
 - Europium 157:347
 - Extraction 166:75
 - Filter 189:35
 - Fission-Product 198:467
 - Flotation 191:53
 - Granulated 152:359, 162:339
 - Ground-Water 189:35
 - Hexacyanoferrate(II) 199:183
 - Hydrocarbon 198:89
 - Hydrochloric-Acid 185:251
 - Hydrous 170:133
 - Incorporated 170:3
 - Iodine-125 196:77
 - Iodoorganic-Compound 176:251
 - Ion-Exchange 165:209
 - Ion-Exchanger 164:115
 - Kerosene 176:251
 - Ligand 164:211
 - Macroflotation 173:141
 - Manganese-Dioxide 170:157
 - Manganese-Oxide 170:133
 - Mercury(II) 189:247
 - Mineral 157:347
 - Mineralizate 164:115
 - Mixed-Solvent 198:467
 - Mixture 157:347
 - Molybdenum-99 170:3
 - n-Paraffin 198:89
 - Natural 159:317
 - Neutron-Activation-Analysis 164:115
 - Nuclear-Fuel 176:251
 - Oxide-Layer 185:251
 - Plutonium 165:209
 - Polyamine 170:3
 - Polysaccharide 170:3
 - Potassium 199:183
 - Potassium-Hexa-Titanate 189:247
 - Radioactive-Process 191:53
 - Radioactive-Waste 182:345
 - Radioactive-Waste-Sample 198:89
 - Radiocesium 199:183
 - Radioisotope 152:359, 170:3
 - Radiolytic-Product 166:75
 - Radiotracer 189:247
 - Radiotracer-Technique 170:133
 - Radium 164:211, 189:35
 - Radwaste 199:183
 - Rapid 189:247
 - Reprocessing 176:251
 - Ruthenium 198:467
 - Ruthenium-Oxide 159:317
 - Salt-Loaded 199:183
 - Sand 189:35
 - Semivolatile-Component 198:89
 - Simulated 199:183
 - Soil 196:77
 - Sorbent 173:141
 - Station 189:35
 - Strontium 182:345
 - Strontium-Ion 162:339
 - Supported 164:211
 - Thorium 159:47
 - Treatment 182:345, 189:35
 - Tributyl-Phosphate 166:75
 - Tungsten-185 170:3
 - Uranium-Hydrogen-Carbonate-Solution 170:157
 - Validation 198:89
 - Vapor 159:317
 - Waste-Water 191:53
 - Zeolite 152:359, 159:47, 162:339, 198:467
 - Zeolite-X 191:83
 - Zirconium 170:157
 - Zirconium-Phosphate 182:345
 - Renal** 158:65
 - Renazzo** 152:99
 - Repair** 169:65
 - Replacement** 159:9
 - Reply**
 - Aqueous-Solution 199:429
 - Instrumental 201:543
 - Oxygen 199:429
 - Radiolysis 199:429
 - Triton-X-100 199:429
 - Repository** 171:365
 - Representative-Sampling**
 - Combined 179:177
 - Complex 197:253
 - Contamination 197:253
 - Facility 197:253
 - Homogeneity 179:177
 - Matrix 179:177
 - Neutron-Activation-Analysis 154:403
 - Non-uniformity 154:403
 - Particle-Induced-X-Ray-Emission 179:177
 - Photon 179:177
 - Possible 197:253
 - Problem 197:253
 - Processing 197:253
 - Testing 179:177
 - Tomography 179:177
 - Transmission 179:177
 - Waste 197:253
 - Representativeness** 162:63
 - Reprocessing**
 - Behavior 183:219
 - Deer 188:401
 - DEHSO 162:391
 - Dicyclohexano-18-Crown-6 175:55
 - Environment 188:401
 - Extractant 162:391, 175:55
 - Extraction 162:391
 - Final 177:291
 - Fuel 162:391
 - Identification 182:385
 - Improvement 189:59
 - Iodine-127 188:401
 - Iodine-129 188:401
 - Iodododecane 183:219
 - Iodoorganic-Compound 176:251, 182:385
 - Irradiated 177:291

- Kerosene 176:251, 182:385
- Natural 188:401
- Nitric-Acid-Medium 162:391
- Nuclear-Facility 188:401
- Nuclear-Fuel 175:55, 176:251, 182:385, 183:219, 186:285, 188:401, 189:59
- Palladium 186:285, 189:59
- Plant 188:401
- Product 177:291
- Purification 177:291
- Radiolytic-Product 175:55
- Recovery 186:285, 189:59
- Remote 188:401
- Removal 176:251
- Rod 177:291
- Selective 175:55
- Site 188:401
- Small 188:401
- Spent 162:391, 186:285, 189:59
- Thorium 177:291
- Thorium(IV) 162:391
- Thorium-Uranium 162:391
- Thyroid 188:401
- Treatment 177:291
- Uranium(VI) 162:391
- Uranium-233-Oxide 177:291
- Waste 186:285, 189:59
- Research**
 - Aluminum 163:307
 - Chemist 171:269
 - Dicarbolide 187:185
 - Drinking-Water 163:307
 - Environmental 163:307
 - Extraction 187:185
 - Facility 180:313
 - McMaster-University-Nuclear-Reactor 180:313
 - Metal 187:185
 - Neutron-Activation-Analysis 163:307
 - Nuclear-Analytical-Method 180:295
 - Nuclear-Medicine 171:269
 - Perspective 171:131
 - Production 171:269
 - Radiochemistry 171:131
 - Teaching 180:295
 - Trace-Element 163:307
 - Training 171:269
 - Undergraduate 171:131
 - University-of-Illinois 180:295
- Research-Facility** 167:121
- Research-Reactor** 165:145
- Residence** 193:301
- Residue** 194:379
- Resin** 196:3
- Resolve** 167:45
- Resonance**
 - Arsenic-75 189:51
 - Atmospheric 192:229
 - Bismuth 201:303
 - Cesium-134 189:51
 - Cross-Section 189:51
 - Deposition 192:229
 - Elemental-Content 192:229
 - Evaporation 201:303
 - Integral 189:51
 - Ionization 201:303
 - Isotope 201:303
 - Lead 201:303
 - Lichen 192:229
 - Mass-Spectrometry 201:303
 - Monitoring 192:229
 - Moss 192:229
 - Needle 192:229
 - Neutron 192:229
 - Pine 192:229
 - Pulsed-Laser 201:303
 - Selenium-74 189:51
 - Thermal-Neutron 189:51
 - Time-of-Flight 201:303
 - Uranium-238 189:51
 - Zirconium-94 189:51
- Respiratory-System** 185:109
- Respiratory-Tract** 197:229
- Response**
 - Aluminum 166:363
 - Aqueous 175:191, 200:521
 - Blue 153:57
 - Coumarin 175:191, 200:521
 - D-alpha-Alanine 183:379
 - DL-alpha-Alanine 183:379
 - Dosimeter 153:57, 175:191, 175:199, 200:521
 - Ferrous-Cupric-Sulfate 175:199
 - Flow-Injection-Analysis 201:257
 - Humidity 153:57
 - In-Vivo 166:363
 - Ionizing-Radiation 183:379
 - Irradiation 153:57
 - L-alpha-Alanine 183:379
 - Light 200:521
 - Marl 166:171
 - Monitoring 166:363
 - Nickel 166:171
 - PMMA 153:57
 - Post-irradiation 175:191
 - Radiochemical-Technique 201:257
 - Skeletal 166:363
 - Sorption 166:171
 - Stability 175:191, 175:199
 - Temperature 153:57, 175:199, 200:521
- Retardation-Factor** 154:121
- Retention**
 - Activity 177:335
 - Aerosol 177:335
 - Algal 187:393
 - Amount 177:335
 - Ascertain 173:79
 - Bacterial 166:431
 - Biosorption 166:431
 - Cesium-137 187:393
 - Cobalt-60 201:155
 - Efficiency 177:335
 - Gas-Chromatography 160:449
 - Identification 160:449
 - Index 160:449
 - Mediterranean 173:79
 - Medium-Level 177:335
 - Mexican 201:155
 - Montmorillonite 201:155
 - Mycobacterium-Smegmatis 166:431
 - Nuclear-Power-Plant 177:335
 - Organic-Matter 173:79
 - Peak 160:449
 - Polysaccharide 187:393
 - Radionuclide 173:79
 - Role 173:79
 - Scheme 173:79
 - Sequential-Extraction 173:79
 - Soil 173:79
 - Tentative 160:449
 - Thorium-Cation 166:431
 - Unknown 160:449
 - Uranyl-Cation 166:431
 - Vitrification 177:335
 - Waste 177:335
- Reverse**
 - Adogen-464 162:125
 - AOT 189:175, 191:201
 - Aqueous-Solution 183:99
 - Cesium-137 201:171
 - Chromatography 162:125
 - Cobalt-60 201:171
 - Degradation 183:99
 - Electron 189:175
 - Extraction 162:125, 191:201
 - Gamma-Irradiated 183:99
 - Hemoprotein 189:175
 - Hydrated 189:175
 - Iodine-131 201:171
 - Liquid-Chromatography 183:99
 - Micellar-System 191:201
 - Micelle 189:175
 - Model 201:171
 - Multichannel-Analyzer 201:171
 - Multicomponent 183:99
 - Nitrobenzene 183:99
 - Parent-Daughter 162:125
 - Partitioning 191:201
 - Performance 183:99
 - Phase 162:125
 - Phase-High 183:99
 - Protein 191:201
 - Radiation 183:99
 - Radioactive-Waste 201:171
 - Radiolabeled 191:201
 - Radiometric-Flow-Injection-Analysis 201:171
 - Reaction 189:175
 - Separation 162:125
 - Simultaneous-Determination 201:171
 - Surfactant 191:201
 - UV-VIS-Analysis 183:99
 - Waste-Water 183:99
 - Water 201:171
- Reversed-Phase**
 - Acid-Rain 161:89
 - Acidic 191:291
 - Actinide 191:291
 - Chromatographic-Separation 191:291
 - Chromatography 161:89
 - Extraction 161:89
 - Minor 191:291
 - Neutron-Activation 161:89
 - Nitrate 191:291
 - Partition 191:291
 - Purex 191:291
 - Sulfoxide 191:291
 - Trace-Element 161:89
 - Waste 191:291
- Reversed-Phase-Chromatographic-Separation** 163:213
- Reversible** 178:73
- Review**
 - Adsorption 171:483
 - Cesium 171:483
 - Enrichment 186:157
 - Gamma-Spectrometry 186:157
 - Minerals 171:483
 - Uranium 186:157
- Revised** 196:15
- Revisited**
 - Actual 194:25
 - Aliquot 188:189
 - Atomic-Harvest 187:169
 - Breaking 195:321
 - Ceramics 188:189
 - Dating 188:189
 - Diffusion-Potential 195:321
 - Electrolyte 195:321
 - Forward/Backward-Symmetry 195:321
 - Green 188:189
 - Hanford 187:169, 194:25
 - Instrumental-Neutron-Activation-Analysis 168:257
 - Interfusion 195:321
 - Ion-Movement 195:321
 - Isotope 168:257
 - Kinetics 195:321
 - Light-Emitting-Diode 188:189
 - Luminescence 188:189
 - Mixed 194:25
 - Neutron 168:257
 - Optical 188:189
 - Organic-Analysis 194:25
 - Organic-Complexant 194:25
 - Oxygen 168:257
 - Quartz 188:189
 - Reactor 168:257
 - Simulated 194:25
 - Single 188:189
 - Stimulated 188:189
 - Thermoluminescence 188:189
 - Tracer 195:321
 - Waste 194:25
- RhCl₃·3H₂O** 187:303
- Rhenium**
 - Acetone 161:227
 - Crown-Ether 199:151
 - Environmental-Material 158:417
 - Extraction 161:227
 - Iridium 185:3
 - Meteoritic-Sample 185:3
 - Monitor 158:417
 - Neutron-Activation-Analysis 151:103, 161:227, 185:3, 199:151
 - Osmium 185:3
 - Preliminary 161:227
 - Radiochemical-Procedure 185:3
 - Radiochemical-Separation 199:151
 - Radiotracer-Method 173:3
 - Rock 151:103, 161:227, 199:151
 - Simple 185:3
 - Simultaneous-Determination 185:3
 - Technetium-99 158:417
 - Yield 158:417
- Rhenium(V)** 176:143
- Rhenium-184(mu,gamma)** 172:155
- Rhenium-186** 170:471
- Rhenium-186-DTPA-Complex** 170:471
- Rhenium-186-Labeled** 189:25
- Rhodium**
 - Charged-Particle-Activation-Analysis 168:337

- Fast 196:287
- HDEHP 196:287, 201:191
- Iridium 168:337, 196:287, 201:191
- Isotope 198:41
- Metallic 168:337
- Neutron-Activation-Analysis 168:337
- Platinum 168:337
- Ruthenium 196:287, 201:191
- Separation 196:287
- Silver 198:41
- Solvent-Extraction 196:287, 201:191
- Rhone** 153:431
- Ribble** 197:369
- Rice-Sample** 179:377
- Ring** 151:337
- Risk**
 - Approach 161:283
 - Assessment 161:283
 - EPA 161:283
 - Indoor 161:265
 - Overview 161:265
 - Radon 161:265, 161:283
 - Reduction 161:265
 - United-States 161:265
- River**
 - Atomic-Power-Station 183:167
 - Cesium-134 177:139
 - Cobalt-60 177:139
 - Coefficient 177:139, 199:21
 - Concentration 159:187
 - Distribution 177:139
 - Dudvák 183:167
 - Ecosystem 199:21
 - Enhancement 155:97
 - Environmental-Sample 183:167
 - Human-Activity 155:97
 - Interaction 159:175, 159:187, 185:15
 - Jaslóvské-Bohunice 183:167
 - Kinetic-Parameter 185:15
 - Kinetics 159:175, 159:187, 185:15
 - Manivier 183:167
 - Migration 159:175, 159:187, 185:15
 - Modeling 159:175, 159:187, 185:15
 - Natural-Radioactivity 155:97
 - Parameter 159:175
 - Partitioning 199:21
 - Pinheiros 177:139
 - Plutonium-239/240 183:167
 - Radionuclide 159:175, 159:187, 185:15, 199:21
 - Rhone 153:431
 - Sava 199:21
 - Sediment 177:139
 - Solid 159:187
 - Southwestern-Spain 155:97
 - Surrounding 183:167
 - Suspended-Solid 159:175, 159:187, 185:15
 - Technetium-99 153:431
 - Temperature 159:187
 - Thorium-234 177:139
 - Variability 185:15
 - Water 153:431, 177:139
- RMn₂Si_{2-x}Ge_x** 190:413
- Robotic** 193:89
- Rock**
 - Acetone 161:227
 - Age 159:281
 - Alpha-Spectrometry 189:115
 - Assay 196:11
 - China 151:177
 - Comparison 161:325
 - Concentration 181:413
 - Crown-Ether 199:151
 - Crude-Oil 151:177
 - Data 158:115
 - Dating 159:281
 - Derivate 189:301
 - Distribution 178:365
 - Element 178:365, 196:11
 - Evaluation 181:413
 - Extracted 151:177
 - Extraction 161:227
 - Fire 196:11
 - Fission 168:153
 - Gas 161:325
 - Geiger-Müller-Counter 181:413
 - Grain-Size 161:325
 - GSJ 158:115
 - Gubrunde 178:365
 - Host 178:365
 - Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 153:221
 - Instrumental-Neutron-Activation-Analysis 151:177, 153:221, 158:115
 - Interference 168:153
 - Lanthanum-Phosphate 176:471
 - Leaching 201:313
 - Low-Background 181:413
 - Lunar 159:281
 - Major-Element-Analysis 183:235
 - Matrix 189:115
 - Microgram/Gram-Level 181:413
 - Moisture 161:325
 - Neutron-Activation-Analysis 151:103, 161:227, 168:153, 176:471, 180:15, 196:11, 199:151
 - Nickel-Sulfide 196:11
 - Nigeria 178:365
 - Occurrence 178:365
 - Oil-Forming 151:177
 - Organic-Diagenesis 180:15
 - Organic-Material 151:177
 - Pattern 178:365
 - Permeability 161:325
 - Phosphate 153:221, 201:313
 - Platinum-Group 196:11
 - Plutonium-244 159:281
 - Preconcentration 196:11
 - Preliminary 161:227
 - Product 176:471
 - Radiochemical-Separation 199:151
 - Radium 189:115
 - Radon 161:325
 - Rare-Earth-Element 153:221
 - REE 178:365
 - Reference 158:115
 - Rhenium 151:103, 161:227, 199:151
 - Role 180:15
 - Selected 183:235
 - Separation 189:115
 - Soil 161:325
 - Sorting 161:325
 - Source 151:177
 - Thorium 189:115
 - Trace-Element 151:177
 - Type 161:325
 - Unzen-Area-Japan 183:235
 - Uranium 168:153, 178:365, 181:413, 201:313
 - Uranium-Phosphate 189:301
 - Volcanic-Ash-Sample 183:235
 - X-Ray-Fluorescence-Analysis 183:235
- Rock-Painting** 151:221
- Rock-Sample**
 - Akwana 168:101
 - Analytical-Method 182:21
 - Anticline 173:17
 - Area 168:101
 - Arufu 168:101
 - Comparison 182:21
 - Concentration 188:255
 - Cross-River-State-Nigeria 175:229
 - Crown-Ether 189:127
 - Egyptian 188:255
 - Harargaj 173:17
 - Instrumental-Neutron-Activation-Analysis 168:101, 173:17, 175:229
 - Interlaboratory 182:21
 - Isotope 182:21
 - Middle-Benue-Trough-Nigeria 168:101
 - Natural 182:21
 - Neutron-Activation-Analysis 189:127
 - Rubidium 189:127
 - Scandium 176:443
 - Separation 189:127
 - Series 182:21
 - Solvent-Extraction 189:127
 - Substoichiometric-Thermal-Neutron-Activation-Analysis 176:443
 - Thorium 173:17, 182:21, 188:255
 - Ugep-Area 175:229
 - Uranium 173:17, 182:21, 188:255
- Rockpile-Related-Medium** 183:139
- Rod**
 - Assembly 194:81
 - Control 194:81
 - Final 177:291
 - Irradiated 177:291
 - Product 177:291
 - Purification 177:291
 - Radiological-Characterization 194:81
 - Reprocessing 177:291
 - Spent 194:81
 - Thorium 177:291
 - Treatment 177:291
 - Uranium-233-Oxide 177:291
- Roe** 194:269
- Role**
 - Ascertain 173:79
 - Atmospheric 192:205
 - Barium-Carbonate 187:123
 - Beta-Emission 170:443
 - Comparative-Study 200:443
 - Competitive-Reaction 164:285
 - Crystallization 200:443
 - Deposition 192:205
 - Ferric-Compound 200:443
 - Ferrous-Compound 200:443
 - Gamma-Emission 170:443
 - Gamma-Radiation 152:261
 - Gas-Phase 164:285
 - High-Spin 200:443
 - Implication 200:443
 - Induced 170:443
 - Iodide-Ion 152:261
 - Ion 187:123
 - Low-Spin 200:443
 - Luminescence 187:123
 - Mediterranean 173:79
 - Mössbauer-Spectrum 200:443
 - Neutron-Activation-Analysis 180:15, 192:205
 - Nitric-Acid 166:421
 - Ombrotrophic-Bog-Monitor 192:205
 - Organic-Diagenesis 180:15
 - Organic-Matter 173:79
 - Oxidation 152:261
 - Peat-Sample 192:205
 - Pollutant 192:205
 - Protonating-Agent 164:285
 - Radiation-Induced-Decomposition 166:421
 - Radical 187:123
 - Radiolysis 164:285
 - Radionuclide 170:443, 173:79
 - Retention 173:79
 - Rock 180:15
 - Scheme 173:79
 - Secondary-Radiation 170:443
 - Sequential-Extraction 173:79
 - Soil 173:79
 - Solid-Phase 152:261
 - Sorption 170:443
 - Thermal-Stimulation 187:123
 - Trend 192:205
 - Tributyl-Phosphate/Nitric-Acid-System 166:421
 - Uranium-Doped-System 187:123
 - Water 200:443
- Roman** 201:447
- Romania** [Danube-River-Area-» 163:289
- Rome** 196:223
- ROMOS** 160:269
- Rongelap-Utirik** 156:269
- Root-Tip** 187:137
- Rotational-Effect** 165:369
- Routine**
 - Activation-Analysis 168:377
 - Americium-Beryllium 201:25
 - ASPRO-NUC 193:195
 - Charged-Particle 168:377
 - Comparison 152:507
 - Data 193:195
 - Distribution 188:109
 - Eluate 188:109
 - Gamma-Radionuclidic-Impurity 188:109
 - Gamma-Ray-Spectrometry 193:195
 - Identification 193:195
 - Instrumental-Neutron-Activation-Analysis 152:507, 201:25
 - Isotope 193:195
 - k_p-Standardization 152:507

- k_{Zn} -Standardization 152:507
- Light-Element 168:377
- Management 193:195
- Manganese 201:25
- Neutron-Activation-Analysis 193:195
- Neutron-Source 201:25
- Northwestern-Nigeria 201:25
- Ore-Deposit 201:25
- Procedure 152:507
- Software 193:195
- Technetium-99m-Generator 188:109
- Rubidium**
 - Archaeological-Sample 154:173
 - Biological-Material 174:177
 - Cesium 159:293, 174:177, 188:231
 - Chromatography 159:293
 - Clay 188:231
 - Clinoptilolite 159:293
 - Crown-Ether 189:127
 - Dating 154:173
 - Environmental-Material 174:177
 - Geological-Sample 159:293
 - Gravimetry 176:175
 - Guayabo-Costa-Rica 154:173
 - Los-Trancos 188:231
 - Neutron-Activation-Analysis 154:173, 174:177, 189:127
 - Precipitation 159:293
 - Prior 154:173
 - Radiochemical-Neutron-Activation-Analysis 159:293
 - $Rb_2U(SO_4)_3$ 176:175
 - Rock-Sample 189:127
 - Scandium 174:177
 - Separation 189:127
 - Sodium 188:231
 - Sodium-Tetraphenylborate 159:293
 - Solvent-Extraction 189:127
 - Thermoluminescent 154:173
 - Thorium 154:173
 - Uptake 188:231
 - Uranium 154:173
 - X-Ray-Fluorescence-Analysis 176:175
 - Zeolite 159:293
- Run-Off** 156:7
- Russia** 188:305
- Ruthenium**
 - Antimony-125 166:173
 - Base 170:67
 - Biokinetic-Study 178:407
 - Burnup 155:107
 - Chernobyl-Fallout 166:173
 - Cobalt-60 166:173
 - Decontamination 182:171
 - Estimation 155:107
 - Fast 196:287
 - Fission-Product 198:467
 - HDEHP 196:287, 201:191
 - Hot-Particle 166:173
 - Hydrolysis 170:67
 - Hydroxylamine 182:171
 - Improvement 182:171
 - Involving 170:67
 - Iridium 196:287, 201:191
 - Isotopic-Composition 155:107
 - Mixed-Solvent 198:467
 - Natural-Nuclear-Reactor 155:107
 - Oklo 155:107
 - Pretreatment 182:171
 - Radioactive 166:173
 - Radioactive-Tracer 178:407
 - Removal 198:467
 - Rhodium 196:287, 201:191
 - Separation 196:287
 - Solvent-Extraction 196:287, 201:191
 - Stable 178:407
 - Technetium 170:67
 - tris(Acetylacetonato)Metal(III)-Complex 170:67
 - Zeolite 198:467
- Ruthenium(III)** 201:125
- Ruthenium-106**
 - Carrier-Free 178:399
 - Cesium-137 197:281
 - Estimation 178:399, 197:281
 - Sequential 197:281
 - Strontium-90 197:281
 - Urine 178:399, 197:281
- Ruthenium-Oxide** 159:317
- Saccharomyces-Cerevisiae** 177:393
- Safety**
 - Accumulation 161:561
 - Active 161:561
 - Characterization 193:377
 - Concentration 161:561
 - Correlation 193:377
 - Disposal 193:377
 - Feature 161:561
 - Fissile 161:561
 - Important 193:377
 - Inventory 193:377
 - Key 193:377
 - Material 161:561
 - Monitoring 161:561
 - Neutron-Counting 161:561
 - Nuclear-Reprocessing 161:561
 - Passive 161:561
 - Radionuclide 193:377
 - Storage 193:377
 - Stream 193:377
 - Typical 193:377
 - Waste 193:377
- Saharan** 163:313
- Salicylidene-Aminato** 188:417
- Salicylidene-Thyroxine-Complex** 162:139
- Saline** 180:201
- Saliva** 195:123
- Salt**
 - Actinide 163:47
 - Activation-Energy 176:161
 - Alkylpyridinium 163:47
 - Amine 163:29
 - Diffusion 176:161
 - Electrolyte 176:161
 - Extraction 163:29
 - Incorporation 161:421
 - Natural-Radionuclide 161:421
 - Neutron-Activation-Analysis 191:273
 - Plant 161:421
 - Production 163:29
 - Pure 163:29
 - Rare-Earth-Element 161:421
 - Separation 163:47
 - Solar 191:273
 - Thorium 191:273
 - Tolerant 161:421
 - Uranium 191:273
 - Zinc 176:161
 - Zirconium 163:29
- Salt-Loaded** 199:183
- Salt-Solution**
 - Acid-Solution 152:381
 - Active-Carbon 152:381
 - Adsorption 152:381
 - Epithermal-Neutron-Activation-Analysis 194:61
 - High-Level 194:61
 - Lanthanide 194:61
 - Per technetate-Ion 152:381
 - Uranium 194:61
- Samarium**
 - (alpha-pxn)-Reaction 162:145
 - 2-Hydroxyethylethylene-diaminetriacetic-Acid 162:35
 - Amine 162:35
 - Complexing-Agent 162:35
 - Extraction 162:35
 - Lanthanum 162:35
 - Natural 162:145
 - Rare-Earth-Element 162:35
 - Separation 162:35
- Samarium(III)**
 - 1,10-Phenanthroline 195:343
 - 1-Nitroso-2-Naphthol 180:187, 195:343
 - Bismuth(III) 170:197
 - Complex 170:197
 - Complexation 164:1
 - Dysprosium(III) 164:1, 180:187, 195:343
 - Europium(III) 180:187, 195:343
 - Extraction 164:1
 - Fluoride 170:197
 - HTTA-TBA 164:1
 - Ion-Selective 170:197
 - Mixed-Ligand 164:1
 - Mixed-Ligand-Complex 180:187
 - Plutonium(III) 170:197
 - Potentiometry 170:197
 - Synergic-System 164:1
 - Synergistic-Extraction-Behavior 195:343
 - Trioctylphosphine-Oxide 180:187
- Samarium-151** 197:219
- Samarium-153**
 - Bone-Tumor 160:443
 - EDTMP 160:443
 - Medical-Application 200:43
 - Potential 160:443
 - Preliminary 160:443
 - Production 200:43
 - Radiochemically-Pure 200:43
 - Radionuclidically-Pure 200:43
 - Structure-Analysis 160:443
 - Synthesis 160:443
 - Therapeutic-Agent 160:443
- Samarium-153-EDTMP** 199:295
- Samarium³⁺-Ion** 182:415
- Sample**
 - Accuracy 158:409
 - Actinide 151:113
 - Activity 196:345
 - Americium 194:191
 - Americium-241 163:225, 170:243
 - Antarctica 151:345
 - Archaeological-Material 187:79
 - Argon-41 167:209
 - Beaker 193:133
 - Beta-Proportional-Counting 163:225
 - Boundary 151:107
 - Bulk 200:191
 - Calibration 157:115, 186:361, 200:191
 - Capillary-Isotachophoresis 163:87
 - Chelating-Resin 151:107
 - Chernobyl-Fallout 163:225
 - Chromatography 194:191
 - Comparison 163:225
 - Concentration 156:175, 198:23
 - Correct 167:209
 - Curium 194:191
 - Curve 186:361
 - Cyclic 161:71
 - Daily-Intake 185:183
 - Dated 169:65
 - Dependence 186:375
 - Deposition 190:31, 198:23
 - Diet 161:71, 185:183
 - Dried-Up 190:31
 - Efficiency 157:115, 186:361, 200:191
 - Electrolytical 196:15
 - Element 198:23
 - Emission-Transmission-Method 158:409
 - Enrichment 196:15
 - Environmental-Pollution 169:65
 - Extraction 163:87, 194:191
 - Fallout 151:113, 156:175
 - Fluorine 161:71
 - Forest 170:243
 - Fundamental-Study 190:31
 - Gamma-Ray-Spectrometry 186:361, 193:133
 - Gamma-Spectrometry 200:191
 - Ge(Li)-Detector 157:115
 - Geometry 157:115
 - Hanford 194:191
 - Heating 198:23
 - Hectogram 167:161
 - Impurity 155:343
 - Inductively-Coupled-Plasma-Mass-Spectrometry 190:31
 - Instrumental-Neutron-Activation-Analysis 161:71, 167:161
 - Interlaboratory 198:323
 - Intermediate 158:409
 - Ion-Microprobe 178:55
 - Ionogenic-Compound 163:87
 - Iridium 151:107
 - Isotope 194:191
 - Japanese 156:175, 185:183
 - Lifetime 186:375
 - Linear-Relation 200:191
 - Liquid 167:209, 191:315
 - Liquid-Scintillation 196:15
 - Low-Level 163:225, 196:345
 - Marinelli 193:133
 - Mass 167:161
 - Matrix 186:361
 - Mercury 178:55

- Microgram 167:161
- Molecular-Weight 186:375
- Mushroom 170:243
- Neutron-Activated-Nuclide 151:113
- Neutron-Activation-Analysis 151:345, 155:343
- Niobium 155:343
- NORM 198:323
- Nuclide 198:323
- Oil-and-Gas-Production 198:323
- Optimization 196:345
- Osmium 178:55
- Parameter 186:375
- Particle-Induced-Gamma-Ray-Emission 161:71
- Particle-Induced-X-Ray-Emission 187:79
- PEEK 186:375
- Photopeak 167:209
- Physical-Property 157:115
- Plating 194:191
- Plutonium 156:175, 194:191
- Plutonium-238 170:243
- Plutonium-239/240 170:243
- Plutonium-241 163:225
- Poland 170:243
- Positron 186:375
- Potential 198:323
- Precambrian-Cambrian 151:107
- Precipitation 194:191
- Preconcentration 198:23
- Preparation 163:87, 178:55, 187:79
- Present 196:345
- Programme 198:323
- Quantitative-Analysis 194:191
- Radioactive 193:133
- Radiochemical-Neutron-Activation-Analysis 151:107, 169:65
- Rapid 194:191
- Rare-Earth-Element 151:345
- Realism 165:331
- Religion 165:331
- Repair 169:65
- Revised 196:15
- Separation 151:107, 151:113
- Soil 170:243
- Solid-Phase 163:87
- Spike 196:345
- St.-Stephen-Cathedral 169:65
- Standardization-Method 198:323
- State-of-the-Art 198:323
- Strontium-90 170:243, 191:315
- Suitable 178:55
- Tantalum 155:343
- Technetium 198:23
- Technetium-99 190:31
- Test 198:323
- Thickness 158:409
- Thiourea-Type 151:107
- Time-Dependence 169:65
- Tissue 156:175
- Total 185:183
- Trace 151:107
- Trace-Analysis 163:87
- Trace-Element 151:345
- Tritium 196:15
- Uranium 185:183
- Validation 198:323
- Variation 167:209
- Vienna 169:65
- Volume 167:209
- X-Ray 155:343
- X-Ray-Fluorescence-Analysis 158:409
- Sampling**
 - Aerosol 167:271
 - Atmospheric 167:271, 192:249
 - Children 155:325
 - Collected 192:249
 - Complex 197:79
 - Date 155:325
 - Device 167:271
 - Hair-Sample 155:325
 - IAEA 162:63
 - Instrumental-Neutron-Activation-Analysis 155:325, 162:63
 - Intercomparison 171:303
 - Marine-Sediment 162:63
 - Nuclear-Analytical-Technique 167:271
 - Passive 192:249
 - Pasture 171:303
 - Radiocesium 171:303
 - Representativeness 162:63
 - Size-Fractionating 167:271
 - Soil 171:303, 197:79
 - Sorption 192:249
 - Southern-Norway 167:271
 - Terrain 197:79
 - Trace-Element 155:325, 192:249
 - Upland 171:303
- Sampling-Method** 167:227
- SAMPO** 193:179
- SAMPO-90** 160:289
- San-Jose-State-University** 171:167
- Sand**
 - Beach 161:495, 199:51
 - Black 186:489
 - Cesium-134 161:495
 - Cogenetic 199:51
 - Coincident 161:495
 - Conventional 189:35
 - Environmental-Monitoring 161:495
 - Filter 189:35
 - Glass 155:55
 - Ground-Water 189:35
 - Hafnium 199:51
 - Identification 186:489
 - Instrumental-Neutron-Activation-Analysis 155:55
 - Isotope 186:489
 - Langkawi 186:489
 - Magnetite 190:357
 - Monazite 199:41, 199:51
 - Mössbauer-Spectroscopy 190:357
 - Natural 190:357
 - Neutron-Activation-Analysis 186:489, 199:51
 - Nigerian 177:243
 - Particle-Induced-Gamma-Ray-Emission 177:243
 - Particle-Induced-X-Ray-Emission 177:243
 - Radium 189:35
 - Rare-Earth-Element 199:51
 - Reference-Material 155:55
 - Removal 189:35
 - Scandium 199:51
 - Spectrometer 161:495
 - Station 189:35
 - Tar 177:243
 - Thorium 199:51
 - Treatment 189:35
 - UNS-SPS 155:55
 - Uranium 199:51
 - Uranium(VI) 199:41
 - X-Ray 190:357
 - Zircon 199:51
 - Zirconium 199:51
- Sao-Paulo**
 - Aerosol 167:295
 - Basin 179:259
 - Characterization 167:295
 - Contribution 167:295
 - Profile 179:259
 - Source 167:295
 - Trace-Element 179:259
 - Unsaturated 179:259
 - Zone 179:259
- SAPO-34** 178:273
- Sardinian** 168:273
- Saronikos**
 - Antimony 179:231
 - Greece 167:369, 179:231
 - Gulf 167:369, 179:231
 - Instrumental-Neutron-Activation-Analysis 167:369, 179:231
 - Pollution 167:369, 179:231
 - Sediment 167:369
 - Silver 179:231
- Saturated-Solution** 166:239
- Sava** 199:21
- Savannah-River** 194:345
- Saxonian** 169:81
- Sb** see **Antimony**
- Scale** 170:117
- Scale-Up** 189:257
- Scaling-Factor** 198:161
- Scalp** 162:283
- Scandium**
 - Agroindustry 168:41
 - Alcohol 168:41
 - Amount 182:421
 - Beach 199:51
 - Biological-Material 174:177
 - Bulk 182:421
 - Carrier-Free 182:421
 - Carrier-Mediated-Transport 159:219, 163:131, 170:51
 - Cerium 159:219, 163:131, 170:51
 - Cesium 174:177
 - Chromium 161:245
 - Cobalt 161:245
 - Cogenetic 199:51
 - DEHPA 170:51
 - Distribution 161:245
 - Environmental-Material 174:177
 - Europium 159:219, 163:131, 170:51
 - Gabbroic-Rock 161:245
 - Gadolinium 159:219, 163:131, 170:51
 - Hafnium 161:245, 199:51
 - High-Purity 189:183
 - Liquid-Membrane 159:219, 163:131, 170:51
 - Matrix 189:183
 - Monazite 199:51
 - n-Dodecane 159:219
 - Neutron-Activation-Analysis 174:177, 189:183, 199:51
 - Pre-irradiation 189:183
 - Profile 161:245
 - Radiochemical-Method 182:421
 - Rare-Earth-Element 159:219, 163:131, 170:51, 199:51
 - Rock-Sample 176:443
 - Rubidium 174:177
 - Sand 199:51
 - Separation 182:421, 189:183
 - Serpa-Portugal 161:245
 - Substoichiometric-Thermal-Neutron-Activation-Analysis 176:443
 - Sugar 168:41
 - Supported 159:219, 163:131, 170:51
 - Tantalum 161:245
 - Thorium 161:245, 199:51
 - Thulium 159:219, 163:131, 170:51
 - Titanium 182:421
 - Trace-Element 189:183
 - Tracer 168:41
 - Transport 159:219, 163:131, 170:51
 - Tri-n-Octylphosphine-Oxide 159:219
 - Tributyl-Phosphate 163:131
 - Uranium 199:51
 - Vanadium 182:421
 - Weathering 161:245
 - Ytterbium 159:219, 163:131, 170:51
 - Yttrium 159:219, 163:131, 170:51
 - Zircon 199:51
 - Zirconium 199:51
- Scandium(III)** 176:371
- Scandium-47** 157:335
- Scandium-Sulfate** 165:9
- Scanner**
 - Boron 188:15
 - Detection 157:15
 - Gamma-Ray 157:15
 - Glass 188:15
 - High-Resolution 157:15
 - Image 188:15
 - Nuclear-Track-Technique 188:15
 - Rectilinear 157:15
 - Utilizing 157:15
- Scattering**
 - Absorption 157:203, 167:127, 182:477, 185:419, 198:261
 - Activation-Analysis 167:127
 - Bibliography 157:203, 182:477, 185:419, 198:261
 - Neutron-Beam 167:127
 - Radiation 157:203, 182:477, 185:419, 198:261
- Scheme**
 - Ascertain 173:79
 - Assessment 172:231
 - Capacity 181:85
 - Concentration-Dependent 172:231
 - Distribution 172:231
 - Generalized 172:231
 - Mediterranean 173:79

- Organic-Matter 173:79
- Prediction 181:85
- Radioanalytical-Method 172:231
- Radionuclide 173:79
- Reaction 172:231
- Retention 173:79
- Role 173:79
- Separation 172:231
- Sequential-Extraction 173:79, 181:85
- Soil 173:79
- School** 191:45
- Science**
 - Activation-Analysis 160:109
 - Radiochemist 197:29
 - Short-Time 160:109
 - Technology 197:29
 - View 197:29
- Scientist** 179:7
- Scintigraphy** 191:25
- Scintillation** 173:293
- Scintillation-Counting**
 - Chromatography 194:51
 - Coolant 194:51
 - Dioctyl-Sulfoxide 187:339
 - Emission 194:51
 - Ion 194:51
 - Non-gamma 194:51
 - On-line 194:51
 - Radionuclide 194:51
 - Stabilizer 187:339
- Scintillation-Method** 165:263
- Scopolamine** 188:439
- Sea**
 - Albanian 186:303
 - Coast 186:303
 - Energy-Dispersive 186:303
 - Food-Sample 169:255
 - Neutron-Activation 169:255
 - Toxic-Element 169:255
 - Trace-Element 169:255
 - Trace-Metal 186:303
 - Water 186:303
 - X-Ray-Fluorescence-Analysis 186:303
- Sea-Bed** 201:241
- Sea-Water**
 - Behavior 197:343
 - Cation 187:197
 - Cesium-137 187:197, 187:207, 197:343
 - Coast 197:343
 - Concentration 197:343
 - Corrosion 165:107
 - Crassostrea-Gigas 197:343
 - Desorption 187:197, 187:207
 - Distribution 197:343
 - Exposure 165:107
 - Japanese 197:343
 - Lead-210 197:343
 - Major 187:197
 - Marine-Sediment 187:197, 187:207
 - Mode 187:207
 - Mössbauer-Spectroscopy 165:107
 - Oyster 197:343
 - Radionuclide 197:343
 - Relation 197:343
 - Silver-108m 197:343
 - SS-304 165:107
- Seafood** 169:247
- Sealant** 159:87
- Sealed** 166:279
- Sealed-Tube** 168:393
 - Field 166:279
 - Generator 166:279, 168:393
 - Industrial-Analysis 168:393
 - Long-Life 168:393
 - Neutron 166:279, 168:393
 - Possibility 168:393
- Search**
 - Cold-Fusion 193:165
 - Copper-Mill 181:425
 - Evidence 193:165
 - Explosion 193:165
 - Fatal 193:165
 - Fit 180:65
 - Involvement 193:165
 - Neutron-Activation-Analysis 181:425
 - Non-linear 180:65
 - Nuclear 193:165
 - PC 180:65
 - Peak 180:65
 - Porting 180:65
 - Program 180:65
 - Rare 181:425
 - Testing 180:65
 - Trace-Element 181:425
- Season**
 - Airborne-Particulate 167:283
 - Diet 161:27
 - Elemental-Characterization 167:283
 - Harmattan 167:283
 - Location 167:283
 - Nigerian 167:283
 - Taiwan 161:27
 - Trace-Element 161:27
- Seasonal-Variability** 161:135
- Seasonal-Variation** 186:23
- Seawater**
 - 1-(2-Thiazolylazo)-2-Naphthol 168:439
 - Arsenic 179:277
 - Coastal 197:245
 - Collected 197:245
 - Component 172:363
 - Coprecipitation 168:439
 - Environmental 155:177
 - Equilibration-Time 175:155
 - Fukuoka-Japan 197:245
 - Isotopic 175:155
 - Leaching-Experiment 181:11
 - Marine 179:277
 - Mass-Balance 181:11
 - N-Nitroso-Phenylhydroxylamine 168:439
 - Neutron-Activation-Analysis 168:439
 - Particulate 181:11
 - Plutonium 155:177, 172:363
 - Potential 155:177
 - Preconcentration 168:439
 - Preliminary-Study 172:363
 - Pyrrolidinedithiocarbamate 168:439
 - Redox 155:177
 - Sequential 181:11
 - Speciation 172:363, 179:277
 - Species 179:277
 - Technetium-99 197:245
 - Thorium-234 175:155
 - Trace-Element 168:439
 - Uranium 181:11
- Seaweed**
 - Activation-Analysis 188:299
 - Ashing 155:335
 - Dry 155:335
 - Loss 155:335
 - Myanmar 188:299
 - Technetium-99 155:335
- Secondary** 156:313
- Secondary-Effect** 155:445
- Secondary-Radiation** 170:443
- Section**
 - Age 200:205
 - Amount 201:477
 - Bone 165:41
 - Bone-Male 200:205
 - Category 200:205
 - Compact-Bone 201:477
 - Comparison 201:477
 - Human 200:205
 - Individual 200:205
 - Instrumental-Neutron-Activation-Analysis 200:205, 201:477
 - Neutron-Activation-Analysis 165:41
 - Red-Marrow 201:477
 - Sodium 201:477
 - Sodium/Calcium-Ratio 165:41, 200:205
 - Tissue 165:41
 - Undecalcified 165:41, 200:205
 - Yellow-Marrow 201:477
- Sectioned** 179:365
- Secular** 157:367
- Sediment**
 - Americium-241 156:201
 - Anomaly 197:369
 - Antarctic 168:107
 - Artificial 182:225
 - Artificial-Radioactivity 201:31
 - Aswan-High-Dam 186:143
 - Availability 161:239
 - Behavior 156:201, 182:225
 - Bismuth-210 176:353
 - Bottom 161:239, 176:353
 - Calcium-Strontium-Separation 194:311
 - Cesium-134 177:139
 - Cesium-137 181:447, 186:143
 - Chromatography 200:385
 - Coast 182:225
 - Coastal 156:119, 156:201
 - Cobalt-60 177:139
 - Coefficient 177:139
 - Crown-Ether 194:311
 - Distribution 156:201, 168:107, 177:139, 182:225, 186:143
 - Dust 170:171
 - Eastern-Black-Sea-Turkey 201:31, 201:241
 - Element 151:159
 - Elemental-Analysis 174:145
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 170:171, 201:241
 - Environment 156:119
 - Estuarine 156:201
 - Estuary 197:369
 - Extraction 200:385
 - Fallout 181:447
 - Geochemical-Association 156:119
 - Gravitation 170:171
 - Greece 167:369
 - Gulf 167:369
 - Inorganic 170:171
 - Instrumental-Neutron-Activation-Analysis 167:369, 169:177, 174:145
 - Intertidal 197:369
 - Irish-Sea 156:201, 197:369, 198:113
 - Isotopic-Composition 198:113
 - k_p -Standardization 169:177
 - Lake 151:159, 161:239, 186:143
 - Lead-210 181:447, 200:385
 - Level 201:31
 - Marine 174:145
 - Mass-Spectrometry 198:113
 - Material 169:177, 174:145
 - Mediterranean-Sea 181:447
 - MESS 174:145
 - Mössbauer-Spectroscopy 200:483
 - Natural 181:447
 - Natural-Radioactivity 201:31
 - Neptunium-237 156:201, 197:369
 - Neutron-Activation-Analysis 151:159, 168:107
 - North-Wales 182:225
 - Nuclear-Technique 161:239
 - PACS 174:145
 - Phosphorus 161:239
 - Pinheiros 177:139
 - Plutonium 156:119, 198:113
 - Plutonium-239/240 156:201
 - Pollutant 170:171
 - Pollution 167:369
 - Quantitative-Analysis 201:241
 - Radiochronology 181:447
 - Radionuclide 182:225
 - Radium-228 186:143
 - Reference 169:177, 174:145
 - Ribble 197:369
 - River 177:139
 - Samana-Bay-Dominican-Republic 200:483
 - Saronikos 167:369
 - Sea-Bed 201:241
 - Soil 194:311
 - Spectrometry 201:241
 - Strontium-89/Strontium-90-Determination 194:311
 - Technetium-99 156:201
 - Thorium-234 177:139
 - Trace-Element 168:107
 - Trombay 156:119
 - United-Kingdom 182:225
 - Water 177:139
 - X-Ray-Fluorescence-Analysis 200:483
 - Ypacarai-Lake 161:233
- Sediment/Sea-Water-System** 152:31
- Sedimental** 196:25
- Seed** 194:359
- Seepage** 183:139
- Selected**
 - 2-MeV 195:133
 - Biological-Organ 195:133
 - Cesium-137 199:465
 - Concentration 199:465
 - Crown-Ether 185:411
 - Elemental-Homogeneity 195:133

- Environmental-Pollution 186:175
- Extraction 185:411
- Gamma-Radiation 186:175
- Gas 186:175
- Heavy-Metal 166:401
- Honey-Sample 199:465
- Interaction 186:175
- Langmuir-Blodgett-Film 186:175
- Major-Element-Analysis 183:235
- Metal 192:275
- Nigeria 166:401
- Nitric-Acid-Solution 185:411
- Poly(3-Hexadecylthiophene) 186:175
- Potassium-40 199:465
- Preliminary-Screening 192:275
- Property 186:175
- Proton-Induced-X-Ray-Emission 195:133
- Region 166:401
- Rock 183:235
- Semi-arid 166:401
- Site 192:275
- Soil 166:401
- Strontium 185:411
- Unzen-Area-Japan 183:235
- Volcanic-Ash-Sample 183:235
- Waste 192:275
- X-Ray-Fluorescence-Analysis 183:235
- Selection** 193:329
- Selective**
 - 18-Crown-6 189:229
 - 2-Benzylpyridine 159:13
 - 77-K 173:67
 - Actinide 197:133
 - Activated-Charcoal 157:321, 172:257
 - Adsorption 157:321, 172:257
 - Alkyl-Radical 173:67
 - Aqueous-Electrolyte-Solution 172:257
 - Aqueous-Sample 179:211
 - Aqueous-Solution 157:321, 159:13
 - Arsenic(III) 179:211
 - Arsenic(V) 179:211
 - Automatable 179:211
 - Benzene 159:13
 - Cation-Exchanger 173:387
 - Cerium 172:257
 - Cerium(IV) 166:153
 - Cesium 173:387
 - Characterization 193:107
 - cis-Decalin-D₈/Bromoalkane-System 173:67
 - cis-Decalin-D₈/Chloroalkane-System 173:67
 - Co-precipitation 197:133
 - Combination 179:211
 - Combined 172:305
 - Cryotrapping 179:211
 - Dicyclohexano-18-Crown-6 175:55
 - Dimethylarsinic-Acid 179:211
 - Electrolyte 157:321
 - Electron-Spin-Resonance-Spectrum 173:67
 - Extractant 175:55, 187:19
 - Extraction 159:13, 166:153, 189:229
 - Formation 173:67
 - Gamma-Irradiation 173:67
 - General-Method 173:67
 - Generation 179:211
 - High-Energy 193:107
 - High-Level 187:19
 - Hydride 179:211
 - Iodide-Ion 159:13
 - Lanthanide 189:229
 - Lanthanoid 172:305
 - Light 189:229
 - Loaded 166:153
 - Low-Level 197:133
 - Macro-Alga 172:305
 - Marine 172:305
 - Mercury(II) 159:13
 - Mineral-Acid 159:13
 - Monomethylarsonic-Acid 179:211
 - Nanogram-Level 172:305
 - Neodymium-Fluoride 197:133
 - Neutron-Activation-Analysis 172:305
 - Nuclear-Fuel 175:55
 - Oxidation 197:133
 - Palladium 162:155, 187:19
 - Perfluorooctanoate, 189:229
 - Polyurethane-Foam 166:153
 - Powder 173:67
 - Precipitation 172:305
 - Preconcentration 179:211
 - Procedure 179:211
 - Radioactive-Waste 187:19
 - Radiolytic-Product 175:55
 - Rapid 162:155
 - Real-Time 193:107
 - Recovery 187:19
 - Reduction 197:133
 - Reprocessing 175:55
 - Sensor 193:107
 - Separation 162:155, 172:305, 197:133
 - Speciation 179:211
 - Specific 173:67
 - Stannic-Silicomolybdate 173:387
 - Strontium-90 193:107
 - Thenoyltrifluoroacetone 166:153
 - Thorium 157:321
 - Tri-n-Butyl-Phosphate 166:153
 - Uranium-238 193:107
- Selectivity**
 - Alkali 164:39
 - Alkaline-Earth-Metal-Ion 164:39
 - Carrying 163:169
 - Catalytic-Activity 177:211, 178:3
 - Cobalt 164:39
 - Conversion 177:211, 178:3
 - Cytolytic-Protein 163:169
 - Gamma-Alumina 177:211, 178:3
 - Gamma-Irradiation 177:211, 178:3
 - Glassy-Type 154:23
 - Hexacyanoferrate(II) 164:39
 - Incorporated 163:169
 - Ion-Transport 163:169
 - Isopropanol 178:3
 - Lipid-Membrane 163:169
 - Methanol 177:211
 - Model 163:169
 - Potassium 164:39
 - Rare-Earth-Metal-Ion 154:23
 - Toxin 163:169
 - Zirconium-Titanium-Phosphate 154:23
- Selenium**
 - Accumulation 177:393
 - Activation-Analysis 195:91
 - Aerosol 192:215
 - Amount 201:13
 - Animal-Tissue-Sample 163:355
 - Antimony 168:185, 170:225, 181:385, 192:215
 - Area 192:215
 - Arsenic 168:185, 170:225, 170:299, 181:385, 192:215
 - Ascite 195:155
 - Atmosphere 201:347
 - Australian 161:21
 - Bearing 192:215
 - Biochemical-Technique 151:287
 - Biological-Material 190:23
 - Biological-Reference-Material 168:185
 - Biological-Sample 175:351, 201:13
 - Blood 158:293
 - Body 161:11
 - Bound 179:315
 - Boundary 168:125
 - Brazilian 181:385
 - Breast-Fed-Infant 161:21
 - Cadmium 168:185, 181:385
 - Cancer-Research 195:91
 - Cell 177:393
 - Cerium 201:347
 - Change 158:293
 - Chemical-Separation 201:13
 - Chromium 170:299, 181:385, 201:347
 - Clay 168:125
 - Cobalt 158:455
 - Component 158:293
 - Concentration 161:11, 181:385
 - Content 158:293, 158:455
 - Contribution 170:225
 - Copper 168:185, 181:385, 195:155, 201:13
 - Corn-Sample 151:287
 - Cyclic-Neutron-Activation-Analysis 151:167
 - Diet 181:385
 - Distribution 151:287, 195:155
 - Element 151:287
 - Endogenous 161:11
 - Erythrocyte 164:183
 - Estimation 175:351
 - Evaluation 151:167
 - Fish 170:299
 - Following 158:293
 - Geochemical-Contamination 170:225
 - Growth 192:215
 - Homogeneity 151:167
 - Human 158:293, 161:11
 - Industrial-Area 201:347
 - Instrumental-Neutron-Activation-Analysis 177:393, 179:315, 192:215
 - Intake 161:21
 - Iridium 168:125
 - Iron 158:455
 - Kinetic 195:155
 - Low-Dose 158:293
 - Major 201:347
 - Marine 170:299
 - Mercury 158:455, 168:185, 170:299, 181:385
 - Molybdenum 168:185, 170:225
 - Mouse 195:155
 - Neutron-Activation 170:299
 - Neutron-Activation-Analysis 151:287, 158:293, 161:11, 164:183, 170:225, 190:23, 201:13, 201:347
 - Particle 192:215
 - Period 195:155
 - Pool 161:11
 - Potassium-Benzyl-Xanthate 175:351
 - Prior 201:13
 - Punjab-Pakistan 201:347
 - Radiochemical-Neutron-Activation-Analysis 168:185, 181:385
 - Radioisotope-Induced-X-Ray-Fluorescence-Analysis 163:355
 - Rapid-Determination 164:183
 - Rat 161:11
 - Reference-Material 151:167
 - Regional 181:385
 - Saccharomyces-Cerevisiae 177:393
 - Sera 179:315
 - Short-Term 158:293
 - Simultaneous-Determination 168:125
 - Size-Spectrum 192:215
 - Solvent-Extraction 171:401
 - Sprague-Dawley 161:11
 - Supplementation 158:293
 - Tetravalent 171:401
 - Total 161:11, 179:315
 - Trace 201:13
 - Trimethylselenonium-Ion 161:11
 - Tropical 170:299
 - Tumor-Bearing 195:155
 - Uranium 177:393
 - Urban 201:347
 - Urine 161:11, 179:323
 - Utilizing 175:351
 - Volcanic-Sublimate 168:125
 - Washington-DC 192:215
 - Yeast-Cell 158:455
 - Ytterbium 201:347
 - Zinc 158:455, 170:299, 192:215, 195:155
- Selenium(IV)**
 - Chemical 187:441
 - Cobalt(II) 178:153
 - Extraction 178:153
 - Fluorinated 178:153
 - HPMTFP 178:153
 - Manganese(II) 178:153
 - Mercury(II) 178:153
 - Natural 187:441
 - Neutron-Activation-Analysis 187:441
 - Pre-collection 187:441
 - Pyrazolone 178:153
 - Selenium(VI) 187:441
 - Synergic-Effect 178:153
 - TPPO 178:153

- Triphenylphosphine-Oxide 178:153
- Water-Sample 187:441
- Selenium(VI)** 187:441
- Selenium-74** 189:51
- Selenium-76** 195:97
- Selenium-77m** 168:15
- Selenium-79** 196:165
- Selenium-81m** 182:317
- Selenium-Compound** 153:101
- Self-Absorption**
 - Calculation 155:75
 - Calculational-Method 183:409
 - Correction 155:75
 - Dryak-Method 155:75
 - Experimental-Method 183:409
 - Gamma-Photon 183:409
 - Stainless-Steel-Sample 183:409
- Self-Diffusion**
 - Aqueous-Solution 156:291
 - Capacity 157:245
 - Ceric-Oxide 157:245
 - Chloride-Ion 157:245
 - Coefficient 156:291
 - Component 157:245
 - Curium 156:291
 - Function 157:245
 - Gadolinium 156:291
 - Hydrous 157:245
 - Particle 157:245
 - Structure 156:291
 - Trace 157:245
 - Transplutonium 156:291
 - Trivalent-Ion 156:291
- Semi-arid** 166:401
- Semiautomated-Approach** 177:127
- Semiconductor-Grade** 151:373
- Semiconductor-Material** 168:357
- Semiempirical-Model** 176:415
- Semivolatile** 158:367
- Semivolatile-Component** 198:89
- Senile** 195:7
- Sensitive**
 - 2-Hydroxy-1-Naphthaldehyde 175:1
 - 5-(2'-Carboxyphenyl)Azo-8-Quinolol 196:363
 - Amount 175:1
 - Concrete 193:119, 193:127
 - Eluate 152:81
 - Environmental-Sample 193:113, 193:127
 - Enzymatic-Activity 171:457
 - Estimation 171:457
 - Extractive 196:363
 - Fast 193:119
 - Geological-Sample 196:363
 - Iron-55 193:119
 - Isonicotinoyl-Hydrazone 175:1, 175:185
 - LSC 193:113, 193:119, 193:127
 - Molybdenum-99-Technetium-99m-Generator 152:81
 - Nickel-63 193:127
 - O-Hydroxypropionophenone 175:185
 - Pertechnetate 152:81
 - Procedure 193:113, 193:119, 193:127
 - Radiorespirometry 171:457
 - Rapid 152:81, 171:457
 - Reagent 196:363
 - Reversed-Phase-High-Performance-Liquid-Chromatography 152:81
 - Simple 171:457
 - Soil 171:457
 - Spectrophotometry 175:1, 175:185, 196:363
 - Steel 193:119, 193:127
 - Technetium-99 193:113
 - Trace 175:1
 - Trace-Amount 175:185
 - Uranium 196:363
 - Uranium(VI) 175:1, 175:185
- Sensitivity**
 - Alpha-Activation-Analysis 153:313
 - Alpha-Radionuclide 173:87
 - Biological-Tissue 195:117
 - Comparison 153:313
 - Control 161:429
 - Detection 173:87
 - Dosimetry 186:35
 - Emission 161:429
 - Enhancement 186:35
 - EPR 186:35
 - Fast-Neutron-Activation-Analysis 153:313
 - High-Resolution-Delayed-X-Ray-Spectrometry 153:313
 - Human-Tooth 186:35
 - Immission 161:429
 - Improvement 195:117
 - Increasing 161:429
 - Installation 161:429
 - Lifetime 173:87
 - Liquid-Scintillation-Counting 161:429
 - Mercury 195:117
 - Millisecond 173:87
 - Neutron-Activation-Analysis 195:117
 - Nuclear 161:429
 - Order 173:87
 - Plutonium-241 161:429
 - Proton-Activation-Analysis 153:313
 - Thermal-Neutron-Activation-Analysis 153:313
 - Time-Interval-Analysis 173:87
- Sensor** 193:107
- Separation**
 - 14-MeV 172:357
 - 2-Hydroxyethylethylene-diaminetriacetic-Acid 162:35
 - 4-tert-Butylbenzo-15-Crown-5 187:25
 - Acidic 183:371
 - Acidic-Medium 162:289
 - Acidic-Solution 183:127
 - Actinide 151:113, 159:259, 163:47, 170:359, 197:133
 - Active 186:1
 - Additive 153:399
 - Adogen-464 162:125
 - Adsorption 172:329
 - Alcoholic-Solution 182:401
 - Aliquat-336 162:289
 - Alkaline-Solution 159:259
 - Alkylpyridinium 163:47
 - Alpha-Spectrometry 189:115
 - Alumina 177:321
 - Americium 161:533
 - Amine 162:35, 162:47
 - Amount 182:421
 - Anion-Exchange 189:141
 - Anion-Exchange-Resin 152:117, 191:67, 201:509
 - Anion-Exchanger 182:401
 - Antimonic-Acid 201:89
 - Antimony(III,V) 196:3
 - Aqueous-Solution 172:329, 186:1
 - Assessment 172:231
 - Barium 186:1
 - Barium²⁺ 187:285
 - Behavior 170:359
 - Beta-Spectroscopy 173:293
 - Biological 194:297
 - Biological-Material 157:265, 160:85, 169:239
 - Boundary 151:107
 - Bulk 182:421
 - Cadmium-115-Indium-115m-Generator 201:89
 - Cadmium²⁺ 201:89
 - Calcium 174:153, 182:401, 183:127
 - Calcium-Carbonate 194:297
 - Calcium-Strontium 161:413
 - Calixarene 198:349
 - Carnotite 165:159
 - Carrier-Free 157:335, 182:421, 185:305, 199:115
 - Cerium 162:47, 166:203
 - Cerium(III) 164:91
 - Cesium 152:487, 153:399, 185:57, 201:509
 - Cesium-137 183:371
 - Chelating-Resin 151:107, 159:239
 - Chemical-Process 160:505
 - Chromatography 157:265, 162:125, 199:115
 - Co-precipitation 197:133
 - Cobalt 187:285
 - Cobalt(II) 172:329
 - Colloid 172:329
 - Combined 172:305
 - Commercial 186:1
 - Comparison 169:239
 - Complex 183:371
 - Complexing-Agent 162:35, 162:47, 172:87
 - Composite 201:509
 - Concentration-Dependent 172:231
 - Copper 185:57
 - Crown-Ether 159:239, 183:127, 189:127
 - Cryptomelane-Type 172:145
 - Crystalline 201:89
 - Cupric-Ferrocyanide 201:509
 - Cycle 185:57, 201:509
 - Detection 160:85, 169:239
 - Detector 173:293
 - Dialkylidithiophosphoric-Acid 164:91
 - Dibenzo-24-Crown-8 152:487, 170:215
 - Dicarbolide 174:153
 - Dicarbolide-Polyethylene 187:285
 - Dilute 172:329
 - Distribution 172:231
 - Dowex 152:117
 - Drinking 164:373
 - Dysprosium(III)-Oxide 199:115
 - EDTA 174:153
 - Effluent 200:509
 - Electrodeposition 162:131
 - Electrolyte 160:85
 - Electrophoresis 199:115
 - Elemental-Characterization 168:471
 - Environmental-Material 157:265
 - Environmental-Sample 161:413, 197:219
 - Ethylenediaminetetraacetic-Acid 162:47
 - Evaluation 164:373
 - Evaluation-Method 181:395
 - Expectation 163:123
 - Extraction 158:163, 159:259, 162:35, 162:47, 162:125, 162:289, 172:357, 187:285, 200:509
 - Extractive 187:25
 - Fallout 151:113
 - Fast 196:287
 - Ferrocyanide 153:399
 - Fission-Product 172:87, 177:321, 183:371
 - Flotation 172:329
 - Fluoride-Ion 172:357
 - Fluorine 172:357
 - Followed 196:3
 - Gadolinium-153 160:505
 - Gallium 157:265
 - General 181:395
 - Generalized 172:231
 - Glycol 174:153
 - Glycol-Nitrobenzene-Carbon-Tetrachloride-Cyclohexanedi-amine 187:285
 - Gold 160:85
 - Hafnium 162:289
 - Hanford 161:533
 - HDEHP 196:287
 - Hexacyanoferrate 185:57
 - High-Ionic-Strength 159:285
 - High-Performance-Liquid-Chromatography 197:219
 - High-Purity 168:471, 189:183
 - High-Yield 159:267
 - Highly-Radioactive-Waste 161:533
 - Holmium-166 199:115
 - Hydrous 172:145
 - Hydroxamic-Acid 198:349
 - Impregnated 201:509
 - Indium³⁺ 201:89
 - Inductively-Coupled-Plasma-Mass-Spectrometry 191:67
 - Industrial 200:509
 - Initial 191:67
 - Inorganic-Exchanger 161:413, 183:371
 - Insoluble 153:399, 185:57
 - International-Conference 163:9
 - Iodine 164:373
 - Iodine-129 158:75
 - Ion 163:123
 - Ion-Exchange 154:435, 157:265, 161:533, 177:321
 - Ion-Exchanger 185:57, 201:509

- Ionic 187:99
- Ionic-Solute 163:9
- Iridium 151:107, 196:287
- Irradiated 170:359, 172:107
- Isotope 187:25
- Isotope-Exchange 158:163, 164:373
- Lanthanoid 172:305
- Lanthanum 162:35, 187:99
- Lanthanum(III) 164:91
- Lead 186:1
- Limit 160:85
- Liquid 159:239, 187:99
- Liquid-Membrane 163:123
- Lithium 187:25
- Loaded 196:3
- Low-Level 197:133
- Low-Level-Medium 199:493
- Lutetium-177 185:305
- Macro-Alga 172:305
- Macroporous 201:509
- Major 181:395
- Manganese-Dioxide 172:145, 186:1
- Marine 172:305
- Material 168:471
- Matrix 159:267, 189:115, 189:183, 194:297
- Mercury 200:509
- Metabolite 181:395
- Metallic-Impurity 152:117
- Milk 159:239
- Minor 181:395
- Mixed-Solvent 189:141
- Mixture 162:289
- Modality 169:239
- Molecular 187:99
- Molybdenum 191:67
- Molybdenum-99 172:87
- Nanogram-Level 172:305
- Natural 185:305
- Natural-Sample 189:141
- Natural-Water 196:3
- Neodymium-Fluoride 197:133
- Neptunium 161:533, 170:359, 172:107
- Neutron 172:357
- Neutron-Activated-Nuclide 151:113
- Neutron-Activation-Analysis 157:265, 164:373, 168:471, 172:305, 172:357, 181:395, 189:127, 189:183, 196:3
- Neutron-Irradiation 185:305
- Nickel-63 199:493
- Niobium 162:289
- Nitric-Acid 182:401
- Nitric-Acid-Medium 153:399
- Novel-Approach 161:413
- Nuclear-Power-Reactor 199:493
- Nuclear-Reprocessing 159:285
- Operation 199:493
- Organic 187:99
- Origin 194:297
- Oxidation 197:133
- Oxidation-State 159:259
- Palladium 162:155
- Parent-Daughter 162:125
- Partition 199:115
- Phase 162:125
- Picrate-Solution 152:487
- Platinum 160:85
- Plutonium 161:533, 166:203
- Polonium 159:267
- Polyethylene 174:153
- Pre-irradiation 157:265, 168:471, 189:183
- Precambrian-Cambrian 151:107
- Precipitate 172:329
- Precipitated 186:1
- Precipitation 172:305, 183:127
- Preconcentration 196:3
- Preface 163:9
- Prior 191:67
- Procedure 157:265
- Proceedings 163:9
- Promethium-147 197:219
- Protactinium 159:267, 165:159
- Radioactive 189:141
- Radioactive-Waste 199:493
- Radioanalytical-Method 172:231
- Radiochemical-Method 182:421
- Radiochemical-Neutron-Activation-Analysis 151:107, 160:85
- Radioiodine 159:285
- Radionuclide 177:321
- Radiostromium 194:297
- Radium 189:115
- Radium-226 162:131
- Rapid 162:155, 174:153
- Rapid-Method 159:239, 197:219
- Rare-Earth-Element 154:435, 162:35, 162:47
- Reaction 172:231
- Redox-Type 185:57, 201:509
- Reduction 197:133
- Resin 196:3
- Reverse 162:125
- Rhodium 196:287
- Rock 189:115
- Rock-Sample 189:127
- Rubidium 189:127
- Ruthenium 196:287
- Salt 163:47
- Samarium 162:35
- Samarium-151 197:219
- Sample 151:107, 151:113
- Scandium 182:421, 189:183
- Scandium-47 157:335
- Scheme 172:231
- Scintillation 173:293
- Selective 162:155, 172:305, 197:133
- Sephadex-Gel 166:203
- Sequential 158:75, 161:533
- Significance 191:67
- Smolenice-Czechoslovakia 163:9
- Soil 188:27
- Solvent-Extraction 152:487, 154:435, 164:91, 170:215, 174:153, 189:127, 196:287
- Sorbent 153:399
- Sorption-Desorption-Regeneration 185:57, 201:509
- Strongly-Basic-Type 201:509
- Strontium 159:239, 174:153, 182:401, 183:127, 186:1, 189:141
- Strontium-89 173:293
- Strontium-90 161:413, 173:293
- Strontium²⁺ 187:285
- Target 157:335, 170:359, 172:107, 185:305, 199:115
- Technetium 191:67
- Technetium-99 158:75
- Tellurium-132 172:87
- Tetrahydro-Trimethyl-7-Substituted-Pyrimido-Benzimidazole-Thiol 200:509
- Thiocyanate 162:289
- Thionamide 196:3
- Thiourea 172:87
- Thiourea-Type 151:107
- Thorium 159:267, 172:145, 189:115
- Thorium(IV) 164:91
- Tin 169:239
- Titanium 157:335, 182:421
- Trace 151:107, 199:493
- Trace-Element 189:183
- Treatment 159:239
- Tri-n-Octylphosphine-Oxide 162:289
- Trimethylselenonium-Ion 181:395
- Triphenyltin-Chloride 172:357
- Tungstosilicic-Acid 183:127
- Ultratrace 168:471
- Uncommon 159:259
- Uranium 152:117, 154:435, 166:203, 172:107, 172:145, 187:99, 188:27
- Uranium(IV) 158:163
- Uranium(VI) 158:163, 170:215, 198:349
- Vanadium 182:421
- Waste 183:371
- Waste-Sample 158:75
- Water 164:373
- Well 164:373
- Ytterbium 185:305
- Yttrium-90 173:293
- Zirconium 162:289
- Separation-Factor** 199:499
- Separation-Method**
 - Actinide 194:151
 - Chemical 183:5
 - Environmental-Matrix 183:5
 - Metal 183:5
 - Radionuclide 183:5
 - Soil-Sample 194:151
 - Speciation 183:5
- Separator** 174:133
- Sephadex** 195:251
- Sephadex-Gel** 166:203
- Sequential**
 - Americium 161:533
 - Cesium-137 197:281
 - Estimation 197:281
 - Hanford 161:533
 - Highly-Radioactive-Waste 161:533
 - Iodine-129 158:75
 - Ion-Exchange 161:533
 - Isotopic-Analysis 157:65
 - Leaching-Experiment 181:11
 - Mass-Balance 181:11
 - Neptunium 161:533
 - Particulate 181:11
 - Plutonium 161:533
- Radiochemical-Procedure 157:65
- Ruthenium-106 197:281
- Seawater 181:11
- Separation 158:75, 161:533
- Soil 157:65
- Strontium-90 197:281
- Technetium-99 158:75
- Thorium 157:65
- Uranium 157:65, 181:11
- Urine 197:281
- Waste-Sample 158:75
- Sequential-Determination**
 - Plutonium 154:277
 - Thorium 154:277, 174:127
 - Titrimetry 154:277, 174:127
 - Uranium 174:127
- Sequential-Extraction**
 - Ascertain 173:79
 - Ash 192:265
 - Association 198:229
 - Capacity 181:85
 - Coal 192:265
 - Component 198:229
 - Elemental-Characterization 192:265
 - Fission-Product 198:229
 - Foliar 173:377
 - Iodine-127 198:229
 - Iodine-129 198:229
 - Isotope 198:229
 - Leachate 192:265
 - Mediterranean 173:79
 - Natural 198:229
 - Organic-Matter 173:79
 - Prediction 181:85
 - Procedure 198:229
 - Radionuclide 173:79, 173:377
 - Retention 173:79
 - Role 173:79
 - Scheme 173:79, 181:85
 - Soil 173:79, 198:229
 - Tool 173:377
 - Uptake 173:377
- Sequential-Method** 182:165
- Sera** 179:315
- Series** 182:21
- Serum**
 - Direct 196:331
 - Elaboration 159:111
 - Ferritin 159:111
 - Progesterone 196:331
 - Radioimmunoanalytical-Method 159:111
 - Radioimmunoassay 196:331
- Serum-Albumin** 171:443
- Service** 160:55
- Settling** 163:313
- Sex** 195:51
- SFU/TRIUMF-Radiochemistry-Institute** 171:219
- Shallow** 152:237
- Shape** 168:481
- Shatter** 168:513
- Shell** 194:71
- Shell-Core** 166:321
- Shellfish** 188:313
- Shielding** 180:83
- Shift**
 - Accompanying 196:161
 - Broadening 172:29
 - Chromium-51-Labeled-Compound 196:161
 - Correction 172:29

- Decay 196:161
- EC 196:161
- Energy 196:161
- Evaluation 172:29
- Importance 172:29
- Line 172:29
- Neutron-Activation-Analysis 172:29
- Peak 172:29
- Spectrum 172:29
- Vanadium 196:161
- X-Ray 196:161
- Shock-Wave** 153:409
- Short** 199:57
- Short-Lived-Isotope**
 - Aqueous-Solution 186:353
 - Chemical-Isolation 186:353
 - Coupled 168:133
 - Element 186:353
 - Geological-Material 168:133
 - k_0 -Standardization 168:133
 - Model-Experiment 186:353
 - Neutron-Activation-Analysis 168:133
 - Spectrometry 168:133
 - Tungsten 186:353
- Short-Lived-Nuclide**
 - Accuracy 169:435
 - Activation-Analysis 151:95, 192:55
 - Analytical-Efficiency 151:95
 - Automated 167:39
 - Automatic-Analyzer 160:407
 - Compensation 198:253
 - Counting 198:253
 - Decay 198:253
 - Geometry 198:253
 - Improved 192:55
 - Instrumental-Neutron-Activation-Analysis 169:435
 - k_0 -Factor 155:169, 169:159
 - Mössbauer-Effect 169:435
 - Neutron-Activation-Analysis 160:407, 198:253
 - Neutron-Activation-System 167:39
 - Precision 169:435
 - Q_0 -Factor 169:159
 - Radioactive 198:253
 - Thermal-Neutron-Activation 155:169
 - Variation 198:253
- Short-Lived-Product** 164:221
- Short-Lived-Radionuclide**
 - Activation-Analysis 167:55
 - Beta-Spectroscopy 192:45
 - Correction-Method 193:239
 - Counting-Loss 193:239
 - Fast-Neutron 167:55
 - Neutron-Activation 192:45
 - Neutron-Activation-Analysis 193:239
 - Software 193:239
- Short-Range** 190:327
- Short-Range-Order** 176:429
- Short-Term**
 - Accretion 151:191
 - Activation 167:391
 - Blood 158:293
 - Change 158:293
 - Component 158:293
 - Content 158:293
 - Ecological-Study 167:391
 - Erosion 151:191
 - Following 158:293
 - Human 158:293
 - Instrumental-Neutron-Activation-Analysis 151:191
 - Low-Dose 158:293
 - Marker 151:191
 - Neutron-Activation-Analysis 158:293
 - Neutron-Produced 167:391
 - Radiotracer 167:391
 - Rare-Earth-Element 151:191
 - Selenium 158:293
 - Soil-Horizon 151:191
 - Stable 167:391
 - Supplementation 158:293
 - Tracer 167:391
 - Wetland 151:191
- Short-Time**
 - Activation-Analysis 160:109, 169:57, 179:13
 - Converter 179:13
 - Fluorine-20 169:57
 - Lithium-6-D 179:13
 - Material 169:57
 - Science 160:109
 - Standard 169:57
- Sickle-Cell** 168:233
- Significance**
 - Activation-Analysis 155:427
 - Anion-Exchange-Resin 191:67
 - Assessing 167:413
 - Body 167:413
 - Burden 167:413
 - Co-ordinated-Research-Program 167:413
 - Environmental-Pollutant 167:413
 - Excreta 155:427
 - Glass 155:427
 - Hair 167:413
 - IAEA 167:413
 - Inductively-Coupled-Plasma-Mass-Spectrometry 191:67
 - Initial 191:67
 - Internal 167:413
 - Mineral-Analysis 167:413
 - Molybdenum 191:67
 - Prior 191:67
 - Quartz 155:427
 - Separation 191:67
 - Technetium 191:67
 - Thorium 155:427
- Silica-Containing** 200:159
- Silica-Gel**
 - Adsorption 158:79
 - Cobalt 170:381
 - Condition 170:381
 - Diffusion-Coefficient 170:381
 - Direct 170:381
 - Dynamic 158:79
 - Layer 170:381
 - Strontium 170:381
 - Uranium(VI) 158:79
 - Zirconium(IV) 158:79
- Silica-Titania-Mixed-Hydroxide** 190:155
- Silicon**
 - Activation-Analysis 173:409
 - Airborne-Particulate 167:219
 - Aluminum 159:71
 - Analytical-Sensitivity 167:219
 - Antimony 167:219
 - Aqueous-Solution 154:185
 - Arsenic 167:219
 - Barium 174:35
 - Baryte 174:35
 - Boron-Doped 173:409
 - Cadmium 167:219
 - Calcium-45 154:185
 - Carbon 173:409
 - Concentration 154:185
 - Content 174:35
 - Deceleration 183:273
 - Detector 154:185
 - Deuteron 173:409
 - Epithermal-Interaction 153:85
 - Epithermal-Neutron-Activation-Analysis 167:219
 - Equipment 174:35
 - Fluorine 174:35
 - Fluorspar 174:35
 - Improvement 167:219
 - Impurity 151:373
 - Indium 167:219
 - Instrumental-Neutron-Activation-Analysis 151:373, 153:85
 - Iodine 167:219
 - Matter 167:219
 - Molybdenum 167:219
 - On-line 174:35
 - Ore 174:35
 - Particle-Induced-Gamma-Ray-Emission 183:273
 - Particle-Induced-X-Ray-Emission 159:71
 - Photodiode 154:185
 - Plant-Material 153:85
 - Relative 183:273
 - Semiconductor-Grade 151:373
 - Single-Crystal 168:367, 173:409
 - Trace-Element 168:367
 - Ultra-Trace 173:409
 - Uranium 167:219
 - Value 183:273
 - Zeolite 159:71
- Silicon-Dioxide** 168:163
- Silicon-Wafer** 198:125
- Silver**
 - Antimony 179:231
 - Atom 190:425
 - Coin 201:447
 - Defect 190:425
 - Galena 176:45
 - Geological-Sample 187:67
 - Gold 187:67
 - Greece 179:231
 - Gulf 179:231
 - Instrumental-Neutron-Activation-Analysis 179:231
 - Iodine 190:425
 - Isotope 198:41
 - Ligand 190:425
 - Microamount 183:93
 - Mössbauer-Spectroscopy 190:425
 - Palladium 187:67
 - Platinum 183:93, 187:67
 - Pollution 179:231
 - Potassium-3-Phenylmethyl-dithiocarbamate 153:333
 - Radiochemical-Neutron-Activation-Analysis 187:67
 - Radiometric-Analysis 176:45
 - Rhodium 198:41
 - Roman 201:447
 - Saronikos 179:231
 - Substoichiometric-Determination 183:93
 - Substoichiometric-Reagent 153:333
 - Tin-119 190:425
 - X-Ray-Fluorescence-Analysis 201:447
- Silver(I)** 162:259
- Silver-105,106m** 153:235
- Silver-108m**
 - Behavior 197:343
 - Cesium-137 197:343
 - Coast 197:343
 - Concentration 197:343
 - Crassostrea-Gigas 158:31, 197:343
 - Distribution 197:343
 - Japanese 197:343
 - Lead-210 197:343
 - Oyster 197:343
 - Radionuclide 197:343
 - Relation 197:343
 - Sea-Water 197:343
 - Silver-110m 158:31
- Silver-110m**
 - Amberlite-LA-2 162:259
 - Crassostrea-Gigas 158:31
 - Silver(I) 162:259
 - Silver-108m 158:31
 - Solvent-Extraction 162:259
 - Tracer 162:259
- Silver-Ion** 172:43
- Silver-Sulfide** 171:407
- Simple**
 - Approach 166:211
 - Carrier-Free 166:15
 - Collector 193:281
 - Configuration 162:15
 - Detector 166:211
 - Direct-Measurement 193:281
 - Disk 166:211
 - Enzymatic-Activity 171:457
 - Estimation 171:457
 - Flux 193:281
 - Geometrical-Factor 166:211
 - Iodine-125 166:15
 - Ion-Selective 166:15
 - Iridium 185:3
 - Low-Cost 162:15
 - Membrane-Electrode 166:15
 - Meteoritic-Sample 185:3
 - Multichannel-Analyzer 162:15
 - Multifunctional 162:15
 - Neutron-Activation-Analysis 185:3
 - Osmium 185:3
 - Parallel 166:211
 - Passive 193:281
 - Personal-Computer 162:15
 - Potentiometry 166:15
 - Radiochemical-Procedure 185:3
 - Radiorespirometry 171:457
 - Radon 193:281
 - Rapid 171:457
 - Rhenium 185:3
 - Sensitive 171:457
 - Simultaneous-Determination 185:3
 - Soil 171:457, 193:281
 - Source 166:211
 - Specific-Activity 166:15
- Simulant** 194:71

Simulated

- 2-Heptanone 190:175
 - Actual 194:25
 - Alkaline 199:183
 - Americium 190:175
 - Behavior 177:311
 - Brine 182:281
 - Characteristics 191:115
 - Chelating 161:549
 - Cobalt(II) 199:183
 - Complexing-Agent 161:549
 - Conditioning 177:311
 - Copper 182:281
 - Corrosion 182:281
 - Degradation 161:549
 - Denitration 191:115
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 191:305
 - Estimation 191:305
 - Extraction 177:311
 - Filtration 191:115
 - Formation 177:301, 177:311
 - Hanford 190:175, 194:25
 - Hexacyanoferrate(II) 199:183
 - High-Level 177:301, 177:311, 191:115
 - Iron-Hydroxide 190:175
 - Irradiated 161:549
 - Liquid 177:301, 177:311, 191:115
 - Low-Concentration 177:301
 - MCC 182:281
 - Mixed 161:549, 194:25
 - Neptunium 190:175
 - Nitric-Acid 177:301
 - Nuclear-Waste 191:305
 - Organic-Analysis 194:25
 - Organic-Complexant 194:25
 - Plutonium 190:175
 - Potassium 199:183
 - Precipitation 190:175
 - Radiocesium 199:183
 - Radwaste 199:183
 - Reaction 182:281
 - Removal 199:183
 - Revisited 194:25
 - Salt-Loaded 199:183
 - Slurry 191:115
 - Solid 177:301, 177:311
 - Solvent-Extraction 190:175
 - Strontium 191:305
 - Titanium 182:281
 - Total 190:175
 - Transuranic-Element 177:311
 - Waste 161:549, 177:301, 177:311, 190:175, 191:115, 194:25
- Simulation**
- 1.6-GeV 169:13
 - Acid-Dissolved-Sludge-Acidified-Supernate 194:117
 - Anion-Exchange-Resin 194:117
 - Cation-Exchange-Resin 194:117
 - Cosmic-Ray 169:13
 - Detector 193:247
 - Distribution 194:117
 - Element 194:117
 - Functional-Group 194:117
 - Galactic 169:13
 - Hanford 194:117
 - HLW 194:117
 - Interaction 169:13
 - Irradiation 169:13
 - Low-Background 193:247
 - Monte-Carlo 193:247
 - Proton 169:13
 - Stony 169:13
 - Tank 194:117
 - Target 169:13
 - Thick 169:13
- Simultaneous**
- Actinide 156:21
 - Biological-Sample 162:163
 - Bone 169:259
 - Carminic-Acid 164:309
 - Daily-Intake 162:163
 - Derivative 164:309
 - Diet 162:163
 - Environmental-Sample 158:367
 - Enzymatic-Degradation 156:21
 - Estimation 162:163
 - Iodine-129 156:21
 - Large-Sample 156:21
 - Long-Lived-Radionuclide 158:367
 - Major-Element 169:259
 - Particle-Induced-Gamma-Ray-Emission 169:259
 - Particle-Induced-X-Ray-Emission 169:259
 - Semivolatile 158:367
 - Spectrophotometry 164:309
 - Strontium 156:21
 - Thorium(IV) 164:309
 - Thorium-232 162:163
 - Trace-Element 169:259
 - Uranium(VI) 164:309
 - Uranium-238 162:163
 - Vegetation 156:21
- Simultaneous-Analysis**
- Ceramic-Glaze 192:281
 - Plutonium 190:121
 - Prompt-Gamma-Ray-Activation-Analysis 192:281
 - Thermal-Ionization-Mass-Spectrometry 190:121
 - Uranium 190:121
 - X-Ray-Fluorescence-Analysis 192:281
- Simultaneous-Determination**
- 4-(2'-Thiazolylazo)Resacetophenone 170:181
 - Activity 194:403
 - Air 194:403
 - Americium 177:27
 - Analytical-Reagent 170:181
 - Biphasic-Liquid-Scintillation 177:27
 - Bismuth-210 177:219
 - Boundary 168:125
 - Carminic-Acid 200:397
 - Cesium-137 201:171
 - Clay 168:125
 - Cobalt-60 201:171
 - Derivative 170:181
 - Discrimination 194:403
 - Environmental-Sample 173:273
 - Filter 194:403
 - Gross-Alpha 194:403
 - Gross-Beta 194:403
 - High-Grade 170:165
 - Iodine-131 201:171
 - Iridium 168:125, 185:3

- Iron(II) 176:117
 - Liquid-Scintillation-Counting 177:219, 194:403
 - Meteoritic-Sample 185:3
 - Model 201:171
 - Multichannel-Analyzer 201:171
 - Needle 177:219
 - Neptunium-235 173:273
 - Neptunium-237 173:273
 - Neptunium-239 173:273
 - Neutron-Activation-Analysis 185:3
 - Ore 170:165
 - Osmium 185:3
 - Oxime 170:181
 - Partial-Least-Square-Method 200:397
 - Pine 177:219
 - Plutonium 177:27
 - Polonium-210 177:219
 - Pulse-Shape 194:403
 - Radioactive-Waste 201:171
 - Radiochemical 173:273
 - Radiochemical-Neutron-Activation-Analysis 189:325
 - Radiochemical-Procedure 185:3
 - Radiometric-Flow-Injection-Analysis 201:171
 - Reverse 201:171
 - Rhenium 185:3
 - Selenium 168:125
 - Simple 185:3
 - Solvent-Extraction 177:219
 - Spectrophotometry 170:181
 - Stopped-Flow-Inductive-Kinetic-Spectrophotometry 176:117
 - Thorium 170:165, 170:181, 189:325
 - Thorium(IV)-Ion 200:397
 - Trace 189:325
 - Tracer 173:273
 - Uranium 170:165, 170:181, 189:325
 - Uranium(IV) 176:117
 - Uranium(VI)-Ion 200:397
 - Volcanic-Sublimate 168:125
 - Water 201:171
- Simultaneous-Estimation**
- 201:391
- Single**
- Aliquot 188:189
 - Cadmium 165:229
 - Ceramics 188:189
 - Corn 177:253
 - Dating 188:189
 - Green 188:189
 - Light-Emitting-Diode 188:189
 - Luminescence 188:189
 - Mercury 165:229
 - Optical 188:189
 - Protein 177:253
 - Quartz 188:189
 - Radiochemical-Solvent-Extraction 165:229
 - Reagent 165:229
 - Revisited 188:189
 - Stimulated 188:189
 - Thermoluminescence 188:189
 - Thionalide 165:229
- Single-Comparator-Method**
- 191:387

Single-Crystal

- Activation-Analysis 173:409
 - Boron-Doped 173:409
 - Carbon 173:409
 - Deuteron 173:409
 - Phase-Transition 200:265
 - Positron-Annihilation 200:265
 - Silicon 168:367, 173:409
 - Trace-Element 168:367
 - Trans-Stilbene 200:265
 - Ultra-Trace 173:409
- Single-Time-Interval-Analysis**
- 159:375
- SiO₂-Si** 185:83
- SiO₂/B₂O₃+H₂O-System**
- 157:385
- Site**
- Air 179:187, 199:27
 - Airborne 186:23
 - CN 161:293
 - Coastal 161:293, 182:5
 - Complementary 161:293
 - Concentration 186:23
 - Debreceen 186:23
 - Deer 188:401
 - Dump 194:157
 - Elemental-Concentration 179:187
 - Environment 188:401
 - Environmental-Measurement 194:345
 - Fish 194:157
 - Gamma-Detector 194:345
 - Geological 182:367
 - Identification 179:187
 - India 182:5
 - Iodine-127 188:401
 - Iodine-129 188:401
 - Island 161:293
 - Isotope 199:27
 - Lead 186:23
 - Low-Level 194:157
 - Marine-Environment 182:5
 - Mass 161:293
 - Matter 179:187
 - Metal 192:275
 - Natural 188:401
 - Neighboring 182:367
 - Neptunium-237 182:5
 - Nigerian 179:187
 - Nuclear 182:5
 - Nuclear-Facility 188:401
 - Nuclear-Fuel 188:401
 - Nuclear-Track-Detector 182:367
 - Ocean 194:157
 - Particle 186:23
 - Particulate 179:187
 - Plant 188:401
 - Plutonium 199:27
 - Plutonium-239/240 194:157
 - Polluted-Air 161:293
 - Preliminary-Screening 192:275
 - Preliminary-Study 179:187
 - Radioactive 194:157
 - Radon 161:293
 - Remote 188:401
 - Reprocessing 188:401
 - Savannah-River 194:345
 - Seasonal-Variation 186:23
 - Selected 192:275
 - Small 188:401
 - Solid-State 182:367
 - Source 179:187

- Stratigraphical 182:367
- Surface 199:27
- Thyroid 188:401
- Tracer 161:293
- Underwater 194:345
- Vinca-Belgrade 199:27
- Waste 192:275, 194:157
- Size 167:247
- Size-Fractionated 167:259
- Size-Fractionating 167:271
- Size-Spectrum 192:215
- Skeletal**
 - Aluminum 166:359, 166:363
 - Comment 166:359
 - Cuprous-Ion 186:333
 - Imaging-Agent 186:333
 - In-Vivo 166:359, 166:363
 - Labeling 186:333
 - Monitoring 166:359, 166:363
 - Response 166:363
 - Technetium-99m 186:333
- Skeleton**
 - Accumulation 187:299
 - Americium-241 156:33
 - Animal 187:299
 - Baboon 156:33
 - Bone 156:33, 187:299
 - Bone-Disease 169:307
 - Calcium 169:307
 - Dosimetry 156:33
 - Hypokinesia 169:307
 - Man 156:33
 - Neutron-Activation-Analysis 169:307
 - Normal 169:307
 - Plutonium-239 156:33
 - Strontium 187:299
 - Volume 156:33
- Skin** 166:383
- Skull** 182:45
- Slag** 170:17
- Slovafo-909** 172:213
- Slowing-Down** 181:343
- Slowpoke-2-Facility** 180:339
- Slowpoke-2-Reactor** 167:177
- Slowpoke-Reactor** 151:185
- Slowpoke-Toronto** 180:331
- Sludge**
 - Cement 199:405
 - Cesium-137 199:405
 - Clarification 152:199
 - Comparative 199:405
 - Dissolution 152:199
 - Feed 152:199
 - Immobilized 199:405
 - Interpretation 199:405
 - Leaching 199:405
 - Metal-Alloy 152:199
 - Platinum 152:199
 - Radwaste 199:405
- Slurry**
 - Characteristics 191:115
 - Contribution 155:225
 - Denitration 191:115
 - Filtration 191:115
 - High-Energy 155:225
 - High-Level 191:115
 - Liquid 191:115
 - Piggery 155:225
 - Post-treatment 155:225
 - Radiation 155:225
 - Simulated 191:115
 - Waste 191:115
- Small** 188:401
- Small-Angle**
 - Gamma-Radiation-Induced-Structural-Change 176:261
 - Neutron-Scattering 190:529
 - PP-Film 176:261
 - Tetramethylurea 190:529
 - X-Ray-Scattering 176:261
- Small-Diameter** 193:93
- Small-Sample-Analysis** 168:47
- Smoke** 163:349
- Sn(CH₃)₃NH₄-n** 201:417
- Sn** see also **Tin**
- Snail** 153:327
- Snake-Venom** 151:271
- Snowmelt** 156:7
- Socket** 199:9
- Soda-Sample** 157:381
- Sodium**
 - Amount 201:477
 - Average 160:211
 - Cesium 188:231
 - Children 181:33
 - Chloride-36 162:71, 164:141
 - Chlorine 162:71, 164:141, 181:33
 - Clay 188:231
 - Clinoptilolite 178:143
 - Compact-Bone 201:477
 - Comparison 201:477
 - Cystic-Fibrosis 181:33
 - Equilibrium 178:143
 - Form 178:143
 - Hair 181:33
 - Healthy 181:33
 - Instrumental-Neutron-Activation-Analysis 201:477
 - Isotope-Exchange-Reaction 162:71, 164:141
 - Kinetics 162:71, 164:141
 - Level 181:33
 - Los-Trancos 188:231
 - Mixed-Solvent 162:71, 164:141
 - Mordenite 178:143
 - Nail 181:33
 - Non-analyte 160:211
 - Phosphorus 160:211
 - PIPPS 160:211
 - Power 160:211
 - Red-Marrow 201:477
 - Rubidium 188:231
 - Section 201:477
 - Spiking 160:211
 - Stopping 160:211
 - Thorium 178:143
 - Triphenyltin-Chloride 162:71, 164:141
 - Uptake 188:231
 - Yellow-Marrow 201:477
- Sodium-21** 198:247
- Sodium-22**
 - 27-MeV 187:143
 - Alpha-Particle 187:143
 - Ashing 153:47
 - Bone-Mineral 153:47
 - Extractability 153:47
 - Natural 187:143
 - Neon 187:143
 - Radiotracer 153:47
 - Target 187:143
 - Thick 187:143
 - Yield 187:143
- Sodium-Alginate** 201:263
- Sodium-Borosilicate** 161:503
- Sodium-Bromate**
 - Annealing 187:325
 - Chemical 187:325
 - Radiation-Damage 187:325
 - Radiation-Dose 176:37
 - Thermal 187:325
 - Thermal-Decomposition 176:37
- Sodium-Carbonate** 201:81
- Sodium-Carbonate-Medium** 199:1
- Sodium-Chloride**
 - Comparative-Study 178:351
 - Energy-Transfer-Reaction 178:351
 - Gamma-Irradiated 174:257, 178:351
 - Gamma-Radiolysis 174:257, 178:351
 - Induced 174:257, 178:351
 - Methyl-Orange 178:351
 - Methyl-Red 174:257, 178:351
 - Reaction 174:257
- Sodium-Ferrate** 162:239
- Sodium-Humate** 199:143
- Sodium-Hydroxide-Treated** 165:175
- Sodium-Iodide** 153:201
- Sodium-Iodide-131** 153:201
- Sodium-Isopropyl-Xanthate** 165:49
- Sodium-Montmorillonite** 160:487
- Sodium-Nitrate** 155:15
- Sodium-Salt** 199:413
- Sodium-Sulfate**
 - Adsorption 174:83
 - Ammonium-Nitrate 155:79
 - Aqueous 155:79
 - Aqueous-Solution 174:83
 - Cadmium-Oxide 174:83
 - Chemical-Effect 155:79
 - Gamma-Irradiated 155:79
 - Induced 155:79
 - Interface 174:83
 - Precipitation-Process 174:83
- Sodium-Tetraphenylborate** 159:293
- Sodium-Titanate** 162:299
- Sodium/Calcium-Ratio**
 - Age 200:205
 - Bone 165:41
 - Bone-Male 200:205
 - Category 200:205
 - Diabetic 199:471
 - Femora 199:471
 - Human 200:205
 - Individual 200:205
 - Instrumental-Neutron-Activation-Analysis 199:471, 200:205
 - Neutron-Activation-Analysis 165:41
 - Normal 199:471
 - Section 165:41, 200:205
 - Tissue 165:41
 - Undecalcified 165:41, 200:205
- Sodium⁺** 183:85
- Sofia** 165:145
- Software**
 - ASPRO-NUC 193:195
 - Correction-Method 193:239
 - Counting-Loss 193:239
 - Data 193:195
- Gamma-Ray-Spectrometry 193:195
- Identification 193:195
- Information-System 167:31
- Isotope 193:195
- Management 193:195
- Neutron-Activation-Analysis 193:195, 193:239
- Neutron-Activation-Technique 167:31
- Optimal-Characteristics 167:31
- Routine 193:195
- Short-Lived-Radionuclide 193:239
- Soil**
 - Activity 156:83, 166:331, 185:127
 - Alumina 178:193
 - Amazon 179:251
 - Americium 182:359
 - Americium-241 155:45, 170:243
 - Ancient 196:267
 - Area 155:45
 - Artificial-Radionuclide 177:39, 177:101
 - Ascertain 173:79
 - Assessment 161:377
 - Associated 185:127, 196:267
 - Association 198:229
 - Attempt 179:173
 - Background 192:331
 - Bauxite 194:379
 - Biogeochemical-Behaviour 182:359
 - Bratislava-Tmava-Highway 175:33
 - Calcium-Carbonate 155:263
 - Calcium-Strontium-Separation 194:311
 - Canada 187:423
 - Canadian 161:215, 185:127
 - Capillary 182:179
 - Carbon-14 155:263
 - Cesium-134 172:223
 - Cesium-137 155:45, 175:297, 178:327, 182:179
 - Characterization 192:331
 - Characterize 179:173
 - Chemical 196:77
 - Chemical-Modification 201:213
 - Chernobyl-Accident 165:185
 - China 155:45
 - Chinese 161:215
 - Chromium(III) 179:173
 - Chromium(VI) 179:173
 - Clay-Mineral 178:193
 - Clayey 155:359
 - Climatological 177:101
 - Collector 193:281
 - Column-Method 196:77
 - Commitment 175:297
 - Comparison 161:215, 161:325, 179:155, 194:197
 - Complex 197:79
 - Component 198:229
 - Concentration 166:331
 - Contaminated 194:197
 - Content 175:33
 - Contribution 165:185
 - Copper 175:33
 - Correlation 177:101
 - Crop 194:379

- Crown-Ether 194:311
- Cáceres-Spain 175:297
- Data 192:331
- Decontamination 201:213
- Depth 175:297
- Diffusion 182:179
- Direct-Measurement 193:281
- Distribution 175:297, 178:327, 179:251
- Dose 175:297
- Dose-Rate 185:127
- EDTA 155:263
- Effluent 196:77
- Electrolyte 183:147
- Elemental-Composition 177:381
- Enhancement 201:213
- Environmental 185:255
- Enzymatic-Activity 171:457
- Estimation 171:457
- Experimental-Design 161:313
- External 175:297
- Extracting 177:127
- Fallout 175:297
- Feasibility 168:61
- Field-Sample 192:361
- Fission-Product 198:229
- Floodplain 179:251
- Flux 193:281
- Food 194:379
- Forest 170:243
- Gas 161:313, 161:325
- Geochemical-Modelling 182:359
- Geographic-Distribution 187:423
- Geographic-Parameter 177:101
- Geology 189:289
- Grain-Size 161:325
- Grown 194:379
- Heavy-Metal 166:401
- Human-Bone 196:267
- Indirect 156:83
- Inductively-Coupled-Plasma-Mass-Spectrometry 194:133
- Instrumental-Neutron-Activation-Analysis 168:61
- Interaction 155:263, 155:359
- Intercomparison 171:303
- Iodine 169:73
- Iodine-125 196:77
- Iodine-127 198:229
- Iodine-129 198:229
- Irish 165:79
- Iron-59 155:263
- Iron-59(III)-Polyphosphate 155:359
- Irradiation 175:297
- Isotope 198:229
- Isotopic-Analysis 157:65
- Leachate 194:133
- Lead 175:33
- Long-Lived-Actinide 194:133
- Low-Energy-Photon-Spectrometer 156:83
- Low-Level 177:127
- Macroscopic-Measurement 194:197
- Major-Component 161:215
- Meadow 155:359
- Mediterranean 173:79
- Medium-Lived-Radionuclide 179:155
- Mercury 179:305
- Microscopic-Measurement 194:197
- Milk 175:317
- Mining 194:379
- Modification 182:179
- Moisture 161:325
- Monitoring 161:313
- Mushroom 170:243
- National-Institute-of-Standards-and-Technology 179:155
- Natural 168:61, 198:229
- Natural-Radionuclide 177:39, 177:101, 189:289
- Neutron-Activation-Analysis 169:73, 179:155, 179:305, 192:331, 192:361, 196:267
- Nickel 175:33
- Nigeria 166:401
- Northern-Venezuela 178:327
- Nuclear-Accident 201:213
- Nuclear-Track-Detector 194:207
- Organic-Matter 173:79
- Organic-Rich 178:193
- Originated 165:185
- Paraná-State-Brazil 177:39
- Particle-Size 189:289
- Passive 193:281
- Pasture 171:303
- Peatland 165:79
- Pedological 177:101
- Permeability 161:325
- Plant 165:145, 172:223, 175:317, 177:381
- Plutonium 165:145, 165:185, 177:127, 182:359, 194:197
- Plutonium-238 170:243
- Plutonium-239/240 155:45, 170:243
- Plutonium-241 156:83
- Poland 170:243
- Polyacrylamide 201:213
- Potassium-40 178:327, 187:423
- Potential 161:377
- Prepare 179:173
- Procedure 198:229
- Processing 177:127
- Profile 194:207
- Project 192:331
- Radiocesium 165:79, 171:303, 183:147
- Radiochemical-Analysis 175:317
- Radiochemical-Leaching 181:301
- Radiochemical-Procedure 157:65
- Radioiodine 178:193
- Radionuclide 173:79, 175:33, 182:179, 194:379
- Radiorespirometry 171:457
- Radium-226 166:331, 185:127
- Radon 161:313, 161:325, 161:377, 193:281
- Rapid 161:377, 171:457
- Rapid-Method 185:255
- Reference-Material 179:173
- Region 166:401
- Removal 196:77
- Republic-of-the-Marshall-Islands 194:197
- Research-Reactor 165:145
- Residue 194:379
- Retention 173:79
- Rock 161:325
- Role 173:79
- Sample 170:243
- Sampling 171:303, 197:79
- Scheme 173:79
- Sediment 194:311
- Selected 166:401
- Semi-arid 166:401
- Semiautomated-Approach 177:127
- Sensitive 171:457
- Separation 188:27
- Sequential 157:65
- Sequential-Extraction 173:79, 198:229
- Simple 171:457, 193:281
- Sofia 165:145
- Solvent-Extraction 175:317
- Sorption 178:193, 183:147
- Sorting 161:325
- Standard 192:361
- Standard-Reference-Material 179:155
- Strontium-89/Strontium-90-Determination 194:311
- Strontium-90 170:243, 175:297, 175:317, 185:255
- Surface 175:297, 201:213
- Surface-Area/Volume-Activity-Ratio 189:289
- Terrain 197:79
- Thin-Layer-Method 182:179
- Thorium 157:65
- Thorium-232 178:327
- Trace-Component 161:215
- Trace-Element 168:61, 179:251, 179:305, 182:179, 196:267
- Type 161:325, 172:223
- Upland 171:303
- Uptake 172:223, 194:379
- Uranium 157:65, 188:27
- Uranium-238 166:331, 178:327
- Validation 192:331
- Variation 177:381
- X-Ray-Fluorescence-Analysis 175:33
- Zinc 175:33, 181:301
- Soil-Horizon** 151:191
- Soil-Profile** 201:371
- Soil-Rice** 197:203
- Soil-Sample**
 - Actinide 194:151
 - Antarctica 191:381
 - Crown-Ether 162:307
 - Fast-Neutron-Activation 198:475
 - Fission-Track-Method 191:381
 - Grass-Sample 155:115
 - Iodine-129 155:115
 - Microanalysis 191:381
 - Multielemental-Analysis 198:475
 - Nuclear-Plant 155:115
 - Nuclear-Reprocessing 155:115
 - Plutonium 177:19
 - Radiostromium 162:307
 - Separation-Method 194:151
 - Uranium 191:381
- Soil-Sediment-Sample** 200:545
- Soil-to-Plant** 178:253
- Soil-Water-System** 179:243
- Soil/Plant-Concentration-Ratio** 182:91
- Soil/Plant/Atmosphere-System** 194:303
- Sol** 167:445
- Sol-Gel-Method** 190:419
- SOLANG** 169:209
- Solar** 191:273
- Solar-System** 195:335
- Solid**
 - Affecting 159:201
 - Americium(VI) 185:265
 - Behavior 177:311
 - Capability 183:59
 - Catalytic-Property 185:231
 - Cement-Based 198:287
 - Compound 160:203
 - Concentration 159:187, 159:201
 - Conditioning 177:311
 - Contact-Time 159:201
 - Co₃O₄ 185:231
 - Decay 164:221
 - Dissolution 178:261
 - Europium 160:203
 - Extractant 163:69, 183:59
 - Extraction 177:311, 183:59
 - Factor 159:201
 - Filter 183:59
 - Formation 177:301, 177:311
 - Freshwater 159:201
 - Gamma-Irradiation 185:231
 - Growth 178:261
 - HDEHP 185:265
 - High-Level 177:301, 177:311
 - Host 178:261
 - Hydrophobic 183:59
 - Immobilization 198:287
 - Induced-Emission 160:203
 - Interaction 159:187, 159:201
 - Ion-Beam 160:203
 - Kinetics 159:187, 178:261, 185:265
 - Labeling 164:221
 - Leaching-Behavior 198:287
 - Liquid 177:301, 177:311
 - Liquid-Membrane 185:265
 - Lithium-Oxide-Doping 185:231
 - Low-Concentration 177:301
 - Mass-Transfer 185:265
 - Migration 159:187
 - Model 178:261, 198:287
 - Modeling 159:187
 - Nitric-Acid 177:301
 - Nuclear 183:59
 - Observed 183:59
 - Ore 178:261
 - Polyether-Type 163:69
 - Polyurethane-Foam 163:69
 - Potential 178:261
 - Prediction 198:287
 - Processing 178:261
 - Radiocesium 159:201
 - Radionuclide 159:187, 198:287
 - Radium-226 198:287
 - Radon-222 164:221
 - River 159:187
 - Short-Lived-Product 164:221
 - Simulated 177:301, 177:311
 - Supported 185:265
 - Surface 164:221, 178:261, 185:231

- Temperature 159:187, 159:201
- Trace-Element 163:69
- Transuranic-Element 177:311
- Unloaded 163:69, 185:231
- Uranium 178:261
- Waste 177:301, 177:311
- Solid-Phase**
 - Capillary-Isotachopheresis 163:87
 - Extraction 163:87, 183:115
 - Gamma-Radiation 152:261
 - Iodide-Ion 152:261
 - Ionogenic-Compound 163:87
 - Micelle 183:115
 - Modified 183:115
 - Oxidation 152:261
 - Preconcentration 183:115
 - Preparation 163:87
 - Role 152:261
 - Sample 163:87
 - Strontium 183:115
 - Trace-Analysis 163:87
- Solid-Phase-Extraction** 194:41
- Solid-Scintillator** 175:393
- Solid-Solution** 198:151
- Solid-State**
 - Annealing 172:249
 - Aqueous-Solution 186:257
 - Catalysis 162:3
 - Chemistry 172:249
 - Deuterium 162:3
 - Double 178:429
 - Gamma-Radiolysis 178:429
 - Geological 182:367
 - High-Temperature 162:3
 - Hot-Atom 172:249
 - Indoor 161:307
 - Isotope-Exchange 162:3
 - Neighboring 182:367
 - Neptunium(V)-Carbonate 186:257
 - Nuclear-Track-Detector 161:307, 182:367
 - Oscillatory 172:249
 - Potassium-Nitrate 178:429
 - Radon 161:307
 - Site 182:367
 - Stratigraphical 182:367
 - Sulfate 178:429
 - Tritium 162:3
- Solid-Waste**
 - Affecting 180:45
 - Chemical-Phenomena 180:45
 - Element 169:39, 180:45, 180:49
 - Fly-Ash 167:331
 - Hot-Atom 180:49
 - Incinerator 167:331
 - Leachability 161:181, 169:39, 180:45, 180:49
 - Municipal 167:331
 - Physical-Phenomena 180:45
 - Toxic-Element 161:181
 - Trace-Element 167:331
- Solidification** 198:281
- Solubility**
 - Data 165:9
 - Deduced 165:9
 - Hydrate 165:9
 - Number 165:9
 - Plutonium(III)-Oxalate 185:119
 - Scandium-Sulfate 165:9
- Solvent**
 - 18-Crown-6 159:63
 - Adsorption 175:415
 - Bifunctional 175:415
 - Chromatography 175:415
 - Complex 175:415
 - Extractant 175:415
 - Extracted 175:415
 - Extraction 159:63, 175:415
 - f-Element 175:415
 - Lanthanoid 159:63
 - Trichloroacetate 159:63
- Solvent-Effect** 165:167
- Solvent-Extraction**
 - 2-Ethylhexylphosphonic-Acid 172:167
 - 2-Heptanone 190:175
 - Acid 170:207, 178:173
 - Acidic-Solution 200:417
 - Alamine-310 173:161
 - Amberlite-LA-2 162:259
 - Americium 190:175
 - Anomalous-Behavior 200:417
 - Aqueous-Solution 152:87, 163:11, 173:161
 - Arsenic 185:145
 - Benzene 185:145
 - Biological 185:145
 - Biological-Material 156:165
 - Bismuth-210 177:219
 - Calcium 174:153
 - Carrier-Free 189:307
 - Catalytic-Effect 183:49
 - Centrifuge 189:133
 - Cerium(III) 164:91
 - Cesium 152:487
 - Cobalt-Dicarbollide 172:213
 - Combined 156:165
 - Comparative-Study 183:171
 - Concentrating 172:213
 - Crown-Ether 189:127, 189:307
 - Diallyldithiophosphoric-Acid 164:91, 165:95
 - Dibenzo-24-Crown-8 152:487, 170:215
 - Dibutyl-Sulfoxide 198:409
 - Dibutylthiophosphoric-Acid 186:273
 - Dicarbollide 174:153
 - Drinking 172:213
 - EDTA 174:153
 - Electrolyte-Solution 178:173
 - Environmental 156:165, 185:145
 - Erbium(III) 172:167
 - Europium 170:207
 - Fallout 172:213
 - Fast 189:133, 196:287
 - Glycol 174:153
 - Hafnium(IV) 178:173
 - Hanford 190:175
 - HDEHP 152:137, 156:165, 178:173, 196:287, 201:191
 - Heptavalent 163:363
 - Ion-Exchange 154:435, 183:171
 - Ion-Pair 152:87
 - Ionic-Solute 163:11
 - Iridium 196:287, 201:191
 - Iron-Hydroxide 190:175
 - Lanthanum(III) 164:91
 - Liquid-Scintillation-Counting 156:165, 177:219
 - Lutetium(III) 172:167
- Mechanism 178:237, 191:99
- Milk 175:317
- Mixed 178:173
- Mixer 189:257
- Mixer-Settler-Model 189:257
- Mixture 173:161
- Model 172:213
- Molybdenum(VI) 173:161
- Mono-2-Ethylhexyl-Ester 172:167
- Needle 177:219
- Neodymium 170:207
- Neptunium 190:175
- Neutron-Activation-Analysis 189:127
- Nitric-Acid-Solution 198:409
- Organic-Solution 152:87
- Organic-Solvent 186:273
- Perchloric-Acid-Solution 181:71
- Pertechetate 178:237, 181:71, 183:171, 191:99
- Phosphoric-Acid 152:137, 173:161
- Picrate-Solution 152:487
- Pine 177:219
- Plant 175:317
- Plutonium 190:175
- Plutonium(IV) 152:137
- Polonium-210 177:219
- Polyethylene 174:153
- Precipitation 190:175
- Radiochemical-Analysis 175:317
- Radioiodine 200:417
- Radiostromium 172:213
- Rapid 172:213, 174:153
- Rare-Earth-Element 154:435
- Reagent 172:167
- Reduction 183:171
- Rhodium 196:287, 201:191
- Rock-Sample 189:127
- Rubidium 189:127
- Ruthenium 196:287, 201:191
- Scale-Up 189:257
- Selenium 171:401
- Separation 152:487, 154:435, 164:91, 170:215, 174:153, 189:127, 196:287
- Silver(I) 162:259
- Silver-110m 162:259
- Simulated 190:175
- Simultaneous-Determination 177:219
- Slovafof-909 172:213
- Soil 175:317
- Spectrophotometry 183:171
- Standard-Reference-Material 185:145
- Strontium 174:153
- Strontium-90 156:165, 175:317, 189:307
- Substoichiometric-Isotope-Dilution-Analysis 185:145
- Sulfuric-Acid-Medium 152:137
- Technetium 163:363, 201:361
- Technological 172:213
- Tetraphenylarsonium 152:87
- Tetraphenylarsonium-Chloride 178:237, 191:99
- Tetravalent 171:401
- Thiourea 183:171
- Thorium 198:409
- Thorium(IV) 164:91, 165:95, 186:273
- Thulium 170:207
- Toluene-3,4-Dithiol 185:145
- Total 190:175
- Tracer 162:259
- Transactinide-Element 189:133
- Tributyl-Phosphate 181:71, 201:361
- Uranium 154:435, 189:257
- Uranium(VI) 170:215, 173:161
- Urine 201:361
- Waste 190:175
- Water 172:213
- Xylene 198:409
- Yttrium-90 189:307
- Sorbent**
 - Activated-Charcoal 166:31
 - Additive 153:399
 - Adsorption 173:141
 - Aqueous-Solution 173:141
 - Cesium 153:399
 - Charcoal 173:141
 - Cobalt(II) 173:141
 - Dibenzoylmethane 162:227
 - Dilute 173:141
 - Extraction 162:227
 - Ferrocyanide 153:399
 - Insoluble 153:399
 - Loaded 162:227
 - Macrofloitation 173:141
 - Neutron-Activation-Analysis 166:31
 - Nitric-Acid-Medium 153:399
 - Non-plasticized-Polyurethane-Foam 162:227
 - Purification 166:31
 - Removal 173:141
 - Separation 153:399
 - Soft-Gamma-Ray-Absorptiometry 152:67
 - Trace-Element 166:31
 - Tributyl-Phosphate-Plasticized-Polyurethane-Foam 162:227
 - Uranium 152:67
 - Uranium(VI) 162:227
 - Volcanic-Exhalation 166:31
- Sorption**
 - Ability 164:109, 164:241
 - Actinide 194:95
 - Additive 173:37
 - Alumina 178:193
 - Aqueous-Solution 182:305, 187:9
 - Atmospheric 167:227, 192:249
 - Beta-Emission 170:443
 - Beta-Radiation 158:121
 - Cadmium 199:107
 - Cation 164:109
 - Cesium 163:205, 164:241, 173:37, 185:319, 188:427
 - Cesium-137 174:279
 - Characteristics 193:269
 - Characterization 175:339
 - Chelating-Resin 172:43
 - Chelex-100 172:43
 - Chemical-Treatment 164:241, 188:427
 - Chromium(VI) 157:75
 - Chromium-51(VI) 180:155
 - Clay 200:529
 - Clay-Mineral 178:193
 - Clinoptilolite 164:109, 164:241, 188:427, 201:293

- Coating 175:339
- Cobalt 164:241, 170:457, 188:427, 199:107
- Cobalt(II) 173:303
- Cobalt-60 200:19
- Cobalt-60-Labeled-Species 158:121
- Collected 192:249
- Comment 166:167
- Complexing-Agent 173:303
- Concentration 180:155
- Corrosion 175:339, 194:95
- Cupric-Ferrocyanide 173:37
- Desorption 200:529
- Dowex 187:9
- Dynamic 193:269
- Electrolyte 183:147
- Equilibrium 201:293
- Europium 182:305
- Evaluation 185:319
- Exchanger 199:1
- Gamma-Emission 170:443
- Germanium-Iodide 190:155
- Granular 174:279
- Hafnium-Nuclide 187:9
- Heavy-Metal 201:529
- High-Ionic-Strength 194:95
- Hydrogen-Chloride 187:9
- Hydroxyapatite 201:529
- Induced 170:443
- Inorganic-Ion 199:1, 201:293
- Inorganic-Ion-Exchanger 174:279
- Inorganic-Sorbent 157:3
- Kaolinite 173:303
- Kinetic-Study 157:75
- Lanthanum 182:193
- Manganese(IV)-Oxide 157:75
- Manganese-Dioxide 193:269
- Marl 164:389, 166:167, 166:171
- Microamount 187:9
- Mineral 157:3
- Modified 164:109
- Mordenite 185:319
- Natural 157:3, 185:319
- Neutron-Activation-Analysis 167:227
- Nickel 164:389, 166:167, 166:171
- Nitric-Acid-Medium 173:37
- Non-equilibrium-Condition 163:205
- Organic-Rich 178:193
- Passive 167:227, 192:249
- Phosphatoantimonic-Acid 182:193
- Plutonium 199:1
- Polyantimonic-Acid 182:193
- Polyethylene 170:457
- Potassium 173:37
- Property 188:427
- Protective 175:339
- Radiation 200:19
- Radioactive-Tracer-Method 170:457
- Radiocesium 183:147
- Radioindicator 180:155
- Radioiodine 178:193
- Radionuclide 170:443
- Radiotracer 158:121
- Radiotracer-Method 175:339
- Radium-226 193:269
- Response 166:171
- Role 170:443
- Sampling 192:249
- Sampling-Method 167:227
- Secondary-Radiation 170:443
- Silica-Titania-Mixed-Hydroxide 190:155
- Silver-Ion 172:43
- Sodium-Carbonate-Medium 199:1
- Soil 178:193, 183:147
- Speciation 194:95
- Strong 173:37
- Strontium 182:193
- Surfactant 173:303
- Tantalum-Nuclide 187:9
- Technetium 157:3
- Titanium-Dioxide 180:155
- Titanium-Hydroxophosphate 174:279
- Trace 180:155
- Trace-Element 167:227, 192:249
- Turkish 200:529
- Uranium 200:529, 201:529
- Uranyl-Ion 190:155
- Water-Solution 201:293
- Zeolite 200:19
- Zeolite-Y 199:107
- Zirconium-Dioxide 180:155
- Zirconium-Hydroxophosphate 174:279
- Zirconium-Oxide 182:305
- Sorption-Behavior**
 - Alumina 182:375
 - Barium²⁺-Ion 182:375
 - Cladding 163:235
 - Cobalt²⁺-Ion 182:375
 - Inventory 163:235
 - Kaolinite 182:375
 - Magnesite 182:375
 - Nuclear-Fuel 163:235
 - Spent 163:235
 - Surface 163:235
 - Zinc²⁺-Ion 182:375
- Sorption-Desorption** 200:529
- Sorption-Desorption-Regeneration**
 - Anion-Exchange-Resin 201:509
 - Cesium 185:57, 201:509
 - Composite 201:509
 - Copper 185:57
 - Cupric-Ferrocyanide 201:509
 - Cycle 185:57, 201:509
 - Hexacyanoferrate 185:57
 - Impregnated 201:509
 - Insoluble 185:57
 - Ion-Exchanger 185:57, 201:509
 - Macroporous 201:509
 - Redox-Type 185:57, 201:509
 - Separation 185:57, 201:509
 - Strongly-Basic-Type 201:509
- Sorting** 161:325
- Source**
 - Absolute 169:397
 - Aerosol 167:295
 - Air 179:187
 - Analytical-Expression 186:227
 - Approach 166:211
 - Bermuda 193:309
 - Characterization 167:295
 - China 151:177
 - Class 199:57
 - Coefficient 169:397
 - Compositional-Analysis 196:245
 - Computation 169:397
 - Contribution 167:295, 199:57
 - Conversion 169:209
 - Correction 169:397
 - Crude-Oil 151:177
 - Detector 166:211
 - Diameter 169:209
 - Disk 166:211
 - Disk-Shaped 186:227, 199:57
 - Distant 193:309
 - Efficiency 169:209
 - Elemental-Concentration 179:187
 - Environmental-Measurement 194:213
 - Expression 199:57
 - Extension 169:209
 - Extracted 151:177
 - EXTSANGLE 169:209
 - Flux-Density 186:227
 - Geometrical-Factor 166:211
 - Germanium-Detector 169:209
 - Groundwater 182:11
 - Hubbell 199:57
 - Huitzila-La-Lobera 196:245
 - Identification 179:187, 182:11
 - Inductively-Coupled-Plasma-Mass-Spectrometry 175:129
 - Inductively-Coupled-Plasma-Mass-Spectrometry 175:129
 - Instrumental-Neutron-Activation-Analysis 151:177
 - Isotopic-Ratio 182:11
 - Larger 169:209
 - Lead 175:129
 - Local 193:309
 - Matter 179:187
 - Mauna-Loa 193:309
 - Misinterpretation 194:213
 - Nigerian 179:187
 - Non-dispersive-Medium 186:227
 - Obsidian 196:245
 - Oil-Forming 151:177
 - Omnidirectional-Emission 186:227
 - Organic-Material 151:177
 - Parallel 166:211
 - Particulate 179:187
 - Plutonium 194:213
 - Pollution 182:11
 - Preliminary-Study 179:187
 - Program 169:209
 - Public-Education 171:245
 - Radial-Dependence 186:227
 - Radiation-Field 199:57
 - Radioactive-Waste-Disposal 171:245
 - Radioactivity 169:397
 - Radium 182:11
 - Radon-222 193:309
 - Rock 151:177
 - Sao-Paulo 167:295
 - Short 199:57
 - Simple 166:211
 - Site 179:187
 - SOLANG 169:209
 - Southern-Sierra-Madre-Occidental-Mexico 196:245
 - Tap 175:129
 - Tool 182:11
 - Trace-Element 151:177
 - Voluminous 169:397
 - Water 175:129
 - Sourcing** 180:29
 - South-China-Sea**
 - Daily-Intake 162:363
 - Diet 162:363
 - Environmental-Monitoring 194:291
 - Fall 180:217
 - Pratas-Island 180:217
 - Pratas-Islander 162:363
 - Radiation 194:291
 - Radionuclide 180:217
 - Spratly-Islet 194:291
 - Southwestern** 192:109
 - Soutpansberg** 151:229
 - Spain** |Almaraz-» 152:175
 - Spain** |Cáceres-» 175:297
 - Spain** |Guadalquivir-River-South-» 178:337
 - Spain** |Jucar-River-Eastern-» 190:113
 - Spain** |Southwestern-»
 - Complex-System 172:71
 - Enhancement 155:97
 - Estuarine 172:71, 183:395
 - Fertilizer 172:71
 - Human-Activity 155:97
 - Isotope 183:395
 - Natural-Radioactivity 155:97
 - Phosphate 172:71
 - Radium 183:395
 - Radium-Isotope 172:71
 - River 155:97
 - Suspended-Matter 183:395
 - Span** 187:265
 - Spanish**
 - 18th-Century 196:207
 - Atmospheric 161:147
 - Earthenware 196:207
 - Ecosystem 156:151
 - Instrumental-Neutron-Activation-Analysis 196:207
 - Lead-Glazed 196:207
 - Marine 156:151
 - Mission 196:207
 - Monitor 161:147
 - Moss 161:147
 - Texas 196:207
 - Trace-Element 161:147
 - Transfer 156:151
 - Transuranics 156:151
 - Spatial-Characteristics** 164:347
 - Speciation**
 - Acid 195:363
 - Actinide 194:95
 - Aqueous-Sample 179:211
 - Aqueous-System 186:9
 - Arsenic 174:133, 179:277
 - Arsenic(III) 179:211
 - Arsenic(V) 179:211
 - Atomic-Absorption-Spectrometry 174:133
 - Automatable 179:211
 - Cesium 186:9
 - Chemical 183:5
 - Chromium-51(VI) 195:363
 - Combination 179:211
 - Component 172:363
 - Coolant 162:399
 - Corrosion 194:95
 - Cryotrapping 179:211

- Dimethylarsinic-Acid 179:211
- Distribution 186:9
- Environmental-Matrix 183:5
- Estimation 162:399
- Europium 186:9
- Examination 174:133
- Gas-Liquid 174:133
- Generation 174:133, 179:211
- High-Ionic-Strength 194:95
- Hydride 174:133, 179:211
- Marine 179:277
- Metal 183:5
- Milk-Pectin 186:9
- Minor-Element 192:183
- Monomethylarsonic-Acid 179:211
- Neptunium-238 154:139
- Neptunium-239 158:353
- Neutron-Activation-Analysis 192:183
- Neutron-Capture 154:139
- Neutron-Irradiated-Compound 158:353
- Plutonium 172:363
- Preconcentration 179:211
- Preliminary-Study 172:363
- Procedure 179:211
- Product 195:363
- Radiative 154:139
- Radioiodine 162:399
- Radionuclide 183:5
- Radiotracer 174:133
- Reactor 162:399
- Reduction 195:363
- Seawater 172:363, 179:277
- Selective 179:211
- Separation-Method 183:5
- Separator 174:133
- Sorption 194:95
- Species 179:277
- Strontium 186:9
- Trace-Element 192:183
- Uranium 158:353
- Uranium-239 154:139
- Volcanic-Exhalation 192:183
- Water 162:399
- Species**
- $(\text{UO}_2)_2(\text{OH})_2^{2+}$ 174:299
- Aniline 165:127
- Arsenic 173:357, 179:277
- Emulsion 165:127
- Fungi 165:345
- Gamma-Irradiated 165:127
- GC(EC) 195:67
- Hair 195:67
- Head 195:67
- Higher 165:345
- Hole 165:127
- Hydrolysis 174:299
- Labeled 165:327
- Level 188:65
- Marine 179:277, 188:65
- Mercury 195:67
- Mother 195:67
- Neutron-Activation-Analysis 173:357, 195:67
- Newborn-Infant 195:67
- On-line 165:327
- Oxygen-15 165:327
- Polonium-210 188:65
- Potassium-Bromide 165:127
- Potassium-Chloride 165:127
- Potassium-Iodide 165:127
- Production 165:327
- Radioactivity 165:345
- Reaction 165:127
- Remote-Control 165:327
- Seawater 179:277
- South-Atlantic-Ocean 188:65
- Speciation 179:277
- Spectroscopy 174:299
- SRXRF 195:67
- Uranyl 174:299
- Water 165:127
- Specific** 173:67
- Specific-Activity** 166:15
- Specific-Activity [High-]**
- Analytical 193:39
- Form 195:227
- Irradiation-Method 195:227
- No-Carrier-Added 195:227
- Preparation 160:549, 193:39
- Production 195:227
- Quality-Control 193:39
- Radioanalytical 193:39
- Radioanalytical-Study 160:549
- Radionuclide 195:227
- Radiotracer 160:549, 193:39
- Specific-Activity [Low-]**
- Antibody 170:471
- Concentration 170:117
- Gas-Production 170:117
- Gelation 165:203
- Labeling 170:471
- Liquid-Scintillation-Counting 165:203
- n-Lauroyl-L-Glutamic-alpha/gamma-Dibutylamide 165:203
- Oil 170:117
- Phosphorus-35 165:203
- Plant 170:117
- Preparation 170:471
- Radium 170:117
- Rhenium-186 170:471
- Rhenium-186-DTPA-Complex 170:471
- Scale 170:117
- Sulfur-35 165:203
- Thorium 170:117
- Uranium 170:117
- Water 170:117
- Specific-Radioactivity [High-]** 160:493
- Specificity** 186:401
- Specimen** 173:9
- SPECT** 198:215
- SPECTRA** 198:55
- Spectral**
- Alpha-Propionic-Acid 166:143
- Cycloalkyl-Radical 201:39
- Cyclohexane 166:143
- Kinetic-Characteristics 166:143, 201:39
- Liquid-Phase 201:39
- Methyl-Ester 166:143
- Radical 166:143
- Water 166:143
- Spectrometer** 161:495
- Spectrometry**
- Bottom-Line 160:355, 193:61
- Coupled 168:133
- Eastern-Black-Sea-Turkey 201:241
- Energy-Dispersive-X-Ray-Fluorescence-Analysis 201:241
- Geological-Material 168:133
- Germanium 160:355, 193:61
- k_0 -Standardization 168:133
- Low-Background 160:355, 193:61
- Neutron-Activation-Analysis 168:133
- Plutonium 156:111
- Quantitative-Analysis 201:241
- Sea-Bed 201:241
- Sediment 201:241
- Short-Lived-Isotope 168:133
- Spectrophotometric-Assay** 152:207
- Spectrophotometry**
- 2-(2-Hydroxy-3,6-Disulfo-1-Naphthylazo)-Benzene-arsonic-Acid 188:341
- 2-Hydroxy-1-Naphthaldehyde 175:1
- 4-(2-Thiazolylazo)Resacetophenone 154:357, 170:181
- 5-(2'-Carboxyphenyl)Azo-8-Quinolol 196:363
- Acidic 177:327
- Alanine-Polyethylene 196:97
- Alpha-Beam 188:453
- Amount 175:1
- Analytical-Reagent 154:357, 170:181
- Aqueous-Solution 157:193
- Arsenazo(III) 188:291
- Arsenic(III) 157:193
- Back-Extracted 188:291
- Benzene 157:193
- Cake 182:437
- Carminic-Acid 164:309
- Charge-Induced-X-Ray 188:453
- Chromogenic-Reagent 188:341
- Comparative-Study 183:171
- Complex 188:291
- Conventional 166:413
- Derivative 164:309, 170:181
- Dibenzoylmethane-Loaded 172:319
- Diffuse 196:97
- Dioxouranium(VI) 199:413
- Disodium-Salt 188:341
- Dosimetry 196:97
- Droplet 154:41
- Dye 154:41
- Evaluation 196:97
- Extraction 152:243, 154:41, 166:413
- Extractive 177:327, 196:363, 199:413
- Film 196:97
- Fluoride 188:291
- Fluorometric-Determination 166:413
- Geological-Sample 196:363
- Guaiacol 154:331
- Hexamethyleneimine-carbodithioate 199:413
- High-Activity 177:327
- Iodide 157:193
- Ion-Exchange 183:171
- Isonicotinoyl-Hydrazone 175:1, 175:185
- Lipophilic 154:41
- Liquid-Liquid-Extraction 170:79
- Metal-Salt 188:453
- Microamount 188:341
- n-Octylacetamide 152:243
- N-Phenyl-3-Styrylacrylohydroxamic-Acid 170:79
- Natural-Water 172:319
- Nuclear-Waste 177:327
- O-Hydroxypropionophenone 175:185
- Oxime 154:357, 170:181
- Palladium 177:327
- PAR 152:243
- Pertechmetate 183:171
- Polyoxyethylene-Nonyl-Phenyl-Ether 154:41
- Polyurethane-Foam 172:319
- PONPE-2 154:41
- Preconcentration 172:319
- Proton 188:453
- PSAHA 170:79
- Radiochemical-Extraction 157:193
- Reagent 154:331, 196:363
- Reduction 183:171
- Reflection 196:97
- Sensitive 175:1, 175:185, 196:363
- Simultaneous 164:309
- Simultaneous-Determination 170:181
- Sodium-Salt 199:413
- Solvent-Extraction 183:171
- Thin 196:97
- Thiourea 183:171
- Thorin 188:341
- Thorium 170:181, 188:341
- Thorium(IV) 164:309, 188:291
- Trace 175:1
- Trace-Amount 175:185
- Tributyl-Phosphate-Plasticized 172:319
- Trilaurylamine-Oxide 157:193
- Uranium 154:331, 166:413, 170:79, 170:181, 172:319, 182:437, 196:363
- Uranium(VI) 152:243, 154:357, 164:309, 175:1, 175:185
- Uranium(VI)-Pyridylazo-Complex 154:41
- Water-Sample 157:193
- Yellow 182:437
- Yield 188:453
- Spectroscopy**
- $(\text{UO}_2)_2(\text{OH})_2^{2+}$ 174:299
- Analytical-Application 198:151
- Binary 198:151
- Characterization 198:151
- Hydrolysis 174:299
- Lifetime 198:151
- Positron 198:151
- Solid-Solution 198:151
- Species 174:299
- Uranyl 174:299
- Spectrum**
- Aerosol-Particle 167:247
- Broadening 172:29
- Correction 172:29
- Evaluation 172:29
- Importance 172:29
- Instrumental-Neutron-Activation-Analysis 167:247
- Line 172:29
- Neutron-Activation-Analysis 172:29

- Peak 172:29
- Shift 172:29
- Size 167:247
- SYNTH 193:229
- Synthesizer 193:229
- Trace-Element 167:247
- Urban 167:247
- Spectrum-Unfolding-Method** 176:391
- Spent**
 - Assembly 194:81
 - Bruce-Nuclear-Generating-Station-A 185:69, 200:365
 - Carbon-12/Carbon-14-Ratio 200:365
 - Carbon-14 185:69
 - Chlorine-36 200:365
 - Cladding 163:235
 - Control 194:81
 - DEHSO 162:391
 - Desorption 199:89
 - Electrochemical-Procedure 185:331
 - Extractant 162:391
 - Extraction 162:391
 - Fuel 162:391
 - Improvement 189:59
 - Inventory 163:235
 - Ion-Exchange-Resin 185:69, 200:365
 - Moderator 185:69, 200:365
 - Molybdenum-99-Technecium-99m-Generator 199:89
 - Nitric-Acid-Medium 162:391
 - Nuclear-Fuel 163:235, 185:331, 186:285, 189:59
 - Palladium 186:285, 189:59
 - Radiological-Characterization 194:81
 - Recovery 186:285, 189:59
 - Reprocessing 162:391, 186:285, 189:59
 - Rod 194:81
 - Sorption-Behavior 163:235
 - Surface 163:235
 - Thorium(IV) 162:391
 - Thorium-Uranium 162:391
 - Treatment 185:331
 - Uranium(VI) 162:391
 - Waste 186:285, 189:59
- Spice** 185:401
- Spike** 196:345
- Spiking**
 - Adsorption 186:237
 - Average 160:211
 - Cadmium-109 186:237
 - Container 186:237
 - Liquid-Scintillation-Counting 186:237
 - Non-analyte 160:211
 - Phosphorus 160:211
 - PIPPS 160:211
 - Power 160:211
 - Sodium 160:211
 - Stopping 160:211
- Spin**
 - 5,5-Dimethylpyrroline-N-Oxide 172:201
 - Adduct 172:201
 - Age-Momentum-Correlation 190:481
 - Conversion 190:481
 - Copper(II)-Ion 172:201
 - Formed 172:201
 - Hydroxyl-Radical 172:201
 - Hydroxylalkyl-Radical 172:201
 - Paramagnetic-Solution 190:481
 - Positronium 190:481
 - Reaction 172:201
 - Stability 172:201
- SPINACH**
 - Certification 193:25
 - Element 193:25, 196:387
 - Instrumental-Neutron-Activation-Analysis 193:25, 196:387
 - Standard-Reference-Material 193:25, 196:387
- Spinel** 154:285
- Spleen** 195:145
- Spontaneous-Fission**
 - Californium-252 170:99, 189:165
 - Correlation 199:353
 - Cumulative 170:99, 189:165
 - Distribution 189:165
 - Fractional 189:165
 - Nuclear-Charge 189:165
 - Particle 199:353
 - Tellurium-133g 189:165
 - Tellurium-133m 189:165
 - Ternary 199:353
 - Tin-127g 170:99
 - Tin-128 170:99
 - Yield 170:99, 189:165, 199:353
- Sprague-Dawley** 161:11
- Spratly-Islet** 194:291
- Spreadsheet** 180:75
- Spruce**
 - Cesium-134 194:277
 - Cesium-137 194:277
 - Long-Term-Behavior 194:277, 194:283
 - Naturally-Occurring 194:283
 - Potassium-40 194:277
 - Radionuclide 194:277, 194:283
 - Tree-Ring 194:277, 194:283
 - Uptake 194:277, 194:283
- Squarete** 188:377
- Sr** see **Strontium**
- SRXRF** 195:67
- SS-304** 165:107
- SSNTD** 175:333
- St.-Stephen-Cathedral** 169:65
- Stability**
 - 5,5-Dimethylpyrroline-N-Oxide 172:201
 - Acid 198:375
 - Adduct 172:201
 - Antibody 172:267
 - Aqueous 175:191
 - Biological-Distribution 196:45
 - Carrier-Mediated-Transport 163:145
 - Characterization 198:375
 - Condition 172:267
 - Constant 157:295, 165:137, 166:477
 - Content 196:45
 - Copper(II)-Ion 172:201
 - Coumarin 175:191
 - Crystalline 198:375
 - Distribution 157:295, 165:137, 166:477
 - Dosimeter 175:191, 175:199
 - Emulsion 163:181
 - Ferrous-Cupric-Sulfate 175:199
 - Formed 172:201
 - Freeze-Dried 196:45
 - Gamma-Radiation 196:45
 - Hydroxyl-Radical 172:201
 - Hydroxylalkyl-Radical 172:201
 - IgG2A 172:267
 - Impregnated 163:145
 - Ion-Exchange-Behavior 198:375
 - Kit 196:45
 - Labeling 172:267
 - Leakage 163:181
 - Liquid-Membrane 163:145, 163:181
 - Mouse 172:267
 - Nucleoporous 163:145
 - Organophosphorus-Agent 163:145
 - Pertraction 163:145
 - Post-irradiation 175:191
 - Potassium 163:181
 - Preparation 198:375
 - Radiochemical-Purity 196:45
 - Rare-Earth-Element 163:145
 - Reaction 172:201
 - REE 163:145
 - Response 175:191, 175:199
 - Spin 172:201
 - Support 163:145
 - Technetium-99m 172:267
 - Technetium-99m-Labelled 196:45
 - Temperature 175:199
 - Thallium(I)-Dialkyldithiophosphate 157:295
 - Thallium(I)-Dithiocarbamate 165:137
 - Thallium(I)-Xanthate 166:477
 - Tin(II) 196:45
 - Uranyl-Ion 198:375
 - Yttrium-90 172:267
 - Zirconium-Phosphate 198:375
- Stability-Constant**
 - 5-Sulfonic-Acid-Derivative 186:325
 - Thorium(IV)-8-Hydroxyquinoline-Complex 186:325
 - Uranium(VI)-8-Hydroxyquinoline-Complex 186:325
 - Uranyl-8-Hydroxyquinolinium-Sulfate-Complex 176:55
- Stabilization** 190:431
- Stabilizer** 187:339
- Stable**
 - 1,3-Dichloropropane 172:57
 - 1-Chlorobutane 172:57
 - 1-Chlorobutene-2 172:57
 - 1-Chloropropane 172:57
 - 2-Chloropropane 172:57
 - Activation 167:391
 - Atmosphere 172:57, 177:415
 - Biokinetic-Study 178:407
 - Dichloroethane 177:415
 - Dichloromethane 177:415
 - Ecological-Study 167:391
 - Gamma-Irradiated 172:57, 177:415
 - Intestinal-Absorption 170:433
 - Neutron-Produced 167:391
 - Oxygen-Free 172:57, 177:415
 - Product 172:57, 177:415
 - Radiation 172:57
 - Radical 177:415
 - Radioactive-Tracer 178:407
 - Radiolysis 172:57, 177:415
 - Radiotracer 167:391
 - Ruthenium 178:407
 - Short-Term 167:391
 - Tellurium 170:433
 - Tracer 167:391, 170:433
 - Yield 172:57
- Stainless-Steel**
 - Ambient-Temperature 189:65
 - Amount 154:103
 - Cobalt-57-Source 174:291
 - Contact 189:65
 - Contamination 189:65
 - Disk 154:103
 - Electrodeposition 154:103, 174:291
 - Electropolished 154:103
 - Foil 174:291
 - Kinetics 189:65
 - Milligram 154:103
 - Mössbauer-Experiment 174:291
 - Preparation 174:291
 - Radioactive 189:65
 - Uranium 154:103
- Stainless-Steel-Sample**
 - Calculational-Method 183:409
 - Conversion 186:447
 - Electron 186:447
 - Experimental-Method 183:409
 - Gamma-Photon 183:409
 - Mössbauer-Spectroscopy 186:447
 - Polishing 186:447
 - Self-Absorption 183:409
 - XPS 186:447
- Standard**
 - Accuracy 179:131, 196:135
 - Accurate 153:151
 - Actinide 177:5
 - Activation-Analysis 159:121, 169:57
 - Advance 160:221
 - Aluminum-Oxide 168:163
 - Ash 177:5
 - Bone 177:5
 - Cadmium 167:361
 - Calcium 159:121
 - Calibration 153:151
 - Chlorine 159:121
 - Comparative 159:121
 - Computer-Program 160:221
 - Efficiency 153:151
 - Element 160:221
 - Elemental-Assay 174:115
 - Enforcement 167:361
 - Field-Sample 192:361
 - Fine-Powder 168:163
 - Fluorine-20 169:57
 - Gamma-Ray-Spectrometer 153:151
 - Gamma-Ray-Spectroscopy 174:115
 - Germanium 153:151
 - Instrumental-Neutron-Activation-Analysis 160:221, 167:361
 - Lead-210 177:5

- Low-Activity 153:151
- Macro-Alga-Sample 159:121
- Marine 159:121
- Material 169:57, 174:115
- Monitoring 174:115
- Multielement 159:121, 168:163, 169:187
- Neutron-Activation 174:115
- Neutron-Activation-Analysis 169:187, 179:131, 192:361
- Neutron-Flux 174:115
- Non-destructive 159:121
- Particle-Induced-X-Ray-Emission 196:135
- Particular 167:361
- Phosphorus 159:121
- Plastics 167:361
- Pollution 167:361
- Polonium-210 177:5
- Precision 196:135
- Prediction 160:221
- Preparation 168:163, 179:131
- Preparing 153:151
- Procedure 153:151
- Rare-Earth-Element 168:163
- Reference-Material 159:121
- Relation 167:361
- Reliable 153:151
- Short-Time 169:57
- Silicon-Dioxide 168:163
- Soil 192:361
- Strontium-90 177:5
- Synthetic 159:121
- Trace-Element 167:361
- Uranium 177:5
- Standard-Reference-Material**
 - Apple 168:169
 - Arsenic 185:145
 - ASTM 168:169
 - Benzene 185:145
 - Biological 185:145
 - Botanical 160:41
 - Certification 160:41, 179:149, 193:7, 193:25, 193:49
 - Comparison 179:155
 - Comprehensive 193:49
 - Element 179:149, 193:25, 193:49, 196:387
 - Environmental 185:145
 - European 151:149
 - Fly-Ash 193:7
 - Hazardous 193:49
 - High-Accuracy 160:41
 - Human-Lung 172:299
 - Instrumental-Neutron-Activation-Analysis 151:149, 179:149, 193:7, 193:25, 196:387
 - Intercomparison 151:149, 168:169
 - Isotopic-Composition 172:299
 - Leaf 160:101, 168:169, 179:149
 - Medium-Lived-Radionuclide 179:155
 - Multielement-Analysis 160:101
 - National-Institute-of-Standards-and-Technology 160:101, 160:41, 168:169, 172:299, 179:155, 193:7
 - Neutron-Activation-Analysis 160:41, 179:155
- Non-spectrochemical-Technique 151:149
- Nuclear-Method 168:169
- Peach 160:101, 168:169
- Plutonium 172:299
- Prompt-Gamma-Ray-Activation-Analysis 179:149
- Radiochemical-Neutron-Activation-Analysis 179:149
- Soil 179:155
- Solvent-Extraction 185:145
- SPINACH 193:25, 196:387
- Substoichiometric-Isotope-Dilution-Analysis 185:145
- Toluene-3,4-Dithiol 185:145
- Tomato 179:149
- Vegetal 151:149
- Standardization**
 - Assurance 174:229
 - Bilateral 200:109
 - Catalogue 191:387
 - Comparison 191:387, 200:109
 - ENEA-Italy 200:109
 - Geological-Reference-Material 174:229
 - INP-Albania 200:109
 - Instrumental-Neutron-Activation-Analysis 174:229, 191:387
 - Iodine-125 200:109
 - k_p 191:387
 - Mixture 176:391
 - Multinuclide 176:391
 - Neutron-Activation-Analysis 160:63
 - Problem 160:63
 - Quality 174:229
 - Reactor 160:63
 - Single-Comparator-Method 191:387
 - Spectrum-Unfolding-Method 176:391
 - Sum-Peak-Method 200:109
 - Zinc 191:387
- Standardization-Method** 198:323
- Stannic-Silicomolybdate** 173:387
- Stannous-Ion**
 - Barium-Chlorofluoride 190:431
 - Characterization 190:431
 - Mössbauer-Spectroscopy 190:431
 - Radiopharmaceutical-Kit 176:225
 - Stabilization 190:431
 - Structure 190:431
 - Technetium-99m 176:225
 - Tin-119 190:431
 - Tin^{2+} 190:431
 - Unhybridized 190:431
- State**
 - Affair 179:93
 - Column 183:19
 - Crystalline 153:345
 - Future-Development 183:19
 - High-Performance-Liquid-Chromatography 183:19
 - k_p -Standardization 179:93
 - Long-Living 190:475
 - Microcrystalline 190:475
 - Modified-Westcott-Formalism 179:93
- Neutron-Activation-Analysis 179:93
- North-America 196:275
- Nuclear-Archaeology 196:275
- Oxide 190:475
- Packing 183:19
- Polymer 153:345
- Positron 190:475
- Positronium 190:475
- Present 183:19
- Radon 153:345
- Zeolite 190:475
- State-of-the-Art** 198:323
- Station**
 - Conventional 189:35
 - Filter 189:35
 - Ground-Water 189:35
 - Metal 161:585
 - Neutron-Activated 161:585
 - Nuclear-Power 161:585
 - Radiological-Characterization 161:585
 - Radium 189:35
 - Removal 189:35
 - Sand 189:35
 - Treatment 189:35
 - Waste 161:585
- Statistical-Analysis**
 - Active 169:483
 - Cold-Fusion 153:391
 - Concentration 169:483
 - Constituent 169:483
 - E-Rostratus-Schlecht 169:483
 - Eucalyptus-Camaldulensis-Dehnh 169:483
 - Medicinal 169:483
 - Plant 169:483
 - Trace-Element 169:483
- Statistical-Density-Function** 153:245
- Statistical-Estimate** 181:253
- Statistics** 175:95
- Statue** 192:147
- Status**
 - Advanced 167:7
 - Australian 163:195
 - Current 171:33
 - Diet 163:195
 - Education 171:33
 - Facility 167:7
 - India 171:33
 - Manganese 163:195
 - Neutron-Activation-Analysis 163:195, 167:7
 - Neutron-Source 167:7
 - Nuclear-Education 171:5
 - Nuclear-Science 171:33
 - Training 171:33
- Status-Report** 160:395
- Steady-State** 191:337
- Stearic-Acid** 176:243
- Steel**
 - 14-MeV 189:15
 - Absolute-Method 189:15
 - Alloy 189:15
 - Anomalous 165:115
 - Austenite-Formation 165:115
 - Carbide 153:409
 - Cobalt 198:317
 - Concrete 193:119, 193:127
 - Copper 198:317
 - Dependence 153:409
 - Desferrioxamine-B 198:317
- Environmental-Sample 193:127
- Fast 193:119
- Generation 153:409
- Iron-55 193:119
- Kinetic-Behavior 165:115
- LSC 193:119, 193:127
- Macro-constituent 165:363
- Mössbauer-Spectroscopy 153:409, 165:115
- Neutron-Activation-Analysis 189:15
- Nickel 198:317
- Nickel-63 193:127
- Phase 153:409
- Precipitation 153:409
- Pressure 153:409
- Procedure 193:119, 193:127
- Prompt-Gamma-Ray-Activation-Analysis 165:363
- Radioactive-Waste 198:317
- Radiochemical-Neutron-Activation-Analysis 160:529
- Rare-Earth-Element 160:529
- Sensitive 193:119, 193:127
- Shock-Wave 153:409
- Step** 176:303
- Sterilization** 159:87
- Sternum** 161:455
- Stimulated** 188:189
- Stoichiometry**
 - Backscattering 174:265
 - CMPO 191:189
 - Coextraction 191:189
 - Film 174:265
 - Proton 174:265
 - Reaction 191:189
 - Technetium(VII) 191:189
 - Uranium(VI) 191:189
 - Vanadium-Nitride 174:265
- Stony** 169:13
- Stopped-Flow** 201:185
- Stopped-Flow-Inductive-Kinetic-Spectrophotometry** 176:117
- Stopping** 160:211
- Storage** 193:377
- Storm** 163:313
- Strange** 195:335
- Strategy** 192:9
- Stratigraphical** 182:367
- Stratospheric** 172:49
- Stream**
 - Actinide 194:107
 - Characterization 193:377
 - Contaminated 194:107
 - Correlation 193:377
 - Disposal 193:377
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 194:107
 - Important 193:377
 - Inventory 193:377
 - Key 193:377
 - Monitor 194:107
 - On-line 194:107
 - Radionuclide 193:377
 - Safety 193:377
 - Storage 193:377
 - Typical 193:377
 - Waste 193:377, 194:107
- Stripping** 185:369
- Strong** 173:37
- Strong-Acid** 152:219

- Strongly-Basic-Type** 201:509
Strongly-Irradiated 165:71
Strontium
 • Accumulation 187:299
 • Acidic-Solution 183:127
 • Actinide 156:21
 • Active 186:1
 • Alcoholic-Solution 182:401
 • Amorphous 182:323, 182:335, 182:345
 • Animal 187:299
 • Anion-Exchange 189:141
 • Anion-Exchanger 182:401
 • Aphron 183:123
 • Aqueous-Phase 201:81
 • Aqueous-Solution 186:1
 • Aqueous-System 186:9, 186:99
 • Barium 186:1, 198:449
 • Blood-Cell 168:243
 • Bone 187:299
 • Bratislava-Tmava-Highway 176:451
 • Calcium 174:153, 182:401, 183:127
 • Calcium-Phosphate 198:303
 • Cement-Composite 182:335
 • Cesium 182:323, 182:335, 182:345, 186:9, 201:81
 • Chelating-Resin 159:239
 • Cobalt 170:381
 • Column 182:345
 • Commercial 186:1
 • Condition 170:381
 • Content 176:451
 • Copper 176:451
 • Coprecipitation 198:303
 • Crown-Ether 159:239, 183:127, 185:411
 • Dialysis 186:99
 • Dicarbollide 174:153
 • Diffusion-Coefficient 170:381
 • Direct 170:381
 • Distribution 186:9
 • EDTA 174:153
 • Energy-Dispersive-X-Ray-Fluorescence-Analysis 191:305
 • Enzymatic-Degradation 156:21
 • Estimation 191:305
 • Europium 186:9, 201:81
 • Extraction 183:115, 185:411, 201:81
 • Glycol 174:153
 • Human-Blood-Serum 168:243
 • Iodine-129 156:21
 • Isotope 182:335
 • Lanthanum 182:193
 • Large-Sample 156:21
 • Layer 170:381
 • Leaching 182:335
 • Lead 176:451, 186:1
 • Liquid 159:239
 • Liquid-Liquid-System 186:99
 • Manganese-Dioxide 186:1
 • Membraneless 186:99
 • Micellar-Enhanced 183:109
 • Micelle 183:115
 • Microfiltration 183:109
 • Milk 159:239
 • Milk-Pectin 186:9, 186:99
 • Mixed-Solvent 189:141
 • Modified 183:115
 • Morphological-Change 198:303
 • Natural-Sample 189:141
 • Nickel 176:451
 • Nitric-Acid 182:401
 • Nitric-Acid-Solution 185:411
 • Nuclear-Waste 191:305
 • Packed 168:243
 • Phosphoantimonic-Acid 182:193
 • Polyantimonic-Acid 182:193
 • Polyethylene 174:153
 • Precipitated 186:1
 • Precipitation 183:127
 • Preconcentration 183:115, 183:123
 • Radioactive 189:141
 • Radioactive-Waste 182:323, 182:335, 182:345
 • Radiochemical-Neutron-Activation-Analysis 168:243
 • Radiochemical-Sorption-Behavior 198:449
 • Radioisotope 182:323
 • Radionuclide 176:451
 • Rapid 174:153
 • Rapid-Method 159:239
 • Removal 182:345
 • Selected 185:411
 • Separation 159:239, 174:153, 182:401, 183:127, 186:1, 189:141
 • Silica-Gel 170:381
 • Simulated 191:305
 • Simultaneous 156:21
 • Skeleton 187:299
 • Sodium-Carbonate 201:81
 • Solid-Phase 183:115
 • Solvent-Extraction 174:153
 • Sorption 182:193
 • Speciation 186:9
 • Taraxacum-Officinale 176:451
 • Treatment 159:239, 182:323, 182:335, 182:345
 • Tungstosilicic-Acid 183:127
 • Uptake 182:323
 • Vegetation 156:21
 • X-Ray-Fluorescence-Analysis 176:451
 • Zinc 176:451
 • Zirconium-Phosphate 182:323, 182:335, 182:345
Strontium(II) 190:81
Strontium(II)-Ion 196:353
Strontium-87m 166:63
Strontium-89 173:293
Strontium-89/Strontium-90-Determination 194:311
Strontium-90
 • Actinide 177:5
 • Americium-241 170:243
 • Ash 177:5
 • Beta-Spectroscopy 173:293
 • Biological-Material 156:165
 • Bone 177:5
 • Brazilian 200:497
 • Calcium-Strontium 161:413
 • Calibration 193:99
 • Carrier-Free 189:307
 • Catchment 156:7
 • Cesium 156:7
 • Cesium-137 161:483, 175:297, 197:281
 • Characterization 193:99, 193:107
 • Cherenkov-Counting 178:131
 • Chernobyl-Accident 182:349
 • Chernobyl-Fallout 161:483
 • Coast 200:497
 • Combined 156:165
 • Commitment 175:297
 • Contaminated 156:7
 • Crown-Ether 189:307
 • Cáceres-Spain 175:297
 • Deposition 182:349
 • Depth 175:297
 • Derived 182:349
 • Detector 173:293, 193:99
 • Distribution 175:297
 • Dose 175:297
 • Environmental 156:165, 185:255
 • Environmental-Sample 161:413
 • Estimation 197:281
 • External 175:297
 • Fallout 175:297
 • Fish 200:497
 • Following 161:483
 • Forest 170:243
 • Fractionation 156:7
 • HDEHP 156:165
 • High-Energy 193:107
 • Inorganic-Exchanger 161:413
 • Irradiation 175:297
 • Isotope 156:7, 182:349
 • Japan 182:349
 • Lake 156:7
 • Large-Area 193:99
 • Lead-210 177:5
 • Liquid 191:315
 • Liquid-Scintillation-Counting 156:165
 • Milk 175:317
 • Mountain 156:7
 • Mushroom 161:483, 170:243
 • Norwegian 156:7
 • Novel-Approach 161:413
 • Plant 175:317
 • Plutonium 182:349
 • Plutonium-238 170:243
 • Plutonium-239/240 170:243
 • Poland 170:243
 • Polonium-210 177:5
 • Radiochemical-Analysis 175:317
 • Radiochromatography 152:391
 • Rapid-Method 185:255
 • Real-Time 193:107
 • Run-Off 156:7
 • Ruthenium-106 197:281
 • Sample 170:243, 191:315
 • Scintillation 173:293
 • Selective 193:107
 • Sensor 193:107
 • Separation 161:413, 173:293
 • Sequential 197:281
 • Snowmelt 156:7
 • Soil 170:243, 175:297, 175:317, 185:255
 • Solvent-Extraction 156:165, 175:317, 189:307
 • Standard 177:5
 • Strontium-89 173:293
 • Surface 175:297
 • Thin-Layer 152:391
 • Uranium 177:5
 • Uranium-238 193:107
 • Urine 197:281
 • Water 156:7
 • Yttrium-90 173:293, 189:307
Strontium-Bromate
 • Annealing 154:163, 155:351, 176:345
 • Chemical 154:163, 155:351
 • Damage 176:345
 • Gamma-Irradiated 155:351
 • Gamma-Irradiation 176:345, 188:73
 • Hydration 155:351
 • Lattice-Defect 176:345
 • Radiation-Damage 154:163, 155:351
 • Thermal-Decomposition 188:73
Strontium-Cation 175:287
Strontium-Ion
 • Adsorption 162:299
 • D2EHPA-Tributyl-Phosphate-Kerosene-Oil-Supported 185:369
 • Extraction 185:369
 • Granulated 162:339
 • Ion-Exchanger 162:299
 • Liquid-Membrane 185:369
 • Management 162:299
 • Radioactive-Waste 162:299
 • Radiotracer 162:299
 • Removal 162:339
 • Sodium-Titanate 162:299
 • Stripping 185:369
 • Zeolite 162:339
Strontium²⁺
 • Barium²⁺ 183:85, 187:285
 • Calcium²⁺ 183:85
 • Cesium⁺ 183:85
 • Cobalt 187:285
 • Dicarbollide-Polyethylene 187:285
 • Extraction 187:285
 • Glycol-Nitrobenzene-Carbon-Tetrachloride-Cyclohexanedi-amine 187:285
 • Hollow-Fiber-Supported 183:85
 • Liquid-Membrane 183:85
 • Potassium⁺ 183:85
 • Separation 187:285
 • Sodium⁺ 183:85
 • Transport 183:85
Structural-Analysis 190:419
Structural-Investigation
 • Carbohydrate 189:237
 • Dibenzyltin(IV)-Complex 189:237
 • Intercalate 196:311
 • n-Butylamine 196:311
 • Phosphate-Phosphite 196:311
 • Zirconium 196:311
Structural-Magnetic-Transformation 190:363
Structural-Modification
 • Alpha-Zirconium-Phosphate 200:159
 • Cation 190:375
 • Foreign 190:375
 • Hemoglobin 190:243
 • Hydrated 190:375
 • Induced 190:375
 • Iron 190:375
 • Mössbauer-Spectroscopy 190:243
 • Oxide 190:375
 • Positron-Annihilation 190:243

- Silica-Containing 200:159
- Structural-Stability** 187:431
- Structure**
 - Ammonia 186:205
 - Ammonium-Uranate 186:205
 - Aqueous-Solution 156:291
 - Barium-Chlorofluoride 190:431
 - Characterization 190:431
 - Chemical-Bond 190:225
 - Coefficient 156:291
 - Composition 186:205
 - Containment 180:237
 - Curium 156:291
 - Flow-Rate 186:205
 - Gadolinium 156:291
 - Gaseous 186:205
 - Higher-Oxide-State 158:261
 - Impact 180:237
 - Iodine 180:237
 - Ion-Implanted 190:225
 - Metallomesogen 190:333
 - Mössbauer-Spectroscopy 190:431
 - Nuclear-Reactor 180:237
 - Organic-Compound 180:237
 - Possible 158:261
 - Property 190:333
 - Self-Diffusion 156:291
 - Stabilization 190:431
 - Stannous-Ion 190:431
 - Technetium(VII) 158:261
 - Tin-119 190:431
 - Tin²⁺ 190:431
 - Transplutonium 156:291
 - Trivalent-Ion 156:291
 - Unhybridized 190:431
 - Volatility 180:237
- Structure-Analysis** 160:443
- Styrene** 190:463
- Styrylacrylohydroxamic-Acid** [N-Phenyl-3-» 170:79
- Sub-equivalence**
 - 3,5,3'-Triiodothyronine 155:155
 - Cyclic-3',5'-Adenosine-Monophosphate 155:145
 - Isotope-Dilution 155:145
 - Isotope-Dilution-Analysis 155:155, 155:279, 155:289, 160:417
 - Labeled 155:145
 - Radioanalytical-Application 160:417
 - Subvariant 155:279, 155:289
 - Super-equivalence 155:145, 155:155, 155:279, 155:289, 160:417
 - Theoretical-Error 155:279, 155:289
 - Thyroxine 155:155
 - Variant 155:279, 155:289
- Sub-ppb** 160:425
- Sub-ppb-Level** 167:81
- Subcellular-Distribution** 166:97
- Substituent**
 - Copolymer 190:463
 - Defect 190:513
 - Ion 190:513
 - Monocrystal 190:513
 - Mu-Spin-Resonance 190:513
 - Point-Like 190:513
 - Positron-Annihilation 190:463
 - Quartz 190:513
 - Reactivity 190:513
 - Styrene 190:463
- Substitution** 199:317
- Substoichiometric-Analysis** 185:83
- Substoichiometric-Determination** 183:93
- Substoichiometric-Extraction**
 - Benzyl-Xanthate 199:239, 200:181
 - Butyl-Xanthate 199:239, 200:181
 - Cadmium 199:239
 - Comparative 199:239, 200:181
 - Estimation 181:433
 - Ethyl-Xanthate 199:239, 200:181
 - Fruit-Sample 181:433
 - Iron 181:433
 - Malonic-Anilide 181:433, 200:491
 - Mercury 200:491
 - Pentyl-Xanthate 199:239, 200:181
 - Potassium-Salt 199:239, 200:181
 - Propyl-Xanthate 199:239, 200:181
 - Zinc 200:181
- Substoichiometric-Isotope-Dilution-Analysis**
 - Arsenic 185:145
 - Benzene 185:145
 - Bibliography 182:487
 - Biological 185:145
 - Environmental 185:145
 - Solvent-Extraction 185:145
 - Standard-Reference-Material 185:145
 - Toluene-3,4-Dithiol 185:145
- Substoichiometric-Radiochemical-Determination**
 - Antimony 187:107
 - Crystal 199:333
 - Mercury 166:23
 - Molybdenum 199:333
 - Potassium-Benzyl-Xanthate 166:23
 - Potassium-Ethyl-Xanthate 187:107
 - Sodium-Isopropyl-Xanthate 165:49
 - Thallium 165:49
 - Violet 199:333
- Substoichiometric-Reagent**
 - Indium 154:249
 - Potassium-3-Phenylmethyl-dithiocarbamate 153:333
 - Potassium-Ethyl-Xanthate 154:249
 - Silver 153:333
 - Utilization 154:249
- Subtrace-Level** 159:77
- Subvariant**
 - Isotope-Dilution-Analysis 155:279, 155:289
 - Sub-equivalence 155:279, 155:289
 - Super-equivalence 155:279, 155:289
 - Theoretical-Error 155:279, 155:289
 - Variant 155:279, 155:289
- Succinic-Acid-Medium** 166:273
- Sugar**
 - Agroindustry 168:41
 - Alcohol 168:41
 - Egyptian 196:377
 - Industrial-Product 196:377
 - Multielement-Clustering-Technique 196:377
 - Scandium 168:41
 - Tracer 168:41
- Sugar-Cane** 200:305
- Suitable**
 - Collect 199:365
 - Ion-Microprobe 178:55
 - Lithium-7-Hydroxide 199:365
 - Mercury 178:55
 - Neutron-Activation-Analysis 199:365
 - Osmium 178:55
 - Preparation 178:55
 - Reagent 199:365
 - Sample 178:55
 - Volcanic-Gas-Sample 199:365
- Sulfate**
 - Acidity 152:447
 - Actinide 191:279
 - Bearing 191:279
 - Biamperometry 152:519
 - Chromatographic-Separation 191:279
 - CMPO 191:279
 - Complexing-Agent 152:447
 - Double 178:429
 - Extraction 191:279
 - Free 152:447
 - Gamma-Radiolysis 178:429
 - High-Level 191:279
 - Minor 191:279
 - Potassium-Nitrate 178:429
 - Potentiometry 152:447
 - Solid-State 178:429
 - Uranium 152:447
 - Uranyl-Nitrate-Solution 152:447
 - Waste 191:279
- Sulfide**
 - Beta-Diketone 155:201
 - Chelate 155:201
 - Chemical-Vapor-Deposition 155:201
 - Film 155:201
 - Lanthanide 155:201
 - Metastable 190:363
 - Oxidation 190:363
 - Preparation 155:201
 - Structural-Magnetic-Transformation 190:363
- Sulfonic-Acid-Derivative** 15-» 186:325
- Sulfonic-Acid-Type** 152:219
- Sulfoxide**
 - Acidic 191:291
 - Actinide 191:291
 - Adduct 170:43
 - Amide 170:43
 - Chromatographic-Separation 191:291
 - Equilibrium 170:89
 - Extraction 170:89, 178:91
 - Fission-Product 178:91
 - Gamma-Irradiation 178:91
 - Minor 191:291
 - Mixture 170:89
 - Nitrate 191:291
- Nitric-Acid-Medium 178:91
- Partition 191:291
- Plutonyl-Pyrazolonate 170:43
- Purex 191:291
- Reversed-Phase 191:291
- Ternary 170:43
- Thorium(IV) 178:91
- Uranium(VI) 178:91
- Waste 191:291
- Ytterbium(III) 170:89
- Sulfur**
 - Bone-Marrow 191:25
 - Coal 201:233
 - Estimation 201:233
 - Fast-Neutron-Activation 201:233
 - Lymph 191:25
 - Microcolloid 191:25
 - Preparation 191:25
 - Scintigraphy 191:25
 - Technetium-99m 191:25
- Sulfur-32-(He-3,p)-Chlorine-34m-Nuclear-Reaction** 153:273
- Sulfur-35**
 - Absolute 187:367
 - Adsorption 200:465
 - Calcium-45 187:367
 - Chemical-Effect 159:363
 - Decay 159:363
 - Gelation 165:203
 - Hexanethiol 159:363
 - Incorporated 159:363
 - Integral-Counting-Method 187:367
 - Liquid-Scintillation-Counting 165:203, 187:367
 - Low-Specific-Activity 165:203
 - Modified 187:367
 - Molecule 159:363
 - n-Lauroyl-L-Glutamic-alpha/gamma-Dibutylamide 165:203
 - Palladium/Alumina-Catalyst 200:465
 - Phosphorus-35 165:203
- Sulfur-Content** 191:171
- Sulfur-Dioxide** 188:367
- Sulfur-Dioxide-Oxidation** 154:241
- Sulfuric-Acid-Medium**
 - Aliquat-336 201:325
 - Americium(III) 201:325
 - Binary-Mixture 201:325
 - HDEHP 152:137
 - Hydrazine 186:89
 - Nitric-Acid-Medium 201:325
 - PC-88A-TOPO 201:325
 - Phosphoric-Acid 152:137
 - Platinum-Catalyzed-Reduction 186:89
 - Plutonium(IV) 152:137
 - Solvent-Extraction 152:137
 - Synergistic-Extraction 201:325
 - Uranium(VI) 186:89, 201:325
- Sum-Peak-Method**
 - Bilateral 200:109
 - Change 166:131
 - Comparison 200:109
 - Concentration 154:413
 - Decay 154:413, 166:131
 - Dysprosium-160 154:413
 - ENEA-Italy 200:109
 - Europium-152 166:131

- Function 154:413
- Gelatin 154:413
- INP–Albania 200:109
- Iodine-125 200:109
- K-Capture 166:131
- Parameter 154:413, 166:131
- Perturbed-Angular-Correlation 154:413, 166:131
- Probability 166:131
- Standardization 200:109
- Value 154:413
- Summing**
 - Calibration 193:71
 - Coincidence 191:105, 193:71
 - Correcting 193:71
 - Correction 191:105
 - Detector 193:71
 - Efficiency 193:71
 - Germanium 193:71
- Sunflower-Seed** 154:427
- Super-equivalence**
 - 3,5,3'-Triiodothyronine 155:155
 - Cyclic-3',5'-Adenosine-Monophosphate 155:145
 - Isotope-Dilution 155:145
 - Isotope-Dilution-Analysis 155:155, 155:279, 155:289, 160:417
 - Labeled 155:145
 - Radioanalytical-Application 160:417
 - Sub-equivalence 155:145, 155:155, 155:279, 155:289, 160:417
 - Subvariant 155:279, 155:289
 - Theoretical-Error 155:279, 155:289
 - Thyroxine 155:155
 - Variant 155:279, 155:289
- Supercage**
 - ESR 154:197, 164:255
 - Formation 164:255
 - KY 164:255
 - Mössbauer-Spectroscopy 154:197, 164:255
 - NaY 164:255
 - Phthalocyanineiron(II)-Pyridine-Adduct 164:255
 - Phthalocyanineiron(II) 154:197
 - Pyridine-Inactive 154:197
 - RbY 164:255
 - Zeolite 154:197, 164:255
- Superconductivity**
 - Anomalous 164:405
 - Antimony 176:361
 - BCS-Type 164:405
 - Bi-Pb-Cu-Sr-Ca-Sb-O 176:361
 - Ceramics 176:361
 - Change 164:405
 - Compound 176:361
 - Elemental-Analysis 176:361
 - Film 155:91
 - High-Temperature 155:91, 164:405, 176:361
 - Indication 164:405
 - Material 176:361
 - Mössbauer-Parameter 164:405
 - Neutron-Induced-Prompt-Gamma-Ray-Method 176:361
 - Quantitative 176:361
 - T_c 164:405
 - X-Ray-Fluorescence-Analysis 155:91
- Superconductor**
 - Anomalous-Behavior 190:391
 - Barium 187:215
 - Copper 187:215
 - Europium-151 190:401
 - Film 187:215
 - High-Temperature 190:401
 - Iron-57 190:401
 - Mössbauer-Spectroscopy 190:401
 - Nd_{1.84}Ce_{0.16}CuO₄ 190:391
 - Thallium-Containing 190:401
 - X-Ray-Diffraction 190:401
 - X-Ray-Fluorescence-Analysis 187:215
 - Yttrium 187:215
- Superoxide-Dismutase** 159:9
- Supplemental** 195:97
- Supplementation** 158:293
- Support** 163:145
- Supported**
 - Americium(VI) 185:265
 - Aqueous-Solution 164:211
 - Carrier-Mediated-Transport 155:311, 159:219, 163:131, 170:51
 - Cerium 159:219, 163:131, 170:51
 - DEHPA 170:51
 - Efficient 186:401
 - Environmental-Sample 186:341, 186:401
 - Europium 159:219, 163:131, 170:51
 - Extractant 186:401
 - Gadolinium 159:219, 163:131, 170:51
 - HDEHP 185:265
 - Kinetics 185:265
 - Ligand 164:211
 - Liquid-Membrane 155:311, 159:219, 163:131, 170:51, 185:265, 186:341
 - Luminescence 186:341
 - Mass-Transfer 185:265
 - n-Dodecane 155:311, 159:219
 - Neptunium 186:341
 - Plutonium 186:401
 - Preconcentration 186:341
 - Radiochemical-Separation 186:401
 - Radium 164:211
 - Rare-Earth-Element 159:219, 163:131, 170:51
 - Removal 164:211
 - Scandium 159:219, 163:131, 170:51
 - Solid 185:265
 - Specificity 186:401
 - Thulium 159:219, 163:131, 170:51
 - Transport 159:219, 163:131, 170:51
 - Tri-n-Octylphosphine-Oxide 155:311, 159:219
 - Tributyl-Phosphate 163:131
 - Ytterbium 159:219, 163:131, 170:51
 - Yttrium 159:219, 163:131, 170:51
 - Yttrium(III) 155:311
- Suppression**
 - Aerosol 192:195
 - Biological-Reference-Material 181:61
 - Chromium 181:61
 - Compton 179:67, 181:61, 192:195
 - Counting 192:195
 - Detection 192:195
 - Environmental-Analysis 179:67
 - Epithermal-Irradiation-Technique 192:195
 - Filter 192:195
 - Instrumental-Neutron-Activation-Analysis 181:61
 - Limit 192:195
 - Neutron-Activation-Method 179:67
 - Trace-Element 192:195
- Surface**
 - Adsorption 200:351
 - Agent 178:359
 - Air 199:27
 - Argon 166:351
 - Benzene 152:329
 - Bismuth(III) 179:267
 - Borehole 194:393
 - Calibration 194:393
 - Carbon-Steel 178:359
 - Catalytic-Property 185:231
 - Cesium-137 175:297
 - Chemical-Dissolution 178:359
 - Chemical-Modification 201:213
 - Chemical-Pretreatment 200:351
 - Cladding 163:235
 - Classical 178:359
 - Clinoptilolite 200:351
 - Commitment 175:297
 - Component 178:359
 - Coprecipitation 179:267
 - Co₃O₄ 185:231
 - Cáceres–Spain 175:297
 - Decay 164:221
 - Decontamination 201:213
 - Depth 175:297
 - Desorption 159:37
 - Dissolution 178:261
 - Distribution 175:297
 - Dose 175:297
 - Enhancement 201:213
 - Environmental 194:393
 - External 175:297
 - Facility 194:393
 - Fallout 175:297
 - Ferrocene 166:351
 - Gamma-Irradiation 166:351, 185:231
 - Gamma-Radiolysis 152:329
 - Grown 178:359
 - Growth 178:261
 - Heat-Transfer 178:359
 - Host 178:261
 - Inventory 163:235
 - Iodide 200:351
 - Ion 159:37
 - Ion-Implantation 166:351
 - Irradiation 175:297
 - Isotope 199:27
 - Kinetics 159:37, 178:261
 - Labeling 164:221
- Lithium-Oxide-Doping 185:231
- Magnesium-Oxide 152:329
- Mica 159:37
- Model 178:261
- Modification 166:351
- Neutron-Activation-Analysis 179:267
- Nuclear-Accident 201:213
- Nuclear-Fuel 163:235
- Nuclear-Power-Plant 178:359
- Ore 178:261
- Oxide-Layer 178:359
- Plutonium 199:27
- Polyacrylamide 201:213
- Potential 178:261
- Preconcentration 179:267
- Processing 178:261
- Pyrrolidinedithiocarbamate 179:267
- Quartz 159:37
- Radiation 194:393
- Radon-222 164:221
- Short-Lived-Product 164:221
- Site 199:27
- Soil 175:297, 201:213
- Solid 164:221, 178:261, 185:231
- Sorption-Behavior 163:235
- Spent 163:235
- Strontium-90 175:297
- Trace-Element 179:267
- Unloaded 185:231
- Uranium 178:261
- Vinca-Belgrade 199:27
- Water 179:267
- Surface-Area/Volume-Activity-Ratio** 189:289
- Surface-Area/Volume-Ratio** 161:503
- Surface-Ionization-Mass-Spectrometry**
 - Comparison 168:115
 - Composition 168:115
 - Data 168:115
 - Gabbro 168:115
 - Gadolinium 175:427
 - GOG-1 168:115
 - Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 168:115
 - Isotopic-Measurement 175:427
 - Neutron-Activation-Analysis 168:115
 - REE 168:115
 - Reference-Sample 168:115
 - Updating 168:115
- Surface-Layer** 198:125
- Surface-Structure** 190:321
- Surface-Treatment**
 - Affected 176:243
 - Gas 176:243
 - Ionizing-Radiation 166:485
 - Langmuir-Blodgett 176:243
 - Layer 176:243
 - Poly(3-Hexadecylthiophene) 176:243
 - Poly(3-Pentylthiophene) 166:485
 - Property 176:243
 - Stearic-Acid 176:243
- Surface-Water** 179:221
- Surfactant**
 - AOT 191:201

- Cobalt(II) 173:303
- Complexing-Agent 173:303
- Extraction 191:201
- Kaolinite 173:303
- Micellar-System 191:201
- Partitioning 191:201
- Protein 191:201
- Radiolabeled 191:201
- Reverse 191:201
- Sorption 173:303
- Surrounding**
 - Atomic-Power-Station 175:41, 183:167
 - Dudváh 183:167
 - Environmental-Pollution 192:307
 - Environmental-Sample 175:41, 183:167
 - Indian 192:307
 - Industrial 192:307
 - Instrumental-Neutron-Activation-Analysis 192:307
 - Jaslovské-Bohunice 175:41, 183:167
 - Manivier 183:167
 - Metropolitan-City 192:307
 - Plutonium-239/240 175:41, 183:167
 - River 183:167
- Survey**
 - Charcoal 193:337
 - Comparison 193:337
 - EPA 161:273
 - Experience 193:337
 - Field 193:337
 - Liquid-Scintillation-Counting 193:337
 - Literature 171:465
 - Long-Lived-Radionuclide 171:465
 - Non-conventional-Measurement-Technique 171:465
 - Nuclear-Fuel 171:465
 - Radon 161:273, 193:337
- Suspended** 187:243
- Suspended-Matter** 183:395
- Suspended-Solid**
 - Concentration 159:187
 - Interaction 159:175, 159:187, 185:15
 - Kinetic-Parameter 185:15
 - Kinetics 159:175, 159:187, 185:15
 - Migration 159:175, 159:187, 185:15
 - Modeling 159:175, 159:187, 185:15
 - Parameter 159:175
 - Radionuclide 159:175, 159:187, 185:15
 - River 159:175, 159:187, 185:15
 - Temperature 159:187
 - Variability 185:15
- Swedish** 198:203
- Sword** 169:27
- Synergetic-Extraction**
 - 1,10-Phenanthroline 157:177
 - 2,2'-Dipyridyl 157:177
 - Cobalt³⁺ 157:169
 - Europium³⁺ 157:177
- Synergetic-Hypothesis** 162:99
- Synergetic-Effect** 178:153
- Synergic-Extraction**
 - 15-Crown-5 159:353
 - 18-Crown-6 159:353
 - Acid 176:233
 - Americium 159:353
 - Benzene 176:233
 - Dioxouranium(VI) 176:233
 - Europium 159:353
 - Evaluation 189:83
 - Gadolinium 159:353
 - Lanthanoid 172:239
 - Mixed 159:353
 - Perchlorate-Medium 159:353
 - Radionuclide 159:353
 - Terpyridine 172:239
 - Thenoyltrifluoroacetone 159:353, 172:239
 - Toluene-3,4-Dithiol 189:83
 - Trioctylamine 189:83
 - Triphenylphosphine-Oxide 176:233
 - Trivalent 159:353
- Synergic-Liquid-Liquid-Extraction** 163:277
- Synergic-System** 164:1
- Synergism** 152:401
- Plutonium-239/240** 175:41, 183:167
- Synergetic-Effect**
 - 2-Thenoyltrifluoroacetone 152:151
 - Amine 152:151
 - Bidentate 152:151
 - Crown-Ether 176:457
 - Dinonylnaphthalenesulfonic-Acid 176:457
 - Europium(III) 176:457
 - Extraction 152:151, 176:457
 - Heterocycle 152:151
 - Thorium(IV) 152:151
 - Trioctylphosphine-Oxide 176:457
- Synergetic-Extraction**
 - 1-Phenyl-3-Methyl-4-Benzoylpyrazolone-5 152:401
 - 2-Thenoyltrifluoroacetone 160:435
 - Acid-Medium 162:371
 - Actinide 162:371, 170:479
 - Aliphatic-Amide 152:401
 - Aliquat-336 201:325
 - Americium(III) 160:435, 201:325
 - Amide 152:401
 - Binary-Mixture 201:325
 - Crown-Ether 160:435
 - HDEHP 162:371
 - HPMBP 152:401
 - Lanthanide 162:371
 - Neutral-Donor 170:479
 - Nitric-Acid-Medium 201:325
 - Nitric-Acid-Solution 162:371
 - PC-88A-TOPO 201:325
 - Polyurethane-Foam-Loaded-Acid 162:371
 - Sulfuric-Acid-Medium 201:325
 - Synergism 152:401
 - Tropolone 170:479
 - Uranium(VI) 162:371, 170:479, 201:325
 - Uranyl-Ion 152:401
- Synergetic-Extraction-Behavior** 195:343
- Synergetic-Mixture** 196:369
- Synergetic-Solvent-Extraction**
 - Acetate-Buffer-Solution 157:159
 - Acetylacetone 157:159
 - Alcohol 157:159
 - Cerium(III) 171:329
 - Cobalt(III) 157:159
 - Computer-Aided-Analysis 163:335
 - Dialkyl-Sulfoxide 171:329
 - Ether 157:159
 - Europium(III) 178:109
 - Extractant 178:109
 - Ketone 157:159
 - Lutetium(III) 163:335
 - Mixed 157:159
 - Mixture 171:329, 178:109
 - Organophosphorus 178:109
 - Terbium(III) 178:109
 - Thenoyltrifluoroacetone 171:329
 - Tributyl-Phosphate 157:159
- Synkavit** 187:277
- SYNTH** 193:229
- Synthesis**
 - 2-(F-18)-FDG 173:239
 - 2-Methoxyisobutylisonitrile 188:409
 - Aminomethylpyrrolidine-Cyclobutanedicarboxylato-Platinum(II) 164:123
 - Automated 183:329
 - Beta-Diketonato-Tc(III)-Complex 178:311
 - Bone-Tumor 160:443
 - Characterization 176:325, 189:89
 - Charcoal 183:329
 - Chemistry 183:329
 - cis-Diammine(Glycolato)-Platinum(II) 199:207
 - Complexing-Agent 188:409
 - EDTMP 160:443
 - Efficiency 183:329
 - Efficient 188:409
 - Equilibrium 189:89
 - F-18-Fluorodeoxyglucose 183:329
 - Filter 183:329
 - Fluorine-18 173:239
 - High-Performance-Liquid-Chromatography 164:123
 - High-Radionuclidic-Purity 199:207
 - Ion-Exchange 188:323, 189:89
 - Mexico 173:239
 - Mixed-Ligand 178:311
 - Monohydrate 164:123
 - Nitridotechnetium-EDTA-Complex 176:325
 - Nuclear-Reactor 173:239
 - Platinum-195m-Radiolabeled 164:123, 199:207
 - Potential 160:443
 - Preliminary 160:443, 173:239
 - Process-Control 183:329
 - Property 188:323
 - Samarium-153 160:443
 - Structure-Analysis 160:443
 - Technetium-99m 188:409
 - Therapeutic-Agent 160:443
 - Tin(IV)-Antimonate 189:89
 - TRIGA-MARK-III 173:239
 - Unit 183:329
- Zirconium-Molybdoarsenate 188:323
- ZrMas 188:323
- Synthesized** 186:213
- Synthesizer** 193:229
- Synthetic**
 - Activation-Analysis 159:121
 - Calcium 159:121
 - Chlorine 159:121
 - Comparative 159:121
 - Macro-Alga-Sample 159:121
 - Magnetite 199:289
 - Marine 159:121
 - Multielement 159:121
 - Mössbauer-Spectroscopy 199:289
 - Non-destructive 159:121
 - Phosphorus 159:121
 - Reference-Material 159:121
 - Standard 159:121
- Synthetic-Faujasite** 183:225
- Synthetic-Slag** 183:283
- Syrian**
 - Bentonite 162:325
 - Instrumental-Neutron-Activation-Analysis 195:195
 - Natural 162:325
 - Radioactive-Waste 162:325
 - Tobacco 195:195
 - Trace-Element 195:195
 - Treatment 162:325
- Tail-End** 165:219
- Tailing**
 - Airborne 193:319
 - Area 177:403
 - Chemical-Stabilization 193:319
 - Energy-Dependence 177:403
 - Gamma-Ray 177:403
 - Mill 193:319
 - Peak 177:403
 - Radium-226 193:319
 - Radon-222 193:319
 - Reduction 193:319
 - Uranium 193:319
 - X-Ray 177:403
- Taiwan**
 - Character 181:335
 - Content 181:335
 - Diet 161:27
 - Education 171:23
 - Environmental 181:335
 - Indicator 181:335
 - Nuclear-Science 171:23
 - Season 161:27
 - Trace-Element 161:27
 - Tritium 181:335
- Tank**
 - Acid-Dissolved-Sludge-Acidified-Supernate 194:117
 - Anion-Exchange-Resin 194:71, 194:117
 - Breakthrough 194:71
 - Cation-Exchange-Resin 194:117
 - Distribution 194:117
 - Double 194:71
 - Element 194:117
 - Functional-Group 194:117
 - Hanford 194:71, 194:117
 - HLW 194:117
 - REILLEX-HPQ 194:71
 - Shell 194:71
 - Simulant 194:71

- Simulation 194:117
- TeO_4^- 194:71
- Volume 194:71
- Tantalum**
 - Chromium 161:245
 - Cobalt 161:245
 - Distribution 161:245
 - Gabbroic-Rock 161:245
 - Hafnium 161:245
 - Impurity 155:343, 168:497
 - Neutron-Activation-Analysis 155:343
 - Niobium 155:343
 - Profile 161:245
 - Radiochemical-Neutron-Activation-Analysis 168:497
 - Sample 155:343
 - Scandium 161:245
 - Serpa-Portugal 161:245
 - Thorium 161:245
 - Weathering 161:245
 - X-Ray 155:343
- Tantalum-181(alpha,n)-Reaction** 172:155
- Tantalum-Nuclide** 187:9
- Tap** 175:129
- Tar** 177:243
- Taraxacum-Officinale** 176:451
- Target**
 - 1.6-GeV 169:13
 - 27-MeV 187:143
 - Abnormal 199:65
 - Actinide 170:359
 - Activation-Rate 195:263
 - Alpha-Particle 187:143
 - Behavior 170:359, 196:107
 - Carrier-Free 157:335, 185:305, 199:115
 - Chamber 196:107
 - Chemical 195:263
 - Chemistry 195:271
 - Chromatography 199:115
 - Compound 199:65
 - Construction 182:445
 - Contribution 182:445, 196:107
 - Copper-67 195:263
 - Cosmic-Ray 169:13
 - Cyclotron 182:445, 196:107, 200:227
 - Dysprosium(III)-Oxide 199:115
 - Electrical-Field 196:107
 - Electrophoresis 199:115
 - Enrichment 195:263
 - Fluorine-18 182:445, 200:227
 - Galactic 169:13
 - Holmium-166 199:115
 - Interaction 169:13
 - IPEN-CNEN-SP 200:227
 - Irradiated 170:359, 172:107
 - Irradiation 169:13, 195:263
 - Low-Energy 195:263
 - Lutetium-177 185:305
 - Material 182:445
 - Metal-Surface 182:445
 - Natural 185:305, 187:143
 - Natural-Water 200:227
 - Neon 187:143
 - Neon-20-(d, alpha)-Fluorine-18 182:445, 196:107
 - Neptunium 170:359, 172:107
 - Neutron-Irradiation 185:305
 - Partition 199:115
 - Primary 199:65
 - Production 182:445, 200:227
 - Proton 169:13, 195:263
 - Proton-Beam 199:65
 - Radionuclide 196:107
 - Recovery 182:445, 195:263
 - Scandium-47 157:335
 - Separation 157:335, 170:359, 172:107, 185:305, 199:115
 - Simulation 169:13
 - Sodium-22 187:143
 - Stony 169:13
 - Testing 182:445
 - Thick 169:13, 187:143
 - Titanium 157:335
 - Uranium 172:107
 - X-Ray 199:65
 - XSQR 199:65
 - Yield 187:143, 199:65
 - Ytterbium 185:305
 - Zinc-70 195:263
 - Zinc-Oxide 195:271
- Targetry**
 - Activity 182:237
 - Contribution 182:237, 198:247
 - Cyclotron 182:237, 198:247
 - Deuteron-Induced-Reaction 198:247
 - Distribution 182:237
 - Fluorine-18 182:237, 198:247
 - Gas 198:247
 - Gas-Target 182:237
 - Neon-20-(d, alpha)-Fluorine-18-Reaction 182:237
 - Neon-23 198:247
 - Production 198:247
 - Quantification 182:237
 - Sodium-21 198:247
 - Yield 198:247
- TeO_4^-** 194:71
- TDPAC** 190:215
- Tea**
 - Analytical-Technique 173:195
 - Chernobyl 198:487
 - Consequence 198:487
 - Drinking 173:195
 - Health 198:487
 - Possible 198:487
 - Radioactivity 198:487
 - Trace-Element 173:195
 - Turkish 198:487
- Teaching**
 - College 171:153
 - Nuclear-Analytical-Method 180:295
 - Nuclear-Chemistry 171:7, 171:125, 171:153
 - Overview 171:7
 - Pennsylvania-State-University 171:125
 - Radiochemistry 171:125, 171:153
 - Research 180:295
 - Undergraduate 171:153
 - University-of-Illinois 180:295
- Team** 194:229
- Technetium**
 - Anion-Exchange-Resin 191:67
 - Base 170:67
 - Chlorella-Fusca 154:37
 - Complex 186:291, 195:237
 - Concentration 198:23
 - Deposition 198:23
 - Electrolytic-Formation 186:291
 - Element 198:23
 - Environmental-Sample 176:303
 - Green-Alga 154:37
 - Heating 198:23
 - Heptavalent 163:363
 - Hydrolysis 170:67
 - Inductively-Coupled-Plasma-Mass-Spectrometry 191:67
 - Initial 191:67
 - Inorganic-Sorbent 157:3
 - Interest 195:237
 - Involving 170:67
 - Ligand 186:291, 195:237
 - Loss 176:303
 - Mineral 157:3
 - Molybdenum 191:67
 - Natural 157:3
 - Pharmacological 195:237
 - Pi-Acceptor 186:291
 - Plant-System 197:203
 - Preconcentration 198:23
 - Prior 191:67
 - Procedure 176:303
 - Ruthenium 170:67
 - Sample 198:23
 - Separation 191:67
 - Significance 191:67
 - Soil-Rice 197:203
 - Solvent-Extraction 163:363, 201:361
 - Sorption 157:3
 - Step 176:303
 - Transfer 197:203
 - Tributyl-Phosphate 201:361
 - tris(Acetylacetonato)Metal(III)-Complex 170:67
 - Uptake 154:37
 - Urine 201:361
- Technetium(III)** 175:445
- Technetium(III)-Adenosine-Diphosphate-Complex** 201:1
- Technetium(III)-EDTA-Complex** 153:283
- Technetium(III)**
 - bis(Acetonitrile)-bis(Acetylacetonato)-» 165:19
- Technetium(V)** 176:143
- Technetium(VII)**
 - Ammonium-Diuranate 178:41
 - CMPO 191:189
 - Coextraction 191:189
 - Coprecipitation 178:41
 - Extraction 171:371, 178:41
 - Higher-Oxide-State 158:261
 - Hydrofluoric-Acid-Solution 178:41
 - n-Heptane-Solution 171:371
 - Nitric-Acid 171:371
 - Possible 158:261
 - Primary-Amine 171:371, 178:41
 - Reaction 191:189
 - Stoichiometry 191:189
 - Structure 158:261
 - Uranium(VI) 171:371, 191:189
- Technetium-Cysteine-Complex** 186:477
- Technetium-95** 186:165
- Technetium-96** 186:165
- Technetium-99**
 - Americium-241 156:201
 - Ashing 155:335
 - Behavior 156:201
 - Coastal 156:201, 197:245
 - Collected 197:245
 - Deposition 190:31
 - Distribution 156:201
 - Dried-Up 190:31
 - Dry 155:335, 197:409
 - Environmental-Material 158:417
 - Environmental-Sample 177:149, 193:113, 197:185
 - Estuarine 156:201
 - Fallout 197:409
 - Fukuoka-Japan 197:245
 - Fundamental-Study 190:31
 - High-Resolution 197:185
 - Human-Tissue 197:51
 - Inductively-Coupled-Plasma-Mass-Spectrometry 177:149
 - Inductively-Coupled-Plasma-Mass-Spectrometry 190:31, 197:185, 197:409
 - Iodine-129 158:75
 - Irish-Sea 156:201
 - Loss 155:335
 - Low-Level 197:185
 - LSC 193:113
 - Monitor 158:417
 - Neptunium-237 156:201, 177:149
 - Plutonium-239/240 156:201
 - Procedure 193:113
 - Radiochemical-Determination 177:91
 - Rain 197:409
 - Rhenium 158:417
 - Rhone 153:431
 - River 153:431
 - Sample 190:31
 - Seawater 197:245
 - Seaweed 155:335
 - Sediment 156:201
 - Sensitive 193:113
 - Separation 158:75
 - Sequential 158:75
 - Waste-Sample 158:75
 - Water 153:431
 - Yield 158:417
- Technetium-99-(gamma,gamma')-Technetium-99m** 155:435
- Technetium-99-(gamma,gamma')-Technetium-99m-Reaction** 176:285
- Technetium-99-DPD-Complex** 173:261
- Technetium-99m**
 - (n,n') 176:295
 - 2-Methoxyisobutylisonitrile 188:409
 - 8-Hydroxyquinoline 201:65
 - Antibody 172:267
 - Biodistribution 155:253, 162:139
 - Bone-Marrow 191:25
 - Bone-Seeking 200:291
 - Californium-252 176:295
 - Characterization 162:139
 - Chromatography 200:291
 - Comparative 200:291
 - Complex-Forming 201:65
 - Complexing-Agent 188:409
 - Condition 172:267, 201:65
 - Cuprous-Ion 186:333

- Efficient 188:409
- Ethylene-bis(alpha-Alanine) 155:253
- Ethylene-bis(Valine) 155:253
- Fission 176:295
- Distribution 188:109
- Germanium-Iodide 200:291
- IgG2A 172:267
- Imaging-Agent 186:333
- Labeled 155:253, 188:417
- Labeling 172:267, 186:333
- Liquid-Membrane 172:371
- Lymph 191:25
- Microcolloid 191:25
- Mouse 172:267
- Neutron 176:295
- Preliminary 155:253
- Preparation 162:139, 188:417, 191:25
- Production 176:295
- Pyridoxylidene-Thyroxine-Complex 162:139
- Quality-Control 200:291
- Radiochemical-Purity 199:135
- Radiopharmaceutical 200:291
- Radiopharmaceutical-Influence 199:135
- Radiopharmaceutical-Kit 176:225
- Salicylidene-Aminate 188:417
- Salicylidene-Thyroxine-Complex 162:139
- Scintigraphy 191:25
- Skeletal 186:333
- Stability 172:267
- Stannous-Ion 176:225
- Sulfur 191:25
- Synthesis 188:409
- Transport 172:371
- Tributyl-Phosphate/Kerosene-Oil-Supported 172:371
- Yttrium-90 172:267
- Technetium-99m-(Sn)-Methylene-Diphosphonate** 199:347
- Technetium-99m-Generator**
 - 12-Molybdocerate 183:339
 - 12-Molybdocerate-Mo-99 173:185
 - Column 173:185, 183:339
 - Eluate 188:109
 - Gamma-Radionuclidic-Impurity 188:109
 - Germanium-Iodide 170:293, 200:291
 - Matrix 173:185, 183:339
 - Molybdenum-99 170:293
 - Molybdophosphate-Mo-99 170:293
 - Neutron-Irradiation 183:339
 - Precipitate 173:185
 - Routine 188:109
 - Zirconium 170:293
- Technetium-99m-HIDA** 171:451
- Technetium-99m-HT₁₈** 154:53
- Technetium-99m-IODIDA** 171:451
- Technetium-99m-Labeling**
 - 1,3-Thiazolidine 186:75
 - Biodistribution 186:75
 - Carboxylic-Acid-Derivative 186:75
 - Dihydro-1,4-Thiazine 186:75
 - Mercapto-acetyltryglycine 186:189
 - Related-Compound 186:189
- Technetium-99m-Labelled** 196:45
- Technetium-99m-MAG₃** 199:507
- Technetium-99m-Radiopharmaceutical-Kit** 176:211
- Technetium-99mO₄⁻** 163:255
- Technetium-Diphosphonate-Complex** 190:149
- Technician** 171:259
- Technogenic-Product** 176:405
- Technological** 172:213
- Technological-Innovation** 160:363
- Technology**
 - Control 168:489
 - Instrumental-Neutron-Activation-Analysis 168:489
 - Molybdenum 168:489
 - Radiochemist 197:29
 - Science 197:29
 - Tungsten 168:489
 - View 197:29
- Technology-Transfer** 180:325
- Teeth**
 - Complicating 158:239
 - Dating 158:239
 - Distribution 179:349
 - Element 179:349
 - Factor 158:239
 - Fluorine 179:349
 - Fossil 158:239
 - Hipparion 158:239
 - Proton-Induced-Reaction 179:349
 - Uranium-Microdistribution 158:239
 - Variation 158:239
- Tellurium**
 - Adsorption 170:347
 - Aqueous-Solution 170:347
 - Colloidal-Behavior 170:347
 - Fire-Assay 198:169
 - Hexavalent 170:347
 - Interference 198:169
 - Intestinal-Absorption 170:433
 - Neutron-Activation 198:169
 - Nickel-Sulfide 198:169
 - Platinum 198:169
 - Stable 170:433
 - Trace 170:347
 - Tracer 170:433
 - Ultratrace 198:169
- Tellurium-118-Antimony-118-Generator** 160:467
- Tellurium-132** 172:87
- Tellurium-133g** 189:165
- Tellurium-133m** 189:165
- Temperature**
 - Acidic-Salt 158:3
 - Affecting 159:201
 - Aqueous 200:521
 - Behavior 161:503
 - Blue 153:57
 - Clay 152:453
 - Composition 161:503
 - Concentration 159:187, 159:201
 - Contact-Time 159:201
 - Coumarin 200:521
 - Diffraction 152:453
 - Dominican-Republic 152:453
 - Dosimeter 153:57, 175:199, 200:521
 - Drying 158:3
 - Factor 159:201
 - Ferrous-Cupric-Sulfate 175:199
 - Firing 152:453
 - Freshwater 159:201
 - Gamma-Radiation 158:3
 - Glass 161:503
 - Glassy-Type 158:3
 - Groundwater 161:503
 - Hafnium-Titanium-Phosphate 158:3
 - Humidity 153:57
 - Insoluble 158:3
 - Interaction 159:187, 159:201
 - Irradiation 153:57
 - Kinetics 159:187
 - Leaching 161:503
 - Light 200:521
 - Limestone 152:453
 - Metal 158:3
 - Migration 159:187
 - Mineralogical-Analysis 152:453
 - Mixed 158:3
 - Mixture 152:453
 - Modeling 159:187
 - Mössbauer-Spectroscopy 152:453
 - Neutron-Activation 161:503
 - PMMA 153:57
 - Radiocesium 159:201
 - Radionuclide 159:187
 - Response 153:57, 175:199, 200:521
 - River 159:187
 - Sodium-Borosilicate 161:503
 - Solid 159:187, 159:201
 - Stability 175:199
 - Surface-Area/Volume-Ratio 161:503
 - Suspended-Solid 159:187
 - Tetravalent 158:3
 - X-Ray-Powder 152:453
- Temperature-Dependence** 155:15
- Temperature-Programmed-Reduction** 166:69
- Tentative** 160:449
- Terbium(III)** 178:109
- Ternary**
 - Adduct 170:43
 - Amide 170:43
 - Cation-Exchange 181:351
 - Correlation 199:353
 - Equilibrium 181:351
 - Ion-Exchange 181:351
 - Kinetics 181:351
 - Particle 199:353
 - Plutonyl-Pyrazolonate 170:43
 - Spontaneous-Fission 199:353
 - Sulfoxide 170:43
 - UO₂²⁺-Na⁺-H⁺ 181:351
 - Yield 199:353
- Terpenoid** 196:153
- Terpyridine** 172:239
- Terrain** 197:79
- Test**
 - Behavior 180:225
 - Facility 180:225
 - Interlaboratory 198:323
 - Iodine 180:225
 - NORM 198:323
 - Nuclide 198:323
 - Oil-and-Gas-Production 198:323
 - Potential 198:323
 - Programme 198:323
 - Radiochemical-Analysis 180:225
 - Radioiodine 180:225
 - Sample 198:323
 - Standardization-Method 198:323
 - State-of-the-Art 198:323
 - Validation 198:323
- Testing**
 - Characterization 177:161
 - Combined 179:177
 - Construction 182:445
 - Contamination 177:161
 - Contribution 182:445
 - Cyclotron 182:445
 - Fit 180:65
 - Fluorine-18 182:445
 - Former 177:161
 - Homogeneity 179:177
 - Irradiation 185:401
 - Maralinga 177:161
 - Material 182:445
 - Matrix 179:177
 - Metal-Surface 182:445
 - Neon-20-(d, alpha)-Fluorine-18 182:445
 - Non-linear 180:65
 - Nuclear-Weapon 177:161
 - Particle-Induced-X-Ray-Emission 179:177
 - PC 180:65
 - Peak 180:65
 - Photon 179:177
 - Plutonium 177:161
 - Porting 180:65
 - Production 182:445
 - Program 180:65
 - Range 177:161
 - Recovery 182:445
 - Representative-Sampling 179:177
 - Search 180:65
 - South-Australia 177:161
 - Spice 185:401
 - Target 182:445
 - Thermoluminescence 185:401
 - Tomography 179:177
 - Transmission 179:177
- Tetrachlorodibenzo-p-Dioxin** 12,3,7,8-» 195:219
- Tetrachloroplatinate(II)**
 - Benzoic-Acid 162:179
 - Catalyst 162:179, 198:29
 - Deuteriation 162:179, 198:29
 - Homogeneous 162:179, 198:29
 - Phenylacetic-Acid 198:29
 - Potassium 162:179
- Tetraethylammonium-Salt** 170:9
- Tetramethylammonium-Salt** 170:9
- Tetramethylstannane** 164:365
- Tetramethylurea** 190:529
- Tetraphenyl-21H,23H-Porphinetetrasulfonic-Acid** 15,10,15,20-» 185:133

- Tetraphenylarsonium** 152:87
Tetraphenylarsonium-Chloride
 • Mechanism 178:237, 191:99
 • Pertechnetate 178:237, 191:99
 • Solvent-Extraction 178:237, 191:99
- Tetravalent**
 • Acidic-Salt 158:3
 • Actinide 183:359
 • Dihexyl-N,N-Diethylcarbamoymethyl-Phosphonate 183:359
 • Drying 158:3
 • Electrolyte-Solution 155:419
 • Electromigration 155:419
 • Extraction 183:359
 • Free 155:419
 • Gamma-Radiation 158:3
 • Glassy-Type 158:3
 • Hafnium-Titanium-Phosphate 158:3
 • Hydrolysis 155:419
 • Insoluble 158:3
 • Metal 158:3
 • Mixed 158:3
 • Nitric-Acid-Solution 183:359
 • Pentavalent 155:419
 • Quantity 155:419
 • Radioelement 155:419
 • Selenium 171:401
 • Solvent-Extraction 171:401
 • Temperature 158:3
 • Trace 155:419
 • Tributyl-Phosphate 183:359
 • Trivalent 183:359
 • Vanadium 155:419
- Tetravalent-Uranium-Monofluoride-Complex** 154:371
- Tetrazolium** 200:427
- Texas**
 • 18th-Century 196:207
 • Cold-Neutron-Source 193:145
 • Combustion 171:287
 • Earthenware 196:207
 • Instrumental-Neutron-Activation-Analysis 196:207
 • Lead-Glazed 196:207
 • Lignite 171:287
 • Mission 196:207
 • Partitioning 171:287
 • Prompt-Gamma-Activation-Analysis 193:145
 • Spanish 196:207
 • Trace-Element 171:287
- Texas-A-&-M-University** 180:309
- Textbook** 171:213
- Thallium**
 • Cadmium 189:333
 • Chemical-Separation 166:521
 • Chromatography 166:521
 • Environmental-Sample 189:333
 • Extraction 166:521
 • Lead 189:333
 • Mercury 166:521
 • Neutron-Activation-Analysis 189:333
 • Sodium-Isopropyl-Xanthate 165:49
 • Substoichiometric-Radiochemical-Determination 165:49
- Thallium(I)-Dialkylidithiophosphate** 157:295
- Thallium(I)-Dithiocarbamate** 165:137
- Thallium(I)-Xanthate** 166:477
- Thallium-201-Chloride** 172:313
- Thallium-Containing** 190:401
- Thenoyltrifluoroacetone**
 • 15-Crown-5 159:353, 196:369
 • 18-Crown-6 159:353, 196:369
 • 8-Hydroxyquinoline 152:461
 • Americium 159:353
 • Americium(III) 181:165
 • Aqueous-Medium 181:165
 • Benzene 196:369
 • Cerium(III) 171:329
 • Cerium(IV) 166:153
 • Chloroform 181:165
 • Cobalt²⁺ 152:461
 • Dialkyl-Sulfoxide 171:329
 • Distribution 181:165
 • Europium 159:353
 • Europium(III) 181:165, 196:369
 • Europium³⁺ 157:87
 • Extraction 152:461, 157:87, 166:153, 196:369
 • Gadolinium 159:353
 • Gadolinium(III) 196:369
 • Kinetics 181:165
 • Lanthanoid 172:239
 • Loaded 166:153
 • Mechanism 181:165
 • Mixed 159:353
 • Mixture 171:329, 181:165
 • Nitrate 181:165
 • Nitrate-Medium 196:369
 • Perchlorate-Medium 159:353
 • Phenanthroline 152:461
 • Phosphine-Oxide 157:87
 • Polyurethane-Foam 166:153
 • Radioisotope 196:369
 • Radionuclide 159:353
 • Selective 166:153
 • Synergic-Extraction 159:353, 172:239
 • Synergistic-Mixture 196:369
 • Synergistic-Solvent-Extraction 171:329
 • Terpyridine 172:239
 • Thermodynamics 152:461, 157:87
 • Tri-n-Butyl-Phosphate 166:153
 • Triphenylarsine-Oxide 157:87, 181:165
 • Trivalent 159:353
- Thenoyltrifluoroacetone** 12-»
 • Americium(III) 160:435
 • Amine 152:151
 • Bidentate 152:151
 • Crown-Ether 160:435
 • Extraction 152:151
 • Heterocycle 152:151
 • Synergistic-Effect 152:151
 • Synergistic-Extraction 160:435
 • Thorium(IV) 152:151
- Theoretical-Calculation** 151:75
- Theoretical-Consideration** 170:423
- Theoretical-Error**
 • Isotope-Dilution-Analysis 155:279, 155:289
- Sub-equivalence 155:279, 155:289
 • Subvariant 155:279, 155:289
 • Super-equivalence 155:279, 155:289
 • Variant 155:279, 155:289
- Theory** 152:227
- Therapeutic-Agent** 160:443
- Thermal** 187:325
- Thermal-Analysis** 188:279
- Thermal-Behavior** 200:427
- Thermal-Decay** 154:61
- Thermal-Decomposition**
 • Alkali-Metal-Hexakis-(Trimethylacetato)-Ferrate(III)-Complex 155:211
 • Ammonium-Perchlorate 165:269
 • Barium-Oxalate 181:441
 • Barium-Perchlorate 177:357
 • Cesium 201:57
 • Complex 165:277
 • Cs₂FeO_{2+0.5x} 188:99
 • Dynamic 187:313
 • Gamma-Irradiated 165:277
 • Gamma-Irradiation 175:173, 177:357, 181:441, 187:313, 188:73
 • Hemihydrate 181:441
 • Identification 199:443
 • Induction 177:357
 • Iron(III)-Carboxylate 199:443
 • Kinetics 165:277
 • Mandelhydroxamic-Acid 165:277
 • Mössbauer-Spectroscopy 155:211, 199:443, 201:57
 • Period 177:357
 • Potassium-Chlorate 175:173
 • Product 155:211, 188:99, 199:443
 • Property 188:99
 • Pyrite 162:217
 • Radiation-Dose 176:37
 • Radiation-Effect 165:269
 • Sodium-Bromate 176:37
 • Strontium-Bromate 188:73
 • Thermogravimetry 187:313
 • tris(Oxalato)Ferrate(III)-Dihydrate 201:57
 • Unirradiated 165:277
 • Zinc-Bromate 187:313
- Thermal-Ionization-Mass-Spectrometry**
 • Isotope-Dilution 158:13
 • Plutonium 190:121
 • Pu-Zr-Al-Alloy 158:13
 • Simultaneous-Analysis 190:121
 • U-Zr-Al-Alloy 158:13
 • Uranium 190:121
 • Zirconium 158:13
- Thermal-Neutron**
 • Activation-Analysis 181:131, 197:417
 • Americium-241-Beryllium-Source 181:131
 • Annealing-Process 174:167
 • Annihilation 174:167
 • Antimony-130 166:187
 • Antimony-132 166:187
 • Arsenic-75 189:51
 • Cesium-134 189:51
- Cold-Neutron 193:171
 • Cross-Section 189:51
 • Destructive-Analysis 197:417
 • Element 197:417
 • Elemental-Analysis 151:83
 • Environmental-Sample 197:417
 • Facility 181:131
 • Fission 166:187
 • Guided-Beam 193:171
 • Integral 189:51
 • Iodine-134 166:187
 • Iodine-136 166:187
 • Irradiation-Induced-Defect 174:167
 • Isomer 166:187
 • KFUPM 181:131
 • n-Gallium-Arsenide 174:167
 • Non-destructive-Analysis 197:417
 • On-line 151:83
 • Prompt-Gamma 151:83
 • Prompt-Gamma-Ray-Analysis 193:171
 • Resonance 189:51
 • Selenium-74 189:51
 • Tissue 197:417
 • Uranium-235 166:187
 • Uranium-238 189:51
 • YBa₂Cu₃O₇ 153:117
 • Yield 166:187
 • Zirconium-94 189:51
- Thermal-Neutron-Source**
 • Aluminum 200:435
 • Californium-252 200:435
 • CIRUS-Reactor 201:355
 • Instrumental-Neutron-Activation-Analysis 200:435, 201:355
 • Lanthanide 201:355
 • Titanium 200:435
- Thermal-Power-Station** 173:365
- Thermal-Stimulation** 187:123
- Thermal-Treatment** 186:455
- Thermodynamics**
 • 8-Hydroxyquinoline 152:461
 • Adsorption 186:63
 • Atomic 190:279
 • Cerium 186:63
 • Cluster 190:279
 • Cobalt²⁺ 152:461
 • Europium³⁺ 157:87
 • Extraction 152:461, 157:87
 • Lead-Dioxide 186:63
 • Mobility 190:279
 • Mössbauer-Spectroscopy 190:279
 • Phenanthroline 152:461
 • Phosphine-Oxide 157:87
 • Thenoyltrifluoroacetone 152:461, 157:87
 • Triphenylarsine-Oxide 157:87
 • Ultrafine 190:279
- Thermogravimetry** 187:313
- Thermoluminescence**
 • Aliquot 188:189
 • Bone 176:477
 • Calcium-Phosphate 176:477
 • Ceramics 176:477, 188:189
 • Dating 188:189
 • Equivalent 176:477
 • Green 188:189
 • Irradiation 185:401

- Light-Emitting-Diode 188:189
- Luminescence 188:189
- Optical 188:189
- Quartz 188:189
- Revisited 188:189
- Single 188:189
- Spice 185:401
- Stimulated 188:189
- Testing 185:401
- Thermoluminescent** 154:173
- Thermonuclear** 193:347
- Thermophysical** 164:71
- Thiazolidine** 11,3-» 186:75
- Thiazolylazo**-2-Naphthol 11-(2-» 168:439
- Thiazolylazo**Resacetophenone 14-(2'-»
 - Analytical-Reagent 154:357, 170:181
 - Derivative 170:181
 - Oxime 154:357, 170:181
 - Simultaneous-Determination 170:181
 - Spectrophotometry 154:357, 170:181
 - Thorium 170:181
 - Uranium 170:181
 - Uranium(VI) 154:357
- Thick**
 - 1.6-GeV 169:13
 - 27-MeV 187:143
 - Alpha-Particle 187:143
 - Cosmic-Ray 169:13
 - Detection 172:3
 - Elastic-Scattering 172:3
 - Elemental-Content 172:3
 - Galactic 169:13
 - Interaction 169:13
 - Irradiation 169:13
 - Light-Ion 172:3
 - Natural 187:143
 - Neon 187:143
 - Nuclei 172:3
 - Proton 169:13
 - Recoil 172:3
 - Simulation 169:13
 - Sodium-22 187:143
 - Stony 169:13
 - Target 169:13, 187:143
 - Yield 187:143
- Thickness**
 - Accuracy 158:409
 - Activation-Analysis 192:139
 - B.E.T. 192:139
 - Ceramic-Material 192:139
 - Emission-Transmission-Method 158:409
 - Gas-Adsorption 192:139
 - Intermediate 158:409
 - Metal 192:139
 - Oxide-Film 192:139
 - Sample 158:409
 - X-Ray-Fluorescence-Analysis 158:409
- Thin**
 - Alanine-Polyethylene 196:97
 - Boron 198:125
 - Cold-Fusion 154:153
 - Diffuse 196:97
 - Dosimetry 196:97
 - Evaluation 196:97
 - Film 196:97
 - Foil 154:153
 - Instrumental-Charged-Particle-Activation-Analysis 198:125
 - Palladium 154:153
 - Reflection 196:97
 - Silicon-Wafer 198:125
 - Spectrophotometry 196:97
 - Surface-Layer 198:125
- Thin-Film**
 - Aging 190:263
 - Coincident 188:55
 - CrSiO 175:389
 - ERD 188:55
 - Hydrogen 175:389, 188:55
 - Iron-Al 190:263
 - Iron/PVA 190:315
 - Multilayer 190:263
 - Optically-Induced-Modification 190:315
 - Profiling 188:55
- Thin-Layer** 152:391
- Thin-Layer-Method** 182:179
- Thiocyanate** 162:289
- Thionalide**
 - Antimony(III,V) 196:3
 - Cadmium 165:229
 - Followed 196:3
 - Loaded 196:3
 - Mercury 165:229
 - Natural-Water 196:3
 - Neutron-Activation-Analysis 196:3
 - Preconcentration 196:3
 - Radiochemical-Solvent-Extraction 165:229
 - Reagent 165:229
 - Resin 196:3
 - Separation 196:3
 - Single 165:229
- Thiourea**
 - Ammonium-Thiocyanate 185:227
 - Comparative-Study 183:171
 - Complexing-Agent 172:87
 - Fission-Product 172:87
 - Hydrochloric-Acid-Solution 188:391
 - Ion-Exchange 183:171
 - Kinetic-Investigation 188:391
 - Molybdenum-99 172:87
 - Pertechnetate 183:171, 188:391
 - Radiation-Induced-Isomerization 185:227
 - Reaction 188:391
 - Reduction 183:171
 - Separation 172:87
 - Solvent-Extraction 183:171
 - Spectrophotometry 183:171
 - Tellurium-132 172:87
- Thiourea-Type** 151:107
- Thorin** 188:341
- Thorium**
 - 2-(2-Hydroxy-3,6-Disulfo-1-Naphthylazo)-Benzene-arsonic-Acid 188:341
 - 4-(2'-Thiazolylazo)Resacetophenone 170:181
 - Acrylic 171:277
 - Activated-Charcoal 157:321
 - Activation-Analysis 155:427
 - Adapted 198:179
 - Adsorption 157:321
 - Age 182:97
 - Air 177:81
 - Alpha-Spectrometry 189:115, 191:3
 - Aluminum 160:425
 - Analytical-Method 182:21
 - Analytical-Reagent 170:181
 - Anticline 173:17
 - Aqueous-Solution 157:321, 159:47
 - Archaeological-Sample 154:173
 - Area 186:281
 - Associated 182:127
 - Availability 182:75
 - Beach 199:51
 - Beta-Diketone 165:337
 - Bioassay 156:55, 156:389, 177:121
 - Biological 182:75
 - Calculational-Method 198:179
 - Chromium 161:245
 - Chromogenic-Reagent 188:341
 - Clinoptilolite 178:143
 - Cobalt 161:245
 - Cogenetic 199:51
 - Collected 185:157
 - Comparison 182:21
 - Concentration 164:131, 170:117, 185:157, 188:255
 - Concentration-Level 182:75
 - Content 160:425, 198:179
 - Conventional 182:127
 - Coordination-Compound 165:337
 - Cryptomelane-Type 172:145
 - Danube 186:281
 - Danube-Delta-Area 165:305
 - Data 177:121
 - Dating 154:173
 - Delayed-Neutron-Analysis 164:131
 - Delayed-Neutron-Counting 201:439
 - Delta 186:281
 - Derivative 170:181
 - Dibutyl-Sulfoxide 198:409
 - Direct 175:325
 - Disodium-Salt 188:341
 - Distribution 161:245
 - Double 165:337
 - Effluent 156:75
 - Egyptian 188:255, 200:95
 - Electrolyte 157:321
 - Environment 182:75
 - Environmental-Sample 191:3
 - Equilibrium 178:143
 - Eskisehir-Beylikahir 201:439
 - Estimation 156:75
 - Excreta 155:427
 - Experimental-Condition 198:179
 - Exposure 156:389, 177:81, 182:127
 - Final 177:291
 - Form 178:143
 - Former 185:157
 - Freshwater-Sample 185:157
 - Gabbroic-Rock 161:245
 - Gamma-Spectrometry 175:325
 - Gas-Production 170:117
 - Geological-Sample 198:179
 - Glass 155:427
 - Guayabo-Costa-Rica 154:173
 - Hafnium 161:245, 199:51
 - Harargaj 173:17
 - High-Grade 170:165
 - High-Purity 160:425
 - High-Yield 159:267
 - Human-Rib 182:97
 - Human-Urine 182:53
 - Hydrous 172:145
 - ICRP 156:55
 - Indicator 182:75
 - Instrumental-Neutron-Activation-Analysis 173:17, 200:95
 - Interlaboratory 182:21
 - Interpretation 156:389, 177:121
 - Irradiated 177:291
 - Isotope 182:21, 191:3
 - Isotopic-Analysis 157:65
 - Lake-Sediment 200:95
 - Laser-Fluorometry 200:95
 - Limestone 164:131
 - Liver-Autopsy-Sample 175:325
 - Low-Level 156:75
 - Low-Specific-Activity 170:117
 - Manganese-Dioxide 172:145
 - Matrix 159:267, 189:115
 - Metabolic-Model 156:55
 - Microamount 188:341
 - Mining 182:127
 - Monazite 199:51
 - Monitoring 156:55, 177:81
 - Mordenite 178:143
 - Morro-Do-Ferro 182:75
 - Natural 156:75, 182:21
 - Neutral-Hot-Spring-Water 153:357
 - Neutron-Activation 182:53
 - Neutron-Activation-Analysis 153:357, 154:173, 164:131, 171:277, 175:325, 191:273, 199:51
 - Nitric-Acid-Solution 198:409
 - Occupational 177:81
 - Oil 170:117
 - Ore 170:165
 - Ore-Sample 201:439
 - Oxime 170:181
 - Plant 156:75, 170:117, 182:75
 - Plutonium 154:277
 - Polonium 159:267
 - ppt-Level 153:357
 - Prior 154:173
 - Problem 156:389
 - Processing 156:75
 - Product 177:291
 - Profile 161:245
 - Protactinium 159:267
 - Purification 177:291
 - Quartz 155:427
 - Radiochemical-Neutron-Activation-Analysis 160:425, 160:539, 189:325
 - Radiochemical-Procedure 157:65
 - Radium 165:305, 170:117, 186:281, 189:115, 191:3
 - Radon 186:281
 - Rare-Earth-Element 182:75, 199:51
 - Relevance 156:55
 - Removal 159:47
 - Reprocessing 177:291
 - Rock 189:115
 - Rock-Sample 173:17, 182:21, 188:255

- Rod 177:291
- Rubidium 154:173
- Salt 191:273
- Sand 199:51
- Scale 170:117
- Scandium 161:245, 199:51
- Selective 157:321
- Separation 159:267, 172:145, 189:115
- Sequential 157:65
- Sequential-Determination 154:277, 174:127
- Series 182:21
- Serpa-Portugal 161:245
- Significance 155:427
- Simultaneous-Determination 170:165, 170:181, 189:325
- Sodium 178:143
- Soil 157:65
- Solar 191:273
- Solvent-Extraction 198:409
- Spectrophotometry 170:181, 188:341
- Sub-ppb 160:425
- Tantalum 161:245
- Thermoluminescent 154:173
- Thorin 188:341
- Titrimetry 154:277, 174:127
- Trace 189:325
- Trace-Element 200:95
- Transuranium-Element 182:75
- Treatment 177:291
- Tungsten 160:539
- Uranium 154:173, 157:65, 160:425, 164:131, 165:305, 165:337, 170:117, 170:165, 170:181, 171:277, 172:145, 173:17, 174:127, 182:21, 182:127, 185:157, 186:281, 188:255, 189:325, 191:273, 198:179, 199:51, 201:439
- Uranium-233-Oxide 177:291
- USSR 185:157
- Variation 182:97
- Water 165:305, 170:117, 186:281
- Weathering 161:245
- West-Malaysia 164:131
- Xylene 198:409
- Zeolite 159:47
- Zircon 199:51
- Zirconium 199:51
- Thorium(IV)**
 - 2-Thenoyltrifluoroacetone 152:151
 - Amine 152:151
 - Aqueous-Solution 198:77
 - Arsenazo(III) 188:291, 198:77
 - Back-Extracted 188:291
 - Bidentate 152:151
 - Carminic-Acid 164:309
 - Cerium(III) 164:91
 - Chelex-100 198:77
 - Chromatographic-Separation 166:503
 - Complex 188:291
 - DEHSO 162:391
 - Derivative 164:309
 - Dialkyldithiophosphoric-Acid 164:91, 165:95
 - Dibutyldithiophosphoric-Acid 186:273
 - Dowex 198:77
 - Extractant 162:391
 - Extraction 152:151, 162:207, 162:391, 166:503, 178:91, 178:99, 185:243
 - Fission-Product 178:91, 178:99
 - Fluoride 188:291
 - Fuel 162:391
 - Gamma-Irradiation 178:91
 - Gamma-Ray 178:99
 - Heterocycle 152:151
 - Ion-Exchange 198:77
 - Irradiation 178:99
 - Lanthanum(III) 164:91
 - N,N-Disubstituted-Amide 178:99
 - n-Alkylcaprolactam 162:207
 - Nitric-Acid 178:99
 - Nitric-Acid-Medium 162:391, 178:91
 - Nitric-Acid-Solution 162:207
 - Organic-Solvent 186:273
 - Reprocessing 162:391
 - Separation 164:91
 - Simultaneous 164:309
 - Solvent-Extraction 164:91, 165:95, 186:273
 - Spectrophotometry 164:309, 188:291
 - Spent 162:391
 - Sulfoxide 178:91
 - Synergistic-Effect 152:151
 - Thorium-Uranium 162:391
 - Tri-n-Octylphosphine-Oxide 166:503
 - Triphenylphosphine-Oxide 185:243
 - Uranium(VI) 162:207, 162:391, 164:309, 178:91, 178:99
- Thorium(IV)-5-Chloro-7-Amino-8-Hydroxyquinoline-Complex** 196:323
- Thorium(IV)-8-Hydroxyquinoline-Complex** 186:325
- Thorium(IV)-Ion** 200:397
- Thorium(IV)-Oxalate** 154:89
- Thorium-228** 182:165
- Thorium-230** 182:165
- Thorium-232**
 - Basket 196:89
 - Biological-Sample 162:163
 - Cesium-137 178:327
 - Chain 157:367
 - Contribution 196:89
 - Daily-Intake 162:163
 - Diet 162:163
 - Dietary 196:89
 - Distribution 178:327
 - Dose 196:89
 - Emission 157:367
 - Environmental-Sample 182:165
 - Equilibrium 157:367
 - Estimation 162:163
 - Food 196:89
 - Gamma-Ray 157:367
 - Imported 196:89
 - Intake 196:89
 - Intensity 157:367
 - Internal 196:89
 - Iodine-134 155:299
 - Isomer 155:299
 - Japanese 196:89
 - Lead-210 182:165
 - Market 196:89
 - Northern-Venezuela 178:327
 - Photofission 155:299
 - Potassium-40 178:327
 - Progeny 157:367
 - Radium-226 182:165
 - Radium-228 182:165
 - Ratio 155:299
 - Secular 157:367
 - Sequential-Method 182:165
 - Simultaneous 162:163
 - Soil 178:327
 - Thorium-228 182:165
 - Thorium-230 182:165
 - Uranium-234 182:165
 - Uranium-235 157:367
 - Uranium-238 155:299, 157:367, 162:163, 178:327, 182:165, 196:89
 - Yield 155:299
- Thorium-232-Series** 199:9
- Thorium-234**
 - Cesium-134 177:139
 - Cobalt-60 177:139
 - Coefficient 177:139
 - Distribution 177:139
 - Equilibration-Time 175:155
 - Isotopic 175:155
 - Pinheiros 177:139
 - River 177:139
 - Seawater 175:155
 - Sediment 177:139
 - Water 177:139
- Thorium-Cation** 166:431
- Thorium-Ion** 190:103
- Thorium-Oxide** 196:353
- Thorium-Oxide-Film** 152:373
- Thorium-Salicylate** 154:227
- Thorium-Uranium** 162:391
- Thoron** 182:35
- Thoron-Progeny** 193:301
- Thrace** 183:159
- Thulium**
 - Acid 170:207
 - Carrier-Mediated-Transport 159:219, 163:131, 170:51
 - Cerium 159:219, 163:131, 170:51
 - DEHPA 170:51
 - Europium 159:219, 163:131, 170:51, 170:207
 - Gadolinium 159:219, 163:131, 170:51
 - Liquid-Membrane 159:219, 163:131, 170:51
 - n-Dodecane 159:219
 - Neodymium 170:207
 - Rare-Earth-Element 159:219, 163:131, 170:51
 - Scandium 159:219, 163:131, 170:51
 - Solvent-Extraction 170:207
 - Supported 159:219, 163:131, 170:51
 - Transport 159:219, 163:131, 170:51
 - Tri-n-Octylphosphine-Oxide 159:219
 - Tributyl-Phosphate 163:131
 - Ytterbium 159:219, 163:131, 170:51
 - Yttrium 159:219, 163:131, 170:51
- Thymine** 196:57
- Thyroid** 188:401
- Thyroid-Gland** 182:157
- Thyroxine** 155:155
- Tidal-Saltmarsh-Soil** 161:475
- Time** 169:409
- Time-Dependence** 169:65
- Time-Differential** 199:357
- Time-Interval-Analysis**
 - Alpha-Radionuclide 173:87
 - Detection 173:87
 - Environmental-Sample 197:99
 - Life 197:99
 - Lifetime 173:87
 - Millisecond 173:87
 - Millisecond-Order 197:99
 - Natural-Alpha-Radionuclide 197:99
 - Order 173:87
 - Sensitivity 173:87
- Time-of-Flight**
 - Bismuth 201:303
 - Evaporation 201:303
 - Hot-Cell-Based 194:35
 - Ionization 201:303
 - Isotope 201:303
 - Lead 201:303
 - Mass-Spectrometry 194:35, 201:303
 - Pulsed-Laser 201:303
 - Resonance 201:303
- Timetable** 171:365
- Tin**
 - Biological-Material 169:239
 - Cassiterite 182:427
 - Comparison 169:239
 - Detection 169:239
 - Instrumental-Neutron-Activation-Analysis 182:427
 - Modality 169:239
 - Quantitative-Determination 182:427
 - Separation 169:239
- Tin(II)** 196:45
- Tin(IV)-Antimonate** 189:89
- Tin-119**
 - Atom 190:425
 - Barium-Chlorofluoride 190:431
 - Characterization 190:431
 - Defect 190:425
 - Iodine 190:425
 - Ligand 190:425
 - Mössbauer-Spectroscopy 190:425, 190:431
 - Silver 190:425
 - Stabilization 190:431
 - Stannous-Ion 190:431
 - Structure 190:431
 - Tin²⁺ 190:431
 - Unhybridized 190:431
- Tin-119-Mössbauer-Effect** 182:451
- Tin-127g** 170:99
- Tin-128** 170:99
- Tin-Compound** 199:477
- Tin-Oxide** 190:419
- Tin²⁺** 190:431
- TIP⁽¹⁾** 166:321
- Tire** 179:205
- Tissue**
 - Activation-Analysis 197:417
 - Age-Related 179:331
 - Aortic-Wall 199:277
 - Arsenic 179:331

- Benign 156:341
- Bone 165:41
- Cadmium 179:331
- Cancerous 156:341
- CNS 179:331
- Concentration 156:175
- Concretion 199:277
- Copper 179:331
- Destructive-Analysis 197:417
- Element 197:417
- Elemental 199:277
- Environmental-Sample 197:417
- Fallout 156:175
- Human-Brain 156:341
- Human-Brain-Tumor 151:327
- Instrumental-Neutron-Activation-Analysis 151:327
- Japanese 156:175
- Molybdenum 179:331
- Multielemental-Determination 156:341
- Neurodegenerative-Disease 179:331
- Neutron-Activation-Analysis 165:41
- Non-destructive-Analysis 197:417
- Normal 156:341
- Particle-Induced-X-Ray-Emission 199:277
- Plutonium 156:175
- Preliminary-Study 151:327
- Radiochemical-Neutron-Activation-Analysis 179:331
- Sample 156:175
- Section 165:41
- Sodium/Calcium-Ratio 165:41
- Thermal-Neutron 197:417
- Trace-Element 151:327
- Undecalified 165:41
- Tissue-Label** 174:23
- Titanium**
 - Aluminum 200:435
 - Amount 182:421
 - Brine 182:281
 - Bulk 182:421
 - Californium-252 200:435
 - Carrier-Free 157:335, 182:421
 - Copper 182:281
 - Corrosion 182:281
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 152:251
 - Estimation 152:251
 - Filter-Paper 152:251
 - Impurity 192:155
 - Instrumental-Neutron-Activation-Analysis 200:435
 - Iron 152:251
 - MCC 182:281
 - Microdroplet 152:251
 - Nuclear-Microanalysis 166:117
 - Radiochemical-Method 182:421
 - Radiochemical-Neutron-Activation-Analysis 192:155
 - Reaction 182:281
 - Scandium 182:421
 - Scandium-47 157:335
 - Separation 157:335, 182:421
 - Simulated 182:281
 - Target 157:335
- Thermal-Neutron-Source 200:435
- Uranium 152:251
- Vanadium 182:421
- Titanium(III)** 190:37
- Titanium(IV)-Ion** 157:143
- Titanium-Dioxide**
 - Adsorption 159:343
 - Ammonia 158:273
 - Aqueous 159:343
 - Aqueous-Solution 158:273
 - Chromium(VI) 159:343
 - Chromium-51(VI) 180:155
 - Concentration 180:155
 - Feasibility 159:343
 - Hydrated 158:273
 - Hydrous 157:313
 - Ion-Exchange 157:313, 158:273
 - Radiochemical-Kinetics 157:313
 - Radioindicator 180:155
 - Sorption 180:155
 - Trace 180:155
 - Transition-Metal-Cation 158:273
 - Zirconium-Dioxide 180:155
- Titanium-Hydroxophosphate** 174:279
- Titanium-Molybdate** 199:173
- Titanium-Oxide** 192:155
- Titrimetry**
 - Plutonium 154:277
 - Sequential-Determination 154:277, 174:127
 - Thorium 154:277, 174:127
 - Uranium 174:127
- Tobacco**
 - Beverage 166:195
 - Brazilian 182:57
 - Characteristics 195:161
 - Cigarette 194:371, 195:161, 200:137
 - Comparison 194:371
 - Dose 182:119
 - Estimation 182:119
 - Indian 163:349, 195:161
 - Instrumental-Neutron-Activation-Analysis 195:161, 195:195
 - Jurak 194:371
 - Lead-210 182:119
 - Level 166:195, 194:371
 - Man 182:119
 - Mexican 200:137
 - Moasel 194:371
 - Multielement-Measurement 200:137
 - Neutron-Activation-Analysis 190:3
 - Polonium-210 166:195, 182:119
 - Radioactivity 194:371
 - Smoke 163:349
 - Syrian 195:195
 - Toxic-Element 163:349
 - Trace-Element 163:349, 190:3, 195:161, 195:195
- Tobacco-Sample** 166:365
- Toenail** 195:31
- Tokai** 197:295
- Tolerant** 161:421
- Toluene-3,4-Dithiol**
 - Arsenic 185:145
- Benzene 185:145
- Biological 185:145
- Environmental 185:145
- Evaluation 189:83
- Solvent-Extraction 185:145
- Standard-Reference-Material 185:145
- Substoichiometric-Isotope-Dilution-Analysis 185:145
- Synergic-Extraction 189:83
- Trioctylamine 189:83
- Toluenethiol** 188:33
- Tomato** 179:149
- Tomographic-Technique** 167:453
- Tomography**
 - Combined 179:177
 - Elemental-Analysis 179:285
 - Homogeneity 179:177
 - Matrix 179:177
 - Neutron 179:285
 - Particle-Induced-X-Ray-Emission 179:177
 - Photon 179:177
 - Representative-Sampling 179:177
 - Testing 179:177
 - Transmission 179:177, 179:285
- Tomsk-7** 188:305
- Tool**
 - Actinide 156:297
 - Biological-Sample 156:297
 - Electrofission 156:297
 - Environmental-Sample 156:297
 - Foliar 173:377
 - Groundwater 182:11
 - Identification 182:11
 - Isotopic-Ratio 182:11
 - Photofission 156:297
 - Pollution 182:11
 - Radionuclide 173:377
 - Radium 182:11
 - Sequential-Extraction 173:377
 - Source 182:11
 - Uptake 173:377
- Total**
 - 2-Heptanone 190:175
 - Activation-Analysis 192:299
 - Airborne 198:203
 - Americium 190:175
 - Body 161:11
 - Boiling-Water-Reactor 198:203
 - Bound 179:315
 - Bromine 167:353
 - Carbon-14 198:203
 - Chlorine 167:353
 - Concentration 161:11
 - Daily-Intake 185:183
 - Diet 185:183
 - Dioxin 192:299
 - Effluent 198:203
 - Endogenous 161:11
 - Hanford 190:175
 - Human 161:11
 - Instrumental-Neutron-Activation-Analysis 179:315
 - Iron-Hydroxide 190:175
 - Japanese 185:183
 - Light-Water-Reactor 198:203
 - Neptunium 190:175
- Neutron-Activation-Analysis 161:11, 167:353
- One-Year 198:203
- Organic 167:353
- PCB 192:299
- Plutonium 190:175
- Pool 161:11
- Precipitation 190:175
- Pressurized-Water-Reactor 198:203
- Rat 161:11
- Sample 185:183
- Selenium 161:11, 179:315
- Sera 179:315
- Simulated 190:175
- Solvent-Extraction 190:175
- Sprague-Dawley 161:11
- Swedish 198:203
- Trimethylselenonium-Ion 161:11
- Uranium 185:183
- Urine 161:11
- Waste 190:175
- Total-Body**
 - Americium-241-Beryllium 161:51
 - Calibration 161:51
 - Design 161:51
 - Infant 161:61
 - Irradiator 161:51
 - Multigeometry 161:51
 - Neutron 161:51
 - Neutron-Activation-Analysis 161:51
 - Potassium 161:61
- Total-Concentration** 152:161
- Toxic-Component** 196:25
- Toxic-Element**
 - Austrian 200:315
 - Biological-Material 157:57
 - Biological-Reference-Material 153:185
 - Cesium-137 200:315
 - Diet 162:111
 - Distribution 200:315
 - Evaluation 162:111
 - Food-Sample 169:255
 - Indian 163:349
 - Integrated 162:111
 - Leachability 161:181
 - Mushroom 200:315
 - Neutron-Activation 169:255
 - Radiochemical-Analysis 157:57
 - Radiochemical-Separation 153:185
 - Sea 169:255
 - Smoke 163:349
 - Solid-Waste 161:181
 - Tobacco 163:349
 - Trace-Element 163:349, 169:255, 200:315
- Toxic-Metal** 161:159
- Toxicant** 195:219
- Toxin** 163:169
- TPPO** 178:153
- Trace**
 - 2-Hydroxy-1-Naphthaldehyde 175:1
 - Adsorption 170:347
 - Amount 151:75, 175:1, 191:403, 192:163, 201:13
 - Aqueous-Solution 170:347
 - Atmospheric 188:199

- Barium-140 198:457
- Biological-Sample 201:13
- Boundary 151:107
- Brand 201:401
- Capacity 157:245
- Carbon 151:75
- Ceric-Oxide 157:245
- Cerium 187:237
- Channeling 151:75
- Charged-Particle-Activation-Analysis 151:75
- Chelating-Resin 151:107
- Chemical-Separation 182:295, 201:13
- Chloride-Ion 157:245
- Chromium-51(VI) 180:155
- Colloidal-Behavior 170:347
- Commercial 201:401
- Component 157:245
- Concentration 180:155
- Condition 168:403
- Content 179:377
- Copper 182:295, 201:13
- Debrecen 188:199
- Deposition 188:199
- Diffusion 157:245
- Distribution 179:377
- Dithiocarbamate 191:403
- Electrolyte-Solution 155:419
- Electromigration 155:419
- Evaluation 191:403
- Fission-Product 198:457
- Free 155:419
- Function 157:245
- Gallium-Arsenide 151:75, 168:449, 168:457
- Geological 182:295
- Hexavalent 170:347
- High-Purity 187:237, 191:75
- Honey 201:401
- Hydrated 192:163
- Hydrolysis 155:419
- Hydrous 157:245
- Impurity 168:449, 187:237, 191:75
- Indian 166:365
- Indium 182:295
- Inorganic-Impurity 168:403
- Iridium 151:107
- Irradiation 168:403
- Isonicotinoyl-Hydrazone 175:1
- Lanthanum-Oxide 187:237
- Lattice 151:75
- Location 151:75
- Long-Chain 191:403
- Low-Level-Medium 199:493
- Magnesium-Oxide 192:163
- Major-Element 188:199
- Material 191:75
- Meteoritic-Sample 182:295
- Microelectronic-Application 168:403
- Minor-Element 201:401
- Molybdenum 198:457
- Neutron-Activation-Analysis 168:403, 168:449, 182:295, 187:237, 192:163, 201:13
- Nickel-63 199:493
- Nuclear-Power-Reactor 199:493
- Operation 199:493
- Organic-Substance 159:77
- Particle 157:245
- Pentavalent 155:419
- Phosphorus 168:457
- Photometric-Reagent 191:403
- Plastics 168:403
- Precambrian–Cambrian 151:107
- Preconcentration 192:163
- Prior 201:13
- Quantity 155:419
- Radioactive-Waste 199:493
- Radiochemical-Neutron-Activation-Analysis 151:107, 168:457, 179:377, 189:325, 198:457
- Radioelement 155:419
- Radioindicator 180:155
- Rapid 182:295
- Rare-Earth-Element 179:377, 192:163
- Rice-Sample 179:377
- Sample 151:107
- Selenium 201:13
- Self-Diffusion 157:245
- Sensitive 175:1
- Separation 151:107, 199:493
- Simultaneous-Determination 189:325
- Sorption 180:155
- South-West-Coastal-Region–India 178:245
- Spectrophotometry 175:1
- Subtrace-Level 159:77
- Tellurium 170:347
- Tetravalent 155:419
- Theoretical-Calculation 151:75
- Thiourea-Type 151:107
- Thorium 189:325
- Titanium-Dioxide 180:155
- Tobacco-Sample 166:365
- Tungsten 198:457
- Uranium 159:77, 166:365, 178:245, 189:325, 191:403, 198:457
- Uranium(VI) 175:1
- Vanadium 155:419
- Water 178:245
- Wet-Ashing-Arsenazo-III-Method 159:77
- Wheat-Sample 179:377
- Zinc 182:295
- Zirconium-Dioxide 180:155
- Trace-Amount**
 - Biological-Material 181:43
 - Cobalt 181:43
 - Isonicotinoyl-Hydrazone 175:185
 - Neutron-Activation-Analysis 181:43
 - O-Hydroxypropionophenone 175:185
 - Sensitive 175:185
 - Spectrophotometry 175:185
 - Uranium(VI) 175:185
- Trace-Analysis** 163:87
- Trace-Component** 161:215
- Trace-Element**
 - 1-(2-Thiazolylazo)-2-Naphthol 168:439
 - Abundance 169:269
 - Acid-Rain 161:89
 - Activated-Charcoal 166:31
 - Activation-Analysis 166:97, 168:223
 - Active 169:483
 - Aerosol 159:21, 161:101, 181:401, 192:195
 - Aerosol-Particle 167:247
 - Age 195:51
 - Age-Related 168:223
 - Aluminum 163:307
 - Amazon 179:251
 - Analytical-Technique 173:195
 - Ancient 196:267
 - Animal 172:125
 - Ankara–Turkey 181:401
 - Antarctic 168:107
 - Antarctic-Peninsula 159:21
 - Antarctica 151:345
 - Associated 196:267
 - Atmosphere 166:465
 - Atmospheric 161:147, 167:227, 179:195, 181:401, 192:249
 - Atomic-Absorption-Spectrometry 161:101
 - Australian 185:293
 - Austrian 200:315
 - Bangladeshi 152:3
 - Basin 179:259
 - Bay 161:135
 - Behavior 175:401
 - Biological 196:125
 - Biological-Monitor 161:113
 - Biological-Reference-Material 198:343
 - Bismuth(III) 179:267
 - Blood 164:275
 - Bone 169:259
 - Boron 201:49
 - Boundary 151:201
 - Cadmium 167:361
 - Canada 162:283
 - Capillary 182:179
 - Carpenter 195:31
 - Cement 179:195
 - Certification 198:343
 - Certified 196:125
 - Cesium-137 182:179, 200:315
 - Challenge 167:169
 - Characteristics 195:161
 - Characterization 173:99
 - Chemical-Species 151:201
 - Children 155:325, 155:383
 - Chilean 169:247
 - China 151:177
 - Chinese 151:277
 - Chromatography 161:89
 - Cigarette 195:161
 - City 187:243
 - Clay 151:201
 - Cloud 161:101
 - Coal 185:27
 - Collected 192:249
 - Coloured 198:499
 - Combustion 171:287
 - Commercial 172:125
 - Comparative-Study 172:125
 - Comparison 180:285
 - Composition 181:401
 - Compton 192:195
 - Concentration 164:13, 169:483, 174:29
 - Constituent 169:483
 - Content-Level 175:139
 - Copper 155:383, 187:243
 - Copper-Mill 181:425
 - Coprecipitation 168:439, 179:267
 - Correlation 195:31, 195:51
 - Counting 192:195
 - Crassostrea-Gigas 161:135
 - Cretaceous-Tertiary 151:201
 - Crude 198:17
 - Crude-Oil 151:177
 - Cultured 161:135
 - Date 155:325
 - Deposition 179:195
 - Detection 192:195
 - Diet 161:27
 - Diffusion 182:179
 - Discrimination 175:139
 - Disease 168:233
 - Distinguishing 175:139
 - Distribution 168:107, 179:251, 200:315
 - Drinking 173:195
 - Drinking-Water 163:307
 - Drug 170:265
 - E.-Rostratus-Schlecht 169:483
 - Egyptian 200:95
 - Enforcement 167:361
 - Environment 161:113
 - Environmental 163:307
 - Environmental-Tracking 169:363
 - Epithermal-Irradiation-Technique 192:195
 - Eucalyptus-Camaldulensis-Dehnh 169:483
 - Evaluation 151:277
 - Extractant 163:69
 - Extracted 151:177
 - Extraction 161:89
 - Factory 179:195
 - Feasibility 168:61
 - Filter 192:195
 - Fingernail 162:283
 - Floodplain 179:251
 - Fly-Ash 167:331
 - Food-Sample 169:255
 - Foodstuff 151:277
 - Gallium-Phosphide 201:49
 - Generation 161:101
 - Geochemistry 180:285
 - Geographical 161:135
 - Hair 155:383, 162:283, 175:139, 179:357
 - Hair-Sample 155:325
 - High-Purity 189:183
 - Honey 165:319
 - Human 172:125
 - Human-Bone 196:267
 - Human-Brain-Tissue 169:269
 - Human-Brain-Tumor 151:327, 166:97
 - Human-Fingernail 195:51
 - Human-Gallstone 174:29
 - Human-Kidney-Stone 169:269
 - Hydride 161:101
 - IAEA-NBS 196:125
 - Imbalance 168:223
 - Implication 151:201
 - Incinerator 167:331
 - Indian 163:349, 195:161
 - Inductively-Coupled-Plasma-Mass-Spectrometry 164:13, 180:285
 - Industrial-Area 166:465
 - Industrial-Worker 162:283
 - Input 196:125
 - Instant-Soup 151:245

- Instrumental-Neutron-Activation-Analysis 151:177, 151:327, 155:325, 159:29, 161:101, 165:319, 167:247, 167:361, 168:61, 169:269, 170:265, 174:29, 179:357, 180:285, 181:401, 195:161, 195:195, 196:125, 200:95
- Iraqi 159:29
- Iridium 151:201
- Lake-Sediment 200:95
- Large-Sample 167:169
- Large-Scale 187:243
- Laser-Fluorometry 200:95
- Level 152:3
- Lignite 171:287
- Limit 192:195
- Living 155:383
- Longitudinal-Distribution 166:465
- Macroelement 175:401
- Major-Element 159:29, 169:259, 179:195, 198:17
- Malaysian 195:173
- Matrix 189:183
- Maximum 175:139
- Meat-Product 152:3
- Medicinal 169:483
- Medicinal-Plant 195:173
- Mercury 179:305
- Meteorite 164:13
- Milk-Sample 172:125
- Mine 155:383, 187:243
- Minor-Element 152:3, 159:29, 172:125, 179:195, 192:183
- Missing 196:125
- Modification 182:179
- Mongolian 185:27
- Monitor 161:147
- Moss 161:147
- Multitechnique 168:223
- Multivariate-Analysis 169:363
- Municipal 167:331
- Mushroom 161:113, 200:315
- N-Nitroso-Phenylhydroxylamine 168:439
- Naso-Pharyngeal-Cancer-Patient 175:139
- Natural 168:61, 170:265
- Neurological-Disease 168:223
- Neutron-Activation 161:89, 169:255
- Neutron-Activation-Analysis 151:345, 159:21, 163:307, 166:31, 166:465, 167:169, 167:227, 168:107, 168:439, 172:125, 179:221, 179:267, 179:305, 181:425, 185:293, 189:183, 190:3, 192:183, 196:267, 198:17, 198:343, 198:499
- Newborn-Infant 179:357
- Nitrogen 201:49
- Northern-Chile 161:135, 187:243
- Nutrient 151:245
- Oil-Forming 151:177
- Ontario 162:283
- Opal 185:293, 198:499
- Organic-Material 151:177
- Pacific-Oyster 161:135
- Particle 187:243
- Particle-Induced-Gamma-Ray-Emission 169:259
- Particle-Induced-X-Ray-Emission 169:259
- Particular 167:361
- Partitioning 171:287
- Passive 167:227, 192:249
- Pattern 169:363
- Petroleum 180:285, 198:17
- Plant 169:483
- Plastics 167:361
- Pollution 167:361
- Polyether-Type 163:69
- Polyurethane-Foam 163:69
- Pottery 173:99
- Pre-irradiation 189:183
- Preconcentration 168:439, 179:267
- Prehistoric 173:99
- Preliminary-Study 151:327
- Probable 175:139
- Profile 179:259
- Proton-Activation-Analysis 201:49
- Purification 166:31
- Pyrrolidinedithiocarbamate 168:439, 179:267
- Radiochemical-Separation 198:343
- Radioisotope-Excited-X-Ray-Fluorescence-Analysis 164:275
- Radionuclide 182:179
- Rare 181:425
- Rare-Earth-Element 151:345, 169:269
- Reference-Material 196:125
- Relation 167:361
- Research 163:307
- Reversed-Phase 161:89
- Rock 151:177
- Sample 151:345
- Sampling 155:325, 192:249
- Sampling-Method 167:227
- Sao-Paulo 179:259
- Scalp 162:283
- Scandium 189:183
- Sea 169:255
- Seafood 169:247
- Search 181:425
- Season 161:27
- Seasonal-Variability 161:135
- Seawater 168:439
- Sediment 168:107
- Separation 189:183
- Sex 195:51
- Sickle-Cell 168:233
- Silicon 168:367
- Simultaneous 169:259
- Single-Crystal 168:367
- Size 167:247
- Smoke 163:349
- Soil 168:61, 179:251, 179:305, 182:179, 196:267
- Solid 163:69
- Solid-Waste 167:331
- Sorbent 166:31
- Sorption 167:227, 192:249
- Source 151:177
- Spanish 161:147
- Speciation 192:183
- Spectrum 167:247
- Standard 167:361
- Statistical-Analysis 169:483
- Subcellular-Distribution 166:97
- Suppression 192:195
- Surface 179:267
- Surface-Water 179:221
- Suspended 187:243
- Syrian 195:195
- Taiwan 161:27
- Tea 173:195
- Texas 171:287
- Thin-Layer-Method 182:179
- Thorium 200:95
- Tissue 151:327
- Tobacco 163:349, 190:3, 195:161, 195:195
- Toenail 195:31
- Toxic-Element 163:349, 169:255, 200:315
- Tremiti-Isle 173:99
- Turkey 165:319
- Two-Energy 201:49
- Unloaded 163:69
- Unsaturated 179:259
- Urban 167:247
- Vegetable-Sample 159:29
- Vicinity 155:383
- Volcanic-Exhalation 166:31, 192:183
- Water 161:101, 179:267
- Water-Sediment-System 175:401
- Worker 155:383
- X-Ray-Fluorescence-Analysis 185:27
- Zone 179:259
- Trace-Element-Analysis**
- Accelerator-Mass-Spectrometry 160:119, 167:423
- Argyle 164:337
- Biological-Material 157:239
- Biomedical-Field 168:215
- Comparison 157:239, 192:29
- Dating 160:119
- Demand 168:215
- Diamond 164:337
- Environmental-Field 168:215
- Inductively-Coupled-Plasma-Mass-Spectrometry 157:239
- Inductively-Coupled-Plasma-Mass-Spectrometry 192:29
- Instrumental-Neutron-Activation-Analysis 164:337
- Neutron-Activation-Analysis 157:239, 192:29
- Position 168:429
- Radiochemical-Neutron-Activation-Analysis 168:429
- Radionuclide 160:119
- Trend 168:215
- Trace-Element-Content** 195:203
- Trace-Level**
- Biological-Sample 182:205
- Carbon-Atom 189:277
- Environmental-Sample 182:205
- Ga_{1-x}Al_xAs 189:277
- Hafnium 181:157
- Interstitial-Site 189:277
- Lattice 189:277
- Liquid-Liquid-Extraction 181:157
- Mercury 182:205
- MO-VPE 189:277
- Neutron-Activation-Analysis 182:205
- Occupancy 189:277
- Triocyclamine 181:157
- Zirconium 181:157
- Trace-Metal**
- Advection 179:243
- Albanian 186:303
- Atomic-Absorption-Spectrometry 166:383, 172:117
- Cellulose 164:357
- Change 166:383
- Chelating 164:357
- Coast 186:303
- Concentration 166:383, 183:135
- Diffusive 179:243
- Drinking-Water 164:357
- Energy-Dispersive 186:303
- Exchanger 164:357
- Ferrite 183:135
- Graphite-Furnace 172:117
- Graphite-Tube 172:117
- High-Purity 172:117
- In-Situ 172:117
- Liver 195:145
- Mouse 166:383
- Multiple-Injection 172:117
- OSTSORB-Oxin 164:357
- Photon-Activation-Analysis 195:145
- Pig 195:145
- Preconcentration 164:357, 172:117
- Radionuclide 164:357
- Radiotracer 179:243
- Recovery 183:135
- Sea 186:303
- Skin 166:383
- Soil-Water-System 179:243
- Spleen 195:145
- Transport 179:243
- Water 172:117, 186:303
- X-Ray-Fluorescence-Analysis 164:357, 186:303
- X-Ray-Irradiated 166:383
- Trace-Quantity** 164:103
- Tracer**
- 8-Hydroxyquinoline 166:531
- Acetylacetone 166:531
- Activation 151:121, 151:255, 163:301, 167:391
- Activation-Energy 158:171
- Agroindustry 168:41
- Alcohol 168:41
- Amberlite-LA-2 162:259
- Anion-Exchange 191:265
- Behavior 194:303
- Beryllium-7 172:49, 190:137
- Bioavailability 151:255
- Breaking 195:321
- Bromide 163:301
- Case-Study 172:49
- Chemical-Species 191:265
- Chemical-Yield 182:317
- Chloroform 166:531
- Chromium(III) 166:531
- Chromium-51 166:531
- CN 161:293
- Coastal 161:293
- Cobalt²⁺-Ion 158:171
- Complementary 161:293
- Concentration 191:265

- Diffusion 158:171
- Diffusion-Potential 195:321
- Ecological-Study 167:391
- Electrolyte 195:321
- Environmental-Process 190:137
- Environmental-Sample 173:273
- Forward/Backward-Symmetry 195:321
- Hafnium 163:213
- HDEHP 163:213
- Hydrological-Study 163:301
- Inactive 168:385
- Indium-EDTA 163:301
- Instrumental-Analysis 168:385
- Interfusion 195:321
- Intestinal-Absorption 170:433
- Iodide- 163:301
- Ion-Movement 195:321
- Island 161:293
- Isotope 151:255
- Kinetics 195:321
- Mass 161:293
- Mixed-Ligand 166:531
- Multielectrolyte 158:171
- Neptunium-235 173:273
- Neptunium-237 173:273
- Neptunium-239 173:273
- Neutron-Activation-Analysis 151:121, 151:255
- Neutron-Produced 167:391
- Niobium 163:213
- Obstruction 158:171
- Ozone 172:49
- Photon-Activation 168:385
- Polluted-Air 161:293
- Polonium(IV)-Chloride-Solution 191:265
- Preconcentration 151:121
- Preliminary 190:137
- Radiochemical 173:273
- Radiochemical-Neutron-Activation-Analysis 182:317
- Radiochemical-Solvent-Extraction 166:531
- Radioiodine 194:303
- Radiotracer 167:391
- Radon 161:293
- Reversed-Phase-Chromatographic-Separation 163:213
- Revisited 195:321
- Scandium 168:41
- Selenium-81m 182:317
- Short-Term 167:391
- Silver(I) 162:259
- Silver-110m 162:259
- Simultaneous-Determination 173:273
- Site 161:293
- Soil/Plant/Atmosphere-System 194:303
- Solvent-Extraction 162:259
- Stable 167:391, 170:433
- Stratospheric 172:49
- Sugar 168:41
- Tellurium 170:433
- Yield 151:121
- Zinc 151:255
- Zirconium 163:213
- Tracer-Diffusion**
 - Agar-Gel 173:153
 - Alkali-Metal-Chloride 173:153
 - Cobalt²⁺-Ion 172:193
 - Manganese²⁺-Ion 173:153
 - Transition-Metal-Chloride-Solution 172:193
- Tracer-Technique**
 - Activation 192:81
 - Feature 195:297
 - Metallofullerene 192:81
 - Multitracer 195:297
 - Principle 195:297
- Track**
 - Alpha-Activity 170:423
 - Automated-System 182:133
 - Calibration 170:423
 - Chromium-39 182:133
 - Concentration 170:423
 - Daughter 182:133
 - Density 170:423
 - Dosimetry 170:423
 - Etching 175:95
 - Experimental-Consideration 170:423
 - Factor-K 170:423
 - Monitoring 182:133
 - Radon 170:423, 182:133
 - Statistics 175:95
 - Theoretical-Consideration 170:423
- Track-Registration-Technique** 176:315
- Traditional** 171:159
- Traditional-Medicine** 151:319
- Training**
 - Chemist 171:269
 - Chemistry 171:259
 - Current 171:33
 - Developing-Country 171:109
 - Direction 171:259
 - Education 171:33, 171:57, 171:67
 - India 171:33
 - Nuclear-Chemistry 171:45
 - Nuclear-Facility 171:259
 - Nuclear-Medicine 171:269
 - Nuclear-Science 171:33, 171:57, 171:67
 - Pakistan 171:67
 - Production 171:269
 - Programme 171:109
 - Radiochemistry 171:45, 171:109
 - Research 171:269
 - South-Africa 171:57
 - Status 171:33
 - Technician 171:259
 - United-Kingdom 171:45
- Training-Program** 171:219
- Trans-Stilbene** 200:265
- Transactinide-Element**
 - Centrifuge 189:133
 - Chemistry 183:261
 - Fast 189:133
 - Gas 183:261
 - On-line 183:261
 - Solvent-Extraction 189:133
- Transdermal** 188:439
- Transfer**
 - Aspect 161:489
 - Cesium-137 178:253
 - Chernobyl-Accident 178:253
 - Condition 178:253
 - Deer 194:269
 - Diet 197:271
 - Ecosystem 156:151
 - Farm-Animal 194:269
 - Human 197:271
 - Man-Made-Radionuclide 194:269
 - Marine 156:151
 - Marine-Environment 161:489
 - Natural-Radionuclide 194:269
 - Palomare 161:489
 - Plant 194:269
 - Plant-System 197:203
 - Roe 194:269
 - Soil-Rice 197:203
 - Soil-to-Plant 178:253
 - Spanish 156:151
 - Technetium 197:203
 - Transuranics 156:151, 161:489
 - Tritium 197:271
- Transition-Element** 188:43
- Transition-Metal** 185:347
- Transition-Metal-Cation** 158:273
- Transition-Metal-Chloride-Solution** 172:193
- Transition-Metal-Halide** 198:423
- Transmission**
 - Combined 179:177
 - Elemental-Analysis 179:285
 - Homogeneity 179:177
 - Matrix 179:177
 - Neutron 179:285
 - Particle-Induced-X-Ray-Emission 179:177
 - Photon 179:177
 - Representative-Sampling 179:177
 - Testing 179:177
 - Tomography 179:177, 179:285
- Transplutonium** 156:291
- Transport**
 - Acid-Carbon-Tetrachloride-Supported 157:143
 - Advective 179:243
 - Barium²⁺ 183:85
 - Biological 171:443
 - Bovine 171:443
 - Calcium²⁺ 183:85
 - Carrier 193:291
 - Cerium 159:219, 163:131, 170:51
 - Cesium⁺ 183:85
 - Clay 193:291
 - Coupled 185:387
 - DEHPA 170:51
 - Diffusive 179:243
 - Distribution 195:305
 - Europium 159:219, 163:131, 170:51
 - Europium(III) 178:63
 - Evidence 171:443, 193:291
 - Extraction 178:63
 - Faulted 193:291
 - Gadolinium 159:219, 163:131, 170:51
 - Gas 193:291
 - High-Concentration 185:387
 - Hole 171:443
 - Hollow-Fiber-Supported 175:287, 183:85
 - Italy 193:291
 - Liquid-Membrane 157:143, 159:219, 163:131, 170:51, 172:371, 175:287, 178:63, 183:85, 185:387
 - Metal-Ion 195:305
 - Multitracer 195:305
 - n-Dodecane 159:219
 - Organophosphinic-Acid 178:63
 - Plant 195:305
 - Positive 171:443
 - Possible 171:443
 - Potassium⁺ 183:85
 - Protein 171:443
 - Radiotracer 179:243
 - Radon 193:291
 - Rare-Earth-Element 159:219, 163:131, 170:51
 - Scandium 159:219, 163:131, 170:51
 - Serum-Albumin 171:443
 - Sodium⁺ 183:85
 - Soil-Water-System 179:243
 - Strontium-Cation 175:287
 - Strontium²⁺ 183:85
 - Supported 159:219, 163:131, 170:51
 - Technetium-99m 172:371
 - Thulium 159:219, 163:131, 170:51
 - Titanium(IV)-Ion 157:143
 - Trace-Metal 179:243
 - Tri-n-Octylphosphine-Oxide 159:219
 - Tributyl-Phosphate 163:131
 - Tributyl-Phosphate/Kerosene-Oil-Supported 172:371, 185:387
 - Uranium(VI)-Ion 185:387
 - Ytterbium 159:219, 163:131, 170:51
 - Yttrium 159:219, 163:131, 170:51
- Transport-Process** 190:251
- Transportable** 180:209
- Transuranic** 156:323
- Transuranic-Element** 177:311
- Transuranic-Waste** 193:369
- Transuranics**
 - Aspect 161:489
 - Ecosystem 156:151
 - Marine 156:151
 - Marine-Environment 161:489
 - Palomare 161:489
 - Spanish 156:151
 - Transfer 156:151, 161:489
- Transuranium**
 - Alpha-Emission 194:173
 - Behavior 156:349
 - Coastal 156:349
 - Concentration-Level 156:349
 - Environmental-Sample 194:173
 - Japanese 156:349
 - Liquid-Scintillation 194:173
 - Marine-Environment 156:349
 - Monitoring 194:173
 - Nuclide 156:349, 194:173
- Transuranium-Element**
 - Availability 182:75
 - Biological 182:75
 - Chernobyl-Accident 156:183
 - Concentration-Level 182:75
 - Environment 182:75
 - Fallout 156:183
 - Following 156:183
 - Indicator 182:75
 - Morro-Do-Ferro 182:75

- Plant 182:75
- Rare-Earth-Element 182:75
- Thorium 182:75
- Treatment**
 - Ammonium-Uranate 177:279
 - Amorphous 182:323, 182:335, 182:345
 - Aqueous 154:265
 - Aqueous-Solution 200:233
 - Bentonite 162:325
 - Calcination 183:225
 - Cement-Composite 182:335
 - Cesium 182:323, 182:335, 182:345
 - Chelating-Resin 159:239
 - Cobalt 183:225
 - Column 182:345
 - Conventional 189:35
 - Crown-Ether 159:239
 - Decontamination 175:273
 - Electrochemical-Procedure 185:331
 - Elevated-Level 200:233
 - Elution 183:225
 - Encapsulation 183:225
 - Filter 189:35
 - Final 177:291
 - Ground-Water 189:35
 - Iron-Hydroxide 181:189
 - Irradiated 177:291
 - Isotope 182:335
 - Laumontite 154:265
 - Leaching 182:335
 - Liquid 159:239
 - Material 154:265
 - Milk 159:239
 - Molybdenum-99 178:417
 - Mössbauer-Spectroscopy 166:309, 181:189
 - Natural 154:265, 162:325
 - Nickel 183:225
 - Non-fissioned 177:279, 178:417
 - Nuclear-Fuel 185:331
 - Nuclear-Waste 154:265, 183:225
 - Potential 154:265
 - Precipitation 181:189
 - Preparation 177:279
 - Product 166:309, 177:291, 181:189
 - Production 178:417
 - Purification 177:291
 - Radioactive-Waste 162:325, 166:309, 181:189, 182:323, 182:335, 182:345, 200:233
 - Radioisotope 182:323
 - Radium 189:35
 - Radium-226 200:233
 - Radium-228 200:233
 - Rapid-Method 159:239
 - Recovery 177:279, 178:417
 - Removal 182:345, 189:35
 - Reprocessing 177:291
 - Rod 177:291
 - Sand 189:35
 - Separation 159:239
 - Spent 185:331
 - Station 189:35
 - Strontium 159:239, 182:323, 182:335, 182:345
 - Synthetic-Faujasite 183:225
 - Syrian 162:325
 - Thorium 177:291
- Tricarbonated-Solution 175:273
- Uptake 182:323, 183:225
- Uranium 175:273, 177:279, 178:417
- Uranium-233-Oxide 177:291
- Zeolite 154:265, 183:225
- Zinc 183:225
- Zirconium-Phosphate 182:323, 182:335, 182:345
- Tree** 151:337
- Tree-Ring**
 - Cesium-134 194:277
 - Cesium-137 194:277
 - Long-Term-Behavior 194:277, 194:283
 - Naturally-Occurring 194:283
 - Potassium-40 194:277
 - Radionuclide 194:277, 194:283
 - Spruce 194:277, 194:283
 - Uptake 194:277, 194:283
- Tremiti-Isle** 173:99
- Trend**
 - Atmospheric 192:205
 - Biomedical-Field 168:215
 - Demand 168:215
 - Deposition 192:205
 - Environmental-Field 168:215
 - Neutron-Activation-Analysis 192:205
 - Ombrotrophic-Bog-Monitor 192:205
 - Peat-Sample 192:205
 - Pollutant 192:205
 - Role 192:205
 - Trace-Element-Analysis 168:215
 - X-Ray-Fluorescence-Analysis 167:433
- Tri-n-Butyl-Phosphate**
 - Americium 165:219
 - Cerium(IV) 166:153
 - Effluent 165:219
 - Extraction 166:153
 - Loaded 166:153
 - Loading 165:219
 - Mixture 165:219
 - Octyl(Phenyl)-N,N-Diisobutylcarbamoylmethylphosphine-Oxide 165:219
 - Plutonium 165:219
 - Polyurethane-Foam 166:153
 - Purification 165:219
 - Selective 166:153
 - Tail-End 165:219
 - Thenoyltrifluoroacetone 166:153
- Tri-n-Octylphosphine-Oxide**
 - Acidic-Medium 162:289
 - Aliquat-336 162:289
 - Carrier-Mediated-Transport 155:311, 159:219
 - Cerium 159:219
 - Chromatographic-Separation 166:503
 - DEHPA 198:237
 - Europium 159:219
 - Extraction 162:289, 166:503, 198:237
 - Gadolinium 159:219
 - Hafnium 162:289
 - Liquid-Membrane 155:311, 159:219
 - Mixture 162:289
 - n-Dodecane 155:311, 159:219
 - Niobium 162:289
 - Oxidation-Reduction 198:237
 - Phosphoric-Acid 198:237
 - Rare-Earth-Element 159:219
 - Scandium 159:219
 - Separation 162:289
 - Supported 155:311, 159:219
 - Thiocyanate 162:289
 - Thorium(IV) 166:503
 - Thulium 159:219
 - Transport 159:219
 - Uranium 198:237
 - Wet 198:237
 - Ytterbium 159:219
 - Yttrium 159:219
 - Yttrium(III) 155:311
 - Zirconium 162:289
- Tri-n-Octylphosphine-Oxide-Supported** 182:103
- Triacetic-Acid** 157:393
- Triaryl-Phosphite** 188:355
- Triassic-Age** 186:425
- Triazine** 199:395
- Tributyl-Phosphate**
 - Acetate-Buffer-Solution 157:159
 - Acetylacetone 157:159
 - Actinide 183:359
 - Alcohol 157:159
 - Aliquat-336 163:277
 - Americium(III) 152:127
 - Benzene 152:127
 - Carrier-Mediated-Transport 163:131
 - Cerium 163:131
 - Change 163:99
 - Cobalt(III) 157:159
 - Continuous 166:75
 - Cyclohexane 162:267
 - D2EHPA 162:267
 - Dihexyl-N,N-Diethylcarbamoylmethylphosphonate 152:127, 183:359
 - Ether 157:159
 - Europium 163:131
 - Extraction 152:127, 162:267, 166:75, 170:235, 183:359
 - Gadolinium 163:131
 - Ketone 157:159
 - Kinetics 170:235
 - Liquid-Membrane 163:131
 - Macroconcentration 162:267
 - Microconcentration 162:267
 - Mixed 157:159
 - Mixture 152:127, 162:267, 163:277
 - n-Hexane 162:267
 - Neodymium 163:277
 - Nitrate-Medium 163:277
 - Nitric-Acid-Solution 152:127, 183:359
 - Perchloric-Acid-Solution 181:71
 - Pertechetate 181:71
 - Praseodymium 163:277
 - Radiolytic-Product 163:99, 166:75
 - Rare-Earth-Element 163:131
 - Rare-Earth-Ion 162:267
 - Removal 166:75
 - Scandium 163:131
 - Solvent-Extraction 181:71, 201:361
 - Supported 163:131
 - Synergic-Liquid-Liquid-Extraction 163:277
 - Synergistic-Solvent-Extraction 157:159
 - Technetium 201:361
 - Tetravalent 183:359
 - Thulium 163:131
 - Transport 163:131
 - Trivalent 183:359
 - Urine 201:361
 - Yield 163:99
 - Ytterbium 163:131
 - Yttrium 163:131
 - Zinc(II)-Chloride 170:235
- Tributyl-Phosphate-Plasticized** 172:319
- Tributyl-Phosphate-Plasticized-Polyurethane-Foam** 162:227
- Tributyl-Phosphate/DDSO-Speciation** 181:3
- Tributyl-Phosphate/Isothiocyanate-System** 173:47
- Tributyl-Phosphate/Kerosene-Oil-Supported**
 - Coupled 185:387, 189:207
 - High-Concentration 185:387
 - Ion-Transport 189:207
 - Liquid-Membrane 172:371, 185:387, 189:207
 - Nitrate 189:207
 - Technetium-99m 172:371
 - Transport 172:371, 185:387
 - Uranium(VI)-Ion 185:387
 - Uranyl-Ion 189:207
- Tributyl-Phosphate/Nitric-Acid-System**
 - Americium 172:97
 - Analytical-Separation 172:97
 - Chromatography 172:97
 - Extraction 172:97
 - Gas-Chromatography 199:197
 - n-Butanol 199:197
 - Neptunium 172:97
 - Nitrobutane 199:197
 - Plutonium 172:97
 - Radiation-Chemical-Yield 199:197
 - Radiation-Induced-Decomposition 166:421
 - Radiolytic-Degradation 199:197
 - Role 166:421
 - Tributyl-Phosphate/XAD-4-Column 172:97
 - Uranium 172:97
- Tributyl-Phosphate/XAD-4-Column** 172:97
- Tricarbonated-Solution**
 - Anionic-Species 175:263
 - Cerium-141 175:263
 - Concentration 175:263
 - Decontamination 175:273
 - Postreaction-Time 175:263
 - Treatment 175:273
 - Uranium 175:263, 175:273
- Trichloroacetate** 159:63
- Trichoderma-Viride**
 - Cobalt-60 176:71, 176:333
 - Distribution 176:71, 176:333
 - Fungus 176:71

- Growth 176:333
- Radioindicator 176:71
- Triethylamine** 187:375
- TRIGA-MARK-III** 173:239
- TRIGA-Reactor**
 - Archaeometry 196:235
 - Cornell 192:65, 196:235
 - Microelectronic-Material-Research 192:65
 - Neutron-Activation 192:65
- Triiodothyronine** 13,5,3'-» 155:155
- Trilaurylamine-Oxide** 157:193
- Trimethylselenonium-Ion**
 - Body 161:11
 - Concentration 161:11
 - Endogenous 161:11
 - Evaluation-Method 181:395
 - General 181:395
 - Human 161:11
 - Major 181:395
 - Metabolite 181:395
 - Minor 181:395
 - Neutron-Activation-Analysis 161:11, 181:395
 - Pool 161:11
 - Rat 161:11
 - Selenium 161:11
 - Separation 181:395
 - Sprague-Dawley 161:11
 - Total 161:11
 - Urine 161:11
- Trinuclear**
 - Atom 173:107
 - Carboxylate 190:347
 - Cluster 190:347
 - Cobalt-57-Labeled 173:107
 - Cobalt-Iron-Carboxylate 173:107
 - Emission 173:107
 - Iron(III)-Substituted 190:347
 - Iron-57 173:107
 - Magnetic-Property 190:347
 - Mixed-Valence-State 173:107
 - Mössbauer-Spectroscopy 173:107
- Trinuclear-Complex** 190:257
- Trioctylamine**
 - Chromatographic-Separation 189:345
 - Evaluation 189:83
 - Extraction 189:345
 - Molybdenum-99 189:345
 - Synergic-Extraction 189:83
 - Toluene-3,4-Dithiol 189:83
 - Tungsten-187 189:345
- Trioctylphosphine-Oxide**
 - 1-Nitroso-2-Naphthol 180:187
 - Crown-Ether 176:457
 - Dinonylnaphthalenesulfonic-Acid 176:457
 - Dysprosium(III) 180:187
 - Europium(III) 176:457, 180:187
 - Extraction 176:457
 - Mixed-Ligand-Complex 180:187
 - Samarium(III) 180:187
 - Synergistic-Effect 176:457
- Triocetylamine** 181:157
- Triphenylarsine-Oxide**
 - Americium(III) 181:165
 - Aqueous-Medium 181:165
 - Chloroform 181:165
 - Distribution 181:165
 - Europium(III) 181:165
 - Europium³⁺ 157:87
 - Extraction 157:87
 - Kinetics 181:165
 - Mechanism 181:165
 - Mixture 181:165
 - Nitrate 181:165
 - Phosphine-Oxide 157:87
 - Thenoyltrifluoroacetone 157:87, 181:165
 - Thermodynamics 157:87
- Triphenylphosphine** 158:303
- Triphenylphosphine-Oxide**
 - Acid 176:233
 - Benzene 176:233
 - Cobalt(II) 178:153
 - Dioxouranium(VI) 176:233
 - Extraction 178:153, 185:243
 - Fluorinated 178:153
 - HPMTFP 178:153
 - Manganese(II) 178:153
 - Mercury(II) 178:153
 - Pyrazolone 178:153
 - Selenium(IV) 178:153
 - Synergic-Effect 178:153
 - Synergic-Extraction 176:233
 - Thorium(IV) 185:243
 - TPPO 178:153
- Triphenylphosphine-Sulfide** 166:441
- Triphenylphosphine-Oxide** 158:303
- Triphenyltin-Chloride**
 - 14-MeV 172:357
 - Chloride-36 162:71, 164:141
 - Chlorine 162:71, 164:141
 - Extraction 172:357
 - Fluoride-Ion 172:357
 - Fluorine 172:357
 - Isotope-Exchange-Reaction 162:71, 164:141
 - Kinetics 162:71, 164:141
 - Mixed-Solvent 162:71, 164:141
 - Neutron 172:357
 - Neutron-Activation-Analysis 172:357
 - Separation 172:357
 - Sodium 162:71, 164:141
- Tritiated** 195:355
- Tritiated-Thymidine** 196:113
- Tritiated-Water**
 - Ascorbic-Acid 201:199
 - Comparison 201:199
 - Contaminated 201:199
 - High-Yield 196:113
 - Labeling 196:113
 - Mancini-Method 201:199
 - Preparation 196:113
 - Radioimmunoanalysis 201:199
 - Radioprotection 201:199
 - Rat 201:199
 - Tritiated-Thymidine 196:113
- Tritiation**
 - Acid-Amide 187:303
 - Action 155:65
 - Alkali-Metal-Salt 155:65
 - Benzoate-Ion 155:65
 - Benzoic-Acid 155:65
 - Catalyzed 187:303
 - HTO 187:303
 - Regioselective 155:65
 - RhCl₃·3H₂O 187:303
- Tritium**
 - (n,α)-Reaction 151:357
 - Activation 151:357
 - Antibody 189:77
 - Associated 189:77
 - Betas 201:521
 - Breeder 151:357
 - Candidate 151:357
 - Cartilage 161:455
 - Catalysis 162:3
 - Cellulose 164:47
 - Ceramic-Material 151:357
 - Character 181:335
 - Chronic 189:77
 - Concentration 161:455, 197:295
 - Content 181:335
 - Costal 161:455
 - Deuterium 162:3
 - Diet 197:271
 - Electrolytical 196:15
 - End-Point 189:77
 - Enrichment 196:15
 - Environmental 181:335
 - Environmental-Sample 161:443, 197:295
 - Estimation 161:455
 - Evaluation 151:357, 189:77
 - Exposure 189:77
 - Field 194:389
 - Fluorine-18 173:249
 - Food 161:455
 - Fusion-Reactors 151:357
 - Gamma-Spectrometry 151:357
 - Gas 159:145
 - Gaseous-Hydrogen 185:219
 - Helium-3 161:443
 - High-Temperature 162:3
 - Human 197:271
 - Human-Tissue 161:455
 - Hydrogen 159:145, 164:47
 - Immunochemical 189:77
 - Incorporation 197:195
 - Indicator 181:335
 - Ion 201:521
 - Isotope-Exchange 159:145, 162:3, 185:219
 - JAERI 197:295
 - Kinetics 185:219
 - Labile 164:47
 - Level 197:295
 - Liquid 185:219
 - Liquid-Scintillation 196:15
 - Lithium-6 151:357
 - Low-Level 161:443
 - Mass-Spectrometry 161:443
 - Mean-Residence-Time 161:455
 - Methane 159:145
 - Mixed 159:145
 - Mobility 201:521
 - Neutron-Irradiation 151:357
 - Nuclide 151:357
 - Organically-Bound 161:455
 - Parameter 189:77
 - Possible 189:77
 - Preserved 164:47
 - Production 173:249
 - Program 194:389
 - Pyrrole 185:219
 - Radiobiological-Effect 189:77
 - Reaction-Rate 159:145
 - Real-Time 194:389
 - Recovery 173:249
 - Revised 196:15
- Sample 196:15
- Solid-State 162:3
- Sternum 161:455
- Taiwan 181:335
- Tokai 197:295
- Transfer 197:271
- Versatile 194:389
- Wrist-Watch 197:195
- Tritium-(d,n)-Helium-4-Reaction** 200:127
- Tritium-3** 153:439
- Tritium-Labeled** 154:209
- Tritium-Level** 156:89
- Tritium/Hydrogen-Isotope-Exchange-Reaction** 177:229
- Triton-X-100**
 - Aqueous-Solution 157:27, 188:211, 199:423, 199:429
 - Comment 199:423
 - Gamma-Radiolysis 157:27
 - Oxygen 188:211, 199:423, 199:429
 - Radiolysis 188:211, 199:423, 199:429
 - Reply 199:429
- Trivalent**
 - 1-Phenyl-3-Methyl-4-Benzoylpyrazolone-5 198:367
 - 15-Crown-5 159:353
 - 18-Crown-6 159:353
 - Actinide 183:359, 198:367
 - Americium 159:353
 - Chelate 198:367
 - Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 183:359, 198:367
 - Europium 159:353
 - Extraction 183:359, 198:367
 - Gadolinium 159:353
 - Lanthanide 198:367
 - Mixed 159:353
 - Mixed-Ligand 198:367
 - Nitric-Acid-Solution 183:359
 - Perchlorate-Medium 159:353
 - Radionuclide 159:353
 - Synergic-Extraction 159:353
 - Tetravalent 183:359
 - Thenoyltrifluoroacetone 159:353
 - Tributyl-Phosphate 183:359
- Trivalent-Ion** 156:291
- Trombay** 156:119
- Tropical** 170:299
- Tropical-Wood** 169:277
- Tropolone** 170:479
- Truck** 179:205
- Tube** 178:73
- Tubing** 181:109
- Tumor-Bearing**
 - Ascite 171:383, 195:155
 - Blood 171:383
 - Copper 195:155
 - Distribution 195:155
 - Elemental-Analysis 171:383
 - Kinetic 195:155
 - Liver 171:383
 - Mouse 171:383, 195:155
 - Period 195:155
 - Selenium 195:155
 - Zinc 195:155
- Tungstate** 190:381

- Tungsten**
- Aqueous-Solution 186:353
 - Barium-140 198:457
 - Chemical-Isolation 186:353
 - Control 168:489
 - Element 186:353
 - Fission-Product 198:457
 - Instrumental-Neutron-Activation-Analysis 168:489
 - Model-Experiment 186:353
 - Molybdenum 168:489, 198:457, 201:177
 - Pure 201:177
 - Radiochemical-Determination 201:177
 - Radiochemical-Neutron-Activation-Analysis 160:539, 198:457
 - Short-Lived-Isotope 186:353
 - Technology 168:489
 - Thorium 160:539
 - Trace 198:457
 - Uranium 198:457
- Tungsten(VI)** 185:347
- Tungsten-185** 170:3
- Tungsten-187** 189:345
- Tungsten-188-Rhenium-188-Generator**
- Germanium-Iodide 200:211
 - Metal-Tungstate 200:211
 - Zirconium-Tungstate 188:267
- Tungstosilicic-Acid** 183:127
- Turkey**
- Coniferous-Plant 200:147
 - Deposition 200:147
 - Fission-Product 200:147
 - Honey 165:319
 - Instrumental-Neutron-Activation-Analysis 165:319
 - Lichen 200:147
 - Radionuclide 200:147
 - Trace-Element 165:319
- Turkey (Ankara-)** 181:401
- Turkey (Eastern-Black-Sea-)**
- Artificial-Radioactivity 201:31
 - Cesium 187:435
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 201:241
 - Level 187:435, 201:31
 - Moss 187:435
 - Natural-Radioactivity 201:31
 - Quantitative-Analysis 201:241
 - Radionuclide 187:435
 - Sea-Bed 201:241
 - Sediment 201:31, 201:241
 - Spectrometry 201:241
- Turkish**
- Chernobyl 198:487
 - Clay 200:529
 - Consequence 198:487
 - Desorption 200:529
 - Health 198:487
 - Possible 198:487
 - Radioactivity 198:487
 - Sorption 200:529
 - Tea 198:487
 - Uranium 200:529
- TVEX-DCH18C6** 170:189
- Two-Energy** 201:49
- Type**
- Air-Particulate 196:25
 - Cesium-134 172:223
 - Comparison 161:325
 - Gas 161:325
 - Grain-Size 161:325
 - Identifying 151:239
 - Instrumental-Neutron-Activation-Analysis 196:25
 - Moisture 161:325
 - Organic-Matter 151:239
 - Permeability 161:325
 - Plant 172:223
 - Radioactive 196:25
 - Radon 161:325
 - Rock 161:325
 - Sedimental 196:25
 - Soil 161:325, 172:223
 - Sorting 161:325
 - Toxic-Component 196:25
 - Uptake 172:223
 - X-Ray-Fluorescence-Analysis 196:25
- Typical** 193:377
- Tyrosine (L-6-(I-123)-Iodo-M-)** 198:215
- T_c** 164:405
- U** see **Uranium**
- U-Zr-Al-Alloy** 158:13
- U.W.I.** 180:319
- Ugep-Area** 175:229
- Ultra-Low** 160:297
- Ultra-Trace** 173:409
- Ultra-Trace-Element-Analysis** 192:29
- Ultrafiltration** 181:309
- Ultrafine** 190:279
- Ultramafic-Rock**
- Granulite 169:81
 - Instrumental-Neutron-Activation-Analysis 158:193
 - Massif 169:81
 - Pattern 158:193
 - Radiochemical-Neutron-Activation-Analysis 169:81
 - Rare-Earth-Element 158:193
 - Saxonian 169:81
 - Schist-Belt-Southwestern-Nigeria 158:193
- Ultrarelativistic** 160:181
- Ultrasound** 191:361
- Ultratrace**
- Elemental-Characterization 168:471
 - Fire-Assay 198:169
 - High-Purity 168:471
 - Interference 198:169
 - Material 168:471
 - Neutron-Activation 198:169
 - Neutron-Activation-Analysis 168:471
 - Nickel-Sulfide 198:169
 - Platinum 198:169
 - Pre-irradiation 168:471
 - Separation 168:471
 - Tellurium 198:169
- Ultratrace-Level**
- Biological-Material 168:201, 178:19
 - Chromium 178:19
 - Fast-Neutron 168:201
 - Nickel 168:201
 - Radiochemical-Activation-Analysis 168:201
 - Radiochemical-Determination 178:19
- Uncertainty** 174:65
- Uncommon** 159:259
- Uncalcified**
- Age 200:205
 - Bone 165:41
 - Bone-Male 200:205
 - Category 200:205
 - Human 200:205
 - Individual 200:205
 - Instrumental-Neutron-Activation-Analysis 200:205
 - Neutron-Activation-Analysis 165:41
 - Section 165:41, 200:205
 - Sodium/Calcium-Ratio 165:41, 200:205
 - Tissue 165:41
- Undergraduate**
- Activity 171:159
 - Chemistry 171:159
 - College 171:153
 - Curriculum 171:159
 - Education 171:183
 - Nuclear-Chemistry 171:153, 171:159
 - Nuclear-Engineering 171:183
 - Perspective 171:131
 - Program 171:159
 - Radiochemistry 171:131, 171:153
 - Research 171:131
 - Teaching 171:153
 - Traditional 171:159
 - United-States 171:183
- Underground**
- Chloride 158:91
 - Concentration-Level 181:141
 - Content 158:91
 - Ebrié 158:91
 - Environment 181:141
 - Fluoride 158:91
 - Ivory-Coast 158:91
 - Lagoon 158:91
 - Potentiometry 158:91
 - Progeny 181:141
 - Radon-220 181:141
 - Radon-222 181:141
 - Uranium-Thorium 181:141
 - Water 158:91
 - X-Ray-Fluorescence-Analysis 158:91
- Underwater** 194:345
- Unhybridized** 190:431
- Unirradiated**
- Complex 165:277
 - Electrical-Conduction 154:285
 - Gamma-Irradiated 154:285, 165:277
 - Kinetics 165:277
 - Mandelhydroxamic-Acid 165:277
 - Manganese-Doped 154:285
 - MgAl₂O₄ 154:285
 - Pure 154:285
 - Spinel 154:285
 - Thermal-Decomposition 165:277
- Unit** 183:329
- United-Kingdom**
- Artificial 182:225
 - Behavior 182:225
 - Coast 182:225
 - Distribution 182:225
 - North-Wales 182:225
 - Nuclear-Chemistry 171:45
 - Radiochemistry 171:45
 - Radionuclide 182:225
 - Sediment 182:225
 - Training 171:45
- United-States**
- Education 171:183
 - Indoor 161:265
 - Nuclear-Engineering 171:183
 - Overview 161:265
 - Radon 161:265
 - Reduction 161:265
 - Risk 161:265
 - Undergraduate 171:183
- United-States-Department-of-Energy** 171:229
- Univalent** 171:339
- Universal-Comparator-Method** 155:1
- University** 171:101
- University-of-California-at-Davis** 171:119
- University-of-Illinois** 180:295
- University-of-Missouri-Research-Reactor** 195:57
- University-Reactor-Institute** 169:5
- University-Research-Reactor**
- Beryllium 192:9
 - Engineering-Education 171:177
 - Nuclear-Science 171:177
 - Policy 192:9
 - Strategy 192:9
- Unknown** 160:449
- Unloaded**
- Catalytic-Property 185:231
 - Co₃O₄ 185:231
 - Extractant 163:69
 - Gamma-Irradiation 185:231
 - Lithium-Oxide-Doping 185:231
 - Polyether-Type 163:69
 - Polyurethane-Foam 163:69
 - Solid 163:69, 185:231
 - Surface 185:231
 - Trace-Element 163:69
- UNS-SPS** 155:55
- Unsaturated** 179:259
- Unstable** 190:13
- Unsymmetrical** 176:103
- Unusual** 161:475
- UO₂²⁺-Na⁺-H⁺** 181:351
- Updating** 168:115
- Upland** 171:303
- Uptake**
- Actinide 162:171, 178:273
 - Adsorption 162:171
 - Amorphous 182:323
 - Aquatic-Environment 182:63
 - Aqueous-Solution 190:103
 - Bauxite 194:379
 - Brachydanio-Rerio 182:63
 - Calcination 183:225
 - Carassius-Auratus 182:63
 - Carbon-Dioxide 162:83
 - Cement-Wood 162:83
 - Cesium 182:323, 188:231
 - Cesium-134 172:223, 182:63, 194:277
 - Cesium-137 182:63, 194:277
 - Chlorella-Fusca 154:37
 - Chromosorb 162:171
 - Clay 188:231
 - Cobalt 183:225
 - Cobalt²⁺ 191:89

- Comparative 156:253
 - Controlled 182:63
 - Crop 194:379
 - Dihexyl-N,N-Diethylcarbamoylmethyl-Phosphonate 162:171
 - Elution 183:225
 - Encapsulation 183:225
 - Environmental-Behavior 156:253
 - Ethylenediamine 191:89
 - Exploratory-Study 183:159
 - Fish 182:63
 - Foliar 173:377
 - Food 194:379
 - Goldfish 182:63
 - Greece 183:159
 - Green-Alga 154:37
 - Grown 194:379
 - Heavy-Metal 183:159
 - Iodide 155:391
 - Iodine 155:391
 - Kinetics 182:63
 - Lanthanide 162:171
 - Long-Term-Behavior 194:277, 194:283
 - Los-Trancos 188:231
 - Metaxade 183:159
 - Mine-Mill 156:253
 - Mining 194:379
 - Mixture 162:83
 - Molecular-Sieve 190:103
 - Naturally-Occurring 194:283
 - Nickel 183:225
 - Nitric-Acid 162:171
 - Nuclear-Waste 183:225
 - Plant 155:391, 156:253, 172:223
 - Potassium-40 194:277
 - Powder 190:103
 - Radioactive-Waste 182:323
 - Radioisotope 182:323
 - Radionuclide 156:253, 173:377, 194:277, 194:283, 194:379
 - Radiotracer-Method 162:83
 - Release 182:63
 - Residue 194:379
 - Rubidium 188:231
 - SAPO-34 178:273
 - Sequential-Extraction 173:377
 - Sodium 188:231
 - Soil 172:223, 194:379
 - Spruce 194:277, 194:283
 - Strontium 182:323
 - Synthetic-Faujasite 183:225
 - Technetium 154:37
 - Thorium-Ion 190:103
 - Thrace 183:159
 - Tool 173:377
 - Treatment 182:323, 183:225
 - Tree-Ring 194:277, 194:283
 - Type 172:223
 - Uranium 156:253
 - Uranium-Series 156:253
 - Zebra 182:63
 - Zeoliferous-Rock 183:159
 - Zeolite 183:225
 - Zeolite-L 178:273
 - Zeolite-Y 191:89
 - Zinc 183:225
 - Zirconium-Phosphate 182:323
- Uranium**
- 4-(2'-Thiazolylazo)Resacetophenone 170:181
 - 5-(2'-Carboxyphenyl)Azo-8-Quinololinol 196:363
 - Accident 188:305
 - Accumulation 177:393
 - Acetamide 170:389
 - Achondrite 157:217
 - Acidity 152:447, 176:205
 - Acigol 200:169
 - Acrylic 171:277
 - Actinide 177:5
 - Activated-Charcoal 165:243
 - Adapted 198:179
 - Adsorption 165:243
 - Airborne 193:319
 - Airborne-Particulate 167:219
 - Alkali-Metal 165:243
 - Alkaline-Earth-Metal 165:243
 - Alpha-Beta-Discrimination 181:97
 - Alpha-Spectrometry 177:73
 - Aluminum 160:425
 - Americium 172:97
 - Ammonium-Uranate 177:279
 - Amount 154:103, 191:403
 - Analytical-Method 182:21
 - Analytical-Reagent 170:181
 - Analytical-Sensitivity 167:219
 - Analytical-Separation 172:97
 - Analyzer 156:223
 - Anion-Exchange-Resin 152:117
 - Anionic-Species 175:263
 - Antarctica 191:381
 - Anticline 173:17
 - Antimony 167:219
 - Aqueous-Solution 165:243
 - Archaeological-Sample 154:173
 - Area 186:281
 - Arsenic 167:219
 - Artificial 188:305
 - Ash 177:5
 - Assay 170:17
 - Associated 182:127
 - Background-Level 156:407
 - Barium-140 198:457
 - Beach 199:51
 - Behavior 190:113
 - Beta-Diketone 165:337
 - Bioassay 197:229
 - Biological-Material 192:117
 - Bone 177:5
 - Branched-Chain 176:103
 - Cadmium 167:219, 172:137
 - Cake 170:17, 182:437
 - Calculational-Method 198:179
 - Cell 177:393
 - Cellulose-Disc-Technique 201:469
 - Cerium 166:203
 - Cerium-141 175:263
 - Chemical-Stabilization 193:319
 - Chernobyl-Accident 181:25
 - Chondrite 152:409
 - Chromatography 172:97
 - Clay 200:529
 - Cogenetic 199:51
 - Collected 185:157, 188:305
 - Comparative 156:253
 - Comparison 182:21
 - Complexing-Agent 152:447
 - Concentration 164:131, 170:117, 175:263, 181:413, 185:157, 188:255
 - Constant-Current 176:205
 - Content 160:425, 176:405, 198:179
 - Conventional 166:413, 182:127
 - Conversion 170:17
 - Coordination-Compound 165:337
 - Coulometry 176:205
 - Counting-Technique 194:337
 - Crude 170:17
 - Cryptomelane-Type 172:145
 - Daily-Intake 185:183
 - Danube 186:281
 - Danube-Delta-Area 165:305
 - Dating 152:99, 152:409, 154:173, 157:217
 - Daughter 181:97
 - Decontamination 175:273
 - DEHPA 198:237
 - Delayed-Neutron-Analysis 164:131
 - Delayed-Neutron-Counting 179:35, 201:439
 - Delta 186:281
 - Derivative 170:181
 - Desorption 200:529
 - Dialkylamide 176:103
 - Dibenzoylmethane-Loaded 172:319
 - Diet 185:183
 - Direct-Extraction 194:337
 - Disk 154:103
 - Dissolution 178:261
 - Distribution 178:365
 - Dithiocarbamate 191:403
 - Diuranate 170:17
 - Double 165:337
 - Dowex 152:117
 - Efficiency 200:169
 - Egyptian 188:255
 - Electrochemical-Property 182:213
 - Electrochemistry 170:389
 - Electrodeposition 154:103, 164:23, 182:213
 - Electropolished 154:103
 - Element 178:365
 - Elemental-Composition 181:25
 - Energy-Dispersive-X-Ray-Fluorescence-Analysis 152:251
 - Enrichment 186:157
 - Environmental-Behavior 156:253
 - Environmental-Pollutant 176:405
 - Environmental-Sample 161:437
 - Epithermal-Neutron-Activation-Analysis 167:219, 194:61
 - Eskisehir-Beylikahir 201:439
 - Estimation 152:251, 172:137
 - Ethylammonium-Nitrate 170:389
 - Eutectic 170:389
 - Evaluation 181:413, 191:403, 194:337
 - Experimental-Condition 198:179
 - Exposure 182:127
 - Extraction 166:413, 172:97, 176:103, 198:237
 - Extraction-Behavior 159:167
 - Extractive 196:363
 - Filter-Paper 152:251
 - Fission 168:153
 - Fission-Product 159:167, 176:103, 198:457
 - Fission-Track-Method 191:381
 - Fluorometric-Determination 166:413
 - Following 188:305
 - Former 185:157
 - Free 152:447, 176:205
 - Freshwater-Sample 185:157
 - Gadolinium 172:137
 - Gamma-Irradiated 159:167, 176:103
 - Gamma-Ray-Spectrometry 170:17
 - Gamma-Spectrometry 178:375, 186:157
 - Gas-Production 170:117
 - Geiger-Müller-Counter 181:413
 - Geochemical 178:375
 - Geological-Sample 196:363, 198:179
 - Growth 178:261
 - Groznaya 152:99
 - Guaiacol 154:331
 - Guayabo-Costa-Rica 154:173
 - Gubrunde 178:365
 - Hafnium 172:137, 199:51
 - Harargaj 173:17
 - Heavy-Metal 201:529
 - High-Grade 170:165
 - High-Level 194:61
 - High-Purity 160:425
 - Host 178:261, 178:365
 - Hostrock 178:375
 - Hot-Particle 181:25
 - Human-Urine 156:407
 - Hydrous 172:145
 - Hydroxyapatite 201:529
 - $H_2O_2/Na_2SO_4/H_2SO_4$ -HSS-System 200:169
 - Ibaraki-Japan 188:305
 - Immobilized 178:319
 - Implication 197:229
 - Improvement 167:219
 - Indian 166:365
 - Indium 167:219
 - Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry 158:23
 - Inductively-Coupled-Plasma-Mass-Spectrometry 201:71
 - Initial-Ratio 152:99, 152:409, 157:217
 - Instrumental-Neutron-Activation-Analysis 173:17, 177:393
 - Interference 168:153
 - Interlaboratory 182:21
 - Interpretation 197:229
 - Iodine 167:219
 - Ion-Exchange 154:435
 - Ionic 187:99
 - Ionic-Medium 170:389
 - Iron 152:251
 - Irradiated 172:107
 - Isotope 161:437, 182:21

- Isotopic-Analysis 157:65, 179:35
- Isotopic-Composition 177:73
- Isotopic-Ratio 181:25, 201:71
- Japanese 185:183
- Jucar-River–Eastern-Spain 190:113
- Kanawa 178:375
- Kinetic 156:223
- Kinetics 178:261, 182:213
- Lactones 182:213
- Lake 200:169
- Lanthanide 165:243, 194:61
- Lanthanum 187:99
- Leaching 200:169, 201:313
- Leaching-Experiment 181:11
- Lead-210 177:5
- Level 188:305
- Limestone 164:131
- Liquid 187:99
- Liquid-Liquid-Extraction 170:79
- Liquid-Scintillation 194:337
- Liquid-Scintillation-Counting 181:97
- Long-Chain 191:403
- Low-Background 181:413
- Low-Specific-Activity 170:117
- Magnesium-Fluoride 170:17
- Manganese-Dioxide 172:145
- Mass-Balance 181:11
- Matter 167:219
- Mercury 172:137
- Metallic-Impurity 152:117
- Meteorite 152:99
- Microanalysis 191:381
- Microdroplet 152:251
- Microgram/Gram-Level 181:413
- Mill 193:319
- Milligram 154:103
- Mine-Mill 156:253
- Mining 182:127
- Mixer 189:257
- Mixer-Settler-Model 189:257
- Model 178:261, 197:229
- Modified 197:229
- Mokoia 152:99
- Molecular 187:99
- Molybdenum 167:219, 192:117, 198:457
- Molybdenum-99 178:417
- Monazite 199:51
- N,N'-Dialkylamide 159:167
- N-Phenyl-3-Styrylacrylo-hydroxamic-Acid 170:79
- Nanogram 156:223
- Natural 170:17, 182:21
- Natural-Water 172:319
- Neptunium 172:97, 172:107
- Neptunium-239 158:353
- Neutron-Activation 179:35
- Neutron-Activation-Analysis 154:173, 164:131, 168:153, 171:277, 191:273, 192:117, 199:51
- Neutron-Irradiated-Compound 158:353
- Nigeria 178:365, 178:375
- Non-destructive 179:35
- Non-fissioned 177:279, 178:417
- Occurrence 178:365, 178:375
- Oil 170:117
- Optimal-Parameter 164:23
- Optimization 161:437
- Ordinary 152:409
- Ore 170:165, 178:261, 178:375
- Ore-Sample 201:439
- Organic 187:99
- Organic-Diluent-Extraction 199:339
- Organic-Medium 170:389
- Organic-Solution 158:23
- Organic-Substance 159:77
- Oxidation-Reduction 198:237
- Oxime 170:181
- Particulate 181:11
- Pattern 178:365
- Phosphate 201:313
- Phosphorescence 156:223
- Phosphoric-Acid 198:237, 199:339
- Photometric-Reagent 191:403
- Plant 156:253, 170:17, 170:117
- Plutonium 159:167, 166:203, 172:97, 176:103, 190:121
- Plutonium-244 152:99, 152:409, 157:217
- Polonium-210 177:5
- Polyhydroxybenzene 178:319
- Polyurethane-Foam 172:319
- Postreaction-Time 175:263
- Potassium-Thiocyanate 170:389
- Potential 176:405, 178:261
- Potentiometry 152:447
- Preconcentration 172:319
- Preparation 177:279
- Prior 154:173
- Processing 178:261
- Production 178:417
- PSAHA 170:79
- Quantity 156:223
- Radioanalytical-Procedure 161:437
- Radiochemical-Neutron-Activation-Analysis 160:425, 189:325, 198:457
- Radiochemical-Procedure 157:65
- Radiochemical-Scheme 192:117
- Radionuclide 156:253, 188:305
- Radium 165:305, 170:117, 186:281
- Radium-226 193:319
- Radon 186:281
- Radon-222 193:319
- Rain 188:305
- Rapid 179:35
- Rapid-Method 156:223, 201:71
- Rare-Earth-Element 154:435, 199:51
- Reagent 154:331, 196:363
- Recovery 177:279, 178:319, 178:417
- Reduction 193:319
- REE 178:365
- Renazzo 152:99
- Respiratory-Tract 197:229
- Review 186:157
- Rock 168:153, 178:365, 181:413, 201:313
- Rock-Sample 173:17, 182:21, 188:255
- Rubidium 154:173
- Russia 188:305
- Saccharomyces-Cerevisiae 177:393
- Salt 191:273
- Salt-Solution 194:61
- Sample 185:183
- Sand 199:51
- Scale 170:117
- Scale-Up 189:257
- Scandium 199:51
- Seawater 181:11
- Selenium 177:393
- Sensitive 196:363
- Separation 152:117, 154:435, 166:203, 172:107, 172:145, 187:99, 188:27
- Sephadex-Gel 166:203
- Sequential 157:65, 181:11
- Sequential-Determination 174:127
- Series 182:21
- Silicon 167:219
- Simultaneous-Analysis 190:121
- Simultaneous-Determination 170:165, 170:181, 189:325
- Slag 170:17
- Soft-Gamma-Ray-Absorptiometry 152:67
- Soil 157:65, 188:27
- Soil-Sample 191:381
- Solar 191:273
- Solid 178:261
- Solvent-Extraction 154:435, 189:257
- Sorbent 152:67
- Sorption 200:529, 201:529
- South-West-Coastal-Region-India 178:245
- Speciation 158:353
- Spectrophotometry 154:331, 166:413, 170:79, 170:181, 172:319, 182:437, 196:363
- Stainless-Steel 154:103
- Standard 177:5
- Strontium-90 177:5
- Sub-ppb 160:425
- Subtrace-Level 159:77
- Sulfate 152:447
- Surface 178:261
- Tailing 193:319
- Target 172:107
- Technogenic-Product 176:405
- Thermal-Ionization-Mass-Spectrometry 190:121
- Thermoluminescent 154:173
- Thorium 154:173, 157:65, 160:425, 164:131, 165:305, 165:337, 170:117, 170:165, 170:181, 171:277, 172:145, 173:17, 174:127, 182:21, 182:127, 185:157, 186:281, 188:255, 189:325, 191:273, 198:179, 199:51, 201:439
- Titanium 152:251
- Titrimetry 174:127
- Tobacco-Sample 166:365
- Tomsk-7 188:305
- Total 185:183
- Trace 159:77, 166:365, 178:245, 189:325, 191:403, 198:457
- Treatment 175:273, 177:279, 178:417
- Tri-n-Octylphosphine-Oxide 198:237
- Tributyl-Phosphate-Plasticized 172:319
- Tributyl-Phosphate/Nitric-Acid-System 172:97
- Tributyl-Phosphate/XAD-4-Column 172:97
- Tricarbonated-Solution 175:263, 175:273
- Tungsten 198:457
- Turkish 200:529
- Unsymmetrical 176:103
- Uptake 156:253
- Uranyl-Nitrate-Solution 152:447
- Urine 156:223, 177:73
- USSR 185:157
- Water 165:305, 170:117, 178:245, 186:281, 188:305, 194:337, 200:169
- West-Malaysia 164:131
- Wet 198:237
- Wet-Ashing-Arsenazo-III-Method 159:77
- X-Ray-Fluorescence-Analysis 172:137
- X-Ray-Spectrometry 201:469
- Yellow 182:437
- Zircon 199:51
- Zirconium 199:51
- Uranium(III)/Uranium(IV)** 199:499
- Uranium(IV)**
 - Catalysis 162:57
 - Extraction 158:163
 - Iodide 162:57
 - Iron(II) 176:117
 - Isotope-Exchange 158:163
 - Kinetic 162:57
 - Kinetic-Study 188:177
 - Kinetics 163:245
 - Mechanism 163:245
 - Nitric-Acid-Solution 188:177
 - Oxalate-Solution 163:245
 - Oxidation 188:177
 - Phosphomolybdic-Acid 162:57
 - Photoaccelerated-Isotope-Exchange 163:245
 - Reaction 162:57
 - Separation 158:163
 - Simultaneous-Determination 176:117
 - Stopped-Flow-Inductive-Kinetic-Spectrophotometry 176:117
- Uranium(VI)** 158:163, 163:245
- Uranium(VI)**
 - 2-Hydroxy-1-Naphthaldehyde 175:1
 - 4-(2'-Thiazolylazo)Resacetophenone 154:357
 - Acid-Medium 157:105, 162:371
 - Actinide 157:105, 162:371, 170:479
 - Adsorption 158:79
 - Alamine-310 173:161
 - Aliphatic-Monoamide 191:323

- Aliquat-336 201:325
- Alpha-Benzoinomix 185:347
- Americium(III) 186:47, 201:325
- Amount 175:1
- Analytical-Reagent 154:357
- Aqueous-Medium 178:179
- Aqueous-Solution 173:161
- Binary-Mixture 178:179, 201:325
- Calixarene 198:349
- Carminic-Acid 164:309
- CMPO 191:189
- Coextraction 191:189
- Counter-Ion 201:281
- Cryptand-222 201:281
- Cyanex-301/Alamine-308-Mixture 181:3
- DEHSO 162:391
- Derivative 164:309
- Dibenzo-24-Crown-8 170:215
- Dibenzoylmethane 162:227
- Dichlorobenzene 157:105
- Dihexylbutyramide 182:393
- Dihexylisobutyramide 182:393
- Dynamic 158:79
- Eosin 201:281
- Europium(III) 201:125
- Extractant 162:391, 178:179, 186:47
- Extracting-Agent 185:347
- Extraction 152:243, 157:105, 158:163, 162:207, 162:227, 162:371, 162:391, 170:479, 171:371, 178:91, 178:99, 182:393, 191:323, 200:1
- Extraction-Behavior 196:171, 201:125
- Family 185:347
- Fission-Product 178:91, 178:99, 196:171
- Foam 157:105
- Fuel 162:391
- Gamma-Irradiation 178:91
- Gamma-Pre-Irradiated 196:171, 201:125
- Gamma-Ray 178:99
- HDEHP 157:105, 162:371
- High-Molecular-Weight 191:323
- Hydrochloric-Acid-Solution 190:37
- Hydrazine 186:89
- Hydrogen-Chloride 178:179
- Hydroxamic-Acid 198:349
- Iron 185:347
- Irradiation 178:99
- Isonicotinoyl-Hydrazine 175:1, 175:185
- Isotope-Exchange 158:163
- Kinetics 163:245, 190:37
- Lanthanide 157:105, 162:371
- Liquid-Liquid-Extraction 152:21, 181:3, 201:281
- Loaded 162:227
- Mechanism 163:245
- Methylbutylmalonamide 186:47
- Mixture 173:161
- Molybdenum(VI) 152:21, 173:161, 178:179, 185:347
- Monazite 199:41
- N,N'-Dihexyl-Substituted-Amide 196:171
- N,N'-Methylbutyl-Substituted-Amide 201:125
- N,N-Disubstituted-Amide 178:99
- n-Alkylcaprolactam 162:207
- n-Dodecane 201:125
- n-Dodecane-Solution 196:171
- n-Heptane-Solution 171:371
- n-Octylacetamide 152:243
- Neutral-Donor 170:479, 200:1
- Nitric-Acid 171:371, 178:99
- Nitric-Acid-Medium 162:391, 178:91, 182:393, 191:323, 201:325
- Nitric-Acid-Solution 157:105, 162:207, 162:371
- Non-plasticized-Polyurethane-Foam 162:227
- O-Hydroxypropionophenone 175:185
- Organophosphinic-Acid 178:179
- Oxalate-Solution 163:245
- Oxidation-Reduction-Reaction 190:37
- Oxime 154:357
- PAR 152:243
- PC-88A-TOPO 201:325
- Phosphonic-Acid 178:179, 200:1
- Phosphoric-Acid 173:161
- Photoaccelerated-Isotope-Exchange 163:245
- Platinum-Catalyzed-Reduction 186:89
- Plutonium(IV) 182:393, 186:47, 191:323, 196:171, 201:125
- Polyurethane-Foam-Loaded-Acid 157:105, 162:371
- Primary-Amine 171:371
- Reaction 191:189
- Reprocessing 162:391
- Ruthenium(III) 201:125
- Sand 199:41
- Sensitive 175:1, 175:185
- Separation 158:163, 170:215, 198:349
- Silica-Gel 158:79
- Simultaneous 164:309
- Solvent-Extraction 170:215, 173:161
- Sorbent 162:227
- Spectrophotometry 152:243, 154:357, 164:309, 175:1, 175:185
- Spent 162:391
- Stoichiometry 191:189
- Sulfoxide 178:91
- Sulfuric-Acid-Medium 186:89, 201:325
- Synergistic-Extraction 162:371, 170:479, 201:325
- Technetium(VII) 171:371, 191:189
- Thorium(IV) 162:207, 162:391, 164:309, 178:91, 178:99
- Thorium-Uranium 162:391
- Titanium(III) 190:37
- Trace 175:1
- Trace-Amount 175:185
- Transition-Metal 185:347
- Tributyl-Phosphate-Plasticized-Polyurethane-Foam 162:227
- Tributyl-Phosphate/DDSO-Speciation 181:3
- Tropolone 170:479
- Tungsten(VI) 185:347
- Uranium(IV) 158:163, 163:245
- Zirconium(IV) 158:79, 201:125
- Uranium(VI)-5-Chloro-7-Amino-8-Hydroxyquinoline-Complex** 196:323
- Uranium(VI)-8-Hydroxyquinoline-Complex** 186:325
- Uranium(VI)-Arsenazo-1-complex** 153:125
- Uranium(VI)-Ion**
 - Carminic-Acid 200:397
 - Coupled 185:387
 - High-Concentration 185:387
 - Liquid-Membrane 185:387
 - Partial-Least-Square-Method 200:397
 - Simultaneous-Determination 200:397
 - Thorium(IV)-Ion 200:397
 - Transport 185:387
 - Tributyl-Phosphate/Kerosene-Oil-Supported 185:387
- Uranium(VI)-Pyridylazo-Complex** 154:41
- Uranium(VI)-Succinate-Complex** 162:79
- Uranium-233** 164:171
- Uranium-233-Oxide** 177:291
- Uranium-234** 182:165
- Uranium-234/Uranium-238-Ratio**
 - Alpha-Spectrometry 166:263
 - Behavior 190:113
 - Commercial 166:263
 - Jucar-River-Eastern-Spain 190:113
 - Uranium-235/Uranium-238-Ratio 166:263, 190:113
 - Uranium-Compound 166:263
- Uranium-235**
 - Abundance 158:437
 - Antimony-130 166:187
 - Antimony-132 166:187
 - Chain 157:367
 - Combined 152:161
 - Dating 158:437
 - Emission 157:367
 - Enrichment 152:161
 - Equilibrium 157:367
 - Fission 166:187
 - Gamma 152:161
 - Gamma-Ray 157:367
 - Initial 158:437
 - Intensity 157:367
 - Iodine-134 166:187
 - Iodine-136 166:187
 - Isomer 166:187
 - Lunar-Sample 158:437
 - Passive 152:161
 - Plutonium-244 158:437
 - Progeny 157:367
 - Secular 157:367
 - Thermal-Neutron 166:187
 - Thorium-232 157:367
 - Total-Concentration 152:161
 - Uranium-238 157:367
- X-Ray-Fluorescence-Analysis 152:161
- Yield 166:187
- Uranium-235/Uranium-238-Ratio**
 - Alpha-Spectrometry 166:263
 - Behavior 190:113
 - Commercial 166:263
 - Jucar-River-Eastern-Spain 190:113
 - Uranium-234/Uranium-238-Ratio 166:263, 190:113
 - Uranium-Compound 166:263
- Uranium-238**
 - Activity 166:331, 174:223
 - Aerosol 189:157
 - Agricultural-Sample 174:223
 - Arsenic-75 189:51
 - Atmospheric 189:157
 - Background-Level 189:157
 - Basket 196:89
 - Biological-Sample 162:163
 - Cesium-134 189:51
 - Cesium-137 178:327
 - Chain 157:367
 - Characterization 193:107
 - Concentration 166:331, 174:223
 - Contribution 196:89
 - Cross-Section 189:51
 - Daily-Intake 162:163
 - Diet 162:163
 - Dietary 196:89
 - Distribution 178:327
 - Dose 196:89
 - Emission 157:367
 - Environmental-Sample 182:165
 - Equilibrium 157:367
 - Estimation 162:163
 - Food 196:89
 - Gamma-Ray 157:367
 - High-Energy 193:107
 - Imported 196:89
 - Intake 196:89
 - Integral 189:51
 - Intensity 157:367
 - Internal 196:89
 - Iodine-134 155:299
 - Isomer 155:299
 - Japanese 196:89
 - Lead-210 182:165
 - Market 196:89
 - Northern-Venezuela 178:327
 - Photofission 155:299
 - Potassium-40 178:327
 - Progeny 157:367
 - Radium-226 166:331, 174:223, 182:165, 189:157
 - Radium-228 182:165
 - Ratio 155:299
 - Real-Time 193:107
 - Resonance 189:51
 - Secular 157:367
 - Selective 193:107
 - Selenium-74 189:51
 - Sensor 193:107
 - Sequential-Method 182:165
 - Simultaneous 162:163
 - Soil 166:331, 178:327
 - Strontium-90 193:107
 - Thermal-Neutron 189:51
 - Thorium-228 182:165
 - Thorium-230 182:165

- Thorium-232 155:299, 157:367, 162:163, 178:327, 182:165, 196:89
- Uranium-234 182:165
- Uranium-235 157:367
- Yield 155:299
- Zirconium-94 189:51
- Uranium-238/Uranium-235-System** 199:499
- Uranium-239** 154:139
- Uranium-Cadmium-Mixture** 201:391
- Uranium-Compound**
 - Alpha-Spectrometry 166:263
 - Biomedical-Monitoring 161:79
 - Characterization 161:79
 - Commercial 166:263
 - High-Precision 171:435
 - Nuclear-Grade 171:435
 - Uranium-234/Uranium-238-Ratio 166:263
 - Uranium-235/Uranium-238-Ratio 166:263
 - Volumetry 171:435
- Uranium-Dioxide** 197:161
- Uranium-Dioxide-EDTA** 199:317
- Uranium-Doped-System** 187:123
- Uranium-Hydrogen-Carbonate-Solution** 170:157
- Uranium-Iron** 201:391
- Uranium-Isotope** 152:37
- Uranium-Metal** 201:165
- Uranium-Microdistribution** 158:239
- Uranium-Mining** 183:139
- Uranium-Oxide-Film** 152:373
- Uranium-Phosphate** 189:301
- Uranium-Series** 156:253
- Uranium-Tetrafluoride** 201:165
- Uranium-Thorium** 181:141
- Uranium-Trioxide** 188:169
- Uranyl**
 - $(\text{UO}_2)_2(\text{OH})_2^{2+}$ 174:299
 - Decay 175:81
 - Hydrolysis 174:299
 - Luminescence 175:81
 - Phosphoric-Acid-Solution 175:81
 - Species 174:299
 - Spectroscopy 174:299
- Uranyl-8-Hydroxyquinolinium-Sulfate-Complex** 176:55
- Uranyl-Cation** 166:431
- Uranyl-Ion**
 - 1-Phenyl-3-Methyl-4-Benzoylpyrazolone-5 152:401
 - Acid 198:375
 - Aliphatic-Amide 152:401
 - Alkane 198:429
 - Amide 152:401
 - Anhydrous-Medium 188:355
 - Aqueous-Solution 188:377
 - Aromatic 198:429
 - Benzene-Derivative 188:243
 - Characterization 198:375
 - Complex 188:377
 - Coupled 189:207
 - Crystalline 198:375
 - Excimer 165:255
 - Free-Energy 188:243
 - Germanium-Iodide 190:155
 - HPMBP 152:401
 - Ion-Exchange-Behavior 198:375
 - Ion-Transport 189:207
 - Laser 165:255
 - Linear 188:243
 - Liquid-Membrane 189:207
 - Luminescence 188:243
 - Nitrate 189:207
 - Nitric-Acid-Medium 165:255
 - Photochemical-Reduction 165:255, 187:375, 188:355, 198:429
 - Preparation 198:375
 - Quenching 188:243
 - Related-Compound 188:243
 - Relationship 188:243
 - Silica-Titania-Mixed-Hydroxide 190:155
 - Sorption 190:155
 - Squarete 188:377
 - Stability 198:375
 - Synergism 152:401
 - Synergistic-Extraction 152:401
 - Triaryl-Phosphite 188:355
 - Tributyl-Phosphate/Kerosene-Oil-Supported 189:207
 - Triethylamine 187:375
 - Xenon-Chloride 165:255
 - Zirconium-Phosphate 198:375
- Uranyl-Nitrate-Solution** 152:447
- Urban**
 - Aerosol-Particle 167:247
 - Atmosphere 201:347
 - Cerium 201:347
 - Chromium 201:347
 - Industrial-Area 201:347
 - Instrumental-Neutron-Activation-Analysis 167:247
 - Major 201:347
 - Neutron-Activation-Analysis 201:347
 - Punjab-Pakistan 201:347
 - Selenium 201:347
 - Size 167:247
 - Spectrum 167:247
 - Trace-Element 167:247
 - Ytterbium 201:347
- Urine**
 - Alpha-Activity 178:11
 - Alpha-Spectrometry 177:73, 178:11
 - Analyzer 156:223
 - Body 161:11
 - Carrier-Free 178:399
 - Cesium-137 197:281
 - Chromatography 182:103
 - Column 182:103
 - Concentration 161:11
 - Endogenous 161:11
 - Epithermal-Instrumental-Neutron-Activation-Analysis 195:57
 - Estimation 178:399, 197:281
 - Extraction 182:103
 - Gross 178:11
 - Human 161:11
 - Iodine 195:57
 - Isotopic-Composition 177:73
 - Kinetic 156:223
 - Lanthanum-Fluoride 178:11
 - Low-Detection-Limit 182:111
 - Microprecipitation 178:11
 - Monitoring 182:103
 - Nanogram 156:223
 - Neutron-Activation-Analysis 161:11
 - Phosphorescence 156:223
 - Plutonium 182:111
 - Polypropylene 182:103
 - Pool 161:11
 - Quantity 156:223
 - Rapid-Method 156:223
 - Rat 161:11
 - Ruthenium-106 178:399, 197:281
 - Selenium 161:11, 179:323
 - Sequential 197:281
 - Solvent-Extraction 201:361
 - Sprague-Dawley 161:11
 - Strontium-90 197:281
 - Technetium 201:361
 - Total 161:11
 - Tri-n-Octylphosphine-Oxide-Supported 182:103
 - Tributyl-Phosphate 201:361
 - Trimethylselenonium-Ion 161:11
 - University-of-Missouri-Research-Reactor 195:57
 - Uranium 156:223, 177:73
- User-Friendly-Program** 180:55
- USGS** 179:165
- USSR**
 - Collected 173:313, 185:157
 - Concentration 185:157
 - Elemental-Analysis 173:313
 - Former 173:313, 185:157
 - Freshwater-Sample 173:313, 185:157
 - Inductively-Coupled-Plasma-Mass-Spectrometry 173:313
 - Thorium 185:157
 - Uranium 185:157
- Utility** 191:15
- Utilization**
 - Assurance 179:87
 - Indium 154:249
 - k_p -Factor 179:87
 - Neutron-Activation-Analysis 179:87
 - Potassium-Ethyl-Xanthate 154:249
 - Quality 179:87
 - Substoichiometric-Reagent 154:249
- Utilizing**
 - Biological-Sample 175:351
 - Detection 157:15
 - Estimation 175:351
 - Gamma-Ray 157:15
 - High-Resolution 157:15
 - Potassium-Benzyl-Xanthate 175:351
 - Rectilinear 157:15
 - Scanner 157:15
 - Selenium 175:351
- UV-VIS-Analysis** 183:99
- U₃O₈**
 - Ammonium-Uranate 188:169
 - Carbon-Monoxide 188:169
 - Derived 188:169
 - Oxygen/Metal-Ratio 188:463
 - Reduction 188:169
 - Uranium-Trioxide 188:169
- Valence**
 - Anion-Exchange 172:281
 - Controlled 172:281
 - Dilute 190:413
 - Environmental-Sample 172:281
 - Europium 190:413
 - Field 190:413
 - Hyperfine 190:413
 - Impurity 190:215
 - Instability 190:413
 - Ion 190:215
 - Iron 190:413
 - Local-Structure 190:215
 - Magnetic-Phase-Transition 190:413
 - Multiple 190:413
 - Mössbauer-Emission-Spectroscopy 190:215
 - Oxide 190:215
 - Plutonium 172:281
 - Rare-Earth 190:413
 - $\text{RMn}_2\text{Si}_{2-x}\text{Ge}_x$ 190:413
 - TDPAC 190:215
- Valence-State** 173:261
- Validation**
 - Aluminum 192:321
 - Background 192:331
 - Characterization 192:331
 - CLP-Type 192:339
 - Data 192:331, 192:339
 - Fish 192:321
 - Gill 192:321
 - Guideline 192:339
 - Hydrocarbon 198:89
 - Inductively-Coupled-Plasma-Mass-Spectrometry 192:321
 - Instrumental-Neutron-Activation-Analysis 192:321
 - Interlaboratory 198:323
 - n-Paraffin 198:89
 - Neutron-Activation-Analysis 192:331, 192:339
 - NORM 198:323
 - Nuclide 198:323
 - Oil-and-Gas-Production 198:323
 - Potential 198:323
 - Programme 198:323
 - Project 192:331
 - Radioactive-Waste-Sample 198:89
 - Removal 198:89
 - Sample 198:323
 - Semivolatile-Component 198:89
 - Soil 192:331
 - Standardization-Method 198:323
 - State-of-the-Art 198:323
 - Test 198:323
- Validity** 153:439
- Value**
 - Concentration 154:413
 - Decay 154:413
 - Deceleration 183:273, 186:415
 - Dysprosium-160 154:413
 - Function 154:413
 - Gelatin 154:413
 - Liquid-Scintillation 152:227
 - Magnesium 186:415
 - Mixture 152:227
 - Multiple 152:227
 - Parameter 154:413

- Particle-Induced-Gamma-Ray-Emission 183:273, 186:415
- Perturbed-Angular-Correlation 154:413
- Probable 152:227
- Radioassay 152:227
- Radionuclide 152:227
- Relative 183:273, 186:415
- Silicon 183:273
- Sum-Peak-Method 154:413
- Theory 152:227
- Vanadate** 190:381
- Vanadium**
 - Accompanying 196:161
 - Alpha-Deuteron-Induced-Reaction 170:143
 - Amount 182:421
 - Analytical-Investigation 168:477
 - Bulk 182:421
 - Carrier-Free 182:421
 - Chromium-51-Labeled-Compound 196:161
 - Cyclotron-Produced 168:477
 - Decay 196:161
 - EC 196:161
 - Electrolyte-Solution 155:419
 - Electromigration 155:419
 - Energy 196:161
 - Free 155:419
 - Gallium 168:477
 - Hydrolysis 155:419
 - Isotope 168:477
 - Pentavalent 155:419
 - Quantity 155:419
 - Radiochemical-Method 182:421
 - Radioelement 155:419
 - Scandium 182:421
 - Separation 182:421
 - Shift 196:161
 - Tetravalent 155:419
 - Titanium 182:421
 - Trace 155:419
 - X-Ray 196:161
- Vanadium-48** 200:283
- Vanadium-Nitride** 174:265
- Vanilla-Bean** 189:71
- Vapor** 159:317
- Variability** 185:15
- Variable** 191:163
- Variant**
 - Isotope-Dilution-Analysis 155:279, 155:289
 - Sub-equivalence 155:279, 155:289
 - Subvariant 155:279, 155:289
 - Super-equivalence 155:279, 155:289
 - Theoretical-Error 155:279, 155:289
- Variation**
 - Age 182:97
 - Argon-41 167:209
 - Bromine 165:309
 - Compensation 198:253
 - Complicating 158:239
 - Container 157:301
 - Correct 167:209
 - Counting 198:253
 - Dating 158:239
 - Decay 198:253
 - Elemental-Composition 177:381
 - Factor 158:239
 - Fossil 158:239
 - Geometry 198:253
 - Hippurion 158:239
 - Human-Rib 182:97
 - Irradiation 157:301
 - k_0 157:301
 - Liquid 167:209
 - Lymphoma 165:309
 - Mouse 165:309
 - Neutron-Activation-Analysis 157:301, 198:253
 - Neutron-Flux 157:301
 - Parameter 157:301
 - Photopeak 167:209
 - Plant 177:381
 - Radioactive 198:253
 - Sample 167:209
 - Short-Lived-Nuclide 198:253
 - Soil 177:381
 - Teeth 158:239
 - Thorium 182:97
 - Uranium-Microdistribution 158:239
 - Volume 167:209
- Variety**
 - Brazilian 164:265
 - Corn 164:265
 - Distribution 164:265
 - Inorganic-Element 164:265
 - Mustard 154:427
 - Neutron-Activation-Analysis 164:265
 - Sunflower-Seed 154:427
 - Thermal-Neutron-Activation-Analysis 154:427
- Vascular** 159:87
- Vegetable** 182:91
- Vegetable-Sample** 159:29
- Vegetal** 151:149
- Vegetation** 156:21
- Venezuela** [Northern-] 178:327
- Verification**
 - Accuracy 160:233
 - Area 193:211
 - Coating 164:71
 - Continuous 164:71
 - Control 164:71
 - Detectability 160:233
 - Fuel-Element 164:71
 - Gamma-Spectroscopy 160:233, 193:211
 - Hermetic-Sealing 164:71
 - Multiplet 193:211
 - Nuclear-Reactor 164:71
 - Problem 193:211
 - Program 160:233, 193:211
 - Thermophysical 164:71
 - VVER-440 164:71
- Versatile**
 - Data-Analysis 160:277
 - Field 194:389
 - NADA 160:277
 - Neutron-Activation 160:277
 - PC 160:277
 - Program 160:277, 194:389
 - Real-Time 194:389
 - Tritium 194:389
- Vertical-Distribution** 156:361
- Vertical-Flow** 198:69
- Vicinity**
 - Behavior 197:173
 - Children 155:383
 - Copper 155:383
 - Fertilizer 197:173
 - Hair 155:383
 - Level 197:173
 - Living 155:383
 - Mine 155:383
 - Natural-Radioactivity 197:173
 - Phosphate 197:173
 - Plant 197:173
 - Trace-Element 155:383
 - Worker 155:383
- Vienna** 169:65
- Vietnamese** 176:383
- View** 197:29
- Vinca-Belgrade** 199:27
- Violet**
 - Antimony(V) 200:427
 - Complex 200:427
 - Crystal 199:333
 - Extraction 200:427
 - Molybdenum 199:333
 - Radiochemical-Ion-Association 200:427
 - Substoichiometric-Radiochemical-Determination 199:333
 - Tetrazolium 200:427
 - Thermal-Behavior 200:427
- Vitamin-B₁₂** 185:167
- Vitrification** 177:335
- Vitrified**
 - Chemical-Resistance 177:271
 - Evaluation 181:253
 - Radioactive-Waste 181:253
 - Statistical-Estimate 181:253
 - Waste 177:271
- Volatile**
 - Activation-Analysis 165:61
 - Carbon-Tetrachloride 174:103, 175:359
 - Carbon-Tetrachloride-Solution 176:185
 - Collected 165:61
 - Dinitrobenzene 174:103
 - Gamma-Radiolysis 174:103
 - Gas-Chromatography-Fourier-Transform-Infrared-Spectroscopy 173:395
 - Gas-Chromatography-Fourier-Transform-Infrared-Spectroscopy-MS 175:359, 176:185
 - Gas-Chromatography-Mass-Spectroscopy 173:395
 - Identification 173:395
 - Isomer 174:103
 - Main 174:103
 - Metal-Element 165:61
 - Nitroaniline 174:103, 176:185
 - Nitrobenzene 174:103
 - Nitrophenol 174:103
 - Nitrophenol-Solution 175:359
 - Product 174:103, 175:359
 - Radiation-Chemical-Yield 174:103
 - Radiolysis 175:359, 176:185
 - Radiolytic-Product 173:395, 176:185
 - Stromboli-Italy 165:61
 - Volcanic-Exhalation 165:61
 - Vulcano 165:61
 - Water/Nitrobenzene/Carbon-Tetrachloride-System 173:395
- Volatility** 180:237
- Volatilization**
 - Activation-Analysis 154:255
 - Car 179:205
 - Element 179:205
 - High-Temperature 154:255
 - Incineration 179:205
 - Mercury 154:255
 - Mineral-Sample 154:255
 - Tire 179:205
 - Truck 179:205
- Volcanic-Ash-Sample** 183:235
- Volcanic-Exhalation**
 - Activated-Charcoal 166:31
 - Activation-Analysis 165:61
 - Collected 165:61
 - Metal-Element 165:61
 - Minor-Element 192:183
 - Neutron-Activation-Analysis 166:31, 192:183
 - Purification 166:31
 - Sorbent 166:31
 - Speciation 192:183
 - Stromboli-Italy 165:61
 - Trace-Element 166:31, 192:183
 - Volatile 165:61
 - Vulcano 165:61
- Volcanic-Gas-Sample** 199:365
- Volcanic-Rock** 153:301
- Volcanic-Sublimate** 168:125
- Volume**
 - Activity 187:131
 - Air 187:131
 - Americium-241 156:33
 - Anion-Exchange-Resin 194:71
 - Argon-41 167:209
 - Baboon 156:33
 - Bone 156:33
 - Breakthrough 194:71
 - Cigarette-Smoke 187:131
 - Copper 153:37
 - Correct 167:209
 - Diffusion 153:37, 188:367
 - Dosimetry 156:33
 - Double 194:71
 - Equivalent 187:131
 - Gamma-Radiation 188:367
 - Hanford 194:71
 - Iodide-Anion 153:37
 - Liquid 167:209
 - Man 156:33
 - Modified 188:367
 - Near-Surface 153:37
 - Photopeak 167:209
 - Plutonium-239 156:33
 - Poly(Alkylthiophene)S 188:367
 - Radon-222 187:131
 - Region 153:37
 - REILLEX-HPQ 194:71
 - Sample 167:209
 - Shell 194:71
 - Simulant 194:71
 - Skeleton 156:33
 - Sulfur-Dioxide 188:367
 - Tank 194:71
 - TeO_4^- 194:71
 - Variation 167:209
- Volumetry** 171:435
- Voluminous** 169:397
- VO²⁺** 200:283
- Vulcano** 165:61
- VVER-440** 164:71

W(alpha,p×n)-Reaction
172:155**Wales** 180:225**War** 176:91**Washington-DC** 192:215**Waste**

- 2-Heptanone 190:175
- Acidic 183:371, 191:291
- Actinide 191:279, 191:291, 194:107
- Activity 177:335
- Actual 194:25
- Aerosol 177:335
- Americium 190:175
- Ammonium-Tc-99-Perchnetate 198:135
- Amount 177:335
- Analytical 187:57
- Anion-Exchange-Resin 187:57
- Aqueous-Solution 187:57
- Bearing 191:279
- Behavior 177:311
- Cement 198:281
- Cesium-137 183:371
- Characteristics 191:115
- Characterization 193:377
- Chelating 161:549
- Chemical-Composition 181:373
- Chemical-Resistance 177:271
- Chromatographic-Separation 191:279, 191:291
- CMPO 191:279
- Complex 183:371, 197:253
- Complexing-Agent 161:549
- Conditioning 177:311
- Contaminated 194:107
- Contamination 197:253
- Correlation 193:377
- Degradation 161:549
- Denitration 191:115
- Disposal 193:377
- Dump 194:157
- Efficiency 177:335
- Energy-Dispersive-X-Ray-Fluorescence-Analysis 194:107
- Extraction 177:311, 191:279
- Facility 197:253
- Filtration 191:115
- Fish 194:157
- Fission-Product 183:371
- Formation 177:301, 177:311
- Hanford 190:175, 194:25
- High-Level 177:301, 177:311, 191:115, 191:279
- Immobilization 198:281
- Important 193:377
- Improvement 189:59
- Inorganic-Exchanger 183:371
- Inventory 193:377
- Iron-Hydroxide 190:175
- Irradiated 161:549
- Key 193:377
- Liquid 177:301, 177:311, 191:115
- Los-Alamos-Medical-Radioisotope-Program 195:287
- Low-Concentration 177:301
- Low-Level 194:157
- Macroporous 187:57
- Medium-Level 177:335
- Metal 161:585, 192:275
- Minimization 195:287
- Minor 191:279, 191:291
- Mixed 161:549, 181:373, 194:25
- Monitor 194:107
- Neptunium 190:175
- Neutron-Activated 161:585
- Nitrate 191:291
- Nitric-Acid 177:301
- Nuclear-Fuel 186:285, 189:59
- Nuclear-Power 161:585
- Nuclear-Power-Plant 177:335
- Ocean 194:157
- On-line 194:107
- Organic-Analysis 194:25
- Organic-Complexant 194:25
- Organic-Ligand 181:373
- Palladium 186:285, 189:59
- Partition 191:291
- Phosphate-Containing 187:57
- Photolysis 181:373
- Plutonium 187:57, 190:175
- Plutonium-239/240 194:157
- Possible 197:253
- Precipitation 190:175
- Preliminary-Screening 192:275
- Problem 197:253
- Processing 197:253
- Product 181:373
- Purex 191:291
- Radioactive 194:157
- Radiological-Characterization 161:585
- Radionuclide 193:377
- Radium-226 198:281
- Reaction 198:135
- Recovery 186:285, 187:57, 189:59, 198:135
- Representative-Sampling 197:253
- Reprocessing 186:285, 189:59
- Retention 177:335
- Reversed-Phase 191:291
- Revisited 194:25
- Safety 193:377
- Selected 192:275
- Separation 183:371
- Simulated 161:549, 177:301, 177:311, 190:175, 191:115, 194:25
- Site 192:275, 194:157
- Slurry 191:115
- Solid 177:301, 177:311
- Solidification 198:281
- Solvent-Extraction 190:175
- Spent 186:285, 189:59
- Station 161:585
- Storage 193:377
- Stream 193:377, 194:107
- Sulfate 191:279
- Sulfoxide 191:291
- Total 190:175
- Transuranic-Element 177:311
- Typical 193:377
- Vittrification 177:335
- Vittrified 177:271

Waste-Sample 158:75**Waste-Water**

- Activated-Sludge 186:441
- Allium-CEPA 187:137
- Aqueous-Solution 183:99
- ASIA-(Ismatec)-Analyzer 187:351
- Biocenose 186:441

- Cell 187:137
- Cesium-134 191:53
- Cobalt-60 191:53
- Component 191:129
- Degradation 183:99
- Flotation 191:53
- Gamma-Irradiated 183:99
- Heavy-Metal 186:441, 187:137
- Industrial 186:441, 187:137
- Liquid-Chromatography 183:99
- Multicomponent 183:99
- Nitrobenzene 183:99
- Oxidation 191:129
- Performance 183:99
- Petrochemical 191:129
- Phase-High 183:99
- Phenol 191:129
- Radiation 183:99, 191:129
- Radioactive 187:351
- Radioactive-Process 191:53
- Radionuclide 187:137
- Removal 191:53
- Reverse 183:99
- Reverse-Radiometric-Flow-Injection-Analysis 187:351
- Root-Tip 187:137
- UV-VIS-Analysis 183:99
- X-Ray-Fluorescence-Analysis 187:137

Water

- Accident 188:305
- Acigol 200:169
- Actinide 164:153
- Aerosol 161:101
- Albanian 186:303
- Alpha-Propionic-Acid 166:143
- Aniline 165:127
- Area 186:281
- Artificial 188:305
- Atomic-Absorption-Spectrometry 161:101, 172:117
- Bismuth(III) 179:267
- Catchment 156:7
- Cesium 156:7
- Cesium-134 177:139
- Cesium-137 201:171
- Characteristics 185:91
- Chloride 158:91
- Cloud 161:101
- Coast 186:303
- Cobalt-60 177:139, 201:171
- Cobalt-Dicarbollide 172:213
- Coefficient 177:139
- Collected 188:305
- Comparative-Study 200:443
- Concentrating 172:213
- Concentration 170:117
- Contaminated 156:7
- Contamination 200:9
- Content 158:91
- Coolant 162:399
- Coprecipitation 179:267
- Corrosion 175:467
- Counting-Technique 194:337
- Couple 164:153
- Crystallization 200:443
- Cyclohexane 166:143
- Danube 186:281
- Danube-Delta-Area 165:305
- Deionized 175:467
- Delta 186:281
- Direct-Extraction 194:337
- Distribution 177:139
- Drinking 164:373, 172:213
- Drug 166:55
- Ebrié 158:91
- Efficiency 200:169
- Element 166:55
- Emulsion 165:127
- Energy-Dispersive 186:303
- Environmental 186:119
- Estimation 162:399
- Evaluation 164:373, 194:337
- Fallout 172:213
- Ferric-Compound 200:443
- Ferrous-Compound 200:443
- Fertilizer 200:9
- Fluoride 158:91
- Following 188:305
- Fractionation 156:7
- Gamma-Irradiated 165:127
- Gas-Production 170:117
- Generation 161:101
- Graphite-Furnace 172:117
- Graphite-Tube 172:117
- High-Purity 172:117
- High-Spin 200:443
- Hole 165:127
- Hydride 161:101
- H₂O₂/Na₂SO₄/H₂SO₄-HSS-System 200:169
- Ibaraki-Japan 188:305
- Identification 166:55
- Immersion 175:467
- Implication 200:443
- In-Situ 172:117
- Inductively-Coupled-Plasma-Mass-Spectrometry 175:129
- Inductively-Coupled-Plasma-Mass-Spectrometry 175:129
- Infusion 166:55
- Inorganic-Species 183:139
- Instrumental-Neutron-Activation-Analysis 161:101
- Iodine 164:373
- Iodine-131 201:171
- Isotope 156:7
- Isotope-Exchange 164:373
- Ivory-Coast 158:91
- Kinetic-Characteristics 166:143
- Lagoon 158:91
- Lake 156:7, 200:169
- Leaching 200:169
- Lead 175:129
- Level 188:305
- Liquid-Scintillation 185:91, 194:337
- Liquid-Scintillation-Counting 186:119
- Low-Level 186:119
- Low-Specific-Activity 170:117
- Low-Spin 200:443
- Methyl-Ester 166:143
- Mild-Steel 175:467
- Model 172:213, 201:171
- Mountain 156:7
- Multichannel-Analyzer 201:171
- Multiple-Injection 172:117
- Mururoa-Lagoon 197:387
- Mössbauer-Spectroscopy 175:467
- Mössbauer-Spectrum 200:443
- Neutron 154:393

- Neutron-Activation-Analysis 164:373, 179:267
- Norwegian 156:7
- Oil 170:117
- Oxygen 164:153
- Phosphate 200:9
- Pinheiros 177:139
- Plant 166:55, 170:117
- Plutonium 197:387
- Pollutant 164:153
- Possible 200:9
- Potassium-Bromide 165:127
- Potassium-Chloride 165:127
- Potassium-Iodide 165:127
- Potentiometry 158:91
- Preconcentration 172:117, 179:267
- Production 200:9
- Prolonged 175:467
- Proportional-Counter 153:165
- Pulse-Shape-Analysis 186:119
- Pyrrolidinedithiocarbamate 179:267
- Radical 166:143
- Radioactive-Waste 201:171
- Radioactivity 197:387
- Radiiodine 162:399
- Radiometric-Flow-Injection-Analysis 201:171
- Radionuclide 188:305
- Radiostrontium 172:213
- Radium 165:305, 170:117, 186:281
- Radium-226 153:165, 165:263, 200:9
- Radon 185:91, 186:281
- Radon-222 165:263, 186:119
- Rain 188:305
- Rapid 172:213
- Reaction 165:127
- Reactor 162:399
- Reflection 154:393
- Reverse 201:171
- Rhone 153:431
- River 153:431, 177:139
- Rockpile-Related-Medium 183:139
- Role 200:443
- Run-Off 156:7
- Russia 188:305
- Scale 170:117
- Scintillation-Method 165:263
- Sea 186:303
- Sediment 177:139
- Seepage 183:139
- Separation 164:373
- Simultaneous-Determination 201:171
- Slovafof-909 172:213
- Snowmelt 156:7
- Solvent-Extraction 172:213
- Source 175:129
- South-West-Coastal-Region-India 178:245
- Speciation 162:399
- Species 165:127
- Spectral 166:143
- Strontium-90 156:7
- Surface 179:267
- Tap 175:129
- Technetium-99 153:431
- Technological 172:213
- Thorium 165:305, 170:117, 186:281
- Thorium-234 177:139
- Tomsk-7 188:305
- Trace 178:245
- Trace-Element 161:101, 179:267
- Trace-Metal 172:117, 186:303
- Underground 158:91
- Uranium 165:305, 170:117, 178:245, 186:281, 188:305, 194:337, 200:169
- Uranium-Mining 183:139
- Well 164:373
- X-Ray-Fluorescence-Analysis 158:91, 166:55, 186:303
- Zeolite 154:393
- Water-Dimer** 153:439
- Water-DMF** 165:167
- Water-Organic-Mixture** 190:469
- Water-Sample**
 - Activation-Analysis 155:33
 - Aqueous-Solution 157:193
 - Arsenic(III) 154:343, 157:193
 - Arsenic(V) 154:343
 - Benzene 157:193
 - Bromine 164:59
 - Cadmium 168:23
 - Chemical 187:441
 - Chlorine 164:59
 - Co-precipitation 168:23
 - Correction 152:347
 - Derivative 155:33
 - Direct 167:383
 - Environmental 167:383
 - Estimation 152:347
 - Iodide 157:193
 - Iodine 164:59
 - Ion-Exchange 164:59
 - Irradiation 167:383
 - Lithium 172:289
 - Low-Level 172:289
 - Natural 187:441
 - Neutron-Activation-Analysis 168:23, 172:289, 187:441
 - Phosphorus 155:33
 - Photon-Activation-Analysis 167:383
 - ppb-Level 155:33
 - Pre-collection 187:441
 - Preservation 154:343
 - Radiochemical-Extraction 157:193
 - Radiochemical-Separation 164:59
 - Rapid 164:59
 - Rapid-Method 152:347
 - Selenium(IV) 187:441
 - Selenium(VI) 187:441
 - Spectrophotometry 157:193
 - Trilaurylamine-Oxide 157:193
 - X-Ray-Fluorescence-Analysis 152:347
 - Yield 152:347
- Water-Sediment-System** 175:401
- Water-Soluble** 174:271
- Water-Solution**
 - Adsorption 154:81
 - Alkali 154:81
 - Alkaline-Earth 154:81
 - Clinoptilolite 201:293
 - Equilibrium 201:293
 - Inorganic-Ion 201:293
 - Radionuclide 154:81
 - Sorption 201:293
 - Zeolite 154:81
- Water/Carbon-Tetrachloride-System** 166:239
- Water/Chlorobenzene-System** 166:239
- Water/Chlorobenzene/Carbon-Tetrachloride-System** 166:251
- Water/Nitrobenzene-System** 198:359
- Water/Nitrobenzene/Carbon-Tetrachloride-System**
 - Chloride-Ion 166:251
 - Gas-Chromatography-Fourier-Transform-Infrared-Spectroscopy 173:395
 - Gas-Chromatography-Mass-Spectrometry 173:395
 - Identification 173:395
 - Radiation 166:251
 - Radiolysis 166:251
 - Radiolytic-Product 173:395
 - Volatile 173:395
 - Water/Chlorobenzene/Carbon-Tetrachloride-System 166:251
 - Yield 166:251
- Wear** 180:121
- Weathering** 161:245
- Well**
 - Comparison 169:301
 - DEXA 169:301
 - Drinking 164:373
 - Dual-Photon-Absorptiometry 169:301
 - Evaluation 164:373
 - Iodine 164:373
 - Isotope-Exchange 164:373
 - Neutron-Activation-Analysis 164:373, 169:301
 - Osteoporosis 169:301
 - Prediction 169:301
 - Separation 164:373
 - Water 164:373
- Well-Type** 158:343
- West-Malaysia** 164:131
- Wet**
 - Ashing 193:33
 - Cadmium 193:33
 - DEHPA 198:237
 - Dry 193:33
 - Extraction 198:237
 - Loss 193:33
 - Material 193:33
 - Oxidation-Reduction 198:237
 - Phosphoric-Acid 198:237
 - Plant 193:33
 - Tri-n-Octylphosphine-Oxide 198:237
 - Uranium 198:237
- Wet-Ashing-Arsenazo-III-Method** 159:77
- Wetland** 151:191
- Wheat-Sample** 179:377
- WH₄(PCH₃Ph)₄** 163:325
- WH₄(PC₂H₅Ph)₄** 163:325
- Window** 193:179
- Wire** 192:91
- Wood** 180:115
- Word-Processor** 180:75
- Work** 153:111
- Worker** 155:383
- Workplace** 197:161
- World-Student-Project** 171:213
- Wrist-Watch** 197:195
- WWER-440-Type-Reactor** 170:399
- X-Ray**
 - 500-700-keV 200:85
 - Abnormal 199:65
 - Accompanying 196:161
 - Area 177:403
 - Bagasse 200:305
 - Chromium-51-Labeled-Compound 196:161
 - Coal 175:383
 - Compound 199:65
 - Decay 196:161
 - Direct 175:383
 - EC 196:161
 - Energy 196:161
 - Energy-Dependence 177:403
 - Energy-Range 200:85
 - Enhancement 200:85
 - Gamma-Ray 177:403
 - Hydrogen-1 (¹H₂⁺) 200:85
 - Hydrogen-2 (²H₂⁺) 200:85
 - Impurity 155:343
 - Liquefaction 175:383, 200:305
 - Magnetite 190:357
 - Molecule-Ion-Beam 200:85
 - Mössbauer-Spectroscopy 190:357
 - Natural 190:357
 - Neutron-Activation-Analysis 155:343
 - Niobium 155:343
 - Peak 177:403
 - Pre-irradiation 200:305
 - Preirradiation 175:383
 - Primary 199:65
 - Proton-Beam 199:65
 - Sample 155:343
 - Sand 190:357
 - Shift 196:161
 - Sugar-Cane 200:305
 - Tailing 177:403
 - Tantalum 155:343
 - Target 199:65
 - Vanadium 196:161
 - XSQR 199:65
 - Yield 199:65, 200:85
- X-Ray-Absorptiometry** 195:139
- X-Ray-Diffraction** 190:401
- X-Ray-Fluorescence-Analysis**
 - Accuracy 158:409
 - Air-Particulate 196:25
 - Albanian 186:303
 - Allium-CEPA 187:137
 - Analyzed 198:311
 - Archaeological-Sample 198:311
 - Backscatter-Radiation-Method 176:415
 - Barium 187:215
 - Blood 153:257
 - Bratislava-Trnava-Highway 175:33, 176:451
 - Brick 186:57
 - Cadmium 172:137
 - Catamarca-Argentina 200:373
 - Cell 187:137
 - Cellulose 164:357
 - Ceramic-Glaze 192:281
 - Chelating 164:357
 - Chloride 158:91
 - Coal 185:27

- Coast 186:303
- Coin 201:447
- Combined 152:161
- Combining 176:415
- Concentration 176:415
- Content 158:91, 175:33, 176:451
- Copper 175:33, 176:451, 186:57, 187:215
- Correction 152:347, 155:231, 176:415
- Dilated-Cardiomyopathy 153:257
- Double-Dilution-Method 173:9
- Drinking-Water 164:357
- Drug 166:55
- Ebrié 158:91
- Element 166:55
- Emission-Transmission-Method 158:409
- Energy-Dispersive 186:303
- Enrichment 152:161
- Equation 176:415
- Estimation 152:347, 172:137
- Exchanger 164:357
- Factory 186:57
- Film 155:91, 187:215
- Final 186:57
- Fluoride 158:91
- Gadolinium 172:137
- Gamma 152:161
- Gold 170:259
- Gravimetry 176:175
- Hafnium 172:137
- Heavy-Metal 187:137
- Heavy-Metal-Element 201:431
- High-Temperature 155:91
- Identification 166:55
- Improvement 155:231
- Industrial 187:137
- Infusion 166:55
- Instrumental-Neutron-Activation-Analysis 196:25
- Intermediate 158:409
- Iron 186:57
- Ivory-Coast 158:91
- Lagoon 158:91
- Lead 175:33, 176:451, 186:57
- Liquid 173:9
- Major-Element-Analysis 183:235
- Manganese 186:57
- Material 186:57
- Matrix-Effect 155:231
- Matter 186:57
- Medicinal-Plant 201:431
- Mercury 172:137
- Mongolian 185:27
- Multielement 153:257
- Mössbauer-Spectroscopy 200:483
- Neutron-Activation 153:75
- Nickel 175:33, 176:451
- Object 200:373
- Obsidian 200:373
- Optimum 155:231
- Ore 158:401
- Ore-Sample 170:259
- Origin 198:311
- OSTSORB-Oxin 164:357
- Particle-Induced-X-Ray-Emission 153:75
- Particulate 186:57
- Passive 152:161
- Patient 153:257
- Plant 166:55
- Polygonal-Graphic-Representation 198:311
- Polymetallic 158:401
- Potentiometry 158:91
- Preconcentration 164:357
- Prompt-Gamma-Ray-Activation-Analysis 192:281
- Radioactive 196:25
- Radionuclide 164:357, 175:33, 176:451, 186:57, 187:137
- Rapid-Method 152:347
- Raw 186:57
- $\text{Rb}_2\text{U}(\text{SO}_4)_3$ 176:175
- Relation 155:231
- Rock 183:235
- Roman 201:447
- Root-Tip 187:137
- Rubidium 176:175
- Samana-Bay-Dominican-Republic 200:483
- Sample 158:409
- Sea 186:303
- Sediment 200:483
- Sedimental 196:25
- Selected 183:235
- Semiempirical-Model 176:415
- Silver 201:447
- Simultaneous-Analysis 192:281
- Soil 175:33
- Specimen 173:9
- Strontium 176:451
- Superconductivity 155:91
- Superconductor 187:215
- Taraxacum-Officinale 176:451
- Thickness 158:409
- Total-Concentration 152:161
- Toxic-Component 196:25
- Trace-Element 185:27
- Trace-Metal 164:357, 186:303
- Trend 167:433
- Type 196:25
- Underground 158:91
- Unzen-Area-Japan 183:235
- Uranium 172:137
- Uranium-235 152:161
- Volcanic-Ash-Sample 183:235
- Waste-Water 187:137
- Water 158:91, 166:55, 186:303
- Water-Sample 152:347
- Yield 152:347
- Yttrium 187:215
- Zeolite 153:75
- Zinc 175:33, 176:451, 186:57
- X-Ray-Fluorescence-Analysis**
 - [Energy-Dispersive-]
 - Actinide 194:107
 - Aluminosilicate 171:425
 - Clay 171:425
 - Contaminated 194:107
 - Dust 170:171
 - Eastern-Black-Sea-Turkey 201:241
 - Elemental-Composition 171:425
 - Estimation 152:251, 191:305
 - Filter-Paper 152:251
 - Gravitation 170:171
 - Inorganic 170:171
 - Iron 152:251
 - Microdroplet 152:251
 - Monitor 194:107
 - Nuclear-Waste 191:305
 - On-line 194:107
 - Pollutant 170:171
 - Quantitative-Analysis 201:241
 - Sea-Bed 201:241
 - Sediment 170:171, 201:241
 - Simulated 191:305
 - Spectrometry 201:241
 - Stream 194:107
 - Strontium 191:305
 - Titanium 152:251
 - Uranium 152:251
 - Waste 194:107
- X-Ray-Fluorescence-Analysis**
 - [Instrumental-Activation-]
 - 179:295
- X-Ray-Fluorescence-Analysis**
 - [L-] 164:381
- X-Ray-Fluorescence-Analysis**
 - [Radioisotope-Excited-]
 - 164:275
- X-Ray-Fluorescence-Analysis**
 - [Radioisotope-Induced-]
 - 163:355
- X-Ray-Fluorescence-Analysis**
 - [Tube-Excited-] 193:93
- X-Ray-Irradiated** 166:383
- X-Ray-Irradiation**
 - Alternative 158:283, 159:301
 - Aluminum-Hydroxide 154:61
 - Asphaltene 158:283
 - Asphaltol 159:301
 - Chemical-Yield 154:61
 - Coal 158:283, 159:301
 - Electron-Paramagnetic-Resonance-Spectroscopy 154:61
 - Fuel 158:283, 159:301
 - Kinetics 154:61
 - Paramagnetic-Center 154:61
 - Radiation 154:61
 - Radiation-Induced-Effect 158:283, 159:301
 - Thermal-Decay 154:61
- X-Ray-Powder** 152:453
- X-Ray-Scattering** 176:261
- X-Ray-Spectrometry** 201:469
- X-Ray-Spectroscopy** [L-]
 - 161:401
- X-Ray** [L-] 189:283
- X-Ray** [M-] 189:283
- X-Zeolite** 187:223
- Xenon**
 - Adsorption 181:291
 - Carbonaceous-Chondrite 173:219
 - Charcoal 181:291
 - Component 195:335
 - Dating 173:219
 - Dynamic 181:291
 - Excited-Atom 159:249
 - Fission 173:219
 - Isotope 181:291
 - Krypton 181:291
 - Plutonium-244 173:219, 195:335
 - Property 181:291
 - Pulse-Radiolysis 159:249
 - Quenching-Process 159:249
 - Solar-System 195:335
 - Strange 195:335
- Xenon-133** 194:411
- Xenon-Chloride** 165:255
- XPS**
 - Characterization 191:35
 - Chemisorption 191:35
 - Conversion 186:447
 - Electron 186:447
 - Gamma-Ray 191:35
 - Induced 191:35
 - LaMnO_3 191:35
 - Lanthanum-Manganate 191:35
 - Mössbauer-Spectroscopy 186:447
 - Oxygen 191:35
 - Polishing 186:447
 - Stainless-Steel-Sample 186:447
- XRD** 190:381
- XRF** see **X-Ray-Fluorescence**
- XSQR** 199:65
- Xylene** 198:409
- $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$** 167:475
- $\text{YBa}_2\text{Cu}_3\text{O}_7$** 153:117
- Yeast-Cell** 158:455
- Yellow** 182:437
- Yellow-Marrow** 201:477
- Yield**
 - 1,3-Dichloropropane 172:57
 - 1-Chlorobutane 172:57
 - 1-Chlorobutene-2 172:57
 - 1-Chloropropane 172:57
 - 2-Chloropropane 172:57
 - 27-MeV 187:143
 - 500-700-keV 200:85
 - Abnormal 199:65
 - Activation 151:121
 - Activation-Analysis 168:265
 - Alpha-Beam 188:453
 - Alpha-Particle 187:143
 - Anisotropy-Factor 200:127
 - Antimony-130 166:187
 - Antimony-132 166:187
 - Atmosphere 172:57
 - Biological-Material 168:5, 169:229
 - Bombardment 178:387
 - Californium-252 170:99, 189:165
 - Change 163:99
 - Charge-Induced 189:283
 - Charge-Induced-X-Ray 188:453
 - Charged-Particle 178:387
 - Chloride-Ion 166:239, 166:251
 - Chromium 169:229
 - Compound 199:65
 - Contribution 198:247
 - Correction 152:347
 - Correlation 199:353
 - Cumulative 170:99, 189:165
 - Cyclotron 198:247
 - Deuterium-(d,n)-Helium-3-Reaction 200:127
 - Deuteron-Induced-Reaction 198:247
 - Distribution 189:165
 - Energy-Range 200:85
 - Enhancement 178:387, 189:283, 200:85
 - Environmental-Material 158:417
 - Estimation 152:347
 - Fission 166:187
 - Fluorine-18 198:247
 - Fractional 189:165
 - Gamma-Irradiated 172:57

- Gas 198:247
- High-Performance-Liquid-Chromatography 168:5
- Hydrogen-1 ($^1\text{H}_2^+$) 189:283, 200:85
- Hydrogen-2 ($^2\text{H}_2^+$) 200:85
- Iodine-134 155:299, 166:187
- Iodine-136 166:187
- Ion-Beam 189:283
- Ion-Chromatography 169:229
- Isomer 155:299, 166:187
- L-X-Ray 189:283
- M-X-Ray 189:283
- Metal-Fluoride 178:387
- Metal-Salt 188:453
- Molecule-Ion-Beam 200:85
- Monitor 158:417
- Multielement-Analysis 168:5
- Natural 187:143
- Neon 187:143
- Neon-23 198:247
- Neutron 200:127
- Neutron-Activation-Analysis 151:121
- Nuclear-Charge 189:165
- On-line 168:5, 169:229
- Oxygen-Free 172:57
- Particle 199:353
- Particle-Induced-X-Ray-Emission 178:387
- Photofission 155:299
- Photolysis 166:239
- Preconcentration 151:121
- Primary 199:65
- Product 172:57
- Production 198:247
- Proton 188:453, 189:283
- Proton-Beam 199:65
- Quantum 166:239
- Radiation 166:251, 172:57
- Radiochemical-Neutron-Activation-Analysis 168:5, 169:229
- Radiolysis 166:251, 172:57
- Radiolytic-Product 163:99
- Radiotracer 168:265
- Rapid-Method 152:347
- Ratio 155:299
- Rhenium 158:417
- Saturated-Solution 166:239
- Sodium-21 198:247
- Sodium-22 187:143
- Spectrophotometry 188:453
- Spontaneous-Fission 170:99, 189:165, 199:353
- Stable 172:57
- Target 187:143, 199:65
- Targetry 198:247
- Technetium-99 158:417
- Tellurium-133g 189:165
- Tellurium-133m 189:165
- Ternary 199:353
- Thermal-Neutron 166:187
- Thick 187:143
- Thorium-232 155:299
- Tin-127g 170:99
- Tin-128 170:99
- Tracer 151:121
- Tributyl-Phosphate 163:99
- Tritium-(d,n)-Helium-4-Reaction 200:127
- Uranium-235 166:187
- Uranium-238 155:299
- Water-Sample 152:347
- Water/Carbon-Tetrachloride-System 166:239
- Water/Chlorobenzene-System 166:239
- Water/Chlorobenzene/Carbon-Tetrachloride-System 166:251
- Water/Nitrobenzene/Carbon-Tetrachloride-System 166:251
- X-Ray 199:65, 200:85
- X-Ray-Fluorescence-Analysis 152:347
- XSQR 199:65
- Ypacarai-Lake** 161:233
- Ytterbium**
 - Atmosphere 201:347
 - Carrier-Free 185:305
 - Carrier-Mediated-Transport 159:219, 163:131, 170:51
 - Cerium 159:219, 163:131, 170:51, 201:347
 - Chromium 201:347
 - DEHPA 170:51
 - Europium 159:219, 163:131, 170:51
 - Gadolinium 159:219, 163:131, 170:51
 - Industrial-Area 201:347
 - Liquid-Membrane 159:219, 163:131, 170:51
 - Lutetium-177 185:305
 - Major 201:347
 - n-Dodecane 159:219
 - Natural 185:305
 - Neutron-Activation-Analysis 201:347
 - Neutron-Irradiation 185:305
 - Punjab-Pakistan 201:347
 - Rare-Earth-Element 159:219, 163:131, 170:51
 - Scandium 159:219, 163:131, 170:51
 - Selenium 201:347
 - Separation 185:305
 - Supported 159:219, 163:131, 170:51
 - Target 185:305
 - Thulium 159:219, 163:131, 170:51
 - Transport 159:219, 163:131, 170:51
 - Tri-n-Octylphosphine-Oxide 159:219
 - Tributyl-Phosphate 163:131
 - Urban 201:347
 - Yttrium 159:219, 163:131, 170:51
- Ytterbium(III)** 170:89
- Yttrium**
 - Barium 187:215
 - Carrier-Mediated-Transport 159:219, 163:131, 170:51
 - Cerium 159:219, 163:131, 170:51
 - Copper 187:215
 - DEHPA 170:51
 - Diisodecylphosphoric-Acid 158:391
 - Europium 159:219, 163:131, 170:51
 - Extraction-Behavior 158:391
 - Film 187:215
 - Gadolinium 159:219, 163:131, 170:51
 - Liquid-Membrane 159:219, 163:131, 170:51
 - n-Dodecane 159:219
 - Nitric-Acid-Solution 158:391
 - Rare-Earth-Element 159:219, 163:131, 170:51
 - Scandium 159:219, 163:131, 170:51
 - Superconductor 187:215
 - Supported 159:219, 163:131, 170:51
 - Thulium 159:219, 163:131, 170:51
 - Transport 159:219, 163:131, 170:51
 - Tri-n-Octylphosphine-Oxide 159:219
 - Tributyl-Phosphate 163:131
 - X-Ray-Fluorescence-Analysis 187:215
 - Ytterbium 159:219, 163:131, 170:51
- Yttrium(III)**
 - Americium(III) 176:371
 - Anhydrous 176:371
 - Carrier-Mediated-Transport 155:311
 - Covalency 176:371
 - Enthalpy 176:371
 - Liquid-Membrane 155:311
 - Ln(III) 176:371
 - n-Dodecane 155:311
 - Rare-Earth-Halide 176:371
 - Scandium(III) 176:371
 - Supported 155:311
 - Tri-n-Octylphosphine-Oxide 155:311
- Yttrium-90**
 - Antibody 172:267
 - Beta-Spectroscopy 173:293
 - Carrier-Free 189:307
 - Condition 172:267
 - Crown-Ether 189:307
 - Detector 173:293
 - IgG2A 172:267
 - Labeling 172:267
 - Mouse 172:267
 - Scintillation 173:293
 - Separation 173:293
 - Solvent-Extraction 189:307
 - Stability 172:267
 - Strontium-89 173:293
 - Strontium-90 173:293, 189:307
 - Technetium-99m 172:267
- Yttrium-90m** 166:63
- Zambian** 201:333
- Zambia** [Lusaka-» 199:229
- Zebra** 182:63
- Zeoliferous-Rock** 183:159
- Zeolite**
 - Actinide 173:331
 - Adsorption 154:81, 166:41
 - Alkali 154:81
 - Alkaline-Earth 154:81
 - Aluminum 159:71
 - Aqueous 154:265
 - Aqueous-Solution 159:47, 187:431
 - Calcination 183:225
 - Catalytic-Activity 164:229
 - Cesium 152:359, 159:293
 - Chromatography 159:293
 - Clay 187:431
 - Clinoptilolite 159:293
 - Cobalt 166:41, 183:225
 - Cobalt-60 200:19
 - Cobalt-60²⁺ 187:431
 - Comparative 187:431
 - Contact 187:431
 - Crystallinity 164:229
 - CSFR 166:41
 - Elution 183:225
 - Encapsulation 183:225
 - ESR 154:197, 164:255
 - Fission-Product 198:467
 - Fixation 173:331
 - Flexcrete-Cement 173:331
 - Formation 164:255
 - Gamma-Irradiation 164:229
 - Geological-Sample 159:293
 - Granulated 152:359, 162:339
 - KY 164:255
 - Laumontite 154:265
 - Long-Living 190:475
 - Material 154:265
 - Matrix 173:331
 - Microcrystalline 190:475
 - Mixed-Solvent 198:467
 - Mössbauer-Spectroscopy 154:197, 164:255
 - Natural 154:265, 166:41, 187:431
 - NaY 164:255
 - NdX 164:229
 - NdY 164:229
 - Neutron 154:393
 - Neutron-Activation 153:75
 - Nickel 183:225
 - Nuclear-Waste 154:265, 183:225
 - Occurring 166:41
 - Oxide 190:475
 - Particle-Induced-X-Ray-Emission 153:75, 159:71
 - Phthalocyanineiron(II)-Pyridine-Adduct 164:255
 - Phthalocyanineiron(II) 154:197
 - Positron 190:475
 - Positronium 190:475
 - Potential 154:265
 - Precipitation 159:293
 - Pyridine-Inactive 154:197
 - Radiation 200:19
 - Radiochemical-Neutron-Activation-Analysis 159:293
 - Radioisotope 152:359
 - Radionuclide 154:81
 - RbY 164:255
 - Reflection 154:393
 - Removal 152:359, 159:47, 162:339, 198:467
 - Rubidium 159:293
 - Ruthenium 198:467
 - Silicon 159:71
 - Sodium-Tetraphenylborate 159:293
 - Sorption 200:19
 - State 190:475
 - Strontium-Ion 162:339
 - Structural-Stability 187:431
 - Supercage 154:197, 164:255
 - Synthetic-Faujasite 183:225
 - Thorium 159:47
 - Treatment 154:265, 183:225
 - Uptake 183:225

- Water 154:393
- Water-Solution 154:81
- X-Ray-Fluorescence-Analysis 153:75
- Zeotype 173:331
- Zinc 183:225
- Zeolite-L** 178:273
- Zeolite-X** 191:83
- Zeolite-Y**
 - Cadmium 199:107
 - Cobalt 199:107
 - Cobalt²⁺ 191:89
 - Ethylenediamine 191:89
 - Mössbauer-Spectroscopy 186:213
 - Product 186:213
 - Pyrolysis 186:213
 - Sorption 199:107
 - Synthesized 186:213
 - tris(1,10-Phenanthroline)-Iron(II)-Ion 186:213
 - Uptake 191:89
- Zeotype** 173:331
- Zinc**
 - Activation 151:255
 - Activation-Energy 176:161
 - Aerosol 192:215
 - Antimony 192:215
 - Area 192:215
 - Arsenic 170:299, 192:215
 - Ascite 195:155
 - Bearing 192:215
 - Benzyl-Xanthate 200:181
 - Bioavailability 151:255
 - Bratislava-Tmava-Highway 175:33, 176:451
 - Brick 186:57
 - Butyl-Xanthate 200:181
 - Calcination 183:225
 - Catalogue 191:387
 - Chemical-Separation 182:295
 - Chromium 170:299
 - Cobalt 158:455, 183:225
 - Comparative 200:181
 - Comparison 191:387
 - Content 158:455, 175:33, 176:451
 - Copper 175:33, 176:451, 182:295, 186:57, 195:155
 - Diffusion 176:161
 - Distribution 153:101, 195:155
 - Electrolyte 176:161
 - Elution 183:225
 - Encapsulation 183:225
 - Ethyl-Xanthate 200:181
 - Factory 186:57
 - Final 186:57
 - Fish 170:299
 - Geological 182:295
 - Growth 192:215
 - Indium 182:295
 - Indium-Ion 153:101
 - Injected 153:101
 - Instrumental-Neutron-Activation-Analysis 191:387, 192:215
 - Iron 158:455, 186:57
 - Isotope 151:255
 - Kinetic 195:155
 - k_0 191:387
 - Lead 175:33, 176:451, 186:57
 - Manganese 186:57
 - Marine 170:299
 - Material 186:57
 - Matter 186:57
 - Mercury 158:455, 170:299
 - Meteoritic-Sample 182:295
 - Mouse 153:101, 195:155
 - Neutron-Activation 170:299
 - Neutron-Activation-Analysis 151:255, 182:295
 - Nickel 175:33, 176:451, 183:225
 - Nuclear-Waste 183:225
 - Particle 192:215
 - Particulate 186:57
 - Pentyl-Xanthate 200:181
 - Period 195:155
 - Potassium-Salt 200:181
 - Propyl-Xanthate 200:181
 - Radiochemical-Leaching 181:301
 - Radionuclide 175:33, 176:451, 186:57
 - Rapid 182:295
 - Raw 186:57
 - Salt 176:161
 - Selenium 158:455, 170:299, 192:215, 195:155
 - Selenium-Compound 153:101
 - Single-Comparator-Method 191:387
 - Size-Spectrum 192:215
 - Soil 175:33, 181:301
 - Standardization 191:387
 - Strontium 176:451
 - Substoichiometric-Extraction 200:181
 - Synthetic-Faujasite 183:225
 - Taraxacum-Officinale 176:451
 - Trace 182:295
 - Tracer 151:255
 - Treatment 183:225
 - Tropical 170:299
 - Tumor-Bearing 195:155
 - Uptake 183:225
 - Washington-DC 192:215
 - X-Ray-Fluorescence-Analysis 175:33, 176:451, 186:57
 - Yeast-Cell 158:455
 - Zeolite 183:225
- Zinc(II)** 162:351
- Zinc(II)-Acetylacetonate-Complex** 185:133
- Zinc(II)-Chloride** 170:235
- Zinc(p×n)-Reaction** 195:279
- Zinc-EDTA-Complex** 164:193
- Zinc-65**
 - Bioaccumulation 183:389
 - Comparative-Analysis 195:315
 - Human-Urine 195:315
 - Least-Squares-Method 195:315
 - Library 195:315
 - Personal-Computer 195:315
 - Poecilia-Reticulata 183:389
 - Potassium-40 195:315
 - Radioactive-Tracer 183:389
- Zinc-70** 195:263
- Zinc-Bromate** 187:313
- Zinc-Oxide** 195:271
- Zinc²⁺-Ion** 182:375
- Zircon** 199:51
- Zirconium**
 - Acidic-Medium 162:289
 - Adsorption 170:157
 - Aliquat-336 162:289
 - Amine 163:29
 - Beach 199:51
 - Cogenetic 199:51
 - Diisodecylphosphoric-Acid 185:173
 - Extraction 162:289, 163:29
 - Extraction-Behavior 185:173
 - Germanium-Iodide 170:293
 - Hafnium 162:289, 163:213, 181:157, 199:51
 - HDEHP 163:213
 - Intercalate 196:311
 - Isotope-Dilution 158:13
 - Liquid-Liquid-Extraction 181:157
 - Manganese-Dioxide 170:157
 - Mixture 162:289
 - Molybdenum 185:173
 - Molybdenum-99 170:293
 - Molybdophosphate-Mo-99 170:293
 - Monazite 199:51
 - n-Butylamine 196:311
 - Neutron-Activation-Analysis 199:51
 - Niobium 162:289, 163:213
 - Nitric-Acid-Solution 185:173
 - Phosphate-Phosphite 196:311
 - Production 163:29
 - Pu-Zr-Al-Alloy 158:13
 - Pure 163:29
 - Rare-Earth-Element 199:51
 - Removal 170:157
 - Reversed-Phase-Chromatographic-Separation 163:213
 - Salt 163:29
 - Sand 199:51
 - Scandium 199:51
 - Separation 162:289
 - Structural-Investigation 196:311
 - Technetium-99m-Generator 170:293
 - Thermal-Ionization-Mass-Spectrometry 158:13
 - Thiocyanate 162:289
 - Thorium 199:51
 - Trace-Level 181:157
 - Tracer 163:213
 - Tri-n-Octylphosphine-Oxide 162:289
 - Triocetylamine 181:157
 - U-Zr-Al-Alloy 158:13
 - Uranium 199:51
 - Uranium-Hydrogen-Carbonate-Solution 170:157
- Zirconium(IV)**
 - Adsorption 158:79
 - Dynamic 158:79
 - Europium(III) 201:125
 - Extraction-Behavior 201:125
 - Gamma-Pre-Irradiated 201:125
 - N,N'-Methylbutyl-Substituted-Amide 201:125
 - n-Dodecane 201:125
 - Plutonium(IV) 201:125
 - Ruthenium(III) 201:125
 - Silica-Gel 158:79
 - Uranium(VI) 158:79, 201:125
- Zirconium-94** 189:51
- Zirconium-Dioxide** 180:155
- Zirconium-Hydroxophosphate** 174:279
- Zirconium-Molybdoarsenate** 188:323
- Zirconium-Oxide** 182:305
- Zirconium-Phosphate**
 - Acid 198:375
 - Amorphous 182:323, 182:335, 182:345
 - Cement-Composite 182:335
 - Cesium 182:323, 182:335, 182:345
 - Characterization 198:375
 - Column 182:345
 - Crystalline 198:375
 - Ion-Exchange-Behavior 198:375
 - Isotope 182:335
 - Leaching 182:335
 - Preparation 198:375
 - Radioactive-Waste 182:323, 182:335, 182:345
 - Radioisotope 182:323
 - Removal 182:345
 - Stability 198:375
 - Strontium 182:323, 182:335, 182:345
 - Treatment 182:323, 182:335, 182:345
 - Uptake 182:323
 - Uranyl-Ion 198:375
- Zirconium-Phosphate (Alpha-)**
 - Adsorption 190:167
 - Gamma-Zirconium-Phosphate 190:167
 - Intercalation 190:167
 - Microcalorimetry 190:167
 - n-Butylamine 190:167
 - Silica-Containing 200:159
 - Structural-Modification 200:159
- Zirconium-Phosphate (Gamma-)**
 - Adsorption 190:167
 - Alpha-Zirconium-Phosphate 190:167
 - Crystalline-Structure 196:319
 - Intercalation 190:167
 - Microcalorimetry 190:167
 - n-Butylamine 190:167
- Zirconium-Titanium-Phosphate** 154:23
- Zirconium-Tungstate** 188:267
- Zone** 179:259
- ZrMAs** 188:323